



Kodak

Scanners

Supplies & Consumables

Contents

Introduction	1
Quick Reference – lamps.....	2
General Consumables for ALL <i>Kodak</i> Scanners	3
<i>Kodak</i> i4000 Series Scanners.....	4
<i>Kodak</i> i5000 Series Scanners.....	6
<i>Kodak</i> i700 Series Scanners.....	8
<i>Kodak</i> i600 Series Scanners.....	10
<i>Kodak</i> <i>Ngenuity</i> 9000 Series Scanners	12
<i>Kodak</i> <i>Spectrum</i> Series Scanners	14
<i>Kodak</i> <i>Copiscan</i> 8000 Series Scanners	15
<i>Kodak</i> i1800 Series Scanners.....	16
Consumable Guidelines for i600/i700/i1800/i4000/i5000 Series Scanners	18
<i>Kodak</i> i1200/i1300 Series Scanners/ <i>Kodak</i> i1200/i1300 Plus Series Scanners.....	19
<i>Kodak</i> <i>ScanMate</i> i1150 and i1180 Scanners.....	19
<i>Kodak</i> i1400 Series Scanners.....	20
<i>Kodak</i> i2400/i2600/i2800 Scanners	21
<i>Kodak</i> i2900 Scanner.....	22
<i>Kodak</i> i3200/i3250/i3400/i3450 Scanners	23
Consumable Guidelines for i2900/i3200/i3250/i3400/i3450 Scanners	24
<i>Kodak</i> <i>Sidekick</i> 1400u Scanner	25
<i>Kodak</i> <i>Sidekick</i> 1200 Scanner	25
<i>Kodak</i> <i>Trüper</i> 3210 and 3610 Scanners	26
<i>Kodak</i> <i>ScanMate</i> i1120 Scanner	27
<i>Kodak</i> <i>ScanMate</i> i920 Scanner	27
<i>Kodak</i> <i>ScanMate</i> i940 Scanner	27
<i>Kodak</i> i30/i40 Scanners	28
<i>Kodak</i> i100 Series Scanners.....	28
<i>Kodak</i> i200 Series Scanners.....	29
<i>Kodak</i> <i>Picture Saver</i> Scanning System / PS400/PS800/PS50/PS55/PS80 PS450/s1220	30
<i>Kodak</i> <i>Scan Station</i> 100	31
<i>Kodak</i> <i>Scan Station</i> 500	31
<i>Kodak</i> <i>Scan Station</i> 700	32
Consumable Guidelines for <i>Scan Station</i> 500/700, PS400/PS800/PS50/PS55/PS80/PS450/s1220 Scanners and i100/i200/i1200/ i1300/i1400 Series Scanners.....	33
<i>Kodak</i> i800 Series Scanners.....	34
Consumable Guidelines for i800 Series Scanners	35
<i>Kodak</i> <i>Digital Science</i> Document Scanner 9520/9500	36
<i>Kodak</i> <i>Imagelink</i> Scanner/Microimager 990	38
<i>Kodak</i> <i>Digital Science</i> Document Scanner 7520/7500	40

<i>Kodak Digital Science Color Scanner 4500</i>	41
<i>Kodak Digital Science Color Scanner 3590C</i>	43
<i>Kodak Digital Science 3500, 3510, 3520 Scanners</i>	45
Consumable Guidelines for 3000/4000 Series Scanners	46
<i>Kodak Digital Science Scanner 2500</i>	47
<i>Kodak Digital Science Scanner 1500</i>	47
<i>Kodak i50/i55/i60/i65/i80 Scanners</i>	47

Supplies and Consumables For **Kodak** Scanners

Kodak offers supplies and consumables for all *Kodak* Scanners. For optimal feeder performance and image quality, Kodak recommends using professional cleaning materials and consumable items, such as:

- Roller cleaning pads
- Transport cleaning sheets
- Staticide wipes
- Calibration targets
- Feeder and Separation rollers
- Lamps
- Ink cartridges
- Imaging guides



Usage figures of supplies and consumables are not guaranteed. Customer-operating environments, document type, the condition of the documents being scanned, and not following the recommended cleaning and replacement procedures, can cause the life of the consumables to vary.

This document contains catalog numbers and descriptions for supplies and consumables that are used with *Kodak* Scanners. The guidelines specified in this document are based upon Kodak's testing.

- **Calibration Target:** a calibration target will last longer if the recommended maintenance of the scanner is followed. Variables such as paper types (i.e., carbonless paper), dirty feed rollers, which can transfer debris on the target, etc. will shorten the usage of the calibration target. Always clean your scanner **before** calibrating.
- **Imaging Guides:** imaging guides may need to be replaced if you notice degrading image quality or if something happens to the white patch on the imaging guide.
 - Degrading image quality: (i.e., a consistent streak in most/all images that does not disappear after cleaning the imaging guides). Visually inspect the imaging guides to see if they are heavily scratched. If so, the imaging guides may need to be replaced.
 - White patch: White patches are not on all imaging guides. The i800, i1800, i700, i600, i1400, i200, i100, 4500, 3590C Scanners and 5000/7000 Series Scanners include a white patch. Visually inspect the white patch and look for signs of aging (discoloration of the patch). If the patch shows discoloration, replace the white patch or call Service.
- **Tires:** *Kodak* Scanners use replaceable tires that can feed a wide range of document types, sizes and thicknesses. Tire life and performance will vary based on the customer's document set, the frequency of cleaning the transport and tires, and following the recommended schedule for changing tires. You should change the tires if you notice an increase in multiple feeds, stoppages, or a decrease in feeder performance that is not resolved by following the cleaning procedures.

For further information go to the Kodak website: www.kodakalaris.com/go/docimaging.

The following chart provides a quick reference of the imaging lamps provided by Kodak Alaris Inc. and the scanners these consumables are used with. It is suggested that all lamps be replaced every 500 hours of operation or as necessary (e.g., as reported by the scanner, repeated image calibration failures, etc.)





NOTE: Only the scanners listed below have customer-replaceable lamps. Contact Service for all other scanners.

Lamps															
CAT No.	Description	500	3500	3520	3590C	4500	5000	7500	7520	9500	9520	990	i800		
816 2190	White Imaging Lamp: 16-inch											√			
806 0824	Red Color Drop-out :14-inch											√	√	√	
813 7903	Blue Color Drop-out: 14-inch											√	√	√	
817 8626	Green Color Drop-out: 14-inch											√	√	√	
813 0635	Blue Imaging Element: 16-inch											√	√	√	
132 9812	Green Imaging Element											√	√	√	
126 0884	Red Imaging Element											√	√	√	
876 6545	White Imaging Lamp	√	√	√	√	√	√	√	√				√		
157 8707*	White Imaging Lamp											√	√	√	
175 9893	Red Imaging Color Drop-out											√	√	√	

General Consumables for ALL Kodak Scanners










The consumables listed below are for use with all *Kodak Scanners*.

Please see individual scanners for consumables and accessories specific to your model.






CAT No.	Description
853 5981 	Kodak Digital Science Roller Cleaning Pads (24 per package) Usage: approximately one pad per day or more frequently if required.
169 0783 	Kodak Digital Science Transport Cleaning Sheets (50 sheets per package) Usage: 2 to 4 sheets per 8-hour shift/machine.
896 5519 	Staticide Wipes / for Kodak Scanners (6 boxes of 24) Usage: approximately 1 per day. Staticide Wipes are NOT available in Europe, Africa and the Middle East. Order Brillianize Detailer Wipes / for <i>Kodak Scanners</i> , CAT No. 826 6488, (see below for a description) as a replacement for Staticide Wipes.
826 6488 	Brilliance Detailer Wipes / for Kodak Scanners Includes: 12 dual packets with a microfiber cloth Usage: these cleaning pads are an alternative to the Staticide wipes for cleaning and polishing of the scanner's image guides when scanning in color. Do not use this wipes on the feeding or transport rollers.



Kodak i4000 Series Scanners


CAT No.	Description
832 7538  <i>Also available in Extra Large size</i> 838 7938 <i>Also available in Extra-Extra Large size</i> 146 2415	<p>Kodak Feeder Consumables Kit / for i4000/i5000 Series Scanners Includes: 1 feed module, 1 separation roller, 18 pre-separation pads, 50 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.</p> <p>Kodak Extra Large Feeder Consumables Kit / for i4000/i5000 Series Scanners Includes: 5 feed modules, 5 separation rollers, 76 pre-separation pads, 200 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.</p> <p>Kodak Extra-Extra Large Feeder Consumables Kit / for i4000/i5000 Series Scanners Includes: 10 feed modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.</p>
844 5280 	<p>Kodak Feeder Kit for Ultra-Lightweight Paper / for i4000/i5000 Series Scanners Includes: 1 feed module, 1 separation roller, 4 pre-separation pads, 17 replacement tires for feed module, 9 replacement tires for separation rollers Usage: for feeding very thin documents.</p>
834 8054 	<p>Kodak Imaging Guide Set (without Enhanced Printer) Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.</p>
871 4438 	<p>Kodak Imaging Guide Set (with Enhanced Printer) Includes: 1 upper/1 lower Usage: only for use when Enhanced Printer Accessory is installed. Does not include Enhanced Printer Accessory. Replace as required because of damage and/or scratches.</p>
808 8239 	<p>Kodak Flippable White Background (without Enhanced Printer) Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.</p>
800 0853 	<p>Kodak Flippable White Background (with Enhanced Printer) Includes: 1 upper/1 lower Usage: only for use when Enhanced Printer Accessory is installed. Does not include Enhanced Printer Accessory. Replace as required because of damage and/or scratches.</p>
840 5425 	<p>Ink Blotters Includes: 60 blotters Usage: replace when there is a build-up of ink.</p>
818 3386 	<p>Enhanced Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>
159 6832 	<p>Enhanced Printer: Red Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>










* Based on font size being used.

CAT No.	Description
113 3842 	Enhanced Printer: Ink Cartridge Carrier Usage: replace if original carrier is lost or damaged.
809 6943 	Kodak Enhanced Printer Accessory for i4000 Series Scanners Includes: 1 upper imaging guide, 1 upper flippable background accessory, 1 Enhanced Printer carrier, 1 Enhanced Black Ink Cartridge, 4 ink blotters Usage: provides an effective way to apply information to the scanned document.
189 4351 	Kodak A3 Flatbed Accessory Includes: A3 Flatbed, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: 304.8 mm x 457.2 mm (12 x 18 in.).
119 9470 	Kodak Legal Flatbed Accessory Includes: Legal flatbed with white background, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: legal size 215.9 mm x 355.6 mm (8.5 x 14 in.).
183 3946 	26" Document Extender – 1 per package Usage: accommodates documents longer than 17 inches.
162 6803	30" Document Extender – 1 per package
149 8476	34" Document Extender – 1 per package



Kodak i5000 Series Scanners










CAT No.	Description
832 7538  <i>Also available in Extra Large size</i> 838 7938 <i>Also available in Extra-Extra Large size</i> 146 2415	<p>Kodak Feeder Consumables Kit / for i4000/i5000 Series Scanners Includes: 1 feed module, 1 separation roller, 18 pre-separation pads, 50 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.</p> <p>Kodak Extra Large Feeder Consumables Kit / for i4000/i5000 Series Scanners Includes: 5 feed modules, 5 separation rollers, 76 pre-separation pads, 200 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.</p> <p>Kodak Extra-Extra Large Feeder Consumables Kit / for i4000/i5000 Series Scanners Includes: 10 feed modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.</p>
844 5280 	<p>Kodak Feeder Kit for Ultra-Lightweight Paper / for i4000/i5000 Series Scanners Includes: 1 feed module, 1 separation roller, 4 pre-separation pads, 17 replacement tires for feed module, 9 replacement tires for separation rollers Usage: for feeding very thin documents.</p>
834 8054 	<p>Kodak Imaging Guide Set (without Enhanced Printer) Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.</p>
871 4438 	<p>Kodak Imaging Guide Set (with Enhanced Printer) Includes: 1 upper/1 lower Usage: only for use when Enhanced Printer Accessory is installed. Does not include Enhanced Printer Accessory. Replace as required because of damage and/or scratches.</p>
808 8239 	<p>Kodak Flippable White Background (without Enhanced Printer) Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.</p>
800 0853 	<p>Kodak Flippable White Background (with Enhanced Printer) Includes: 1 upper/1 lower Usage: only for use when Enhanced Printer Accessory is installed. Does not include Enhanced Printer Accessory. Replace as required because of damage and/or scratches.</p>
166 7641 	<p>Kodak i5850 Flippable White Background (without Enhanced Printer) Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.</p>
161 2605 	<p>Kodak i5850 Flippable White Background (with Enhanced Printer) Includes: 1 upper/1 lower Usage: only for use when Enhanced Printer Accessory is installed. Does not include Enhanced Printer Accessory. Replace as required because of damage and/or scratches.</p>
167 3953 	<p>Manual Feed Shelf for i5200/i5600 Scanners Includes: 1 feed shelf, 2 detachable side guides, instructions for installation and use Usage: provides a flat surface to aid in manual document feeding.</p>

CAT No.	Description
169 4256 	Manual Feed Shelf for i5800/i5850 Scanners Includes: 1 feed shelf, 2 detachable side guides, instructions for installation and use Usage: provides a flat surface to aid in manual document feeding.
150 9546 	Controlled Dual Stacking Accessory Includes: 1 exit tray, 6 magnetic side guides, 1 short document insert, 1 extender insert, 1 alternate end stop Usage: for use with the <i>Kodak</i> i5800 Scanner, this accessory allows physical stacking of scanned documents based on document size or a patch code.
183 3946 	26" Document Extender – 1 per package Usage: accommodates documents longer than 17 inches.
162 6803	30" Document Extender – 1 per package
149 8476	34" Document Extender – 1 per package
140 8756 	Kodak Enhanced Printer Accessory for i5000 Series Scanners Includes: 1 upper imaging guide, 1 upper flippable background accessory, 1 Enhanced Printer carrier, 1 Enhanced Black Ink Cartridge, 4 ink blotters Usage: provides an effective way to apply information to the scanned document.
121 3743 	Kodak Enhanced Printer Accessory for i5850 Scanner (Front and Rear) Includes: 1 upper imaging guide, 1 upper flippable background accessory, 2 Enhanced Printer carriers, 1 Enhanced Black Ink Cartridge, 4 ink blotters Usage: provides an effective way to apply information to the scanned document.
125 7633 	Kodak Printer Ink Blotters Includes: 90 blotters Usage: replace when there is a build-up of ink.
818 3386 	Enhanced Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
159 6832 	Enhanced Printer: Red Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
176 3218 	Enhanced Printer: Ink Cartridge Carrier Includes: 1 carrier and ribbon cable Usage: replace if original carrier is lost or damaged.






*Based on font size being used.



Kodak i700 Series Scanners











CAT No.	Description
 108 4755 <i>Also available in Extra Large size 842 6157</i> <i>Also available in Extra-Extra Large size 134 3680</i>	<p>Kodak Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 1 feed module, 1 separation roller, 18 pre-separation pads, 50 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.</p> <p>Kodak Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 5 feed modules, 5 separation rollers, 76 pre-separation pads, 200 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.</p> <p>Kodak Extra-Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 10 feed modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.</p>
 896 5279	<p>Kodak Feeder Kit for Ultra-Lightweight Paper / for i600/i700/i1800 Series Scanners Includes: 1 feed module, 1 separation roller, 4 pre-separation pads, 17 replacement tires for feed module, 9 replacement tires for separation rollers Usage: for feeding very thin documents.</p>
 197 6703	<p>Kodak Imaging Guide Set / for i600/i700/i1800 Series Scanners Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.</p>
 127 1436	<p>Kodak Calibration Targets Includes: 5 targets (12- x 12-inch) Usage: see usage guidelines on page 1.</p>
 156 7684	<p>FireWire Card / for Kodak i100, i200, i600, i700, i1800 Series Scanners / US&C, EAMER, APR, LAR Includes: IEEE1394 scanner interface card for PCs with available PCIe slot. Standard and low profile brackets are included. Usage: for connecting Kodak i100, i200, i600, i700, i1800 Series scanners to host PCs that have a PCIe card slot and cannot use the standard PCI card that is included with the scanner.</p>
 840 5425	<p>Document Printer: Ink Blotters Includes: 60 blotters Usage: replace when there is a build-up of ink.</p>
 818 3386	<p>Enhanced Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>
 159 6832	<p>Enhanced Printer: Red Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>
 113 3842	<p>Enhanced Printer: Ink Cartridge Carrier Usage: replace if original carrier is lost or damaged.</p>

* Based on font size being used.







CAT No.	Description
163 4948 	Kodak Manual Feeder / for i600/i700 Series Scanners Includes: 1 feed shelf, 2 detachable side guides, instructions for installation and use Usage: provides a flat surface to aid in manual document feeding.
894 9000 	Kodak White Background Accessory / for i600/i700/i1800 Series Scanners Includes: 2 White Background Strips Usage: reduces black background bleed-through while scanning producing whiter images.
801 4755 	Black Background / for i600/i700/i1800 Series Scanners Includes: 2 per package Usage: replace as required because of damage and/or scratches.
105 8023 	Exit deflector Includes: 1 per package Usage: improves paper stacking.
183 3946 	26" Document Extender – 1 per package Usage: accommodates documents longer than 17 inches.
162 6803	30" Document Extender – 1 per package
149 8476	34" Document Extender – 1 per package



Kodak i600 Series Scanners

CAT No.	Description
108 4755  <i>Also available in Extra Large size 842 6157</i> <i>Also available in Extra-Extra Large size 134 3680</i>	Kodak Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 1 feed module, 1 separation roller, 18 pre-separation pads, 50 replacement tires Usage: see <i>the table on page 18 for a guideline on how often to change consumables.</i>
	Kodak Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 5 feed modules, 5 separation rollers, 76 pre-separation pads, 200 replacement tires Usage: see <i>the table on page 18 for a guideline on how often to change consumables.</i>
	Kodak Extra-Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 10 feed modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Usage: see <i>the table on page 18 for a guideline on how often to change consumables.</i>
896 5279 	Kodak Feeder Kit for Ultra-Lightweight Paper / for i600/i700/i1800 Series Scanners Includes: 1 feed module, 1 separation roller, 4 pre-separation pads, 17 replacement tires for feed module, 9 replacement tires for separation rollers Usage: for feeding very thin documents.
197 6703 	Kodak Imaging Guide Set / for i600/i700/i1800 Series Scanners Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.
127 1436 	Kodak Calibration Targets Includes: 5 targets (12- x 12-inch) Usage: see <i>usage guidelines on page 1.</i>
135 5155 	Document Printer: Ink Cartridges / Black Includes: 10 cartridges Usage: approximately 350,000 to 450,000* characters per ink cartridge. NOTE: If you have the Enhanced Printer, order CAT No. 818 3386.
840 5425 	Document Printer: Ink Blotters (60 pads – 30 sets of 2) Usage: replace when there is a build-up of ink.
826 7486 	Document Printer: Ink Cartridge Carrier Usage: replace if original carrier is lost or damaged. <ul style="list-style-type: none"> • If you have the Enhanced Printer, order CAT No. 113 3842. • If you previously ordered CAT No. 838 4485 (Ink Cartridge Carrier), order this carrier now.
818 3386 	Enhanced Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
159 6832 	Enhanced Printer: Red Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
113 3842 	Enhanced Printer: Ink Cartridge Carrier Usage: replace if original carrier is lost or damaged. <ul style="list-style-type: none"> • If you have the Document Printer, order CAT No. 826 7486.




* Based on font size being used.

CAT No.	Description
 <p>156 7684</p>	<p>FireWire Card / for Kodak i100, i200, i600, i700, i1800 Series Scanners / US&C, EAMER, APR, LAR Includes: IEEE1394 scanner interface card for PCs with available PCIe slot. Standard and low profile brackets are included. Usage: for connecting <i>Kodak</i> i100, i200, i600, i700, i1800 Series scanners to host PCs that have a PCIe card slot and cannot use the standard PCI card that is included with the scanner.</p>
 <p>163 4948</p>	<p>Kodak Manual Feeder / for i600/i700 Series Scanners Includes: 1 feed shelf, 2 detachable side guides, instructions for installation and use Usage: provides a flat surface to aid in manual document feeding.</p>
 <p>894 9000</p>	<p>Kodak White Background Accessory / for i600/i700/i1800 Series Scanners Includes: 2 White Background Strips Usage: reduces black background bleed-through while scanning producing whiter images.</p>
 <p>801 4755</p>	<p>Black Background / for i600/i700/i1800 Series Scanners Includes: 2 per package Usage: replace as required because of damage and/or scratches.</p>
 <p>105 8023</p>	<p>Exit deflector Includes: 1 per package Usage: improves paper stacking.</p>
 <p>183 3946</p>	<p>26" Document Extender – 1 per package Usage: accommodates documents longer than 17 inches.</p>
<p>162 6803</p>	<p>30" Document Extender – 1 per package</p>
<p>149 8476</p>	<p>34" Document Extender – 1 per package</p>



Kodak Ngenuity 9000 Series Scanners









CAT No.	Description
182 9779 	Small Roller Kit with Feeder Pre-separation Pad Includes: 1 separation roller, 18 pre-separation pads, 2 feed roller assemblies and 50 replacement tires Usage: has the potential to scan up to 3,500,000 documents.
121 1515 	Medium Roller Kit with Feeder Pre-separation Pad Includes: 5 separation rollers, 76 pre-separation pads, 10 feed roller assemblies and 200 replacement tires Usage: has the potential to scan up to 17,500,000 documents.
119 5460 	Large Roller Kit with Feeder Pre-separation Pad Includes: 10 separation rollers, 154 pre-separation pads, 20 feed roller assemblies and 400 replacement tires Usage: has the potential to scan up to 38,500,000 documents.
175 0462	Ultralight Feeder Kit – for use with feeder and pre-separation pad Includes: 1 light separation roller, 18-pre-separation pads and 50 replacement tires. Usage: for feeding very thin documents.
The following roller kits are for <i>Ngenuity</i> Scanners with the original feeder that does not have a pre-separation pad.	
176 6674 	Small Roller Kit Includes: 4 separator spacers, 2 separator rollers, 8 pick/driver tires Usage: has the potential to scan up to 1.2 million scans.
844 3491 	Medium Roller Kit Includes: 12 separator spacers, 6 separator rollers, 24 pick/driver tires Usage: has the potential to scan up to 3.6 million scans.
115 8153 	Large Roller Kit Includes: 24 separator spacers, 12 separator rollers, 48 pick/driver tires Usage: has the potential to scan up to 7.2 million scans.
199 8103 	Calibration Kit Usage: see usage guidelines on page 1.
162 0640 	Imaging Guide Assembly Includes: 1 imaging guide assembly Usage: replace as required because of damage and/or scratches.
863 4230 	Front/Rear Imprinter Accessory Includes: 1 imprinter, 1 black ink cartridge Usage: front page (pre-scan) or back page (post-scan) imprinter prints the user specified alphanumeric string on the front side of documents.

CAT No.	Description
818 3386 	Enhanced Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
159 6832 	Enhanced Printer: Red Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
802 9654 	Ngenuity Straight Pass-Through Exit Tray Includes: 1 straight pass-through adapter Usage: allows you to connect the exit tray to the straight pass-through door for better paper handling.

* Based on font size being used.










Spectrum Series Scanners

CAT No.	Description
156 9128 	Skimmer Assembly Kit Includes: 1 skimmer assembly Usage: has the potential to scan up to 600,000 documents.
870 4801 	Roller Assembly Includes: 1 roller assembly Usage: has the potential to scan up to 600,000 documents.
809 0300 	Separator Roller Kit Includes: 1 separator roller, 2 o-rings, 2 spacers Usage: approximately 6 months at 6,000 documents a day with proper daily maintenance.
128 9610 	Lamp Assembly Includes: 2 per package Usage: approximately 5000 hours.
147 3669 	Glass Transport Includes: 1 per package Usage: replace as required because of damage and/or scratches.
829 4993 	Calibration Control Sheets Includes: 10 per package Usage: calibrate as recommended in the User's Guide.
135 5155 	Document Printer: Ink Cartridges / Black Includes: 10 cartridges Usage: approximately 350,000 to 450,000* characters per ink cartridge.
165 1975 	Tech Wipes Includes: 10 per package Usage: as needed when cleaning the scanner.

* Based on font size being used.












Copiscan 8000 Series Scanners

CAT No.	Description
156 9128 	Skimmer Assembly Kit Includes: 1 skimmer assembly Usage: has the potential to scan up to 600,000 documents.
870 4801 	Roller Assembly Includes: 1 roller assembly Usage: has the potential to scan up to 600,000 documents.
809 0300 	Separator Roller Kit Includes: 1 separator roller, 2 o-rings, 2 spacers Usage: approximately 6 months at 6,000 documents a day with proper daily maintenance.
811 2419 	Lamp Assembly Includes: 1 per package Usage: approximately 5000 hours.
829 4993 	Calibration Control Sheets Includes: 10 per package Usage: calibrate as recommended in the User's Guide.
147 3669 	Glass Transport Includes: 1 per package Usage: replace as required because of damage and/or scratches.
135 5155 	Document Printer: Ink Cartridges / Black Includes: 10 cartridges Usage: approximately 350,000 to 450,000* characters per ink cartridge.









* Based on font size being used.



Kodak i1800 Series Scanners

CAT No.	Description
108 4755  <i>Also available in Extra Large size 842 6157</i> <i>Also available in Extra-Extra Large size 134 3680</i>	Kodak Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 1 feed module, 1 separation roller, 18 pre-separation pads, 50 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.
	Kodak Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners Includes: 5 feed modules, 5 separation rollers, 76 pre-separation pads, 200 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.
	Kodak Extra-Extra Large Feeder Consumables Kit / for i600/i700/i1800 Scanners Includes: 10 feed modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires Usage: see the table on page 18 for a guideline on how often to change consumables.
896 5279 	Kodak Feeder Kit for Ultra-Lightweight Paper / for i600/i700/i1800 Scanners Includes: 1 feed module, 1 separation roller, 4 pre-separation pads, 17 replacement tires for feed module, 9 replacement tires for separation rollers Usage: for feeding very thin documents.
197 6703 	Kodak Imaging Guide Set / for i600/i700/i1800 Series Scanners Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.
127 1436 	Kodak Calibration Targets Includes: 5 targets (12- x 12-inch) Usage: see usage guidelines on page 1.
822 1376 	High Resolution Printer: Black Ink Cartridge Includes: 6 cartridges Usage: approximately 2,000,000 to 5,000,000 characters per ink cartridge.
145 6532 	High Resolution Printer: Red Ink Cartridge Includes: 6 cartridges Usage: approximately 2,000,000 to 5,000,000 characters per ink cartridge depending on the <i>Contrast</i> setting (from 100 to 12 respectively).
877 6254 	High Resolution Printer Maintenance Kit Includes: 2 ink blotter trays, 50 cloth wipes Usage: replace when there is a build-up of ink.
818 3386 	Enhanced Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
159 6832 	Enhanced Printer: Red Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.

* Based on font size being used.

CAT No.	Description
125 7633 	Kodak Printer Ink Blotters, Front Side / for i1800 Series Scanners Includes: 90 pads (3 sets of 30) Usage: replace when there is a build-up of ink.
114 1472 	Kodak Printer Ink Blotters, Rear Side / for i1800 Series Scanners Includes: 60 blotters Usage: replace when there is a build-up of ink.
156 7684 	FireWire Card / for Kodak i100, i200, i600, i700, i1800 Series Scanners / US&C, EAMER, APR, LAR Includes: IEEE1394 scanner interface card for PCs with available PCIe slot. Standard and low profile brackets are included. Usage: for connecting Kodak i100, i200, i600, i700, i1800 Series scanners to host PCs that have a PCIe card slot and cannot use the standard PCI card that is included with the scanner.
874 1894 	Kodak Manual Feeder / for i1800 Series Scanners Includes: 1 feed shelf, 2 detachable side guides, and instructions for installation and use. Usage: provides a flat surface to aid in manual document feeding.
894 9000 	Kodak White Background Accessory Includes: 2 White Background Strips Usage: reduces black background bleed-through while scanning producing whiter images.
801 4755 	Black Background / for i600/i700/i1800 Series Scanners Includes: 2 per package Usage: replace as required because of damage and/or scratches.
176 3218 	Enhanced Printer: Ink Cartridge Carrier Includes: 1 carrier and ribbon cable Usage: replace if original carrier is lost or damaged.
105 8023 	Exit deflector Includes: 1 per package Usage: improves paper stacking.
183 3946 	26" Document Extender – 1 per package Usage: accommodates documents longer than 17 inches.
162 6803 	30" Document Extender – 1 per package
149 8476 	34" Document Extender – 1 per package

Module/Separation Roller Guidelines for the i600/i700/i1800/i4000/i5000 Series Scanners Consumable Kits

The following table provides a guideline of how often to change the feed module, separation roller, pre-separation pad and tires. Extra tires are provided in the event one is damaged during replacement.

- **Feed module and separation roller tires:** tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 500,000 pages; results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller kit:** it is recommended that you install a new feed module and separation roller approximately every 7th tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation pad:** change each time you change the feed module, separation roller or change the tires.





NOTE: The replacement tires are for use with the feed module and the separation roller (unless using the *Kodak* Feeder Kit for Ultra-Lightweight Paper).

Description	Feeder Consumables Kit	Extra Large Feeder Consumables Kit	Extra Extra Large Feeder Consumables Kit	Feeder Kit for Ultra-lightweight Paper
	CAT No. 108 4755 / 832 7538	CAT No. 842 6157 / 838 7938	CAT No.134 3680/ 146 2415	CAT No. 896 5279/ 844 5280
Feed Modules (4 tires)	1	5	10	1
Separation Rollers (2 tires)	1	5	10	1
Pre-Separation Pads	18	76	154	4
Replacement Tires	50	200	400	N/A
Replacement Tires for Feed Module	N/A	N/A	N/A	17
Replacement Tires for Separation Roller	N/A	N/A	N/A	10
Expected scans / kit	3,500,000	17,500,000	38,500,000	2,400,000






Kodak i1200 and i1300 Series Scanners

Kodak i1200 and i1300 Plus Series Scanners

CAT No.	Description
148 4864 	Kodak Feed Rollers and Separation Pads Includes: 12 tires and 2 pre-separation pads Usage: See the table on page 33 for a guideline on how often to change consumables. <i>These tires are for use on the feed module and separation module.</i>
173 6115 	Kodak Separation Module / for i1200/i1300 Series Scanners Includes: 1 separation module Usage: this module has the potential to scan up to 250,000 pages.
826 9607 	Kodak Feed Module / for i1200/i1300 Series Scanners Includes: 1 feed module Usage: this module has the potential to scan up to 500,000 pages.
892 7717 	Kodak White Background Accessory for the Kodak i1200/i1300 Scanner Includes: 1 white background accessory Usage: reduces black background bleed-through, thus producing whiter images. This is an option for the front scanned images only on the <i>Kodak i1200</i> and <i>i1300</i> Scanners.











Kodak ScanMate i1150 and i1180 Scanners

175 6360 	Kodak Feed Roller Kit Includes: 1 separation roller, 1 pre-separation pad, 3 tires Usage: the feed roller kit has the potential to scan up to 200,000 pages.
189 4351 	Kodak A3 Flatbed Accessory Includes: A3 Flatbed, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: 304.8 mm x 457.2 mm (12 x 18 in.).
119 9470 	Kodak Legal Flatbed Accessory Includes: Legal flatbed with white background, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: legal size 215.9 mm x 355.6 mm (8.5 x 14 in.).









Kodak i1400 Series Scanners

CAT No.	Description
124 1066 	Kodak Feeder Consumables Kit / for i100/i200/i1400 Series Scanners Includes: 1 feeder module, 1 separation module, 2 pre-separation pads, 24 replacement tires Usage: See the table on page 33 for a guideline on how often to change consumables.
Also available in <i>Extra Large size</i> 821 5808	Kodak Extra Large Feeder Consumables Kit / for i100/i200/i1400 Series Scanners Includes: 5 feed modules, 5 separation modules, 10 pre-separation pads, 120 replacement tires Usage: See the table on page 33 for a guideline on how often to change consumables.
197 8253 	Kodak Imaging Guide Set for i1400 Series Scanners Includes: 1 upper guide, 1 lower guide Usage: replace when damaged or scratched.
135 5155 	Document Printer: Ink Cartridges / Black Includes: 10 cartridges Usage: approximately 350,000 to 450,000* characters per ink cartridge. NOTE: If you have the Enhanced Printer, order CAT No. 818 3386.
840 5425 	Document Printer: Ink Blotters Includes: 60 blotters Usage: replace when there is a build-up of ink.
826 7486 	Document Printer: Ink Cartridge Carrier Usage: purchase this item if you want to use the print function on the i1420 or i1440 Scanner. NOTE: If you have the Enhanced Printer, order CAT No. 113 3842.
818 3386 	Enhanced Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
159 6832 	Enhanced Printer: Red Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge..
113 3842 	Enhanced Printer: Ink Cartridge Carrier Usage: purchase this item if you want to use the print function on the i1420 or i1440 Scanner. NOTE: If you have the Document Printer, order CAT No. 826 7486.
185 1435	Kodak i1400 Scanner External Power Supply
161 3637	Kodak i1400 Scanner Power Cord Kit

* Based on font size being used.











Kodak i2400/i2600/i2800 Scanners

CAT No.	Description
148 4864 	Kodak Feed Rollers and Separation Pads Includes: 12 tires and 2 pre-separation pads Usage: See the table on page 33 for a guideline on how often to change consumables. <i>These tires are for use on the feed module and separation module.</i>
173 6115 	Kodak Separation Module Includes: 1 separation module Usage: this module has the potential to scan up to 250,000 pages.
826 9607 	Kodak Feed Module Includes: 1 feed module Usage: this module has the potential to scan up to 500,000 pages.
892 7717 	Kodak White Background Accessory Includes: 1 white background plate. Usage: reduces black background bleed-through, thus producing whiter images. This is an option for the front scanned images only.
119 9470 	Kodak Legal Flatbed Accessory Includes: Legal flatbed with white background, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: legal size 215.9 mm x 355.6 mm (8.5 x 14 in.).
189 4351 	Kodak A3 Flatbed Accessory Includes: A3 Flatbed, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: 304.8 mm x 457.2 mm (12 x 18 in.).












Kodak i2900 Scanner

CAT No.	Description
129 9676 	Kodak Consumables Kit for the i2900 and i3000 Series Scanners Includes: 1 feed module, 4 replacement tires for feed module, 4 pre-separation pads, 2 separation roller modules, 4 replacement tires for separation roller module, 1 front transport roller Usage: See the table on page 24 for a guideline on how often to change consumables.
136 4421 	Black Background for the i2900 and i3000 Series Scanners Includes: 2 background strips Usage: replace as required because of damage and/or scratches.
818 3386 	Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
159 6832 	Printer: Red Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
176 3325 	Flatbed Background for the i2900 Series Scanner Usage: Replace when background shows signs of wear or becomes dirty.
132 4391 	Printer Accessory Includes: components necessary for installing the Printer Accessory as well as 1 black ink cartridge, screwdriver and installation instructions Usage: provides an effective way to apply rear side printing at full scanner speed.
189 4351 	Kodak A3 Flatbed Accessory Includes: A3 Flatbed, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: 304.8 mm x 457.2 mm (12 x 18 in.).
176 3218 	Enhanced Printer: Ink Cartridge Carrier Includes: 1 carrier and ribbon cable Usage: replace if original carrier is lost or damaged.



Kodak i3200/i3250/i3400/i3450 Scanners

CAT No.	Description
129 9676 	<p>Kodak Consumables Kit for the i2900 and i3000 Series Scanners Includes: 1 feed module, 4 replacement tires for feed module, 4 pre-separation pads, 2 separation roller modules, 4 replacement tires for separation roller module, 1 front transport roller Usage: See the table on page 24 for a guideline on how often to change consumables.</p>
136 4421 	<p>Black Background for the i2900 and i3000 Series Scanners Includes: 2 background strips Usage: replace as required because of damage and/or scratches.</p>
818 3386 	<p>Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>
159 6832 	<p>Printer: Red Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>
132 4391 	<p>Printer Accessory Includes: components necessary for installing the Printer Accessory as well as 1 black ink cartridge, screwdriver and installation instructions Usage: provides an effective way to apply rear side printing at full scanner speed.</p>
189 4351 	<p>Kodak A3 Flatbed Accessory Includes: A3 Flatbed, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: 304.8 mm x 457.2 mm (12 x 18 in.).</p>
119 9470 	<p>Kodak Legal Flatbed Accessory Includes: Legal Flatbed with white background, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: legal size 215.9 mm x 355.6 mm (8.5 x 14 in.).</p>
176 3218 	<p>Enhanced Printer: Ink Cartridge Carrier Includes: 1 carrier and ribbon cable Usage: replace if original carrier is lost or damaged.</p>
135 3226 	<p>Document Extender – 1 per package Usage: accommodates documents longer than 17 inches.</p>

Feed Module and Separation Roller Module Guidelines for the Kodak i2900, i3200, i3250, i3400, i3450 Scanners Consumables Kit







The following table provides a guideline of how often to change the feed module, separation roller, pre-separation pad and tires.

- **Feed module and separation roller tires:** tire life will vary depending upon paper types, environment and cleanliness. Each Feeder Consumable Kit is expected to support up to 1,000,000 scans. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires.
- **Feed module and separation roller module:** it is recommended that you install a new feed module and separation roller module approximately every 2nd tire change. Install a new feed module and separation roller module at the same time.
- **Pre-separation pad:** change every time you change the feed module, separation roller module or change the tires.

Feeder Consumables Kit CAT No. 129 9676	Quantity in Kit	Replace every
Feed Module	1	1,000,000
Feed Tires	2	500,000
Urging Tires	2	500,000
Separation Roller Module	2	500,000
Separation Tires	4	250,000
Pre-Separation Pads	4	250,000
Front Transport Roller	1	1,000,000
Expected scans / kit	1,000,000	






Kodak Sidekick 1400u Scanner

CAT No.	Description
107 0820 	Roller Exchange Kit – Black Includes: black front and back sensor rollers, 1 feed roller module, 1 separation roller module Usage: this kit has the potential to scan 300,000 documents.
128 4124 	Roller Exchange Kit – White Includes: white front and back sensor rollers, 1 feed roller module, 1 separation roller module Usage: for scanning translucent documents, the White Roller Exchange Kit will reduce black background bleed-through, producing whiter images.
103 3893 	NCR Residue Cleaning Pad Includes: 25 cleaning pads Usage: for cleaning rollers that have a buildup of ink residue.
818 3386 	Enhanced Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
159 6832 	Enhanced Printer: Red Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
887 0958 	Imprinter Accessory Includes: 1 imprinter, 1 black ink cartridge, 1 printer label Usage: front page (pre-scan) imprinter prints the user-specified alphanumeric string on the front side of documents.

* Based on font size being used.











Kodak Sidekick 1200 Scanner

CAT No.	Description
107 0820 	Roller Exchange Kit – Black Includes: black front and back sensor rollers, 1 feed roller module, 1 separation roller module Usage: this kit has the potential to scan 300,000 documents.
128 4124 	Roller Exchange Kit – White Includes: white front and back sensor rollers, 1 feed roller module, 1 separation roller module Usage: for scanning translucent documents, the White Roller Exchange Kit will reduce black background bleed-through, producing whiter images.
103 3893 	NCR Residue Cleaning Pad Includes: 25 cleaning pads Usage: for cleaning rollers that have a buildup of ink residue.







Kodak Trüper 3210 and 3610 Scanners

CAT No.	Description
846 0321 	Roller Exchange Kit Includes: 1 feed roller module, 1 separation roller module Usage: this kit has the potential to scan up to 300,000 documents.
153 5376 	Shading Paper Includes: 10 sheets Usage: used for calibrating the scanner.
103 3893 	NCR Residue Cleaning Pad Includes: 25 cleaning pads Usage: for cleaning rollers that have a buildup of ink residue on rollers.
818 3386 	Enhanced Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
159 6832 	Enhanced Printer: Red Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.
896 1955 	Imprinter Accessory Includes: 1 imprinter, 1 black ink cartridge Usage: front page (pre-scan) imprinter prints the user-specified alphanumeric string on the front side of documents.
124 4847 	Memory Upgrade Kit (512 MB) Usage: for scanning job that may require additional memory depending on variables such as the size of the documents you are scanning and the desired image resolution.
109 2436 	Long Document Paper Weight (1 paper weight) Usage: aid in scanning extremely long documents. The paper weight improves long document handling by applying a small and uniform amount of pressure which allows documents to run smoothly through the scanner transport.

* Based on font height/width being used.





Kodak ScanMate i1120 Scanner

CAT No.	Description
894 6097 	Kodak i1120 Pre-separation Pad Includes: 4 pre-separation pads Usage: the pre-separation pad has the potential to scan up to 20,000-50,000 pages.
122 6034 	Kodak i1120 Feed Roller Assembly Includes: 1 per package Usage: the roller has the potential to scan up to 100,000-200,000 pages.
824 5862 	Kodak i1120 Scanner Cleaning Swabs Includes: 6 swabs per package Usage: as needed when cleaning the scanner. Scanning Cleaning Swabs are NOT available in Europe, Africa and the Middle East. Order Tech Wipes, CAT No. 165 1975, (see below for a description) as a replacement for Scanner Cleaning Swabs.
165 1975 	Tech Wipes Includes: 10 per package Usage: as needed when cleaning the scanner.





Kodak ScanMate i920 Scanner

CAT No.	Description
846 7839 	Kodak Feed Module Assembly Includes: one feed module Usage: the feed module has the potential to scan up to 20,000 pages.
177 5246 	Kodak Separation Module Assembly Includes: one separation module Usage: the separation module has the potential to scan up to 20,000 pages.




Kodak ScanMate i940 Scanner

CAT No.	Description
846 7839 	Kodak Feed Module Assembly Includes: one feed module Usage: the feed module has the potential to scan up to 20,000 pages.
177 5246 	Kodak Separation Module Assembly Includes: one separation module Usage: the separation module has the potential to scan up to 20,000 pages.






Kodak i30/40 Scanners

CAT No.	Description
174 7849 	Kodak Feeder Module Includes: 4 feed modules Usage: this module has the potential to scan up to 20,000 pages.










Kodak i100 Series Scanners

CAT No.	Description
124 1066 	Kodak Feeder Consumables Kit / for i100/i200/i1400 Series Scanners Includes: 1 feeder module, 1 separation module, 2 pre-separation pads, 24 replacement tires Usage: See the table on page 33 for a guideline on how often to change consumables.
Also available in Extra Large size 821 5808	Kodak Extra Large Feeder Consumables Kit / for i100/i200/i1400 Series Scanners Includes: 5 feed modules, 5 separation modules, 10 pre-separation pads, 120 replacement tires Usage: See the table on page 33 for a guideline on how often to change consumables.
120 0278 	Kodak Imaging Guide Set Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.
829 3599	Kodak White Background Accessory / for i100 Series Scanners Includes: 1 white background strip Usage: reduces black background bleed-through while scanning producing white images.
156 7684 	FireWire Card / for Kodak i100, i200, i600, i700, i1800 Series Scanners / US&C, EAMER, APR, LAR Includes: IEEE1394 scanner interface card for PCs with available PCIe slot. Standard and low profile brackets are included. Usage: for connecting Kodak i100, i200, i600, i700, i1800 Series scanners to host PCs that have a PCIe card slot and cannot use the standard PCI card that is included with the scanner.









Kodak i200 Series Scanners

CAT No.	Description
124 1066  <i>Also available in Extra Large size</i> 821 5808	Kodak Feeder Consumables Kit / for i100/i200/i1400 Series Scanners Includes: 1 feeder module, 1 separation module, 2 pre-separation pads, 24 replacement tires Usage: See the table on page 33 for a guideline on how often to change consumables.
	Kodak Extra Large Feeder Consumables Kit / for i100/i200/i1400 Series Scanners Includes: 5 feed modules, 5 separation modules, 10 pre-separation pads, 120 replacement tires Usage: See the table on page 33 for a guideline on how often to change consumables.
120 0278 	Kodak Imaging Guide Set Includes: 1 upper/1 lower Usage: replace as required because of damage and/or scratches.
131 7304 	Kodak Calibration Target Includes: 5 targets (11.7- x 11.7-inch) Usage: see usage guidelines on page 1.
135 5155 	Document Printer: Ink Cartridges / Black Includes: 10 cartridges Usage: approximately 350,000 to 450,000* characters per ink cartridge.
840 5425 	Document Printer: Ink Blotters Includes: 60 blotters Usage: replace when there is a built-up of ink.
826 7486 	Document Printer: Ink Cartridge Carrier Usage: replace if original carrier is lost or damaged.
156 7684 	FireWire Card / for Kodak i100, i200, i600, i700, i1800 Series Scanners / US&C, EAMER, APR, LAR Includes: IEEE1394 scanner interface card for PCs with available PCIe slot. Standard and low profile brackets are included. Usage: for connecting Kodak i100, i200, i600, i700, i1800 Series scanners to host PCs that have a PCIe card slot and cannot use the standard PCI card that is included with the scanner.

* Based on font size being used.






Kodak Picture Saver Scanning System / PS400/PS800/PS50/PS80/PS55/PS450/s1220

CAT No.	Description
148 4864 	Kodak Feed Rollers and Separation Pads Includes: 12 tires and 2 pre-separation pads Usage: See the table on page 33 for a guideline on how often to change consumables. <i>These tires are for use on the feed module and separation module.</i>
169 5097 	Kodak Gentle Photo Separation Module Includes: 1 separation module Usage: this module has the potential to scan up to 250,000 photos.
196 0426 	Kodak Standard Separation Module / for Kodak Picture Saver Scanning System PS400/PS800/PS50/PS80 Series and s1220 Includes: 1 separation module Usage: used for document scanning has the potential to scan up to 250,000 pages.
826 9607 	Kodak Feed Module / for i1200/i1300 Series Scanners Includes: 1 feed module Usage: this module has the potential to scan up to 500,000 pages.
119 9470 	Kodak Legal Flatbed Accessory Includes: Legal Flatbed and 2-meter (6-ft.) cable Usage: for scanning exception documents. Accommodates document sizes up to Legal / 216 x 356 mm (8.5 x 14 in.).
189 4351 	Kodak A3 Flatbed Accessory Includes: A3 Flatbed, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: 304.8 mm x 457.2 mm (12 x 18 in.).








Kodak Scan Station 100

CAT No.	Description
174 7849 	Kodak Feeder Module Includes: 4 feed modules Usage: this module has the potential to scan up to 20,000 pages.
125 1842 	Kodak Scan Station Portable USB Drive, 2 GB Includes: 5 per package
844 5306 	USB Replacement Connector Includes: 1 connector Usage: replace when worn or damaged.









Kodak Scan Station 500

CAT No.	Description
148 4864 	Kodak Feed Rollers and Separation Pads Includes: 12 tires and 2 pre-separation pads Usage: See the table on page 33 for a guideline on how often to change consumables. <i>These tires are for use on the feed module and separation module.</i>
173 6115 	Kodak Separation Module Includes: 1 separation module Usage: this module has the potential to scan up to 250,000 pages.
826 9607 	Kodak Feed Module Includes: 1 feed module Usage: this module has the potential to scan up to 500,000 pages.
125 1842 	Kodak Scan Station Portable USB Drive, 2 GB Includes: 5 per package
186 0949 	USB Replacement Connector Includes: 1 connector Usage: replace when worn or damaged.



Kodak Scan Station 700

CAT No.	Description
148 4864 	Kodak Feed Rollers and Separation Pads Includes: 12 tires and 2 pre-separation pads Usage: See the table on page 33 for a guideline on how often to change consumables. <i>These tires are for use on the feed module and separation module.</i>
173 6115 	Kodak Separation Module Includes: 1 separation module Usage: this module has the potential to scan up to 250,000 pages.
826 9607 	Kodak Feed Module Includes: 1 feed module Usage: this module has the potential to scan up to 500,000 pages.
189 4351 	Kodak A3 Flatbed Accessory Includes: A3 Flatbed, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: 304.8 mm x 457.2 mm (12 x 18 in.).
119 9470 	Kodak Legal Flatbed Accessory Includes: Legal Flatbed with white background, 2-meter (6-ft.) USB cable and power supply Usage: for scanning exception documents. Accommodates document sizes up to: legal size 215.9 mm x 355.6 mm (8.5 x 14 in.).
826 3006 	Scan Station Keyboard and Stand Includes: 1 keyboard and 1 stand Usage: for ease of use with the Scan Station 700.

Feed Module and Separator Module Guidelines for the Scan Station 500/700, s1220 Photo Scanner, PS400/PS800/PS450/PS50/PS55/PS80 Scanners, i2400, i2600, i2800 Scanners and the i100 / i200 / i1200 / i1300 / i1400 Series Scanners Consumables Kits

The following table provides a guideline of how often to change the feed module, separation roller, pre-separation pad and tires.










- **Feed module and separation roller tires:** tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 125,000 pages, results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller:** it is recommended that you install a new feed module and separation roller approximately every 4th tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation pad:** change every other time you change the feed module, separation roller or change the tires.

NOTE: The replacement tires are for use with the feed module and the separation roller.


Description	Kodak Feed Rollers	Feeder Consumables Kit	Extra Large Feeder Consumables Kit
	CAT No. 148 4864	CAT No. 124 1066	CAT No. 821 5808
For use with these scanners	Scan Station 500/700 PS400/PS800/PS450/PS50/ PS55/PS80/s1220 i2400/i2600/i2800 i1200/i1300	i100, i200, i1400 Series Scanners	
Feed Modules (4 tires)		1	5
Separation Rollers (2 tires)		1	5
Pre-Separation Pads	2	2	10
Replacement Tires	12	24	120
Expected scans / kit	250,000	500,000	2,500,000



Kodak i800 Series Scanners

CAT No.	Description
838 9181  Also available in Extra Large size 135 4075	<p>Kodak Feeder Consumables Kit / for i800 Series Scanners Includes: 2 feed modules, 2 separation rollers, 18 pre-separation pads, 100 replacement tires (these replacement tires are for use on the feed module and separation roller) Usage: see the table on page 35 for a guideline on how often to change consumables.</p> <p>Kodak Extra Large Feeder Consumables Kit / for i800 Series Scanners Includes: 10 feed modules, 10 separation rollers, 76 pre-separation pads, 400 replacement tires (these replacement tires are for use on the feed module and separation roller) Usage: see the table on page 35 for a guideline on how often to change consumables.</p>
880 3041 	<p>Kodak Feeder Kit for Ultra-Lightweight Paper / for i800 Series Scanners Includes: 2 feed modules, 2 separation rollers, 8 pre-separation pads, 2 deflectors 34 replacement tires for feed module, 18 replacement tires for separation roller Usage: for feeding very thin documents.</p>
876 6545 	<p>Kodak Digital Science White Imaging Lamp Includes: 1 per package (four lamps are required) Usage: approximately 500 hours per lamp. It is recommended that all four lamps be changed at the same time.</p>
156 4418 	<p>Kodak Imaging Guide Set / for i800 Series Scanners Includes: 1 upper/1 lower (plastic guides) Usage: replace as required because of damage and/or scratches.</p>
149 1869 	<p>Kodak Calibration Target / for i800 Series Scanners Includes: 50 targets (11- x 12-inch) Usage: see usage guidelines on page 1.</p>
135 5155 	<p>Document Printer: Ink Cartridges / Black Includes: 10 cartridges Usage: approximately 350,000 to 450,000* characters per ink cartridge.</p>
140 1728 	<p>Document Printer: Ink Blotters Includes: 60 blotters Usage: replace when there is a build-up of ink.</p>
159 6832 	<p>Enhanced Printer: Red Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>
818 3386 	<p>Enhanced Printer: Black Ink Cartridge Includes: 9 cartridges (3 packs of 3) Usage: approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>

* Based on font size being used.

CAT No.	Description
826 7486 	Document Printer: Ink Cartridge Carrier Usage: replace if original carrier is lost or damaged.

Feed Module and Separation Roller Guidelines for the i800 Series Scanners Consumable Kits











The following table provides a guideline of how often to change the feed module, separation roller, pre-separation pad and tires. Extra tires are provided in the event one is damaged when replacing tires.



- **Feed module and separation roller tires:** tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 250,000 pages; results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller kit:** it is recommended that you install a new feed module and separation roller approximately every 7th tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation Pad:** change each time you change the feed module, separation roller or tires.

Description	<i>Kodak Feeder Consumables Kit</i>	<i>Kodak Extra Large Feeder Consumables Kit</i>	<i>Kodak Feeder Kit for Ultra-lightweight Paper</i>
	CAT No. 838 9181	CAT No. 135 4075	CAT No. 880 3041
Feed Modules (4 tires)	2	10	2
Separation Rollers (2 tires)	2	10	2
Pre-Separation Pads	18	76	8
Replacement Tires	100	400	
Replacement Tires for Feed Module			34
Replacement Tires for Separation Roller			18
Deflectors			2
Expected scans / kit	3,500,000	17,500,000	2,000,000



Kodak Digital Science Document Scanner 9520/9500

CAT No.	Description
834 6538 	Kodak Digital Science Automatic Feeder Replenishment Kit / for Series 5000/7000/9000 Scanners Includes: 2 feed modules, 2 separation rollers, 10 replacement strips, 50 replacement tires Usage: nominal tire life is approximately 250,000 documents depending on paper types, environment and scanner cleanliness.
165 8483 	Kodak Digital Science Super12 Maintenance Kit / for 9520/9500 Includes: 1 printer gasket, 1 ink tray, 50 cloth wipes, 1 instruction sheet Usage: replace every 6 to 12 months. <i>Printer Gasket and Instruction Sheet not shown in illustration.</i>
175 9893 	Red Imaging Color Drop-Out Element Includes: 2 lamps Usage: approximately 300 hours per lamp. Two lamps required for simplex; four lamps required for duplex.
104 9675 	Green Imaging Color Drop-Out Element Includes: 2 lamps Usage: approximately 300 hours per lamp. Two lamps required for simplex; four lamps required for duplex.
149 1984 	Kodak Reliant Endorser Ink Roller (Red) – 1 per container
142 0272 	Kodak Reliant Endorser Ink Roller (Black) – 1 per container
127 1436 	Kodak Calibration Target Includes: 5 targets (12- x 12-inch) Usage: see usage guidelines on page 1.
822 1376 	Kodak Digital Science Super12 Black Ink Cartridge Includes: 6 cartridges Usage: see the next page*.
145 6532 	Kodak Digital Science Super12 Red Ink Cartridge Includes: 6 cartridges Usage: see the next page*.
135 5155 	Document Printer: Ink Cartridges / Black Includes: 10 cartridges Usage: approximately 350,000 to 450,000† characters per ink cartridge.

CAT No.	Description
121 4584 	Kodak Lower Imaging Guide / for Series 900/9000 Scanners Includes: 1 per package Usage: replace as required because of damage and/or scratches.
122 6562 	Kodak Upper Imaging Guide / for Series 900/9000 Scanners Includes: 1 per package Usage: replace as required because of damage and/or scratches.










* Super12 Printer: the estimates below are approximate expected usage rates, and are not guaranteed. The actual number may differ significantly due to many variables associated with the print function.

Contrast Setting	Expected Number of Characters (Approx.)
100	2,236,000
87	2,408,000
75	2,580,000
67	3,096,000
50	3,440,000
37	4,558,000
25	4,644,000
12	5,160,000





† Based on font size being used.



Kodak Imagemark Scanner/Microimager 990







CAT No.	Description
816 2190 	Kodak Imagemark White Imaging Lamp (16-inch) Includes: 1 per package Usage: approximately 500 hours. It is recommended that both lamps (duplex) be changed at the same time.
806 0824 	Red Color Drop-Out Element (14-inch) Includes: 1 per package Usage: approximately 300 hours per lamp. If you have documents with red text or a red background, use red dropout to remove any red color from the scanned documents.
813 7903 	Blue Color Drop-Out Element (14-inch) Includes: 1 per package Usage: approximately 300 hours per lamp. If you have documents with blue text or a blue background, use blue dropout to remove any blue color from the scanned documents.
817 8626 	Green Color Drop-Out Element (14-inch) Includes: 1 per package Usage: approximately 300 hours per lamp. If you have documents with green text or a green background, use green dropout to remove any green color from the scanned documents.
813 0635 	Blue Imaging Element for 990 (16-inch) Includes: 1 per package Usage: approximately 300 hours per lamp. If you have documents with blue text or a blue background, use blue dropout to remove any blue color from the scanned documents.
127 1436 	Kodak Calibration Target Includes: 5 targets (12- x 12-inch) Usage: see usage guidelines on page 1.
135 5155 	Document Printer: Ink Cartridges / Black Includes: 10 cartridges Usage: approximately 350,000 to 450,000* characters per ink cartridge
822 1376 	Kodak Digital Science Super12 Black Ink Cartridge Includes: 6 cartridges Usage: see description on page 37.
145 6532 	Kodak Digital Science Super12 Red Ink Cartridge Includes: 6 cartridges Usage: see description on page 37.

* Based on font size being used.

CAT No.	Description
165 8483 	Kodak Digital Science Super12 Maintenance Kit Includes: 1 printer gasket, 1 ink tray, 50 cloth wipes, 1 instruction sheet Usage: replace every 6 to 12 months. <i>Printer gasket and instruction sheet not shown in illustration.</i>
149 1984 	Kodak Reliant Endorser Ink Roller (Red) Includes: 1 per container
142 0272 	Kodak Reliant Endorser Ink Roller (Black) Includes: 1 per container
157 8707 	White Imaging Lamp Includes: 1 per package (2 lamps required for simplex; 4 lamps required for duplex) Usage: approximately 500 hours per lamp. It is recommended that both lamps be changed at the same time.









Kodak Digital Science Document Scanner 7520/7500

CAT No.	Description
834 6538 	Kodak Digital Science Automatic Feeder Replenishment Kit / for Series 5000/7000/9000 Scanners Includes: 2 feed modules, 2 separation rollers, 10 replacement strips, 50 replacement tires Usage: nominal tire life is approximately 250,000 documents depending on paper types, environment and scanner cleanliness.
876 6545 	Kodak Digital Science White Imaging Lamp / for Series 500/i800/3000/4000/5000/7000 Scanners Includes: 1 per package (1 lamp required for simplex; 2 lamps required for duplex) Usage: approximately 500 hours. It is recommended that both lamps be changed at the same time.
132 9812 	Green Imaging Element for 3000/5000/7000 Includes: 2 lamps Usage: approximately 300 hours per lamp.
126 0884 	Red Imaging Element for 3000/5000/7000 Includes: 2 lamps Usage: approximately 300 hours per lamp.
127 1436 	Kodak Calibration Target Includes: 5 targets (12- x 12-inch) Usage: see usage guidelines on page 1.
135 5155 	Document Printer: Ink Cartridges / Black Includes: 10 cartridges Usage: approximately 350,000 to 450,000* characters per ink cartridge.



*Based on font size being used.



Kodak Digital Science Color Scanner 4500










CAT No.	Description
108 5992  <i>Also available in Extra Large size</i> 106 8493	<p>Kodak Digital Science Feed Module Kit 250 / for Series 3000/4000 Includes: 1 feed module with one set (4) of tires installed, 18 replacement tires Usage: this kit has the potential to scan up to 1,750,000 pages. <i>See the table on page 46 for a guideline on how often to change consumables.</i></p> <p>Kodak Extra Large Feed Module Kit 250 / for Series 3000/4000 Includes: 5 feed modules with one set (4) of tires installed, 90 replacement tires Usage: this kit has the potential to scan up to 8,750,000 pages. <i>See the table on page 46 for a guideline on how often to change consumables.</i></p>
828 0604  <i>Also available in Extra Large size</i> 139 7785	<p>Kodak Digital Science Separator Roller Kit / for Series 3000/4000 Scanners Includes: 1 separator roller with 2 tires installed, 10 replacement tires Usage: this kit has the potential to scan up to 1,750,000 pages. <i>See the table on page 46 for a guideline on how often to change consumables.</i></p> <p>Kodak Extra Large Separator Roller Kit / for Series 3000/4000 Scanners Includes: 5 separator rollers with 2 tires installed, 50 replacement tires Usage: this kit has the potential to scan up to 8,750,000 pages. <i>See the table on page 46 for a guideline on how often to change consumables.</i></p>
158 8052 	<p>Kodak Separator Roller, Type 2 / for Series 3000/4000 Scanners (1 per package) Usage: replacement at approximately 300,000 to 400,000 pages. This optional roller can be used instead of the Separation Roller Kit (CAT No. 828 0604) for optimizing scanner performance based on the type of documents being scanned.</p>
854 6012 	<p>Kodak Digital Science Maintenance Kit / for Scanner 3000/4000 Series Includes: 1 separator roller kit, 2 white lamps, 1 pkg. cleaning sheets (50/pkg), 1 pkg. cleaning pads (24/pkg), 6 boxes Staticide wipes (24/box), 1 pkg. calibration targets (5/pkg) Usage: <i>see individual items for usage.</i></p>
876 6545 	<p>Kodak Digital Science White Imaging Lamp / for Series 500/i800/3000/4000/5000/7000 Scanners Includes: 1 per package (1 lamp required for simplex; 2 lamps required for duplex) Usage: approximately 500 hours. It is recommended that both lamps (duplex) be changed at the same time.</p>
825 0698 	<p>Kodak Digital Science Image Guide / for Scanner 4000 Series Includes: 1 per package Usage: replace as required because of damage and/or scratches.</p>
127 1436 	<p>Kodak Calibration Target Includes: 5 targets (12- x 12-inch) Usage: <i>see usage guidelines on page 1.</i></p>
135 5155 	<p>Document Printer: Ink Cartridges / Black Includes: 10 cartridges Usage: approximately 350,000 to 450,000* characters per ink cartridge For use with the <i>Kodak Digital Science Color Scanner 4500DP</i> only.</p>



* Based on font size being used.

CAT No.	Description
839 4306 	Document Printer: Ink Blotters Includes: 24 blotters (12 small/12 large) Usage: replace when there is a build-up of ink.
826 7486 	Document Printer: Ink Cartridge Carrier Usage: replace if original carrier is lost or damaged. <ul style="list-style-type: none"> • If you previously ordered CAT No. 838 4485 (Ink Cartridge Carrier), order this carrier now.












Kodak Digital Science Color Scanner 3590C

CAT No.	Description
108 5992  Also available in Extra Large size 106 8493	<p>Kodak Digital Science Feed Module Kit 250 / for Series 3000/4000 Includes: 1 feed module with one set (4) of tires installed, 18 replacement tires Usage: this kit has the potential to scan up to 1,750,000 pages. <i>See the table on page 46 for a guideline on how often to change consumables.</i></p> <hr/> <p>Kodak Extra Large Feed Module Kit 250 / for Series 3000/4000 Includes: 5 feed modules with one set (4) of tires installed, 90 replacement tires Usage: this kit has the potential to scan up to 8,750,000 pages. <i>See the table on page 46 for a guideline on how often to change consumables.</i></p>
828 0604  Also available in Extra Large size 139 7785	<p>Kodak Digital Science Separator Roller Kit / for Series 3000/4000 Scanners Includes: 1 separator roller with 2 tires installed, 10 replacement tires Usage: this kit has the potential to scan up to 1,750,000 pages. <i>See the table on page 46 for a guideline on how often to change consumables.</i></p> <hr/> <p>Kodak Extra Large Separator Roller Kit / for Series 3000/4000 Scanners Includes: 5 separator rollers with 2 tires installed, 50 replacement tires Usage: this kit has the potential to scan up to 8,750,000 pages. <i>See the table on page 46 for a guideline on how often to change consumables.</i></p>
153 7240 	<p>Kodak Digital Science Feed Module 150 / for Scanner 3500 Includes: 1 feed module with one set of tires (4) installed Usage: replacement at approximately 600,000 to 1,000,000 pages.</p>
158 8052 	<p>Kodak Separator Roller, Type 2 / for Series 3000/4000 Scanners Includes: 1 per package Usage: replacement at approximately 300,000 to 400,000 pages. This optional roller can be used instead of the Separation Roller Kit (CAT No. 828 0604) for optimizing scanner performance based on the type of documents being scanned.</p>
854 6012 	<p>Kodak Digital Science Maintenance Kit / for Scanner 3000/4000 Series Includes: 1 separator roller kit, 2 white lamps, 1 pkg. cleaning sheets (50/pkg), 1 pkg. roller cleaning pads (24/pkg), 6 boxes Staticide wipes (24/box), 1 pkg. calibration targets (5/pkg) Usage: <i>see individual items for usage.</i></p>
876 6545 	<p>Kodak Digital Science White Imaging Lamp / for Series 500/800/3000/4000/5000/7000 Scanners Includes: 1 per package (2 lamps are required)</p>
132 9812 	<p>Green Imaging Element for 7000/5000/3000 Includes: 2 lamps Usage: approximately 300 hours.</p>
126 0884 	<p>Red Imaging Element for 7000/5000/3000 Includes: 2 lamps Usage: approximately 300 hours.</p>
156 9664 	<p>Kodak Digital Science Front Imaging Guide / for Scanner 3590C Includes: 1 per package Usage: replace as required because of damage and/or scratches.</p>

CAT No	Description
806 6318 	Kodak Digital Science Rear Imaging Guide / for Scanner 3000 Series Includes: 1 per package Usage: replace as required because of damage and/or scratches.
127 1436 	Kodak Calibration Target Includes: 5 targets (12- x 12-inch) Usage: see usage guidelines on page 1.



Kodak Digital Science 3500, 3510, 3520 Scanners

CAT No.	Description
108 5992  Also available in Extra Large size 106 8493	<p>Kodak Digital Science Feed Module Kit 250 / for Series 3000/4000 Includes: 1 feed module with one set (4) of tires installed, 18 replacement tires Usage: this kit has the potential to scan up to 1,750,000 pages. See the table on page 46 for a guideline on how often to change consumables.</p> <p>Kodak Extra Large Feed Module Kit 250 / for Series 3000/4000 Includes: 5 feed modules with one set (4) of tires installed, 90 replacement tires Usage: this kit has the potential to scan up to 8,750,000 pages. See the table on page 46 for a guideline on how often to change consumables.</p>
828 0604 	<p>Kodak Digital Science Separator Roller Kit / for Series 3000/4000 Scanners Includes: 1 separator roller with 2 tires installed, 10 replacement tires Usage: this kit has the potential to scan up to 1,750,000 pages. See the table on page 46 for a guideline on how often to change consumables.</p>
Also available in Extra Large size 139 7785	<p>Kodak Extra Large Separator Roller Kit / for Series 3000/4000 Scanners Includes: 5 separator rollers with 2 tires installed, 50 replacement tires Usage: this kit has the potential to scan up to 8,750,000 pages. See the table on page 46 for a guideline on how often to change consumables.</p>
158 8052 	<p>Kodak Separator Roller, Type 2 / for Series 3000/4000 Scanners Includes: 1 per package Usage: replacement at approximately 300,000 to 400,000 pages. This optional roller can be used instead of the Separation Roller Kit (CAT No. 828 0604) for optimizing scanner performance based on the type of documents being scanned.</p>
854 6012 	<p>Kodak Digital Science Maintenance Kit / for Scanner 3000/4000 Series Includes: 1 separator roller kit, 2 white imaging lamps, 1 pkg. cleaning sheets (50/pkg), 1 pkg. cleaning pads (24/pkg), 6 boxes Staticide wipes (24/box), 1 pkg. calibration targets (5/pkg) Usage: see individual items for usage.</p>
876 6545 	<p>Kodak Digital Science White Imaging Lamp / for Series 500/i800/3000/4000/5000/7000 Scanners Includes: 1 per package (1 lamp required for simplex; 2 lamps required for duplex) Usage: approximately 500 hours. It is recommended that both lamps (duplex) be changed at the same time.</p>
132 9812 	<p>Green Imaging Element for 7000/5000/3000 Includes: 2 lamps Usage: approximately 300 hours per lamp.</p>
126 0884 	<p>Red Imaging Element for 7000/5000/3000 Includes: 2 lamps Usage: approximately 300 hours per lamp.</p>
806 6318 	<p>Kodak Digital Science Front/Rear Imaging Guide / for Scanner 3520/3510/3500 Usage: replace as required because of damage and/or scratches.</p>
127 1436 	<p>Kodak Calibration Target Includes: 5 targets (12- x 12-inch) Usage: see usage guidelines on page 1.</p>

Feed Module and Separation Roller Guidelines for the 3000 and 4000 Series Scanners Consumable Kits

The following table provides a guideline of how often to change the feed module, separation roller and tires. Extra tires are provided in the event one is damaged when replacing tires.


- **Feed Module and Separation Roller Tires:** tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 250,000 documents, results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed Module and Separation Roller:** it is recommended that you install a new feed module and separation roller approximately every 4th tire change. Install a new feed module and separation roller at the same time.

NOTE: Replacement tires are used on the feed module and separation roller.

Description	Feed Module 250 Kit	Separation Roller Kit	Extra Large Feed Module 250 Kit	Extra Large Separation Roller Kit
	CAT No. 108 5992	CAT No. 828 0604	CAT No. 106 8493	CAT No. 139 7785
Feed Modules (4 tires)	1	0	5	0
Separation Module (2 tires)	0	1	0	5
Pre-Separation Pads	0	0	0	0
Replacement Tires	18	10	90	50
Expected scans / kit	1,250,000	1,250,000	6,250,000	6,250,000




Kodak Digital Science Scanner 2500

CAT No.	Description
177 5485 	Kodak Digital Science Roller Exchange Kit / for Scanner 2500D Includes: feed roller assembly, retard roller, 1 package of 3 roller cleaning pads Usage: replacement at approximately 300,000 pages.





Kodak Digital Science Scanner 1500

CAT No.	Description
191 2427 	Kodak Digital Science Roller Exchange Kit / for Scanner 1500 Includes: dual feed roller, single separator roller, retard roller, 1 package of 3 roller cleaning pads Usage: replacement at approximately 300,000 pages.



Kodak i50/i55/i60/i65/i80 Scanners

CAT No.	Description
162 3362 	Kodak Feed Module for Scanners i50/i55/i60/i65/i80 Includes: 4 snap-in feed modules Usage: replace the snap-in feed module approximately every 100,000 pages.
154 4303 	Kodak i55/i65 Feed Roller Kit (for Kodak i55/i65 Scanners only) Includes: 1 feed roller Usage: replace when the paper roller is worn.

