



HP Officejet Pro K5400 Color Printer series

K5400 • K5400tn • K5400dtn



Choose the world's fastest desktop printer Exceptional results at high speeds for business color.¹

Brilliant color at low cost

It's this simple: the HP Officejet Pro K5400 Color Printer series prints high-quality documents at a low cost per page (CPP). Take advantage of a monochrome CPP as low as 1.5 cents—up to 25% lower than personal monochrome laser printers. And the color figures are even more impressive: 6.0 cents per page for color can save you as much as 30% compared to color laser

Boost productivity and convenience for everyone in the office with the optional 350-sheet paper tray for a total input capacity of 600 sheets and optional automatic two-sided printing. Share the printer with as many as five separate PCs via integrated networking capability.³

At a purchase price lower than comparable color laser printers,4 this printer makes color affordable for virtually any business.

Get laser-quality color prints faster than most color laser printers in the same price range. Produce documents at Laser Quality Speeds of up to 10 pages per minute (ppm) color, and up to 12 ppm black. Draft mode delivers print speeds of up to 35 ppm color and up to 36 ppm black. Print professional-quality documents that stand out. HP Vivera Inks deliver laser-quality black text, a brilliant color gamut, and true-to-life photos from the first print to the last.

Print with confidence

Plan for the future with optional high-capacity ink cartridges⁵ and documents that last. HP's high-capacity ink cartridges are ideal for higher volume printing and can save you time and money.

Create water-resistant documents. Handle your documents confidently with HP Vivera Inks and HP Advanced Papers with ColorLok technology. Plus, archived documents retain their quality for decades.6

The HP Officejet Pro K5400 Color Printer series is a proven performer, based on the same award-winning technology of best-selling HP Officejet Pro printers.⁷

¹ Compared to color laser and inkjet printers under \$500. Based on fastest rated color speeds as published by manufacturers as of July, 2006. Test methods vary.

² Cost per page (CPP) laser supplies comparisons based on published manufacturer specifications of the highest capacity cartridges available for color laser printers under \$500 and mono lasers under \$250 as reported by Current Analysis, Inc. as of July, 2006. CPP based on HP 88XL Cartridges (not included, sold separately) estimated street price and published yield. Results may vary.

³ Standard features vary according to model. For more information, see "Series at a glance" on page 2.

⁴ Based on manufacturers stated retail prices as of July, 2006.

⁵ High-capacity black ink cartridge are included, however high-capacity HP color ink cartridges are not included; please purchase separately.

⁶ Based on paper industry predictions for acid-free papers; colorant stability data at room temperature based on similar systems tested as per ISO 11798 and ISO 18909.

⁷ Independent awards presented based on 3rd party comparisons: PC World Komputer, Europe, Feb 2006. BuyersLab "Pick of the Year" Award, US, June 2006. FOSE "Best in Show" Award, US, Mar 2006.

HP Officejet Pro K5400 Color Printer series

- Ink cartridge cover provides quick access to four individual ink cartridges
- 2 Top cover flips open for easy troubleshooting or maintenance
- 3 User-friendly control panel includes graphical LED icons and one-touch, backlit buttons
- 4 150-sheet output tray with extender
- 5 Standard 250-sheet and optional 350-sheet input trays for high-volume printing
- 6 Automatic two-sided printing accessory can cut paper usage in half by producing professional, two-sided documents
- 7 Built-in Fast Ethernet networking capability
- 8 Hi-Speed USB 2.0 port enables fast and easy direct connections

HP Officejet Pro K5400dtn Color Printer shown



Series at a glance			
	K5400	K5400tn	K5400dtn
Part number	C8184A	CB056A	C9277A
Hi-Speed USB 2.0 port	√	√	√
150-sheet output tray	√	√	√
250-sheet input tray	√	√	√
Fast Ethernet networking	optional	built-in	built-in
Additional 350-sheet input tray	optional	√	√
Automatic two-sided printing	optional	optional	√

Advanced HP features deliver affordable quality and efficiency.



Vivera Inks

HP Vivera Inks deliver just what small businesses need in a color printer: laser-quality black text, a brilliant color gamut, and true-to-life photos from the first print to the last.

Proprietary HP Vivera Inks are specifically designed to address key printing attributes most important to customers—in particular, the combination of outstanding image quality for business documents and a longevity suitable for archiving.

High-capacity ink cartridges

Save time and money with HP's optional high-capacity ink cartridges⁵—ideal for efficient higher-volume printing and reducing interruptions. You can print up to 2,450 pages before replacing the black cartridge and up to 1,700 pages before replacing a color cartridge.

HP Advanced Paper

HP Advanced Paper adds significant improvements in several key areas thanks to the proprietary ColorLok technology in the paper:

- An improved optical density with richer, darker black text, and more vibrant color—all at high speeds.
- Faster dry time lets you handle output sooner and avoid waiting around for documents to dry.
- Improved water resistance. ColorLok additives
 encourage the ink colorants to form larger groups
 that are essentially unaffected by contact with
 water, so your documents are durable and longer
 lasting.

Get the most out of your printer with HP accessories, supplies, and services.



Increase efficiency and reduce interruptions with HP high-capacity ink cartridges



Increase input capacity to 600 sheets with the 350-sheet input tray 3 (CB009A)



Save time and resources with the automatic two-sided printing accessory (C9278A)



Enjoy wireless networking with the HP Jetdirect ew2400 802.11g wireless and Fast Ethernet external print server (J7951G)



HP Advanced Paper delivers rich blacks, uniform colors, and fast drying. (INP160300)



Connect directly with the Hispeed USB A to B printer cable (C6264A)

Ink cartridges	
HP 88 Black Ink Cartridge, 20.5 ml (up to 850 pages) ⁸	C9385A
HP 88 Cyan Ink Cartridge, 9 ml (up to 900 pages) ⁸	C9386A
HP 88 Magenta Ink Cartridge, 9 ml (up to 900 pages)8	C9387A
HP 88 Yellow Ink Cartridge, 9 ml (up to 900 pages) ⁸	C9388A
HP 88XL Large Black Ink Cartridge, 58.5 ml (up to 2,450 pages) ⁸	C9396A
HP 88XL Large Cyan Ink Cartridge, 17 ml (up to 1,700 pages) ⁸	C9391A
HP 88XL Large Magenta Ink Cartridge, 17 ml (up to 1,700 pages)8	C9392A
HP 88XL Large Yellow Ink Cartridge, 17 ml (up to 1,700 pages) ⁸	C9393A
Printheads	
HP 88 Black and Yellow Printhead	C9381A
HP 88 Magenta and Cyan Printhead	C9382A
Paper handling accessories	
Automatic two-sided printing accessory	C9278A
350-sheet input tray 2	CB009A
HP Jetdirect print servers	
175x Fast Ethernet external print server (USB)	J6035G
en3700 Fast Ethernet external print server (USB 2.0)	J7942G
ew2400 802.11g Wireless & Fast Ethernet external print server	
(USB 2.0)	
Connectivity	
Hi-speed USB A to B printer cable (2-meter)	C6264A
Service and support	
3-year, next day hardware exchange	HC236E
3-year, hardware pick up and return	HC244E
Paper	
young he com/go/paper	

1-800-477-5010 **Solutions**

Or contact HP via phone:

⁸ For estimated yields, refer to www.hp.com/qo/paqeyield.

HP Officejet Pro 5400 Color Printer series

Draft spee 1200 dpi; Color: emium Plus photo p 32 MB RAM bu tray, 150-sheet by Ma tandard: letter, leg om: 3 to 8.5 in wid dia: 16 to 28 lb bo 350-shee et), photo media, e	350-sheet input tray 2 gal, statement, executive, 4 by 6 in, envelopes de (76.2 to 216 mm wide) and 5 to 14 in lon and (60 to 105 g/m²), special media: 16 to up to 110 lb index (200 g/m²) et tray: plain media: 16 to 28 lb bond (60 to envelopes, brochure paper, transparencies, la	to 35 ppm up to 4800 by 1200 dpi optimized on HP less printing capability uilt-in Flash ROM tipurpose tray 1 2, 150-sheet output tray Automatic s (US #10, Monarch) g (127 to 356 mm long) 110 lb bond (60 to 200 g/m²), card media: 105 g/m²)		
1200 dpi; Color: emium Plus photo p 32 MB RAM bu tray, 150-sheet y Ma tandard: letter, leg om: 3 to 8.5 in wid dia: 16 to 28 lb bo 350-shee et), photo media, e	HP enhanced photo quality with Vivera Inks (icapers with 1200 by 1200 input dpi); border 192 MHz uilt-in RAM; 8 MB built-in MROM and 2 MB b Up to 7,500 pages per month 250-sheet mul 350-sheet input tray 2 anual gal, statement, executive, 4 by 6 in, envelopes de (76.2 to 216 mm wide) and 5 to 14 in lon and (60 to 105 g/m²), special media: 16 to up to 110 lb index (200 g/m²) et tray: plain media: 16 to 28 lb bond (60 to envelopes, brochure paper, transparencies, la	up to 4800 by 1200 dpi optimized on HP less printing capability uilt-in Flash ROM tipurpose tray 1 2, 150-sheet output tray Automatic s (US #10, Monarch) g (127 to 356 mm long) 110 lb bond (60 to 200 g/m²), card media: 105 g/m²)		
amium Plus photo p 32 MB RAM bu tray, 150-sheet y Ma tandard: letter, leg om: 3 to 8.5 in wid dia: 16 to 28 lb bo 350-shee et), photo media, e	papers with 1200 by 1200 input dpi); border 192 MHz uilt-in RAM; 8 MB built-in MROM and 2 MB b Up to 7,500 pages per month 250-sheet mul 350-sheet input tray 2 anual gal, statement, executive, 4 by 6 in, envelopes de (76.2 to 216 mm wide) and 5 to 14 in lon bond (60 to 105 g/m²), special media: 16 to up to 110 lb index (200 g/m²) et tray: plain media: 16 to 28 lb bond (60 to envelopes, brochure paper, transparencies, la	less printing capability uilt-in Flash ROM tipurpose tray 1 2, 150-sheet output tray Automatic s (US #10, Monarch) g (127 to 356 mm long) 110 lb bond (60 to 200 g/m²), card media: 105 g/m²)		
tray, 150-sheet Matandard: letter, legom: 3 to 8.5 in widdia: 16 to 28 lb books a 350-sheet), photo media, e	uilt-in RAM; 8 MB built-in MROM and 2 MB b Up to 7,500 pages per month 250-sheet mul 350-sheet input tray 2 anual gal, statement, executive, 4 by 6 in, envelopes de (76.2 to 216 mm wide) and 5 to 14 in lon bond (60 to 105 g/m²), special media: 16 to up to 110 lb index (200 g/m²) et tray: plain media: 16 to 28 lb bond (60 to envelopes, brochure paper, transparencies, la	tipurpose tray 1 2, 150-sheet output tray Automatic 5 (US #10, Monarch) g (127 to 356 mm long) 110 lb bond (60 to 200 g/m²), card media: 105 g/m²)		
tray, 150-sheet Matandard: letter, legom: 3 to 8.5 in widdia: 16 to 28 lb books a 350-sheet), photo media, e	Up to 7,500 pages per month 250-sheet mul 350-sheet input tray 2 anual gal, statement, executive, 4 by 6 in, envelopes de (76.2 to 216 mm wide) and 5 to 14 in lon ond (60 to 105 g/m²), special media: 16 to up to 110 lb index (200 g/m²) et tray: plain media: 16 to 28 lb bond (60 to envelopes, brochure paper, transparencies, la	tipurpose tray 1 2, 150-sheet output tray Automatic 5 (US #10, Monarch) g (127 to 356 mm long) 110 lb bond (60 to 200 g/m²), card media: 105 g/m²)		
Ma tandard: letter, leg om: 3 to 8.5 in wid dia: 16 to 28 lb bo 350-shee et), photo media, e	250-sheet mul 350-sheet input tray 2 gal, statement, executive, 4 by 6 in, envelopes de (76.2 to 216 mm wide) and 5 to 14 in lon lond (60 to 105 g/m²), special media: 16 to up to 110 lb index (200 g/m²) et tray: plain media: 16 to 28 lb bond (60 to envelopes, brochure paper, transparencies, la	Automatic (US #10, Monarch) g (127 to 356 mm long) 110 lb bond (60 to 200 g/m²), card media:		
Ma tandard: letter, leg om: 3 to 8.5 in wid dia: 16 to 28 lb bo 350-shee et), photo media, e	350-sheet input tray 2 gal, statement, executive, 4 by 6 in, envelopes de (76.2 to 216 mm wide) and 5 to 14 in lon and (60 to 105 g/m²), special media: 16 to up to 110 lb index (200 g/m²) et tray: plain media: 16 to 28 lb bond (60 to envelopes, brochure paper, transparencies, la	Automatic (US #10, Monarch) g (127 to 356 mm long) 110 lb bond (60 to 200 g/m²), card media:		
Ma tandard: letter, leg om: 3 to 8.5 in wid dia: 16 to 28 lb bo 350-shee et), photo media, e	350-sheet input tray 2 gal, statement, executive, 4 by 6 in, envelopes de (76.2 to 216 mm wide) and 5 to 14 in lon and (60 to 105 g/m²), special media: 16 to up to 110 lb index (200 g/m²) et tray: plain media: 16 to 28 lb bond (60 to envelopes, brochure paper, transparencies, la	Automatic (US #10, Monarch) g (127 to 356 mm long) 110 lb bond (60 to 200 g/m²), card media:		
tandard: letter, leg om: 3 to 8.5 in wid dia: 16 to 28 lb bo 350-shee et), photo media, e	anual gal, statement, executive, 4 by 6 in, envelopes de (76.2 to 216 mm wide) and 5 to 14 in lon sond (60 to 105 g/m²), special media: 16 to up to 110 lb index (200 g/m²) et tray: plain media: 16 to 28 lb bond (60 to envelopes, brochure paper, transparencies, la	Automatic s (US #10, Monarch) g (127 to 356 mm long) 110 lb bond (60 to 200 g/m²), card media: 105 g/m²)		
om: 3 to 8.5 in widdia: 16 to 28 lb bo 350-shee et), photo media, e	de (76.2 to 216 mm wide) and 5 to 14 in lon cond (60 to 105 g/m²), special media: 16 to up to 110 lb index (200 g/m²) et tray: plain media: 16 to 28 lb bond (60 to envelopes, brochure paper, transparencies, la	g (127 to 356 mm long) 110 lb bond (60 to 200 g/m²), card media: 105 g/m²)		
om: 3 to 8.5 in widdia: 16 to 28 lb bo 350-shee et), photo media, e	de (76.2 to 216 mm wide) and 5 to 14 in lon cond (60 to 105 g/m²), special media: 16 to up to 110 lb index (200 g/m²) et tray: plain media: 16 to 28 lb bond (60 to envelopes, brochure paper, transparencies, la	g (127 to 356 mm long) 110 lb bond (60 to 200 g/m²), card media: 105 g/m²)		
dia: 16 to 28 lb bo 350-shee et), photo media, e	ond (60 to 105 g/m²), special media: 16 to up to 110 lb index (200 g/m²) et tray: plain media: 16 to 28 lb bond (60 to envelopes, brochure paper, transparencies, la	110 lb bond (60 to 200 g/m²), card media:		
350-shee et), photo media, e	up to 110 lb index (200 g/m²) et tray: plain media: 16 to 28 lb bond (60 to envelopes, brochure paper, transparencies, la	105 g/m²)		
et), photo media, e	et tray: plain media: 16 to 28 lb bond (60 to envelopes, brochure paper, transparencies, la			
et), photo media, e	envelopes, brochure paper, transparencies, la			
Hi-Speed USB 2.0 port				
l '				
<u> </u>	HP PCL3 GUI			
es, CG Times Italia	c, Universe, Universe Italic, Courier, Courier It	alic, Letter Gothic, Letter Gothic Italic		
2000, Windows	s XP®, Windows XP x64 (Professional and Ho	ome Editions), Windows Vista®, Windows		
Server 2003; ¹⁰ Mac OS X (10.2.8, 10.3, 10.4 and later); Linux				
Windows 2000, XP Home, XP Professional, XP x64 Edition: Any Intel® Pentium® II or Celeron® processor (Pentium II or higher				
recommended), 128 MB RAM, 280 MB hard disk space, Microsoft Internet Explorer 6.0; Windows Vista: 800 MHz 32-bit (x86) or				
64-bit (x64) processor, 512 MB RAM, 850 MB hard disk space, Microsoft Internet Explorer 7.0,				
Mac OS X v10.3.8 and higher, 10.4.x: Power PC G3, 400 MHz, or 1.83 GHz Intel Core Duo Processor; 128 MB RAM; 300 MB				
		19.5 by 19.1 by 11.7 in (495 by 485		
<i>'</i>		by 298 mm)		
		26.5 lb (12 kg)		
		HP Officejet Pro K5400dtn Color Printer,		
		4 ink cartridges, 2 printheads, CD		
	and Hear's Guida) power cord and	(software and User's Guide), power cord		
ower cord and	· · ·	and adapter, setup poster, warranty and		
3	(495 by 382 by 1) 3 kg) Color Printer, 4 ads, CD (software	by 298 mm) B kg) 24.9 lb (11.3 kg) Color Printer, 4 HP Officejet Pro K5400tn Color Printer, 4		

Temperature Operating: 59 to 95 degrees F (15 to 35 degrees C)

Recommended: 68 to 86 degrees F (20 to 30 degrees C)

Storage: -40 to 140 degrees F (-40 to 60 degrees C)

Relative humidity Operating: 10 to 80 percent

Non-operating: 20 to 80 percent

Acoustics¹¹ Power: LwAd 6.4 (BA) Pressure (bystander): LpAD 50 (dBA)

Input voltage 110 to 127 V (\pm 10 percent), 50/60 Hz (\pm 2 Hz)

220 to 240 V (±10 percent), 50/60 Hz (±2 Hz)

Warranty One-year limited hardware warranty; 24-hour, 7 days a week Web support, business hour phone support

Active: 28 watts, Standby/Ready: 6 watts, Off: (240 V): 0.6 watts; (110 V): 0.4 watts

ENERGY STAR® qualified models; see: www.hp.com/go/energystar

Power certifications

EMC: K5400, K5400dtn only: FCC Title 47 CFR Part 15 Class B (USA), ICES (Canada);

K5400tn only: FCC Title 47 CFR Part 15 Class B (USA), ICES (Canada)

Safety: K5400K5400dtn only: Mexico NOM-NYCE, IEC 60950 compliant, USA UL

listed, EN 60950 compliant, NEMKO GS, Canada CSA

K5400tn only: Mexico NOM-NYCE, IEC 60950 compliant, USA UL listed, Canada CSA

¹² Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.









© Copyright 2007 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S marks. Linux is a U.S. registered trademark of Linus Torvalds. Intel, Pentium, and Celeron are registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Adobe and Acrobat are trademarks of Adobe Systems Inc. Microsoft, Windows, Windows XP and Windows Vista are U.S. registered trademarks of Microsoft Corporation. Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries.

Printed in the US

For more information, visit our website at: www.hp.com



⁹ Speed specifications have been updated to reflect current industry testing methods.

¹⁰ Printer and scanner drivers for Windows Server 2003 are available at www.hp.com/support

¹¹ Printing in Normal mode, noise levels per ISO 7779.