



HP LaserJet Enterprise 700 MFP M725 series

Ramp up your business efficiency and print in sizes up to A3 with ease.

Enable large-volume printing on a wide range of paper sizes – up to A3 – with a 4,600-sheet maximum input capacity.¹ Preview and edit scanning jobs; centrally manage printing policies; safeguard sensitive business information.



Color touchscreen



Printer security settings

Empower teams to do more – print, scan, copy and fax¹ on paper sizes up to A3 – from a desktop MFP

- Stay focused on work – paper capacity up to 4,600 sheets and high-capacity cartridges limit interruptions.²
- Get impressive document quality with near edge-to-edge printing and a convenient, built-in stapler.³
- Print what you need, even on the go – from your smartphone or tablet – using HP ePrint⁴ or Apple Airprint™.⁵

Quicken your business pace.

- Set a swift pace – use this powerful MFP to keep your work moving. Save time and make your job easier, using HP Quick Sets.
- Efficiently capture the right content: automatically remove blank pages, preview, edit and control jobs on the large colour touchscreen.
- Incorporate paper documents into digital workflows – easily send scans to fax⁶, email, network folders or USB. Print right from a memory device via the USB port.

Simplify fleet management and safeguard devices using world-class tools.⁷

- Monitor your devices with industry-leading tools, including HP Web Jetadmin.⁷ Help protect data both in transit and at rest.
- Enhance security with PIN printing. Add safeguards via the hardware integration pocket. Integrate tomorrow's solutions with ease.
- Add security tools – such as card and badge readers – via the hardware integration pocket.⁸

Reduce energy use with HP Auto-On/Auto-Off Technology⁹ and HP Instant-on Technology.¹⁰

- Help conserve resources and meet corporate environmental goals. HP Auto-On/Auto-Off Technology helps reduce energy use.⁹
- Easily recycle Original HP LaserJet toner cartridges through HP Planet Partners¹¹.
- Save paper and cut costs, using automatic two-sided printing.

Product walkaround

HP LaserJet Enterprise 700 MFP M725z:

1. 100-sheet automatic document feeder
2. Intuitive 20.3 cm (8-inch) pivoting light touch SVGA colour control panel with FutureSmart firmware and scan preview
3. Hardware integration pocket for solution integration
4. Easy-access USB port to save and print files directly
5. In-line stapler/stacker for stapling up to 30-pages and a 500-sheet output tray
6. Standard 250-sheet stacker output bin
7. Front door allows convenient access to print cartridge
8. Built-in automatic two-sided printing
9. 2 x 250-sheet input tray 2 and tray 3
10. 3,500-sheet high-capacity feeder with cabinet for a 4,100-sheet total input capacity
11. 100-sheet multipurpose tray 1 handles up to 100 pages
12. Fax port
13. 800 MHz processor, 1 GB standard memory (Expandable to 1,5 GB)
14. HP High Performance Encrypted Hard Drive
15. Hi-Speed USB 2.0 printing port
16. HP Jetdirect Gigabit Ethernet print server



Series at a glance



Model	HP LaserJet Enterprise 700 MFP M725 series	HP LaserJet Enterprise 700 MFP M725 series	HP LaserJet Enterprise 700 MFP M725 series	HP LaserJet Enterprise MFP M725z+
Product number	CF066A	CF067A	CF068A	CF069A
Features	Print, copy, scan (fax optional)	Print, copy, scan, fax		
Print speed	41 ppm, A4			
First page out (black/colour, A4)	As fast as 10 seconds A4			
Input capacity (standard/optional)	600/4600	1600	2100	4100/4600
Output capacity	250		750	
RMPV	5000/20,000			
ADF capacity	100			
Paper trays (standard/maximum)	3/6	5/5	6/6	4/5
In-line stapler	N/A		500-sheet	
Control panel	20.3 cm pivoting colour touchscreen control panel			
Memory (standard/maximum)	1/1.5 GB			
Networking	Standard (built-in Gigabit Ethernet)			

Accessories, Supplies and Support

Supplies	CF214A HP 14A Black Original LaserJet Toner Cartridge (10,000 pages)
	CF214X HP 14X High Yield Black Original LaserJet Toner Cartridge (17,500 pages)
	CF254A HP LaserJet CF254A 220V Maintenance/Fuser Kit (200,000 pages)
Accessories	C8091A HP Staple Cartridge Refill
	CC487A HP LaserJet MFP Analog Fax Accessory 500
	CF239A HP LaserJet 500-sheet Feeder and Tray
	CF242A HP LaserJet 3x500-sheet Feeder and Stand
	CF243A HP LaserJet 1x500-sheet Feeder with Cabinet and Stand
	CF245A HP LaserJet 3500-sheet High-capacity Input Tray Feeder and Stand
	L2718A HP 100 ADF Roller Replacement Kit
	J8021A HP Jetdirect ew2500 802.11b/g Wireless Print Server
Service and Support	J8026A HP Jetdirect 2700w USB Wireless Print Server
	U7A14E HP 3 year Next Business Day with Defective Media Retention LaserJet M725 MFP Hardware Support
	U7A15E HP 4 year Next Business Day with Defective Media Retention LaserJet M725 MFP Hardware Support
	U7A16E HP 5 year Next Business Day with Defective Media Retention LaserJet M725 Multifunction Hardware Support
	U7A09E HP 3 year 4 hour 13x5 LaserJet M725 MFP Hardware Support
	U7Y76PE HP 1 year Post Warranty Next Business Day with Defective Media Retention LJ M725 MFP Support
U7Y73PE HP 2 year Post Warranty Next Business Day LaserJet M725 MFP Hardware Support	
U7Y75PE HP 1 year Post Warranty 4 hour 13x5 LaserJet M725 MFP Hardware Support	

Technical specifications

Model	HP LaserJet Enterprise 700 MFP M725 series	HP LaserJet Enterprise 700 MFP M725 series	HP LaserJet Enterprise 700 MFP M725 series	HP LaserJet Enterprise MFP M725z+
Product number	CF066A	CF067A	CF068A	CF069A
Functions	Print, copy, scan	Print, copy, scan, fax		
Control panel	20.3 cm touchscreen, LCD (colour graphics); rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket			
Print				
Print technology	Laser			
Print speed ¹	Black (A4, normal) Up to 41 ppm; Black (A4, duplex) Up to 28 ipm; Black (A3, normal) Up to 20 ppm;			
First page out ²	Black (A4, ready) : As fast as 10 sec;			
Print resolution	Black (best) : Up to 1200 x 1200 dpi; Technology : HP ProRes 1200 (1200 x 1200 dpi), HP FastRes 1200 (1200 dpi quality), HP Resolution Enhancement technology, 600 x 600 dpi, 300 x 300 dpi;			
Monthly duty cycle	Up to 200,000 pages A4; Recommended monthly page volume : 5000 to 20,000			
Printer smart software features	HP ePrint, Apple AirPrint, Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, HP Auto-On/Auto-Off Technology, Easy Access USB, Image Preview			
Standard print languages	HP PCL 6, HP PCL 5, HP postscript level 3 emulation, PDF 1.4			
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts			
Print area	Print margins Top: 2 mm, Bottom: 2 mm, Left: 2 mm, Right: 2 mm; Maximum print area: 308 x 465.9 mm			
Duplex printing	Automatic (standard)			
Copy				
Copy speed	Black (A4) : Up to 41 cpm			
Copier specifications	Sides; Collate; Paper Selection; Reduce/Enlarge; Image Adjustment; Content Orientation; Pages per sheet; Booklet format; Edge to Edge; Optimise Text/Picture; Original Size; Job Build; Maximum number of copies : Up to 9999 copies; Copy resolution : 600 x 600 dpi; Reduce/Enlarge : 25 to 400%;			
Scan				
Scan speed ³	Normal (A4) : Up to 50 ppm (black and white), up to 30 ppm (colour); Duplex (A4) : Up to 19 ipm (black and white), up to 14 ipm (colour)			
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A			
Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Charge Coupled Device (CCD); Scan input modes: Copy, scan to E-mail, scan to network folder, scan to USB, save to device memory, fax, Open Extensibility Platform (OXF) applications; Duplex ADF scanning: Yes, reversing ADF; Scan size maximum (flatbed, ADF): 297 x 420 mm; Optical scan resolution: Up to 600 dpi			

Model	HP LaserJet Enterprise 700 MFP M725 series	HP LaserJet Enterprise 700 MFP M725 series	HP LaserJet Enterprise 700 MFP M725 series	HP LaserJet Enterprise MFP M725z+
Product number	CF066A	CF067A	CF068A	CF069A
Scanner advanced features	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge erase; Auto tone; Auto job notification; Blank page suppression; HP Quick Sets			
Recommended monthly scan volume	6,250 to 10,500			
Scannable area	Maximum media size (flatbed): 297 x 420 mm; Minimum media size (ADF): 68 x 148 mm Maximum media size (ADF): 297 x 420 mm			
Bit depth/ Grey scale levels	24-bit / 256			
Digital sending	Standard: Scan to E-mail; Save to Network Folder; Save to USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL ; Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send to workflow; Send to printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book			
Fax				
Fax [†]	Optional,	Yes, 33.6 kbps		
Fax specifications		Fax memory: Up to 100 pages; Fax resolution: Standard: 204 x 98 dpi; Fine: 204 x 196 dpi, 256 levels of grey; Superfine: 300 x 300 dpi, 256 levels of grey; Quick dialing: Up to 100 numbers (each can contain 100 numbers); Telecom compliance: Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); FCC Part 68; other Telecom approvals as required by individual countries		
Fax smart software features		Stored faxes; fax archiving; fax forwarding; scale-to-fit; fax address book; LAN/Internet fax; fax number confirmation; Holiday fax schedule		
Processor speed	800 MHz			
Connectivity				
Standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface; 1 Hardware Integration Pocket; 2 Internal USB Host			
Optional	HP Jetdirect ew2500 802.11b/g Wireless Print Server J8021A; HP Jetdirect 2700w USB Wireless Print Server J8026A			
Wireless	Optional, enabled with purchase of a hardware accessory			
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified			
Supported network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, XMPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print			
Network capabilities	Standard (built-in Gigabit Ethernet)			
Hard disk	Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)			
Memory	Standard: 1 GB; Maximum: 1.5 GB			
Media handling				
Number of paper trays	Standard: 3 ; Maximum: 6	Standard: 5 ; Maximum: 5	Standard: 6 ; Maximum: 6	Standard: 5 ; Maximum: 6
Media types	Paper (colour, letterhead, light, plain, preprinted, prepunched, recycled, rough, tough paper), bond, cardstock, envelope, labels, transparency, vellum			
Media size	Custom (metric): Tray 1: 76.2 x 127 to 312 x 469.9 mm; Tray 2: 148 x 210 to 297 x 363 mm; Tray 3: 148 x 210 to 297 x 431 mm ; Supported (metric): A3; A4; A5; B4 (JIS); B5 (JIS) ; ADF: A3; A4; A4-R; A5; A6; B4 (JIS); B5 (JIS); B6 (JIS); 10 x 15 cm; 13 x 18 cm	Custom (metric): Tray 1: 76.2 x 127 to 312 x 469.9 mm; Tray 2: 148 x 210 to 297 x 363 mm; Tray 3, 4, 5: 148 x 210 to 297 x 431 mm ; Supported (metric): A3; A4; A5; B4 (JIS); B5 (JIS) ; ADF: A3; A4; A4-R; A5; A6; B4 (JIS); B5 (JIS); B6 (JIS); 10 x 15 cm; 13 x 18 cm	Custom (metric): Tray 1: 76.2 x 127 to 312 x 469.9 mm; Tray 2: 148 x 210 to 297 x 363 mm; Trays 3 - 6: 148 x 210 to 297 x 431 mm ; Supported (metric): A3; A4; A5; B4 (JIS); B5 (JIS) ; ADF: A3; A4; A4-R; A5; A6; B4 (JIS); B5 (JIS); B6 (JIS); 10 x 15 cm; 13 x 18 cm	Custom (metric): Tray 1: 76.2 x 127 to 312 x 469.9 mm; Tray 2: 148 x 210 to 297 x 363 mm; Tray 3: 148 x 210 to 297 x 431 mm ; Supported (metric): A3; A4; A5; B4 (JIS); B5 (JIS) ; ADF: A3; A4; A4-R; A5; A6; B4 (JIS); B5 (JIS); B6 (JIS); 10 x 15 cm; 13 x 18 cm
Media handling	Standard input: 100-sheet multipurpose tray, two 250-sheet input trays Standard output: 250-sheet output bin Optional input: Optional 500-sheet input tray, optional 1 x 500-sheet paper feeder with cabinet and stand, optional 3 x 500-sheet paper feeder with stand, optional 3500-sheet High-capacity Input Tray Feeder and Stand ADF: Standard, 100 sheets	Standard input: 100-sheet multipurpose tray, two 250-sheet input trays, one 500-sheet feeder, and one 500-sheet feeder and stand Standard output: 250-sheet output bin ADF: Standard, 100 sheets	Standard input: 100-sheet multipurpose tray, two 250-sheet input trays and three 500-sheet feeders and stand Standard output: 250-sheet output bin, 500-sheet output bin ADF: Standard, 100 sheets	Standard input: 100-sheet multipurpose tray, two 250-sheet input trays and one 3500-sheet High-capacity Input Tray Feeder and Stand Standard output: 250-sheet output bin, 500-sheet output bin Optional input: Optional 500-sheet input tray ADF: Standard, 100 sheets
Media weight	Tray 1: 60 to 199 g/m ² ; Trays 2, 3: 60 to 120 g/m ² ; ADF: 45 to 199 g/m ²	Tray 1: 60 to 199 g/m ² ; Trays 2 - 5: 60 to 120 g/m ² ; ADF: 45 to 199 g/m ²	Tray 1: 60 to 199 g/m ² ; Trays 2 - 6: 60 to 120 g/m ² ; ADF: 45 to 199 g/m ²	Tray 1: 60 to 199 g/m ² ; Trays 2 - 5: 60 to 120 g/m ² ; ADF: 45 to 199 g/m ²

Model	HP LaserJet Enterprise 700 MFP M725 series	HP LaserJet Enterprise 700 MFP M725 series	HP LaserJet Enterprise 700 MFP M725 series	HP LaserJet Enterprise MFP M725z+
Product number	CF066A	CF067A	CF068A	CF069A
Input capacity	Tray 1: sheets: 100; envelopes: 10; labels: 100; transparencies: 100; postcards: 10 Tray 2: sheets: 250 Tray 3: sheets: 250 Maximum: Up to 4600 sheets ADF: Standard, 100 sheets	Tray 1: sheets: 100; envelopes: 10; labels: 100; transparencies: 100; postcards: 10 Tray 2: sheets: 250 Tray 3: Tray 3: sheets: 250; Tray 4: sheets: 500; Tray 5: sheets: 500 Maximum: Up to 1600 sheets ADF: Standard, 100 sheets	Tray 1: sheets: 100; envelopes: 10; labels: 100; transparencies: 100; postcards: 10 Tray 2: sheets: 250 Tray 3: Tray 3: sheets: 250; Tray 4: sheets: 500; Tray 5: sheets: 500; Tray 6: sheets: 500 Maximum: Up to 2100 sheets ADF: Standard, 100 sheets	Tray 1: sheets: 100; envelopes: 10; labels: 100; transparencies: 100; postcards: 10 Tray 2: sheets: 250 Tray 3: Tray 3: sheets: 250; Tray 4: sheets: 1500; Tray 5: sheets: 2000 Maximum: Up to 4600 sheets ADF: Standard, 100 sheets
Output capacity	Standard: Up to 250 sheets Envelopes: Up to 50 envelopes Transparencies: Up to 250 sheets Maximum: Up to 250 sheets		Standard: Up to 750 sheets Envelopes: Up to 50 envelopes Transparencies: Up to 750 sheets Maximum: Up to 750 sheets	
Compatible operating systems	Windows 10, Windows 8, Windows 7, Windows Vista, Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1+); Mac OS X v10.6, OS X Lion, OS X Mountain Lion; For the latest operating system support see: Citrix and Windows Terminal Services (http://www.hp.com/go/upd), Novell (http://www.novell.com/iprint), Linux (http://www.hplip.net), UNIX (http://www.hp.com/go/unix), http://www.hp.com/go/unixmodelscripts , http://www.hp.com/go/jetdirectunix_software , SAP device types (http://www.hp.com/go/sap/drivers), http://www.hp.com/go/sap/print), HP ePrint Mobile Driver (http://www.hp.com/go/eprintmobiledriver)			
Minimum system requirements	Windows: Windows 10, Windows 8, Windows 7, Windows Vista, Windows Server 2012 (64-bit), Windows Server 2008, Windows Server 2008 R2, Windows Server 2003 (SP1+); 200 MB available hard disk space (for OS compatible hardware system requirements, see http://www.microsoft.com); Mac: Mac OS X 10.6, OS X Lion, OS X Mountain Lion; 1 GB available hard disk space; operating system compatible hardware system requirements, CD-ROM/DVD-ROM or Internet, see apple.com			
Software included	Windows Installer, HP PCL 6 discrete driver, Mac Software Link to Web (Postscript emulation driver & Installer on Web), Note: No Mac Software inbox			
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in			
Printer management	HP Web Jetadmin, HP Utility (Mac)			
Dimensions and weight				
Printer dimensions (W x D x H)	Minimum: 614 x 649 x 609 mm; Maximum: 865 x 989 x 609 mm;	Minimum: 745 x 681 x 1160 mm; Maximum: 917 x 1032 x 1160 mm;	Minimum: 745 x 681 x 1192 mm; Maximum: 917 x 1032 x 1192 mm;	
Package dimensions (W x D x H)	760 x 745 x 832 mm		856 x 760 x 1522 mm	
Printer weight	54.11 kg	87.1 kg	92.35 kg	102.42 kg
Package weight	68.6 kg	105.4 kg	113 kg	122 kg
Operating environment	Temperature: 10 to 32.5°C; Humidity: 30 to 70% RH			
Storage conditions	Temperature: 0 to 60°C; Humidity: 10 to 90% RH			
Acoustics	Acoustic power emissions: 6.8 B(A); Acoustic pressure emissions: 54 dB(A)			
Power	Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); Consumption: 890 watts (active print/copy), 39 watts (ready), 6.5 watts (sleep), 0.3 watts (off). Typical Electricity Consumption (TEC): 4.39 kWh/Week; Typical Electricity Consumption (TEC): 3.31 kWh/Week (110/220 V); 2.8 kWh/Week (Blue Angel); Power supply type: Built-in power supply;			
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology			
Certifications	CISPR 22:2008 / EN 55022:2010 (Class A); EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3 :2008; EN 55024:1998+A1+A2; EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries ENERGY STAR® qualified Blue Angel compliant No; Please refer to the ECI document		CISPR 22:2008 / EN 55022:2010 (Class A); EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3 :2008; EN 55024:1998+A1+A2; EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries ENERGY STAR® qualified Blue Angel compliant Yes; Blue Angel RAL-UZ 205	
What's in the box	HP LaserJet Enterprise MFP M725dn; HP Black LaserJet Toner Cartridge (~10,000 pages); Printer documentation and software on CD-ROM; Installation guide, Support flyer, Warranty card; Power cord; 2x250-sheet trays.	HP LaserJet Enterprise MFP M725f; HP Black LaserJet Toner Cartridge (~10,000 pages); Printer documentation and software on CD-ROM; Installation guide, Support flyer, Warranty card; Power cord; Fax cable; 2x250-sheet trays; 1x500-sheet feeder; cabinet and stand; Built-in fax.	HP LaserJet Enterprise MFP M725z; HP Black LaserJet Toner Cartridge (~10,000 pages); Printer documentation and software on CD-ROM; Installation guide, Support flyer, Warranty card; Power cord; Fax cable; 2x250-sheet trays; 3x500-sheet Paper feeder and stand; 500-sheet inline Stapler/Stacker; Built-in fax.	HP LaserJet Enterprise MFP M725z+; HP Black LaserJet Toner Cartridge (~10,000 pages); Printer documentation and software on CD-ROM; Installation guide, Support flyer, Warranty card; Power cord; Fax cable; 2x250-sheet trays; 1 x 3500-sheet Feeder and Stand; 500-sheet inline Stapler/Stacker; Built-in fax.
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.			

Footnotes

¹ Maximum paper capacity of 4,600 sheets; requires the purchase of optional paper tray accessories.

² High-capacity cartridges are optional for the HP LaserJet Enterprise 700 MFP Series M725.

³ In-line stapler is not available on the HP LaserJet Enterprise MFP M725dn or M725f.

⁴ Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see www.hpconnected.com). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades.

⁵ Supports the following devices running iOS 4.2 or later: iPad®, iPad® 2, iPhone® (3GS or later) or iPod touch® (3rd generation or later). Works with HP's AirPrint-enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint, the AirPrint Logo, iPad, iPhone and iPod touch are trademarks of Apple® Inc., registered in the U.S. and other countries. Times and connection speeds may vary. Some HP LaserJet printers may require firmware upgrades.

⁶ Fax capabilities are available with an optional fax card on the HP LaserJet Enterprise MFP M725dn.

⁷ HP Web Jetadmin is free and can be downloaded at www.hp.com/go/webjetadmin.

⁸ Solutions deployed through the hardware integration pocket may require additional purchase.

⁹ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

¹⁰ Compared with products that use traditional fusing.

¹¹ Programme availability varies. Original HP cartridge return and recycling is currently available in more than 50 countries, territories and regions in Asia, Europe, and North and South America through the HP Planet Partners programme. For more information, visit: www.hp.com/recycle.

Technical specifications disclaimers

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

² Exact speed varies depending on the system configuration, software application, driver and document complexity.

³ Actual speeds may vary depending on scan resolution, network conditions, computer performance and application software.

⁴ Based on standard ITU-T test image at standard resolution. More complicated pages or higher resolution will take longer and use more memory.



www.blauer-engel.de/uz205



Windows 10

<http://www.hp.com/uk>

The product could differ from the images shown. © Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 4.A.A7-1628, December 2018

