

HP Color LaserJet Enterprise flow M880 Multifunction Printer series



Top colour performance. Solid value.

This top-of-the-line enterprise MFP helps streamline workflows and accelerate document tasks with advanced finishing options and file sharing. Give users simple, direct access to this MFP through mobile printing and touch-to-print capabilities^{1,2}.



Color touchscreen



Printer security settings



Wireless direct



Single-pass 2-sided ADF



Business-Class Printers

Give workgroups the speed they need.

- Let departments scan without worry: HP EveryPage detects potential errors or missed pages on the spot.
- Manage content in a way you never thought possible with HP Flow CM Enterprise³.
- Forget email – let employees scan and send documents to Microsoft® SharePoint® in one step.
- Make it easy to be efficient with an intuitive touchscreen and large pull-out keyboard.

Keep your business moving.

- Save on both sides – capture documents faster with two-sided, single-pass scanning.
- Create easily searchable scanned files, using built-in optical character recognition software.
- Save IT time and make printing easy for the entire company by using a single driver for all HP devices⁴.
- Let employees complete big jobs faster, choosing from a range of finishing options⁵.

Be much more efficient with mobile printing.

- Give users simple, direct access through wireless direct printing and touch-to-print technology⁶.
- Mobile printing at a touch – enable touch-to-print convenience from mobile devices².
- Let employees print from mobile devices with built-in print capability or HP ePrint app and software¹.
- Give users the power to print wirelessly from an iPad®, iPhone®, or iPod touch®⁷.


Invest once, expand easily and manage efficiently.

- Expand your options: easily upgrade firmware on your schedule, and easily integrate solutions or devices at will.
- Help build business efficiency. Centrally monitor and control printers with HP Web Jetadmin⁸.
- Apply fleet-wide policies to help protect all your HP devices with the HP Imaging and Printing Center⁹.
- Confidently safeguard the sensitive data sent to your MFP with the HP High-Performance Secure Hard Disk.

Product walkaround

HP Color LaserJet Enterprise flow MFP M880z+ shown:

1. Intuitive 8-inch (20.3 cm) HP Easy Select pivoting color touchscreen control panel
2. 200-sheet automatic document feeder with single pass two-sided scanning, and HP EveryPage with ultrasonic double-feed detection
3. Home button (returns to home screen)
4. Plate glass color scanner handles sizes up to 11 x 17 in/A3
5. Easy-access USB port to save and print files directly
6. Hardware integration pocket for solution integration*
7. 500-sheet output bin
8. Front door provides convenient access to HP toner cartridges and drums
9. Built-in automatic two-sided printing
10. Retractable keyboard for easy, accurate data entry
11. 100-sheet multipurpose tray 1 handles heavy custom media up to 58 lb bond (220 g/m²)
12. Right-side doors provide access to the fuser and for clearing jams
13. 500-sheet input tray supports media up to size 11 x 17 in/A3
14. 3,500-sheet high-capacity input tray supports media sizes letter/A4
15. HP Jetdirect Gigabit Ethernet print server
16. HP High-Performance Secure Hard Disk
17. Access port for optional Kensington-style lock
18. Hi-Speed USB 2.0 port (for connecting third-party devices)
19. Hi-Speed USB 2.0 printing port
20. 800 MHz processor, 2.5 GB (system memory)
21. Foreign interface harness (for connecting external devices)
22. Two internal host USB 2.0 type ports for third party solutions
23. RJ-11 fax port



Series at a glance



| Model | HP Color LaserJet Enterprise flow M880z Multifunction Printer | HP Color LaserJet Enterprise flow M880z+ Multifunction Printer |
|---|---|--|
| Product number | A2W75A | A2W76A |
| 100-sheet multipurpose tray 1 | Yes | Yes |
| 500-sheet tray 2 | Yes | Yes |
| 3x500 sheet input trays | Yes | Not available |
| 3,500-sheet HCI | Not available | Yes |
| Touch-to-print, wireless direct mobile printing | Optional | Optional |

Accessories, Supplies and Support

| | | |
|---|--|---|
| Supplies | C1N54A HP LaserJet C1N54A 110V Maintenance Kit 130,000 pages | |
| | C1N58A HP LaserJet C1N58A 220V Maintenance Kit 130,000 pages | |
| | C1P70A HP LaserJet ADF Roller Replacement Kit Average yield: 100,000 pages | |
| | CF300A HP 827A Black Original LaserJet Toner Cartridge 29,500 pages | |
| | CF301A HP 827A Cyan Original LaserJet Toner Cartridge 32,000 pages | |
| | CF302A HP 827A Yellow Original LaserJet Toner Cartridge 32,000 pages | |
| | CF303A HP 827A Magenta Original LaserJet Toner Cartridge 32,000 pages | |
| | CF358A HP 828A Black LaserJet Image Drum 30,000 pages | |
| | CF359A HP 828A Cyan LaserJet Image Drum 30,000 pages | |
| | CF364A HP 828A Yellow LaserJet Image Drum 30,000 pages | |
| | CF365A HP 828A Magenta LaserJet Image Drum 30,000 pages | |
| | D7H14A HP LaserJet D7H14A Transfer and Roller Kit 150,000 pages | |
| | Accessories | A2W80A HP LaserJet Stapler/Stacker |
| | | A2W82A HP LaserJet Stapler/Stacker with 2/4 hole punch |
| | | A2W83A HP LaserJet Booklet Maker/Finisher |
| A7W13A HP LaserJet Keyboard Overlay Kit-Danish/French-Switzerland/German-Switzerland | | |
| C8091A HP Staple Cartridge Refill (5000 staples) for Stapler/Stacker accessories | | |
| CC383A HP 2-pack 2000-staple Cartridge for booklet maker finisher | | |
| CC487A HP LaserJet MFP Analog Fax Accessory 500 | | |
| CZ999A HP Color LaserJet Booklet Maker/Finisher with 2/4 hole punch | | |
| Connectivity | | J8021A HP Jetdirect ew2500 802.11b/g Wireless Print Server |
| | | J8026A HP Jetdirect 2700w USB Wireless Print Server |
| | J8029A HP Jetdirect 2800w NFC/Wireless Direct Accessory | |
| Service and support | U8D23E HP 3 year Next Business Day with Defective Media Retention Color LaserJet M880 Multifunction Printer Support | |
| | U8D17E HP 3 year 4 hour 9x5 Color LaserJet M880 MFP Hardware Support | |
| | U8D24E HP 4 year Next Business Day with Defective Media Retention Color LaserJet M880 Multifunction Printer Support | |
| | U8D25E HP 5 year Next Business Day with Defective Media Retention Color LaserJet M880 Multifunction Printer Support | |
| | U8D42PE HP 1 year Post Warranty Next Business Day with Defective Media Retention Color LaserJet M880 MFP Hardware Support | |
| | U8D40PE HP 1 year Post Warranty 4 hour 9x5 Color LaserJet M880 MFP Support | |
| U8D39PE HP 2 year Post Warranty Next Business Day Color LaserJet M880 MFP Hardware Support | | |

Technical specifications

| Model | HP Color LaserJet Enterprise flow M880z Multifunction Printer | HP Color LaserJet Enterprise flow M880z+ Multifunction Printer |
|---------------------------------|---|--|
| Product number | A2W75A | A2W76A |
| Functions | Print, copy, scan, fax | |
| Control panel | 20.3 cm colour LCD with capacitive touchscreen; rotating (adjustable angle) display; illuminated capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket | |
| Print | | |
| Print technology | Laser | |
| Print speed ¹ | Black (A4, normal): Up to 46 ppm; Colour (A4, normal): Up to 46 ppm; Black (A4, duplex): Up to 43 ipm; Black (A3, normal): Up to 22 ppm; Colour (A3, normal): Up to 22 ppm | |
| First page out ² | Black (A4, ready): As fast as 11 sec; Colour (A4, ready): As fast as 11 sec | |
| Print resolution | Black (best): Up to 1200 x 1200 dpi; Colour (best): Up to 1200 x 1200 dpi; Technology: HP ImageREt 4800; HP FastRes 1200 (1200 dpi quality), 600 x 600 dpi; HP ProRes 1200 (1200 x 1200 dpi); Pantone® Calibrated | |
| Monthly duty cycle | Up to 200,000 pages (A4); Recommended monthly page volume: 5000 to 25,000 | |
| Printer smart software features | HP ePrint, Apple AirPrint™, Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off Technology, HP Easy Color, Pantone® Calibrated, print preview, duplex, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, job separator, staple, offset, booklet making, hole punch | |
| Standard print languages | HP PCL 6, HP PCL 5e, HP Postscript Level 3 emulation, PDF | |
| Fonts and typefaces | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts | |
| Print area | Print margins: Top: 2.1 mm, Bottom: 2.1 mm, Left: 2.1 mm, Right: 2.1 mm; Maximum print area: 312 x 457.2 mm | |
| Duplex printing | Automatic (standard) | |
| Copy | | |
| Copy speed | Black (A4): Up to 46 cpm; Colour (A4): Up to 46 cpm | |
| Copier specifications | Sides; Collate; Paper Selection; Colour/Black; Reduce/Enlarge; Image Adjustment; Content Orientation; Maximum number of copies: Up to 9999 copies; Copy resolution: Up to 600 x 600 dpi; Reduce/Enlarge: 25 to 400% | |
| Scan | | |
| Scan speed | Normal (A4): Up to 70 ppm (black & white), up to 68 ppm (colour); Duplex (A4): Up to 85 ipm (black & white), up to 63 ipm (colour) | |
| Scan file format | Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht) | |

| Model | HP Color LaserJet Enterprise flow M880z Multifunction Printer | HP Color LaserJet Enterprise flow M880z+ Multifunction Printer |
|---------------------------------|--|--|
| Product number | A2W75A | A2W76A |
| Scanner specifications | Scanner type: Flatbed, ADF; Scan technology: Charge Coupled Device (CCD); Scan input modes: Copy, scan to e-mail, scan to network folder, scan to USB, save to device; Duplex ADF scanning: Yes, single pass duplexing ADF; Scan size maximum (flatbed, ADF): 297 x 432 mm; Optical scan resolution: Up to 600 dpi | |
| Scanner Advanced Features | Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge erase; Auto tone; Auto job notification; Blank page suppression; Auto orientation; Auto page crop; HP Quick Sets | |
| Recommended monthly scan volume | 26,750 to 44,600 | |
| Scannable area | Maximum media size (flatbed): 297 x 432 mm; Minimum media size (ADF): 147 x 68 mm; Maximum media size (ADF): 297 x 432 mm | |
| Bit depth/ Grey scale levels | 24-bit / 256 | |
| Digital sending | Standard: Scan to e-mail; Save-to-Network Folder; Scan to SharePoint; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; OCR; Local Address Book; SMTP over SSL; Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book; via HP Embedded Capture; Metadata capture and validation; Data transfer; Scan workflow management | |
| Fax | | |
| Fax ³ | Yes, 33.6 kbps | |
| Fax specifications | Fax resolution: Standard: 100 x 100 dpi; Fine: 200 x 200 dpi, 256 levels of grey; Superfine: 300 x 300 dpi, 256 levels of grey; Quick dialing: Up to 100 (each can contain 100 numbers); Telecom compliance: Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); FCC Part 68; other Telecom approvals as required by individual countries | |
| Fax smart software features | Stored faxes; fax archiving; fax forwarding; scale-to-fit; fax address book; LAN/Internet fax; fax number confirmation; Holiday fax schedule | |
| Processor speed | 800 MHz | |
| Connectivity | | |
| Standard | 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T Network; 1 Foreign Interface; 1 Hardware Integration Pocket (HIP); 2 Internal USB Host; 1 Fax | |
| Optional | HP Jetdirect ew2500 802.11b/g Wireless Print Server J8021A; HP Jetdirect 2700w USB Wireless Print Server J8026A; HP Jetdirect 2800w NFC & Wireless Direct J8029A | |
| Mobile printing capability | HP ePrint; Apple AirPrint™; Mopria™-certified; Mobile Apps; Wireless Direct printing | |
| Supported network protocols | IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 and later), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, Port 9100, LPD, IPP, Secure-IPP, WS Discovery, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, TFTP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; Other: IPX/SPX, AppleTalk, NetWare NDS, Bindery, NDPS, iPrint | |
| Network capabilities | Standard (built-in Gigabit Ethernet) | |
| Hard disk | Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater) | |
| Memory | Standard: 2.5 GB (system memory); Maximum : 2.5 GB (system memory) | |
| Media handling | | |
| Number of paper trays | Standard: 5; Maximum: 5 | Standard: 4; Maximum: 4 |
| Media types | Cut sheet paper, labels, transparencies, glossy paper, glossy film, photo media, tough paper, envelopes | |
| Media size | Custom (metric): Tray 1: 76.2 x 127 to 320 x 457.2 mm; Tray 2: 148 x 210 to 297 x 432 mm; Tray 3, 4, 5: 148 x 210 to 320 x 457 mm Supported (metric): Tray 1: A3, A4, A4-R, A5, B5 (JIS), B4 (JIS), RA4, SRA4, RA3, SRA3, A6, B6 (JIS), DPostcard (JIS), Envelopes: B5, C5, C6, DL; Tray 2: A3, A4, A4-R, A5, B5 (JIS), B4 (JIS), RA4, SRA4; Tray 3, 4, 5: A3, A4, A4-R, A5, B5 (JIS), B4 (JIS), RA4, SRA4, RA3, SRA3 ADF: A3; A4; A5; B4; B5 (JIS); B6 (JIS) | Custom (metric): Tray 1: 76.2 x 127 to 320 x 457.2 mm; Tray 2: 148 x 210 to 297 x 432 mm; Tray 3, 4: 210 x 297 mm Supported (metric): Tray 1: A3, A4, A4-R, A5, B5 (JIS), B4 (JIS), RA4, SRA4, RA3, SRA3, A6, B6 (JIS), DPostcard (JIS), Envelopes: B5, C5, C6, DL; Tray 2: A3, A4, A4-R, A5, B5 (JIS), B4 (JIS), RA4, SRA4, Trays 3, 4: A4 ADF: A3; A4; A5; B4; B5 (JIS); B6 (JIS) |
| Media handling | Standard input: 100-sheet multipurpose tray, 4 x 500-sheet input tray Standard output: 500-sheet face-down bin ADF: Standard, 200 sheets (75 g/m ²) | Standard input: 100-sheet multipurpose tray, 500-sheet input tray, 1500-sheet input tray, 2000-sheet input tray Standard output: 500-sheet face-down bin ADF: Standard, 200 sheets (75 g/m ²) |
| Input capacity | Tray 1: sheets: 100; envelopes: 10 Tray 2: sheets: 500 Tray 3: Tray 3, 4, 5: Sheets: 500 Maximum: Up to 2100 sheets (75 g/m ² media) ADF: Standard, 200 sheets (75 g/m ²) | Tray 1: sheets: 100; envelopes: 10 Tray 2: sheets: 500 Tray 3: Tray 3: sheets: 1500; Tray 4: sheets: 2000 Maximum: Up to 4100 sheets (75 g/m ² media) ADF: Standard, 200 sheets (75 g/m ²) |
| Output capacity | Standard: Up to 500 sheets (75 g/m ² media) Envelopes: Up to 60 envelopes Transparencies: Up to 100 sheets Maximum: Up to 3000 sheets (75 g/m ² media) with an optional output device. | |
| Compatible operating systems | Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit); Mac OS X version 10.6.8, 10.7.5 Lion, 10.8 Mountain Lion; For the latest operating system support see: Air Print (http://support.apple.com/kb/ht4356), Android (http://www.android.com/), Citrix and Windows Terminal Services (http://www.hp.com/go/upd), HP ePrint Software Driver (http://www.hp.com/go/eprintssoftware), Linux (http://www.hplip.net), Novell (http://www.novell.com/iprint), SAP device types (http://www.hp.com/go/sap/drivers), SAP Print (http://www.hp.com/go/sap/print), UNIX (http://www.hp.com/go/unix), UNIX JetDirect (http://www.hp.com/go/jetdirectunix_software) | |

| Model | HP Color LaserJet Enterprise flow M880z Multifunction Printer | HP Color LaserJet Enterprise flow M880z+ Multifunction Printer |
|---|--|--|
| Product number | A2W75A | A2W76A |
| Compatible network operating systems | Windows 8.1 (32-bit/64-bit); Windows 8 Basic (32-bit/64-bit); Windows 8 Pro (32-bit/64-bit); Windows 8 Enterprise (32-bit/64-bit); Windows 8 Enterprise N (32-bit/64-bit); Windows 8 Enterprise RT (32-bit only); Windows 7 (32-bit/64-bit) (Including Starter Edition); Windows Vista (32-bit) (Including Starter Edition); Windows Vista (64-bit); Windows XP (SP2 or higher) (32-bit/64-bit); Windows Server 2012 R2; Windows Server 2012 (No Software Installer support); Windows Server Win7/2008 R2 (SP1); Windows Server 2008 (Standard Edition); Windows Server 2008 (Enterprise Edition); Windows Server 2008 (32-bit/64-bit) (SP1); Windows Server 2008 (32-bit/64-bit) (SP2); Windows Server 2008 R2 (32-bit/64-bit) (Standard Edition, Enterprise Edition); Windows Server 2008 Server Terminal Services; Windows Server 2008 Server Terminal Services with Citrix XenApp; Windows Server 2003 (Standard Edition); Windows Server 2003 (Enterprise Edition); Windows Server 2003 (32-bit/64-bit) (SP1); Windows Server 2003 (32-bit/64-bit) (SP2); Windows Server 2003 R2 (32-bit/64-bit) (Standard Edition, Enterprise Edition); Windows Server 2003 Server Terminal Services; Windows Server 2003 Server Terminal Services w/Citrix Presentation Server 4.0; Windows Server 2003 Server Terminal Services with Citrix Presentation Server 4.5; Novell NetWare 6; Novell NetWare 6.5 [SP8 minimum for full Windows Vista, Windows 7 and Windows XP (SP7 if only Windows XP)]; Novell Novell iPrint Client v5.4 for Windows XP, Windows Vista and Windows 7, (x86 and x64); Novell Novell iPrint Support Only; Novell Novell Open Enterprise Server 2 (Linux); Novell Novell Open Enterprise Server 6.5; Other Citrix (Print): Citrix XenApps 6.0, Xen Server 5.6, Xen Desktop 5.5; Other Cluster Support; Mac 10.5; Mac 10.6.8; Mac 10.7.5; Mac 10.8.x; Mac 10.9.x; For Linux OS versions, refer to the HP Linux web site: hplipopensource.com/hplip-web/index.html ; Unix HPUX 11i; IBM AIX 3.2.5 or higher; MPE-iX; Citrix MetaFrame Server; Red Hat Linux 7.x or higher; Solaris 2.5 or higher (SPARC systems only); SuSe Linux 8.x or higher. (For Microsoft IPv6 compatibility use Windows 2003, Windows XP Home, Windows XP Professional and Windows Vista) | |
| Minimum system requirements | Windows: Windows 10, Windows 8, Windows 7 (SP1 or higher), Windows Vista, Windows Server 2012 (64-bit), Windows Server 2008, Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher); 200 MB available hard disk space, CD-ROM/DVD drive or Internet connection, dedicated USB 1.1/2.0 or network connection (for OS compatible hardware system requirements see http://www.microsoft.com); Mac: Mac OS X v10.6.8, OS X 10.7.5 Lion, OS X 10.8 Mountain Lion; 1 GB of available hard disk space; CD-ROM or DVD drive, or Internet connection; Dedicated Universal Serial Bus (USB 1.1 or 2.0), or network connection (Operating system compatible hardware system requirements see apple.com) | |
| Software included | HP PCL 6 Discrete Printer Driver; Mac Software Link to Web (Mac Installer); Windows Installer | |
| Security management | Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Security lock slot, USB port disablement, hardware integration pocket for security solutions; Security management: Compatible with HP Imaging and Printing Security Center | |
| Printer management | HP Web Jetadmin; HP Utility (Mac) | |
| Dimensions and Weight | | |
| Printer dimensions (W x D x H) | Minimum: 704 x 635 x 1199 mm; Maximum: 1000 x 800 x 1199 mm | |
| Package dimensions (W x D x H) | 856 x 790 x 1567 mm | |
| Printer weight | 150.6 kg | 152.9 kg |
| Package weight | 173.33 kg | 175.33 kg |
| Operating environment | Temperature: 15 to 30°C; Humidity: 10 to 80% RH | |
| Storage | Temperature: 0 to 35°C; Humidity: 10 to 90% RH | |
| Acoustics | Acoustic power emissions: 7.0 B(A); Acoustic pressure emissions: 55 dB(A) | |
| Power | Requirements: Input Voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 5.5 A ; Consumption: 972 watts (printing), 972 watts (copying), 80 watts (ready), 8.0 watts (sleep), 1.2 watt (auto-off), 0.4 watts (off); Typical Electricity Consumption (TEC): 5.836 kWh/week; Power supply type: Built-in power supply | |
| Energy savings feature technology | HP Auto-on/Auto-off Technology; Instant-on Technology | |
| Certifications | CISPR 22:2008 / EN 55022:2010 (Class A), EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3 :2008; EN 55024:2010; EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries ENERGY STAR®; EPEAT® Silver; CECP Blue Angel compliant: No; Please refer to the ECI document | |
| What's in the box | HP Color LaserJet Enterprise flow MFP M880z; Black, Cyan, Magenta, and Yellow HP Color LaserJet Drums; Black, Cyan, Magenta, and Yellow HP Color LaserJet Toner Cartridges; CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord; HP Jetdirect Gigabit Ethernet Print Server (embedded); Automatic duplexer (built-in); Encrypted Hard Drive; 100-sheet multipurpose tray; 1 x 500-sheet input tray; 3 x 500-sheet input tray with stand; Fax, Fax cable | HP Color LaserJet Enterprise flow MFP M880z+; Black, Cyan, Magenta, and Yellow HP Color LaserJet Drums; Black, Cyan, Magenta, and Yellow HP Color LaserJet Toner Cartridges; CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord; HP Jetdirect Gigabit Ethernet Print Server (embedded); Automatic duplexer (built-in); Encrypted Hard Drive; 100-sheet multipurpose tray; 1 x 500-sheet input tray; 1 x 3500-sheet high capacity input tray with stand; Fax, Fax cable |
| Warranty | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region. | |

Footnotes

- ¹ Local printing requires mobile device and printer to be on the same network or have a direct wireless connection to printer. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details.
- ² Touch-to-print capability may be added as an option to the HP Color LaserJet Enterprise flow MFP M880z+ A2W76A and M880z A2W75A. Mobile device must support near-field communications-enabled printing. For a list of supported devices, see hp.com/go/mobileprinting.
- ³ HP Flow CM is not available in all regions. Network connection is required to upload and download files. Additional software and licenses may be required.
- ⁴ The HP Universal Print Driver is free and available for download at hp.com/go/upd.
- ⁵ Paper-handling options must be purchased separately.
- ⁶ Wireless direct printing may be added as an option to the HP Color LaserJet Enterprise M880z+ A2W76A and M880z A2W75A. Mobile device may require an app or driver. Wireless performance is dependent on physical environment and distance from the printer. For details, see hp.com/go/wirelessprinting.
- ⁷ Supports OS X[®] Lion, OS X Mountain Lion, and the following devices running iOS 4.2 or later: iPad[®] (all models), iPhone[®] (3GS or later), and iPod touch[®] (third generation or later). Works with HP's AirPrint-enabled printers and requires the printer be connected to the same network as your OS X or iOS device. Wireless performance is dependent on physical environment and distance from the access point. OS X, iPad, iPhone, and iPod touch are trademarks of Apple[®] Inc., registered in the United States and other countries. AirPrint[™] and the AirPrint logo are trademarks of Apple Inc.
- ⁸ HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin.
- ⁹ HP Imaging and Printing Security Center must be purchased separately.

Technical specifications disclaimers

- ¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Exact speed varies depending on the system configuration, software application, driver and document complexity.
- ³ Based on standard ITU-T test image at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17



<http://www.hp.com/uk>

The product could differ from the images shown. © Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Published in EMEA 4AA7-1559EEE, April 2018

