HP Color LaserJet Enterprise MFP M681 series



The pinnacle of performance and security.

This HP Colour LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them – all while protecting your network with the industry's deepest security.









The world's most secure printing

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Run-time intrusion detection continually monitors to detect and stop attacks, then automatically reboots.
- Centralise control of your printing environment with HP Web Jetadmin and help build business efficiency.²
- Give workgroups what they need to succeed. Easily choose and deploy over 180 HP and third-party solutions.

High speed performance meets energy efficiency

- Scanning is now faster than ever; scan to SharePoint and more.
- This MFP wakes up fast and prints your first page faster in as quickly as 9 seconds (M681dh and M681f).³
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.⁴
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes 10.16 x 15.24 cm (4 x 6") to legal.

More. Pages, Performance, and Protection.5

- ColorSphere3 toner formulation, combined with an automatic media sensor, help provide leading print quality.
- Original HP Toner cartridges with JetIntelligence supply 39% more pages per colour cartridge vs predecessor.⁵
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.⁶

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages

 every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and greyscale-optimised.
- Load up to 150 pages into the automatic document feeder for fast, unattended scanning.

Product walkaround

HP Color LaserJet Enterprise Flow MFP M681z shown

- 1. Hardware Integration Pocket
- 2. Easy-access USB port
- 3. 1,000-sheet 3-bin stapler/stacker with offset job printing (Flow z model only)
- 4. Built-in automatic two-sided printing
- 5. HP High-Performance Secure Hard Disk
- 6. 550-sheet tray 2
- 7. 3x500-sheet paper feeder and stand
- 8. 150-sheet ADF with single-pass, two-sided scanning and HP EveryPage
- 9. 20.3 cm icon-based colour touchscreen
- 10. Pull-out keyboard
- 11. 100-sheet multipurpose tray 1
- 12. Lower-right door (access to print path)
- 13. Front door access to toner cartridges
- 14. Fax port
- 15. Slot for cable-type security lock
- 16. Built-in Gigabit Ethernet
- 17. Hi-Speed USB 2.0 printing port
- 18. USB port for connecting external USB devices





Series at a glance







Model	HP Color LaserJet Enterprise MFP M681dh	HP Color LaserJet Enterprise MFP M681f	HP Color LaserJet Enterprise Flow MFP M681z
Product number	J8A10A	J8A11A	J8A13A
Print speeds (A4)	Up to 47 ppm	Up to 47 ppm	Up to 47 ppm
Fax capabilities	Optional	Yes	Yes
100-sheet tray 1, 550-sheet tray 2	Yes	Yes	Yes
550-sheet paper feeder	Optional (up to two)	Not available	Not available
550-sheet paper feeder with stand and cabinet	Optional	Yes	Not available
3x550-sheet paper feeder and stand	Optional	Not available	Yes
1x550-sheet/2,000-sheet HCI feeder and stand	Optional	Not available	Not available
3-bin stapler/stacker with offset job printing	Not available	Not available	Yes
Advanced workflow features including pull-out keyboard	Not available	Not available	Yes
Direct mobile printing	Optional wireless direct/NFC	Optional wireless direct/NFC	Optional wireless direct/NFC
Wireless networking	Optional	Optional	Optional

M681dh:Add up to 2 additional 550-sheet paper feeders; or the 550-sheet paper feeder with stand and cabinet; or the 3x550-sheet paper feeder and stand; or the 1x550/2000-sheet HCI feeder and stand.

Accessories, Supplies and Support

Accessories	J8J95A HP 300 ADF Roller Replacement Kit		
	CF450A HP 655A Black Original LaserJet Toner Cartridge 12,500 pages		
	CF451A HP 655A Cyan Original LaserJet Toner Cartridge		
	CF452A HP 655A Yellow Original LaserJet Toner Cartridge		
	CF453A HP 655A Magenta Original LaserJet Toner Cartridge		
	CF470X HP 657X High Yield Black Original LaserJet Toner Cartridge 28,000 pages		
	CF471X HP 657X High Yield Cyan Original LaserJet Toner Cartridge		
	CF472X HP 657X High Yield Yellow Original LaserJet Toner Cartridge		
	CF473X HP 657X High Yield Magenta Original LaserJet Toner Cartridge		
	P1892A P LaserJet 220V Maintenance Kit Up to 150,000 pages		
	P1B93A P LaserJet Image Transfer Belt Kit Up to 150,000 pages		
	P1B94A P LaserJet Toner Collection Unit Up to 100,000 pages		
Service and support	U9NP3E HP 3 year Next Business Day Hardware Support with Defective Media Retention for Colour LaserJet Enterprise MFP M68x U9NP4E HP 4 year Next Business Day Hardware Support with Defective Media Retention for Colour LaserJet Enterprise MFP M68x U9NP5E HP 5 year Next Business Day Hardware Support with Defective Media Retention for Colour LaserJet Enterprise MFP M68x U9NX1PE HP 1 year Post Warranty Next Business Day Hardware Support with Defective Media Retention for Colour LaserJet Enterprise MFP M68x U9NX2PE HP 2 year Post Warranty Next Business Day Hardware Support with Defective Media Retention for Colour LaserJet Enterprise MFP M68x		

Technical specifications

Model	HP Color LaserJet Enterprise MFP M681dh	HP Color LaserJet Enterprise MFP M681f	HP Color LaserJet Enterprise Flow MFP M681z
Product number	J8A10A	J8A11A	J8A13A
Functions	Print, copy, scan		Print, copy, scan, fax
Control panel	20.3 cm (8.0 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu)		20.3 cm (8.0 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); Pull-out keyboard
Print			
Print technology	Laser		
Print speed ¹	Black (A4, normal): Up to 47 ppm; Colour (A4, normal): Up to 47 ppm; Black (A4, duplex): Up to 47 ppm		
First page out ²	Black (A4, ready): As fast as 6.5 sec; Colour (A4, ready): As fast as 6.5 sec; Black (A4, sleep): As fast as 9 sec; Colour (A4, sleep): As fast as 9 sec		Black (A4, ready): As fast as 6.5 sec; Colour (A4, ready): As fast as 6.5 sec; Black (A4, sleep): As fast as 13.3 sec; Colour (A4, sleep): As fast as 13.3 sec
Print resolution	Black (best): Up to 1200 x 1200 dpi; Colour (best): Up to 1200 x 1200 dpi; Technology: HP ImageRet 3600; 600 x 600 dpi; HP ProRes 1200 (120 x 1200 dpi); Pantone© Calibrated		
Monthly duty cycle	Up to 100,000 pages (A4); Recommended monthly page volume: 2,000 to 14,000		
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB		
Standard print languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation; Native PDF printing (v 1.7); URF (AirPrint)		
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicoc Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts		
Print area	Print margins: Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area: 207.4 x 347.1 mm		
Duplex printing	Automatic (standard)		
Сору			
Copy speed ³	Black (A4): Up to 47 cpm; Colour (A4): Up to 47 cpm		
Copier specifications	Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, job build, edge-to-edge, job storage, ID Copy, Book Copy, A-to-B Copy (different media sizes); Maximum number of copies: Up to 9,999 copies; Copy resolution: Up to 600 x 600 dpi		

PGP, JPEG, TIFF, MTIFF, XPS, PDFIA, Print from eavy access USB, PDF, PS, Print Ready files Lam, act. In FM TIFF, XPS, PDFIA, TEXT DOOR, United Searchale PSPA DOOR, United Searchale PSPA DOOR, United Searchale PSPA DOOR, United Scanner Specifications Scanner Specifications Scanner Specifications Scanner Hyber, Flatback, ADP; 25 of 3.35 mm; Optical scan resolution: Up to 600 db PBFA (XCR), Usearchale PSPA DOOR, Usearch DBFA (XCR), Use	Model	HP Color LaserJet Enterprise MFP M681dh	HP Color LaserJet Enterprise MFP M681f	HP Color LaserJet Enterprise Flow MFP M681z
Scan file formar: Digital Send Type Digit	Product number	J8A10A	J8A11A	J8A13A
Scanle formath	Scan		-1-	_!
PDE, IPEE, TIEF, MIFF, XPS, PDFA, Print from easy access LISE PDE, PS, Pont Ready Res Cynn, pd. IFF, MIFF, XPS, PDFA, PSR (DOR), LINEA CORD, LINEA Secretaria PDFA, NCDC, LINEA Secretaria PDFA, NCDC, SEARCH Secretaria PDFA, NCDC, SEARCH Secretaria PDFA, NCDC, SEARCH SEARCH Scanner specifications Scanner type: Tabled, ADP; 216 x 356 min optical Search secretaria PDFA, NCDC, SEARCH DPFA (DOR), Searchable DPFA, NCDC, Search PDFA (DOR), Searchable DPFA, NCDC, Search PDFA (DOR), Searchable DPFA, NCDC, Search PDFA (DOR), Searchable DPFA, NCDC, Search DPFA (DOR), Searchable DPFA, NCDC, Search PDFA (DOR), Searchable DPFA, NCDC, Search PDFA (DOR), Searchable DPFA, NCDC, Search DPFA (DOR), Searchable DPFA, NCDC, Search PDFA (DOR), Searchable DPFA, NCDC, Search DPFA (DOR), Searchable DPFA, NCDC, Search PDFA (DOR), Searchable DPFA, NCDC, Search Seconder Advanced Peatures Search Ad	Scan speed ⁴		white), up to 69 ppm/111 ipm (colour); Duplex (A 4	I): Up to 111 ipm (black and white), up to 111 ipm
maximum (flatbed, ADP); 216 x 356 mm; 0 ptich scan resolutions; 10 to 600 dp) Scanner Advanced Features Optimise textifyite; things addustments abb build. Optimise textifyite; things addustment resolution? \$10 600 dp; Auto detect colour; Edge Erase; Job notification; (Blank page supprission). In the colour of \$10 000 pt and detect colour; Edge Erase; Job notification; (Blank page supprission). In the colour of \$10 000 pt and detect colour; Edge Erase; Job notification; (Blank page supprission). In the colour of \$10 000 pt and detect colour; Edge Erase; Job notification; (Blank page supprission). In the colour of \$10 000 pt and detect colour; Edge Erase; Job notification; (Blank page supprission). In the colour of \$10 000 pt and the colour of \$10 000 pt and \$1	Scan file format ⁵	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl,		Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR) Scan to easy access USB: PDF, JPGE, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn.pcl, .cht)
resolution 75 to 600 dpic Auto detect colour; Edge Frase; Job notification; Blank page suppression; bluid: Output quality setting Selectables (substitute) in P. Quick Sets IP Quick Sets	Scanner specifications			ion 2.1; Duplex ADF scanning: Yes; Scan size
Minimum media size (flatbed): No Minimum Size; Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADP): 68 x 147 m	Scanner Advanced Features	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression;		suppression; HP Quick Sets; HP EveryPage; Autoorientation; Embedded Optical Character Recognition (OCR); Auto crop to page; Auto-tone
Maximum media size (ADP): 215.9 x 863.6 mm	Recommended monthly scan volume	14,250 to 23,750		26,750 to 44,500
Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to SharePoint; Send to FFF; Send to Internet Fax; Local Address Book; SMT P over SSI; Blank Page Removal; Edge Fase; Auto Colour Sense; Auto Crop To Content: Compact PDF; Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (Send to LAN, Internet); DCR; Local Address Book Digital fax (Send to LAN, Internet); DCR; Local Address Book Digital fax (Send to LAN, Internet); DCR; Local Address Book Digital fax (Send to LAN, Internet); DCR; Local Address Book Digital fax (Send to LAN, Internet); DCR; Local Address Book Digital fax (Send to LAN, Internet); DCR; Local Address Book Digital fax (Send to LAN, Internet); DCR; Local Address Book Digital fax (Send to LAN, Internet); DCR; Local Address Book Digital fax (Send to LAN, Internet); DCR; Local Address Book Digital fax (Send to LAN, Internet); DCR; Local Address Book Digital fax (Send to LAN, Internet); DCR; Local Address Book Digital fax (Send to LAN, Internet); DCR; Local Address Book Digital fax (Send to LAN, Internet); DCR; Local Address Book Digital fax (Send to LAN, Internet); DCR; Local Address Book Software (HP DSS); Send to Folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (Send to LAN, Internet); DCR; Local Address Book Software (HP DSS); Send to Send fax (Send F	Scannable area	Minimum media size (flatbed): No Minimum Size; Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 147 mm; Maximum media size (ADF): 215.9 x 863.6 mm		
to FTP, Send to Internet Fasc Local Address Book; SMTP over SSL; Blank Page Removal; Edge Frase; Auto Corp To Content; Compace PDF; Optional; Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book Fax (Send to LAN, Internet); OCR; Local Address Book Fax (Send to LAN, Internet); OCR; Local Address Book Fax (Send to LAN, Internet); OCR; Local Address Book Fax (Send to LAN, Internet); OCR; Local Address Book Fax (Send to LAN, Internet); OCR; Local Address Book Fax (Send to LAN, Internet); OCR; Local Address Book Fax (Send to LAN, Internet); OCR; Local Address Book Fax (Send to LAN, Internet); OCR; Local Address Book Fax (Send-to-workflow; Send-to-logical Polity Auto Crop To Page; OCR; Optional: Optional via HP Digital Sender to LAN, Internet); OCR; Local Address Book Fax (Send-to-workflow; Send-to-logical Polity Auto Crop To Page; OCR; Optional: Optional via HP Digital Sender to LAN, Internet); OCR; Local Address Book Fax resolution: Standard; 203 x 98 dpi Fine; 203 x 196 dpi; Internet); OCR; Local Address Book Fax resolution: Standard; 203 x 98 dpi Fine; 203 x 196 dpi; Internet); OCR; Local Address Book Fax resolution: Standard; 203 x 98 dpi Fine; 203 x 196 dpi; Internet); OCR; Local Address Book Fax resolution: Standard; 203 x 98 dpi Fine; 203 x 196 dpi; Internet); OCR; Local Address Book Fax resolution: Standard; 203 x 98 dpi Fine; 203 x 196 dpi; Internet); OCR; Local Address Book Fax resolution: Standard; 203 x 98 dpi Fine; 203 x 196 dpi; Internet); OCR; Local Address Book Fax resolution: Standard; 203 x 98 dpi Fine; 203 x 196 dpi; Internet); OCR; Local Address Book Fax resolution: Standard; Edge Book; Market Page Book; Landard; Book;	Bit depth/ Grey scale levels	24-bit / 256		
Fax specifications Fax memory: Up to 500 pages Fax resolution: Standard: 203 x 98 dpi Fine: 203 x 196 dpi; Superfine: 203 x 392 dpi or 300 x 300; Quick dialing: Up to 1,000 numbers (each with 210 destinations); Telecom compliance: ES 203 021-1 v2.1. 1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2; Ot Telecom approvals as required by individual countries Fax smart software features Total dialing: Up to 1,000 numbers (each with 210 destinations); Telecom compliance: ES 203 021-1 v2.1. 1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2; Ot Telecom approvals as required by individual countries Fax smart software features Total dialing: Up to 1,000 numbers (each with 210 destinations); Telecom compliance: ES 203 021-1 v2.1. 1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2; Ot Telecom approvals as required by individual countries Fax smart software features Total dialing: Up to 1,000 numbers (each with 210 destinations); Telecom compliance: ES 203 021-1 v2.1. 1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2; Ot Telecom approvals as required by individual countries Fax smart software features Total compliance: ES 203 021-1 v2.1. 1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2; Ot Telecom approvals as required by individual countries Fax smart software features Total compliance: ES 203 021-1 v2.1. 1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2; Ot Telecom approvals as required by individual countries Fax smart software features Total compliance: ES 203 021-1 v2.1. 1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2; Ot Telecom compliance: ES 203 021-1 v2.1. 1; ES 203 021-1 v2.1. 1; ES 203 021-1 v2.1. 2; Ot Telecom compliance: ES 203 021-1 v2.1. 1; ES 208 021-1 v2.1. 2; Ot Telecom compliance: ES 208 021-1 v2.1. 2; Ot Telecom compliance: Es 208 021-1 v2.1. 2; Other Es 203 021-1 v2.1. 2; Other Es 208 021-1 v2.1. 2; Other Es		to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication;		Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR; Optional: Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN,
Fax specifications Fax memory: Up to 500 pages Fax resolution: Standard: 203 x 98 dpi Fine: 203 x 196 dpi; Superfine: 203 x 392 dpi or 300 x 300; Quick dialing: Up to 1,000 numbers (each with 210 destinations); Telecom compliance: ES 203 021-1 v2.1.1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2; Ot Telecom approvals as required by individual countries Fax smart software features Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; number confirmation; Holiday fax schedule Processor speed 1.2 GHz		Ontional	Ves 33.6 khns	
Fax resolution: Standard: 203 x 98 dpi Fine: 203 x 196 dpi; Superfine: 203 x 392 dpi or 300 x 300; Quick dialing: Up to 1,000 numbers (each with 210 destinations); Telecom compilance: E5 203 021-1 v2.1.; E5 203 021-2 v2.1.2; E5 203 021-3 v2.1.2; Ot Telecom approvals as required by individual countries Fax smart software features Torcessor speed 1.2 GHz Connectivity Standard 1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax Optional HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A Mobile printing capability HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0 Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, If Apple AirPrint™, HP ePrint, FIP Print, Google Cloud Print; Discovery: SLR Bonjour, Web Services Discovery; IP Config: IPv4 (Boott, DHCP), Management: SNMPv2/v3, HTTP/HTTPs, Teln TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x Network capabilities Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-Tx, 1000Base-Tx, 1		Optionat		
Processor speed 1.2 GHz Connectivity Standard 1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ether 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax Optional HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A Mobile printing capability HP ePrint; Apple AirPrint™, Mopria™-certified; Google Cloud Print 2.0 Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, If Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutolP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Teln-TTP Config, FTP FW Download, Syslog; Security; SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x Network capabilities Ves, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-T, 100Base-T; 802.3az (EEE) support o Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional). Hard disk ^c Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 2.5 GB Standard: 1.5 GB (printer); 1 GB (scanner)	Fax specifications		Fax resolution: Standard: 203 x 98 dpi Fine: 203 x 196 dpi; Superfine: 203 x 392 dpi or 300 x 300; Quick dialing: Up to 1,000 numbers (each with 210 destinations); Telecom compliance: ES 203 021-1 v2.1. 1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2; Other	
Connectivity Standard 1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax Optional HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A Mobile printing capability HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0 Supported network protocols Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IF Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutolP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telm TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x Network capabilities Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-T, 100Base-T; 802.3az (EEE) support on Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional). Hard disk6 Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater) Memory Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 2.5 GB Standard: 1.5 GB (printer); 1 GB (scanner)	Fax smart software features		Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fa: number confirmation; Holiday fax schedule	
1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax 1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax Optional HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A Mobile printing capability HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0 Supported network protocols Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IF Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telm TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x Network capabilities Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 100Base-Tx, 802.3az (EEE) support on Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional). Hard disk6 Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater) Standard: 1.5 GB (printer); 1 GB (scanner); Maximum: 2.5 GB Standard: 1.5 GB (printer); 1 GB (scanner)	Processor speed	1.2 GHz		
walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket Optional HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A Mobile printing capability HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0 Supported network protocols Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IF Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, TelntTFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x Network capabilities Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 100Base-Tx, 802.3az (EEE) support on Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional). Hard disk6 Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater) Standard: 1.5 GB (printer); 11 GB (scanner)	Connectivity			
Mobile printing capability HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0 Supported network protocols Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IF Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, TeIn TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x Network capabilities Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-T; 802.3az (EEE) support on Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional). Hard disk6 Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater) Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 2.5 GB Standard: 1.5 GB (printer); 1 GB (scanner)	Standard	walk-up and 1 external accessible); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket	1 Hi-Speed Device USB 2.0; 2 Host USB (1 walk-up and 1 external accessible); 1 Gigabit Ethern 10/100/1000T network; 1 Hardware Integration Pocket; 1 Fax	
Supported network protocols Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IF Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, TeIn TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x Network capabilities Ves, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional). Hard disk6 Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater) Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 2.5 GB Standard: 1.5 GB (printer); 1 GB (scanner)	Optional	HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 3000w NFC/Wireless Accessory J8030A		
Apple AirPrint™, HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telm TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x Network capabilities Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 100Base-Tx, 802.3az (EEE) support on Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional). Hard disk6 Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater) Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 2.5 GB Standard: 1.5 GB (printer); 1 GB (scanner)	Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified; Google Cloud Print 2.0		
Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional). Hard disk ⁶ Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater) Memory Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 2.5 GB Standard: 1.5 GB (printer); 1 GB (scanner)	Supported network protocols	Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet,		
Memory Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 2.5 GB Standard: 1.5 GB (printer); 1 GB (scanner)	Network capabilities			
ricinory	Hard disk ⁶	Standard, minimum 320 GB HP High-Performance Secure Hard Disk (AES 256 hardware encryption or greater)		
Proximum, 2 GD	Memory	Standard: 1.5 GB (printer); 512 MB (scanner); Maximum: 2.5 GB Standard: 1.5 GB (Maximum: 3 GB		Standard: 1.5 GB (printer); 1 GB (scanner); Maximum: 3 GB

Model	HP Color LaserJet Enterprise MFP M681dh	HP Color LaserJet Enterprise MFP M681f	HP Color LaserJet Enterprise Flow MFP M681z	
Product number Media handling	J8A10A	J8A11A	J8A13A	
Number of paper trays	Standard: 2; Maximum: 5	Standard: 3; Maximum: 3	Standard: 5; Maximum: 5	
Media types		eavy, mid-weight glossy, heavy glossy, extra heavy,		
Modinaine	Custom (metric): Tray 1: 76 x 127 to 216 x	, preprinted, prepunched, coloured, rough, opaque Custom (metric): Tray 1: 76 x 127 to 216 x	Custom (metric): Tray 1: 76 x 127 to 216 x	
Media size	356 mm; Tray 2: 101.6 x 148 to 216 x 356 mm;	356 mm; Trays 2, 3: 101.6 x 148 to 216 x 356	356 mm; Trays 2, 3, 4, 5: 101.6 x 148 to 216 x	
	Optional 550-sheet trays: 101.6 x 148 to 216 x 356 mm; Optional 1 x 500/2,000-sheet	mm Supported (metric): Tray 1: A4, A5, A6, RA4,	356 mm Supported (metric): Tray 1: A4, A5, A6, RA4,	
	high-capacity tray: custom sizes not supported	B5, B6, 16k, 10 x 15 cm, Oficio, postcards (JIS	B5, B6, 16k, 10 x 15 cm, Oficio, postcards (JIS	
	in this tray Supported (metric): Tray 1: A4, A5, A6, RA4,	single and double), envelopes (DL, C5, B5, C6); Trays 2, 3: A4, A5, A6, RA4, B5, B6, 10 x 15 cm,	single and double), envelopes (DL, C5, B5, C6); Trays 2, 3, 4, 5: A4, A5, A6, RA4, B5, B6, 10 x 15	
	B5, B6, 16k, 10 x 15 cm, Oficio, postcards (JIS	Oficio, 16k, Dpostcard	cm, Oficio, 16k, Dpostcard	
	single and double), envelopes (DL, C5, B5, C6); Tray 2: A4, A5, A6, RA4, B5, B6, 10 x 15 cm,	ADF: Oficio; Executive; Statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard	ADF: Oficio; Executive; Statement; 16K; A4; RA4 A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard	
	Oficio, 16k, Dpostcard; Optional 550-sheet	(JIS); 68 x 147 mm to 215.9 x 863.6 mm	(JIS); 68 x 147 mm to 215.9 x 863.6 mm	
	trays 3, 4, 5: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16k, Dpostcard; Optional			
	2,000-sheet high-capacity Tray 4: A4			
	ADF: Oficio; Executive; Statement; 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard			
	(JIS); 68 x 147 mm to 215.9 x 863.6 mm			
Media handling	Standard input: 100-sheet multi-purpose tray, 550-sheet input tray 2, 150-sheet automatic	Standard input: 100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 150-sheet	Standard input: 100-sheet multi-purpose tray, 550-sheet input trays 2, 3, 4, 5, 150-sheet	
	document feeder	automatic document feeder	automatic document feeder	
	Standard output: 500-sheet output tray, two-sided printing	Standard output: 500-sheet output tray, two-sided printing	Standard output: 500-sheet output tray, 500 sheet output stapler stacker, two-sided printing	
	Optional input: Optional 1 x 550-sheet paper feeder, optional 1 x 550 paper feeder and stand			
	with cabinet, optional 3 x 550-sheet paper			
	feeder and stand, optional high-capacity paper feeder and stand with 1 x 550 sheet feeder and			
	1 x 2,000-sheet feeder			
Media weight	Tray 1: 60-220 g/m ² (plain), 120 to 220 g/m ² (qlossy); Tray 2: 60 to 163 q/m ² (plain), 120 to	Tray 1: 60-220 g/m² (plain), 120 to 220 g/m² (glossy); Trays 2, 3: 60 to 163 g/m² (plain), 120	Tray 1: 60-220 g/m² (plain), 120 to 220 g/m² (glossy); Trays 2, 3, 4, 5: 60 to 163 g/m² (plain),	
	220 g/m² (glossy); ADF: 45 to 199 g/m²	to 220 g/m² (glossy); ADF: 45 to 199 g/m²	120 to 220 g/m² (glossy); ADF: 45 to 199 g/m²	
Input capacity	Tray 1: Paper: 100 sheets of 75 g/m² media;	Tray 1: Paper: 100 sheets of 75 g/m² media;	Tray 1: Paper: 100 sheets of 75 g/m² media;	
	Envelopes: 10 Tray 2: Plain media (75 g/m²) sheets: 550 (55	Envelopes: 10 Tray 2: Plain media (75 q/m²) sheets: 550 (55	Envelopes: 10 Tray 2: Plain media (75 g/m²) sheets: 550 (55	
	mm stack height); Glossy media sheets (120	mm stack height); Glossy media sheets (120	mm stack height); Glossy media sheets (120	
	g/m²): 250 (30 mm stack height) Maximum: Up to 3,200 sheets	g/m²): 250 (30 mm stack height) Tray 3: Plain media (75 g/m²) sheets: 550 (55	g/m²): 250 (30 mm stack height) Tray 3: Plain media (75 g/m²) sheets: 550 (55	
	ADF: Standard, 150 sheets	mm stack height); Glossy media sheets (120 g/m²): 250 (30 mm stack height)	mm stack height); Glossy media sheets (120 g/m²): 250 (30 mm stack height)	
		Maximum: Up to 1,200 sheets	Maximum: Up to 2,300 sheets	
Output sapasitu	Standard: Up to 500 sheets	ADF: Standard, 150 sheets	ADF: Standard, 150 sheets Standard: Up to 1,000 sheets	
Output capacity	Envelopes: Up to 85 envelopes		Envelopes: Up to 85 envelopes	
	Transparencies: Up to 200 sheets Maximum: Up to 500 sheets		Transparencies: Up to 200 sheets Maximum: Up to 1,000 sheets	
Compatible operating systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1,	7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3	8, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux	
	Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.11 El Capitan, OS X 10.10 Yosemite, UNIX, Windows 10 all 32/64-bit editions (excluding RT OS for Tablets), Windows 7			
	all 32/64-bit editions, Windows 8/8.1 all 32/64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-bit editions (Home Basic, Premium,			
	Professional, etc.), Windows XP SP3 32-bit editio	ns (XP Home, XP Pro, etc.) ⁄IetaFrame XP Presentation Server (Feature Releas	o 1 2 and 2) Citriy on Windows Sorver	
Compatible network operating systems	2003/2003 R2, Citrix on Windows Server 2008/2	008 R2/2008 R2 SP1, Citrix on Windows Server 20	12/2012 R2, Citrix Presentation Server 4.0/4.5,	
	Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32/64-bit, Citrix XenApp 6.0/6.5 (for Windows Server 2008 R2 Terminal Services, 32/64-bit), Citrix XenApp 6.0/6.5/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenApp 7.5 (for			
	Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Terminal Services, 32/64-bit),			
	Citrix XenDesktop 5.6/7.0/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenDesktop 7.0/7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Novell NetWare 6.5/SP8 Novell Clients http://www.novell.com/iprint, Novell iPrint Appliance v1.0, Novell			
	Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers http://www.novell.com/iprint), Windows Server			
	2003/2003 R2 32/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-bit (SP1/SP2), Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services)			
	Services), Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit			
	Standard/Foundation/Essentials/Datacenter (+ Cluster & Terminal Services), Windows Server 2016/64-bit Standard/ Essential/Datacenter (+ Cluster			
	& Terminal Services)	duare requirements see http://www.microsoft.com	0.	
Minimum system requirements	Windows: 2 GB available hard disk space; OS hardware requirements see http://www.microsoft.com; Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see http://www.Apple.com for more info			
Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to			
Security management	http://www.123.HP.com or OS App Source for printer software), Online user manuals Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party advanced authentication			
Jecanty management	solutions (e.g., badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key, and Kerberos authentication; Supports WJA-10 IPsec			
	configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials;			
	Device: Security lock slot; USB port disablement; Hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security			
	Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog			
	Messages processed and accessible in Arcsight ar			
		oxy Agent; HP Web JetAdmin Software; HP WS Pro		

Model	HP Color LaserJet Enterprise MFP M681dh	HP Color LaserJet Enterprise MFP M681f	HP Color LaserJet Enterprise Flow MFP M681z
Product number	J8A10A	J8A11A	J8A13A
Dimensions and Weight			
Printer dimensions (W x D x H)	Minimum: 510 x 555 x 658 mm; Maximum: 963 x 770 x 910 mm	Minimum: 657 x 657 x 1108 mm; Maximum: 992 x 948 x 1360 mm	Minimum: 657 x 657 x 1270 mm; Maximum: 992 x 967 x 1529 mm
Package dimensions (W x D x H)	714 x 677 x 816 mm	856 x 760 x 1519 mm	856 x 760 x 1684 mm
Printer weight ⁷	42.3 kg	61.5 kg	76.3 kg
Package weight	49.5 kg	81.1 kg	95.7 kg
Operating environment	Temperature: 15 to 30°C; Humidity: 30 to 70% RH		
Storage	Temperature: -20 to 40°C; Humidity: 10 to 90% RH		
Acoustics	Acoustic power emissions: 6.6 B(A); Acoustic pressure emissions: 52 dB(A)		
Power ⁸	Requirements: Input voltage: 220 V to 240V nominal, (+/-10%) 50 - 60Hz nominal (+/- 3Hz), 6 A; Consumption: 9000 watts (printing/copying), 47 watts (ready), 0.9 watts (sleep), 0.9 watts (Auto Off/Manual On), 0.1 (Manual Off); Typical Electricity Consumption (TEC): 10 Energy Star: 2.72 kWh/Week; Blue Angel: 2.68 kWh/Week; Power supply type: Built in 220 V Power Supply		
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy		
Certifications	CISPR 22:2008 (International) - Class A, CISPR 32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010; EMC Directive 2014/30/EU; Other EMC approvals as required by individual countries ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Angel RAL-UZ 205		
What's in the box ¹¹	HP Colour LaserJet Enterprise MFP M681dh Printer; HP Black Original LaserJet Toner Cartridge (12,500 pages), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (10,500 pages each - toner cartridges installed); CD with software drivers and documentation; Documentation (hardware install guide); Power cord	HP Colour Laser Jet Enterprise MFP M681f Printer; HP Black Original Laser Jet Toner Cartridge (12,500 pages), HP Cyan, Magenta and Yellow Original Laser Jet Toner Cartridges (10,500 pages each - toner cartridges installed); CD with software drivers and documentation; Documentation (hardware install guide); Power cord	HP Colour LaserJet Enterprise Flow MFP M681z Printer; HP Black Original LaserJet Toner Cartridge (12,500 pages), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (10,500 pages each - toner cartridges installed); CD with software drivers and documentation; Documentation (hardware install guide); Power cord
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://hp.com/support to learn about HP award winning service and support options in your region.		

- ¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: hp.com/go/printersecurityclaims.
- ² HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- ³ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity and time in sleep.

 ⁴ Energy claim based on TEC data reported on energystar gov as of January 2017. Data normalised to determine energy efficiency of in-class laser printers with published speed of 50 to 60 ppm. Subject to device
- More pages versus predecessor cartridges claim based on page-yield comparison of HP 653X High Yield Color Original LaserJet Toner Cartridges with HP 657X High Yield Color Original LaserJet Toner Cartridges. For more information, see hp.com/go/learnaboutsupplies.
- ⁶ HP 657X High Yield Original LaserJet Toner Cartridges not included; please purchase separately.

Technical specifications disclaimers

- ¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
 ³ First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see
- http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application and document complexity. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁵ Scan software not included in box. HP Scan and TWAIN driver available for download at http://hp.com/support.
- ⁶ High-Performance Secure Hard Disk (AES 256 hardware encryption or greater); Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk). ⁷ With print cartridges.
- ⁸ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
- ⁹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.
- 10 Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.
 11 Cartridges included; Yields 10,500 colour (C/Y/M) and 12,500 black pages. Pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions and usage.





















The product could differ from the images shown. @ Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

