



Index



Networking

IP cameras.....	6-8
Wireless routers.....	10-11
Network adapters.....	11-12
WiFi repeaters.....	13
Powerline.....	14
Switches.....	15
Streaming.....	17

Security

Alarm system.....	19
Alarm accessories.....	20-21

Business

Dockingstation.....	23
PoE Fast Ethernet switches.....	24
PoE Gigabit Ethernet switches.....	25
HDMI Switches.....	26
Video Splitters / Extender.....	27
USB Converters.....	28
UPS.....	29



Power

USB Chargers.....	32-34
USB Charging cables.....	35
Laptop Chargers.....	36
Power Distribution Units.....	37
UPS.....	38
PC power supply.....	39

HDD Enclosures

USB 3.1 HDD enclosures.....	41-43
USB 2.0 Hard drive enclosures.....	44

Hubs and Card Readers

USB 3.1 Gen1 Hubs.....	45
USB 2.0 Hubs.....	46-47
USB 2.0 Card readers.....	48-49

Input and multimedia

Play gaming.....	50-51
Mice.....	52-53
Keyboards.....	54
Speakers.....	55-56
Headphones/headsets.....	57-58
Gaming and webcams.....	59

Office supplies

Laptop bags.....	61-63
Monitor & laptop stands.....	65
Desk mount.....	66
Tablet and smartphone accessories.....	67
Cleaning.....	68
Mousepads.....	69

Cables

Retail packed cables.....	71-80
OEM packed cables.....	82-88

All mentioned brand names are registered trademarks of their respective owners. Misprints and errors reserved.

Apple, iPhone and iPad are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Google Play is a trademark of Google Inc.

Index by item number

AB7811.....26	EW1085.....49	EW3563.....56	EW9621.....73	IM5951.....84
AB7812.....27	EW1089.....59	EW3567.....57	EW9622.....74	IM6000.....82
AB7813.....27	EW1110.....46	EW3575.....57	EW9623.....73	IM6001.....82
AB7814.....26	EW1123.....46	EW3576.....57	EW9624.....74	IM6002.....82
AB7815.....25	EW1126.....46	EW3577.....57	EW9625.....73	IM6003.....82
AB7817.....26	EW1127.....46	EW3584.....58	EW9626.....73	IM6005.....82
AB7819.....25	EW1130.....47	EW3706.....58	EW9627.....75	IM6007.....82
AC0001.....56	EW1133.....45	EW3751.....58	EW9628.....74	IM6010.....82
AC3519.....56	EW1134.....45	EW3900.....38	EW9629.....73	IM6051.....82
AK3221.....88	EW1135.....45	EW3905.....39	EW9640.....73	IM8000.....85
AK3226.....88	EW1140.....45	EW3933.....37	EW9641.....74	IM8001.....85
AK3227.....88	EW1190.....33	EW3935.....36	EW9642.....74	IM8002.....85
AK3228.....88	EW1200.....32	EW3940.....38	EW9830.....76	IM8003.....85
EM1014.....28	EW1202.....33	EW3941.....38	EW9835.....76	IM8005.....85
EM1016.....28	EW1211.....33	EW3942.....38	EW9840.....76	IM8007.....85
EM1017.....12	EW1213.....32	EW3951.....37	EW9841.....76	IM8010.....85
EM1020.....28	EW1216.....32	EW3965.....36	EW9850.....77	IM8051.....85
EM1037.....27	EW1220.....34	EW3966.....36	EW9851.....77	IM8500.....85
EM1059.....49	EW1231.....33	EW3990.....37	EW9852.....77	IM8501.....85
EM1500.....23	EW1232.....32	EW5600.....68	EW9855.....78	IM8502.....85
EM3980.....29	EW1235.....35	EW5601.....68	EW9860.....76	IM8503.....85
EM3982.....29	EW1237.....35	EW5612.....68	EW9861.....77	IM8505.....85
EM3984.....29	EW1241.....69	EW5671.....68	EW9864.....75	IM8507.....85
EM4029.....12	EW1242.....69	EW7001.....43	EW9870.....75	IM8510.....85
EM4405.....15	EW1251.....65	EW7012.....42	EW9871.....75	IM8551.....85
EM4408.....15	EW1254.....65	EW7014.....43	EW9872.....75	IM8600.....86
EM4430.....23	EW1276.....67	EW7016.....43	EW9880.....75	IM8601.....86
EM4431.....23	EW1280.....65	EW7017.....43	EW9903.....34	IM8602.....86
EM4433.....24	EW1422.....67	EW7020.....42	EW9907.....35	IM8603.....86
EM4434.....24	EW1424.....67	EW7023.....42	EW9908.....34	IM8605.....86
EM4435.....24	EW1510.....66	EW7033.....41	EW9911.....34	IM8607.....86
EM4436.....25	EW1512.....66	EW7034.....41	IM5500.....82	IM8610.....86
EM4441.....15	EW2502.....61	EW7041.....44	IM5501.....82	IM8651.....86
EM4442.....15	EW2503.....61	EW7044.....41	IM5502.....82	IM8700.....86
EM4500.....10	EW2512.....61	EW7047.....44	IM5503.....82	IM8701.....86
EM4510.....10	EW2520.....62	EW7051.....44	IM5505.....82	IM8702.....86
EM4530.....11	EW2523.....63	EW7055.....41	IM5507.....82	IM8703.....86
EM4535.....12	EW2525.....62	EW7056.....42	IM5510.....82	IM8705.....86
EM4544.....11	EW2528.....62	EW9001.....72	IM5551.....82	IM8707.....86
EM4577.....11	EW2761.....69	EW9002.....72	IM5600.....83	IM8710.....86
EM4595.....13	EW3102.....54	EW9003.....72	IM5601.....83	IM8751.....86
EM4596.....13	EW3107.....53	EW9004.....72	IM5602.....83	IM8800.....87
EM6275.....8	EW3113.....54	EW9005.....73	IM5603.....83	IM8801.....87
EM6325.....6	EW3114.....54	EW9170.....80	IM5605.....83	IM8802.....87
EM6330.....6	EW3115.....54	EW9171.....80	IM5607.....83	IM8803.....87
EM6350.....7	EW3130.....53	EW9180.....79	IM5610.....83	IM8805.....87
EM6360.....7	EW3131.....53	EW9181.....80	IM5651.....83	IM8807.....87
EM7415.....17	EW3135.....54	EW9185.....79	IM5700.....83	IM8810.....87
EM7680.....17	EW3154.....52	EW9186.....80	IM5701.....83	IM8851.....87
EM8031.....14	EW3156.....52	EW9230.....78	IM5702.....83	IM8900.....87
EM8037.....14	EW3162.....54	EW9231.....78	IM5703.....83	IM8901.....87
EM8610.....19	EW3163.....54	EW9232.....78	IM5705.....83	IM8902.....87
EM8615.....19	EW3168.....54	EW9233.....79	IM5707.....83	IM8903.....87
EM8620.....19	EW3170.....59	EW9234.....79	IM5710.....83	IM8905.....87
EM8621.....20	EW3209.....52	EW9520.....71	IM5751.....83	IM8907.....87
EM8622.....20	EW3210.....52	EW9521.....71	IM5800.....84	IM8910.....87
EM8625.....20	EW3211.....52	EW9522.....71	IM5801.....84	IM8951.....87
EM8650.....20	EW3215.....53	EW9523.....71	IM5802.....84	PL3300.....51
EM8660.....21	EW3216.....53	EW9524.....71	IM5803.....84	PL3310.....51
EM8670.....21	EW3217.....53	EW9525.....71	IM5805.....84	PL3311.....51
EM8676.....21	EW3218.....53	EW9526.....71	IM5807.....84	PL3312.....51
EM8690.....21	EW3221.....52	EW9527.....71	IM5810.....84	PL3313.....51
EM9000.....48	EW3222.....52	EW9528.....71	IM5851.....84	PL3314.....51
EW1015.....44	EW3250.....53	EW9529.....71	IM5900.....84	PL3315.....51
EW1044.....48	EW3504.....55	EW9530.....71	IM5901.....84	PL3320.....50
EW1050.....47	EW3505.....55	EW9531.....71	IM5902.....84	PL3340.....50
EW1052.....48	EW3512.....55	EW9532.....71	IM5903.....84	SB2080.....28
EW1072.....47	EW3513.....55	EW9533.....71	IM5905.....84	
EW1074.....47	EW3550.....58	EW9534.....71	IM5907.....84	
EW1077.....48	EW3561.....56	EW9620.....73	IM5910.....84	

A woman with dark, curly hair and a light blue top is holding a grey tablet. She is looking directly at the camera with a slight smile. In the background, a man is blurred, looking at a document.

Network solutions, IP Cameras, AV solutions, Streamers

Eminent was founded in 2005 and wants to create user-friendly products which are easy to use and easy to install.

Eminent strives to deliver maximum support to their users with multilingual manuals and an accessible helpdesk.

IP cameras, networking solutions, streamers, AV solutions and Alarm systems are our main product groups.

Store Concepts

Retail and e-tail

Your advantages in a nutshell

- Broad, comprehensive range
- Quality products and excellent service
- High return on accessories
- Knowledgeable sales team



IP Cameras

CamLine Pro IP-camera's

- Ready to use in 3 steps
- Wireless
- Store images
- Receive notifications

Ease of installation for the user

Eminent IP cameras are ready for use in just three steps:

1. Connect the camera to the Internet.
2. Install the free Android / Apple smartphone app.
3. Scan the unique camera code and enter the password.

From now on the IP camera can be controlled with the free app.

The advantages of an Eminent IP camera:

- Great image quality day and night
- View live camera images
- No subscription required
- Easy installation: no networking knowledge required
- Receive a push notification upon an alarm
- Synology Surveillance Station and QNAP Support
- Recording on Micro SD card (only Pan/tilt and Dome)
- Free app

Did you know?

The Eminent outdoor IP cameras are powered by a passive Power over Ethernet (PoE) solution. This means that power and data are flowing through a thin UTP cable, for which you only have to drill a small hole for the cable entry. In contrast to other outdoor IP camera brands that need a large hole for numerous cables.

IP cameras

Eminent Camline Pro Pan/Tilt HD Camera

- Easy wireless network setup via WiFi Smart Config

Technical specifications

Use	: Indoor
Infrared	: Yes
Lenses	: Day/night lens, IR cut filter
Pan-tilt vertical	: 120 °
Pan-tilt horizontal	: 355 °
WiFi standard	: Wireless N
Antennas	: External (fixed)
Audio functionality	: Microphone, Speaker
Storage	: Micro-SD, QNAP NAS, Synology NAS
App support	: Android, iOS
Power supply	: External power supply
Included	: Powersupply, network cable, mounting bracket, screws and plugs



EM6325

Image quality	: HD
Resolution	: 1280 x 720
Colour camera	: White

Type no.	Manufacturer no.	Description
EM6325	EM6325	Resolution: 1280 x 720

Eminent Camline Pro Pan/Tilt Full HD Camera

- Full HD sensor for perfect images, recording on micro SD card
- Easy wireless network setup via WiFi Smart Config

Technical specifications

Use	: Indoor
Infrared	: Yes
Lenses	: Day/night lens, IR cut filter
Pan-tilt vertical	: 120 °
Pan-tilt horizontal	: 355 °
WiFi standard	: Wireless N
Antennas	: External (fixed)
Audio functionality	: Microphone, Speaker
Storage	: QNAP NAS, Synology NAS
App support	: Android, iOS
Power supply	: External power supply
Included	: Power supply, network cable, mounting bracket, screws and plugs



EM6330

Image quality	: Full HD
Resolution	: 1920 x 1080
Colour camera	: White

Type no.	Manufacturer no.	Description
EM6330	EM6330	Resolution: 1920 x 1080

Eminent Camline Pro Outdoor Full HD Camera

- Power supply using the enclosed passive Power over Ethernet adapter
- Full HD sensor for perfect images

Technical specifications

Use	: Outdoor
Infrared	: Yes
Lenses	: Day/night lens, IR cut filter
PoE support	: Passive
WiFi standard	: Wireless N
Antennas	: External (detachable)
Storage	: Micro-SD, QNAP NAS, Synology NAS
App support	: Android, iOS
Power supply	: External power supply
Included	: Power supply, UTP cable, Splitter cable, RJ45 coupler, mounting bracket, screws and plugs

**EM6350**

Image quality	: Full HD
Resolution	: 1920 x 1080
Colour camera	: White

Type no.	Manufacturer no.	Description
EM6350	EM6350	Resolution: 1920 x 1080

Eminent Camline Pro Outdoor Dome HD Camera

- Power supply using the enclosed passive Power over Ethernet adapter
- For outdoor use (IP66)

Technical specifications

Use	: Outdoor
Infrared	: Yes
Lenses	: Day/night lens, IR cut filter
PoE support	: Passive
Storage	: Micro-SD
App support	: Android, iOS
Power supply	: External power supply
Included	: Power supply, UTP cable, Splitter cable, RJ45 coupler, Screws and plugs

**EM6360**

Image quality	: HD
Resolution	: 1280 x 720
Colour camera	: White

Type no.	Manufacturer no.	Description
EM6360	EM6360	Resolution: 1280 x 720

Eminent Easy Pro View Pan/Tilt HD IP Camera

Technical specifications

Use	: Indoor
Infrared	: Yes
Lenses	: Day lens, Night lens
Pan-tilt vertical	: 130 °
Pan-tilt horizontal	: 340 °
WiFi standard	: Wireless N
Audio functionality	: Microphone, Speaker
Storage	: Micro-SD, QNAP NAS, Synology NAS
App support	: Android, iOS
Power supply	: External power supply
Included	: Power supply, UTP cable, Mounting bracket

EM6275

Image quality	: HD
Resolution	: 1280 X 800
Colour camera	: White



EMINENT

Type no.	Manufacturer no.	Description
EM6275	EM6275	Resolution: 1280 x 800 (HD)

Network - Routers - Adapters



Improving WiFi signal

Wireless internet is almost taken for granted. Nowadays, households use multiple smartphones, tablets and laptops, all connected to the WiFi network. To optimally make use of WiFi, it's recommended to have a good look at your wireless network. You'll soon find out you can optimize it by a few simple changes.

- Use Dual Band: 2.4GHz and 5GHz
- Good router for the right bandwidth
- Use a WiFi repeater
- Use a WiFi powerline adapter

Routers

Less interference by Dual Band

A solution to improving your Wi-Fi signal can be Dual Band. Dual Band means using two different frequencies: the 2.4 GHz and 5 GHz frequency.

The 2.4 GHz frequency is busy and used by many other devices, including microwave ovens, cell phones and baby monitors, making your wireless network prone to disruptions. By making use of the less crowded 5GHz band, your Wi-Fi signal will be considerably more stable.

Wireless routers

Eminent Gigabit Dual Band AC1200 Router

- Wireless Dual Band AC1200 Router, access point and Gigabit LAN

Technical specifications

LAN speed	: 10/100/1000
WAN ports	: 1
WAN speed	: 10/100/1000
WiFi standard	: Wireless AC
WiFi bands	: Simultaneous dual-band
WiFi speed 2,4 GHz	: 300
WiFi speed 5 GHz	: 900
Antennas	: External (fixed)
Number of antennas	: 4
Antenna gain	: 4 dBi
Power supply	: Adapter
Included	: Network cable, power supply

EM4510

RJ45 ports	: 4
WPS	: Yes
Colour	: White

Type no.	Manufacturer no.	Description
EM4510	EM4510	Router: Gigabit Dual Band AC1200



Eminent Gigabit Dual Band AC750 Router

- Wireless Dual Band AC750 Router, access point and Gigabit LAN

Technical specifications

LAN speed	: 10/100/1000
WAN ports	: 1
WAN speed	: 10/100/1000
WiFi standard	: Wireless AC
WiFi bands	: Simultaneous dual-band
WiFi speed 2,4 GHz	: 300
WiFi speed 5 GHz	: 450
Antennas	: External (fixed)
Number of antennas	: 3
Antenna gain	: 5 dBi
Power supply	: Adapter
Included	: Network cable, power supply

EM4500

RJ45 ports	: 4
WPS	: Yes
Colour	: White

Type no.	Manufacturer no.	Description
EM4500	EM4500	Router: Gigabit Dual Band AC750



Eminent Wireless 300N Router**Technical specifications**

LAN speed	: 10/100
WAN ports	: 1
WAN speed	: 10/100
WiFi standard	: Wireless N
WiFi bands	: Single-band
WiFi speed 2,4 GHz	: 300
Antennas	: External (fixed)
Number of antennas	: 2
Antenna gain	: 4 dBi
Power supply	: Adapter
Included	: Network cable, power supply

**EM4544**

RJ45 ports	: 4
WPS	: Yes
Colour	: Black, White

Type no.	Manufacturer no.	Description
EM4544	EM4544	Router: 300N

Networkadapters**Eminent 300Mbps Wireless USB Adapter with antenna****Technical specifications**

Interface	: USB 2.0
WiFi standard	: Wireless N
WiFi bands	: Single-band
WiFi speed 2,4 GHz	: 300
Antennas	: External (detachable)
Antenna gain	: 2 dBi

**EM4577**

WPS	: Yes
Colour	: Black

Type no.	Manufacturer no.	Description
EM4577	EM4577	USB Network adapter: Wireless 300N (1 antenna)

Eminent AC1200 Dual Band WiFi USB adapter, 2 antenna**Technical specifications**

Interface	: USB 3.1 Gen1 (USB 3.0)
WiFi standard	: Wireless AC
WiFi bands	: Dual-band
WiFi speed 2,4 GHz	: 300
WiFi speed 5 GHz	: 900
Antennas	: External (detachable)
Antenna gain	: 4 dBi

**EM4530**

WPS	: Yes
Colour	: White

Type no.	Manufacturer no.	Description
EM4530	EM4530	USB Network adapter: Wireless AC1200 (2 antenna)

Eminent AC1200 Dual Band mini WiFi USB adapter

Technical specifications

Interface	: USB 3.1 Gen1 (USB 3.0)
WiFi standard	: Wireless AC
WiFi bands	: Dual-band
WiFi speed 2,4 GHz	: 300
WiFi speed 5 GHz	: 900
Antennas	: Internal
Antenna gain	: 2 dBi



Type no.	Manufacturer no.	Description
EM4535	EM4535	USB Network adapter: Wireless AC1200

Eminent USB 3.1 Gen1 (USB 3.0) Gigabit Networking Adapter

Technical specifications

Interface	: USB 3.1 Gen1 (USB 3.0)
RJ45 ports	: 1

EM1017

Colour	: White
LAN speed	: 10/100/1000



Type no.	Manufacturer no.	Description
EM1017	EM1017	USB Network adapter: Wired 10/100/1000Mbps

Eminent Gigabit PCI-e network adapter

- Install the PCI-e Network adapter in every computer thanks to the enclosed Low Profile bracket

Technical specifications

Interface	: PCI-e
RJ45 ports	: 1



Type no.	Manufacturer no.	Description
EM4029	EM4029	PCI-e Network adapter: Wired 10/100/1000Mbps

Wi-Fi repeater

When the range of the wireless network is just insufficient to reach every spot in your house or garden, you can use a Wi-Fi repeater. A Wi-Fi repeater amplifies the wireless signal from a router. When there is a lot of interference on the 2.4GHz frequency in a home environment, it is convenient to use a 5GHz connection. The EM4596 Concurrent AC1200 Dual Band WiFi repeater gives the Single Band network an upgrade to Dual Band.

WiFi repeaters**Eminent WiFi repeater****Technical specifications**

WiFi standard	: Wireless N
WiFi bands	: Single-band
WiFi speed 2,4 GHz	: 300
LAN speed	: 10/100
Power supply	: Built-in power supply
Included	: UTP cable

EM4595

WPS	: Yes
Signal indicator	: Yes
Colour	: White



Type no.	Manufacturer no.	Description
EM4595	EM4595	Wifi-repeater: Single band

Eminent Concurrent AC1200 Dual Band WiFi Repeater

- Also usable as access point
- Two additional 100Mbps LAN ports, and can be used as a router

Technical specifications

WiFi standard	: Wireless AC
WiFi bands	: Simultaneous dual-band
WiFi speed 2,4 GHz	: 300
WiFi speed 5 GHz	: 900
LAN speed	: 10/100
Power supply	: Built-in power supply
Included	: UTP cable

EM4596

WPS	: Yes
Signal indicator	: Yes
Colour	: White



Type no.	Manufacturer no.	Description
EM4596	EM4596	Wifi-repeater: AC Dual band

Powerline

Powerline adapters are ideal for areas where wireless coverage is not sufficient for devices with a fixed network connection. Complicated wireless settings are a thing of the past. Simply place a Powerline adapter into the power outlet, connect the supplied network cable to your device and it is connected to the network. The combination of Powerline with 300Mbps WiFi makes WiFi available anywhere in your home.

Powerline

Eminent Mini Powerline Adapter 500Mbps Starter Kit

- Kit contains: 2x Mini Powerline Adapter

Technical specifications

RJ45 ports adapter	: 1
RJ45 ports adapter 2	: 1
LAN speed	: 10/100
Included	: 2x UTP cable



Type no.	Manufacturer no.	Description
EM8031	EM8031	Powerline adapter: 500Mbps (Kit, 2 adapters)

WiFi Powerline Starter Kit

- Kit contains: 1x WiFi powerline adapter + 1x powerline adapter

Technical specifications

RJ45 ports adapter	: 1
RJ45 ports adapter 2	: 2
LAN speed	: 10/100
WiFi	: Yes
WiFi standard	: Wireless N
WiFi bands	: Single-band
WiFi speed 2,4 GHz	: 300
Included	: 2x UTP cable



Type no.	Manufacturer no.	Description
EM8037	EM8037	Powerline adapter: 500Mbps - WiFi 300Mbps (Kit 2 adapters)

Switch

An Eminent network switch enables you to quickly and easily build a network. Each port of the switch can operate independently in full or half speed. Thanks to the N-Way auto-negotiation function the network switch delivers optimal performance. The networking switch can automatically choose the correct speed. The cross-over-detection ensures that any port can be connected to a different switch or hub, without having to make use of a crossover cable. Perfect for setting up or expanding a network!

Switches

Eminent Mini Network Switch 10/100 Mbps

Technical specifications

LAN speed : 10/100
 Power supply : Adapter
 Included : Power supply

EM4405

RJ45 ports : 5
 Colour : Black

EM4408

RJ45 ports : 8
 Colour : Black



Type no.	Manufacturer no.	Description
EM4405	EM4405	Number of ports: 5
EM4408	EM4408	Number of ports: 8

Eminent Gigabit Network Switch

Technical specifications

LAN speed : 10/100/1000
 Power supply : Adapter
 Included : Power supply

EM4441

RJ45 ports : 5
 Colour : Black

EM4442

RJ45 ports : 8
 Colour : Black



Type no.	Manufacturer no.	Description
EM4441	EM4441	Number of ports: 5
EM4442	EM4442	Number of ports: 8

Streaming

4K TV Streamer with built-in WiFi powered by LibreELEC with Kodi

The EM7680 4K TV Streamer is the successor of the successful and award winning EM7580. In terms of hardware specifications, the EM7680 is even better. The EM7680 is more powerful in performance and offers a ready-to-use solution for streaming media files at 4K 60Hz.

The platform of the EM7680 4K TV streamer is improved. The most important changes are:

- Full 4K support at 60Hz so you can experience crystal clear images on your 4K TV.
- The EM7680 4K TV streamer has full support for Dolby True HD, DTS-HD and DTS-HD Master Audio.
- LibreELEC: The most stable and successful media center platform with Kodi Jarvis. So the streamer remains up-to-date by this active development community.

Streaming

Eminent Full HD 4KTV Streamer

- 4K TV Streaming Box powered by LibreELEC Kodi
- Stream 4K media files from the Internet, your network, NAS, external hard disk, USB stick, micro SD card
- Full 4K 60Hz support; supports BD-ISO, DVD-ISO, h.265, HEVC, VP9, HDR, HDR-10
- Full Audio support: Dolby True HD, DTS-HD and DTS-HD MA
- Easy controllable with the included remote control and free Kodi Remote Control app
- Download subtitles, movie information and add-ons



Technical specifications

Interface	: High Speed HDMI 2.0
WiFi	: Yes
Audio connections	: Digital Optical (Toslink)
Various ports	: 3x USB 2.0, 1x Micro SD card reader, 1x LAN
Included	: Remote control, batteries, 4K HDMI cable
Power supply	: Adapter

Type no.	Manufacturer no.	Description
EM7680	EM7680	Full HD 4K TV Streamer

EM7680 | 4K TV Streamer
Successor of the award-winning EM7580

4K TV Streamer
For streaming 4K 60Hz media files!

EM7580 | TV Streamer

LibreELEC KODI
Powered by LibreELEC / Kodi the most stable and successful media center platform!

AWARDS: GOLD, COMPUTER! SEPTEMBER 2016, Tech awards

Eminent WiFi Music Streamer (EZCast support)

- Play your music wirelessly via your existing audio system
- Stream music from your Apple or Android tablet/smartphone
- Enjoy your music within the range of your WiFi network once connected to your LAN

Technical specifications

Interface	: 3.5mm jack to 2x RCA
Included	: USB Cable, 3.5mm jack -> 2x RCA Audio Cable
Power supply	: Adapter



Type no.	Manufacturer no.	Description
EM7415	EM7415	WiFi audio streamer

Alarmsysteem

Secure your home

During dark winter days and sunny holidays, it is often easy for burglars to break into your house. It's easy to think that only others are being broken into, but unfortunately the reality is different. Material things are (often) replaceable, but often the feeling of insecurity and having had a stranger in your house who went through your belongings, is often the most damage.

Eminent alarm systems are easy to install and use.

- Works via the reliable GSM network (EM8615 also via WiFi)
- Adjustable and controlled with free iOS and Android app over Wi-Fi and SMS
- No subscription needed and no fixed costs
- Send a push notification (via the internet EM8615 only), SMS and calls upon alarm



Alarm system

Eminent Hybrid e-AlarmWireless WiFi/SMS/GSM Alarm system Starter Kit

- Complete ready-to-go wireless alarm system
- No subscription and no fixed monthly costs required
- Install and control the WiFi / SMS / GSM alarm system with the free Android or iOS app
- Back-up battery in case of power failure
- Kit content: EM8615 Base station with built-in siren, 1x motion sensor, 1x door contact, 2x remote control
- Sends a push notification (via the internet), SMS message and calls during an alarm



Technical specifications

Power	: 110 - 240V AC 50-60Hz
Output	: 12V DC 800mAh
WiFi	: Yes
GSM frequency	: 850 / 900 / 1800 / 1900Mhz
Battery	: Lithium-Ion battery 7,4V 500mA

Type no.	Manufacturer no.	Description
EM8615	EM8615	Alarm: WiFi/SMS/GSM Alarm system (starter kit)

Eminent e-Alarm Wireless Mobile Alarm system Starter Kit

- Complete reliable Mobile phone based wireless alarm system
- Receive notifications by SMS text message or phone call
- Operates with a mobile phone SIM card
- Back-up battery in case of power failure
- Kit content: EM8610 Control Panel with built-in siren, 1x motion sensor, 2x door contact, 2x remote control, 2x RFID Tag
- Remotely controllable and programmable via App (works via sms text messages)



Technical specifications

Power	: 110 ? 240V AC 50-60Hz
Output	: 12V DC 500mAh
GSM frequency	: 850 / 900 / 1800 / 1900Mhz
Battery	: Lithium-Ion battery 3,7V 800mA BL-5B (2x)

Type no.	Manufacturer no.	Description
EM8610	EM8610	Alarm: Mobile Alarm system (starter kit)

Alarm accessories

Eminent RFID Tag

- RFID Tag for the Eminent wireless Alarm System
- To disarm the wireless alarm system

Technical specifications

Weight	: 5 g
Frequency	: 125 kHz



Type no.	Manufacturer no.	Description
EM8620	EM8620	Alarm: RFID Tag

Eminent Remote Control

- Remote Control for Eminent wireless Alarm System
- To arm and disarm your wireless Alarm System
- With panic-button

Technical specifications

Weight : 13.5 g
Frequency : 433 MHz



EMINENT

Type no.	Manufacturer no.	Description
EM8621	EM8621	Alarm: Remote Control

Eminent Wireless Control Panel

- Wireless Control Panel for the Eminent Wireless Alarm System
- Arm and disarm the e-Alarm
- Entry and exit delay
- Battery saving mode

Technical specifications

Weight : 90 g
Frequency : 433 MHz



EMINENT

Type no.	Manufacturer no.	Description
EM8622	EM8622	Alarm: Control Panel

Eminent Wireless Repeater

- Wireless Repeater for the Eminent alarm system
- Amplifies the signal of the wireless sensors
- Distance from Wireless Repeater to Wireless Alarm System max. 300 meters
- Distance from Wireless Repeater to wireless sensors max. 90 meters

Technical specifications

Weight : 159 g
Power : 110 ~ 240V AC
Frequency : 433 MHz



EMINENT

Type no.	Manufacturer no.	Description
EM8625	EM8625	Alarm: Wireless Repeater

Eminent Dual Wireless Motion Detector

- Wireless Motion Detector suited for Alarm System
- Pet immune for domestic animals <25 kg
- Powered via 2 AA Batteries (included)
- Low battery warning
- Detection Range: 8 meters/ 110 degrees

Technical specifications

Power : 3V DC (2 x AA 1,5V LR6)
Frequency : 433 MHz



EMINENT

Type no.	Manufacturer no.	Description
EM8650	EM8650	Alarm: Dual Wireless Motion Detector

Eminent Wireless Door/ Window Contact

- Wireless Door/ Windows Contact for the Eminent Alarm System
- Magnetic contact
- Low battery notification via the control panel
- Powered by 1 AA Battery (included)

Technical specifications

Power : 1,5V DC (1 x AA 1,5V LR6)
 Frequency : 433 MHz



Type no.	Manufacturer no.	Description
EM8660	EM8660	Alarm: Door/ Window Contact

Eminent Wireless Outdoor Siren with Solar Panel

- Wireless Outdoor Siren for the Alarm System
- With Solar Panel for recharging the battery
- Loud 120dB Siren
- Strobe Flashlight
- Suited for outdoor use (IP55)

Technical specifications

Power : 3.7V 1800mAh rechargeable lithium battery, and a 9V backup battery non-rechargeable
 Frequency : 433 MHz



Type no.	Manufacturer no.	Description
EM8670	EM8670	Alarm: Outdoor Siren

Eminent Wireless Siren with stand-alone alarm function

- Suited for use with the Eminent Wireless Alarm System
- Wireless Siren with strobe flash light
- Stand-alone alarm function: Supports up to 40 wireless accessories
- Powered via the power socket
- Back-up battery

Technical specifications

Weight : 90 g
 Power : 230V AC
 Frequency : 433 MHz



Type no.	Manufacturer no.	Description
EM8676	EM8676	Alarm: Siren

Eminent Wireless smoke detector

- Wireless Smoke Detector for the Eminent wireless Alarm System
- Loud internal 85dB Alarm Sound
- Alarm System warns directly when smoke is detected
- Powered by a 9V battery
- EU regulation: complies with EN14604:2005

Technical specifications

Weight : 74.5 g
 Power : DC9V




Type no.	Manufacturer no.	Description
EM8690	EM8690	Alarm: Smoke detector



Dockingstation, PoE switches and HDMI solutions

The Eminent Business Line offers solutions for SME's This product line distinguishes itself by its service, reliability and competitive pricing.

This special developed Business Line includes: Docking Station, PoE switches, HDM solutions and Converters



Dockingstation

Dual Display Docking Station USB 3.1 Gen1 (USB 3.0)

Dual Display Docking Station USB 3.1 Gen1 (USB 3.0)

- Easily connect your laptop to all peripherals with only one USB cable
- Connect up to 2 full HD screens (max. 2048x1152) to your laptop via the HDMI and DVI/VGA port
- Add to your laptop: 1x HDMI, 1x DVI, 2x USB 3.1 Gen1 (USB 3.0), 4x USB 2.0, 1x RJ45, 2x 3,5mm jack
- Suitable for charging your smartphone and tablet via the USB ports

Technical specifications

Interface : USB 3.1 Gen1 (USB 3.0)
 Included : DVI-VGA adapter
 Power supply : Adapter



Type no.	Manufacturer no.	Description
EM1500	EM1500	Dockingstation. Dual display

PoE Fast Ethernet switches

Eminent 5-Port 10/100Mbps Switch, 4 PoE ports

- Max PoE power : 30W for each PoE port, 70W total

Technical specifications

LAN speed : 10/100
 Layer functions : Layer 2 (unmanaged)
 Dimensions : 82 x 89 x 22 mm
 Power supply : Adapter
 Input voltage : 100 - 240 V AC
 Included : Power supply



EM4430
 RJ45 ports : 5
 PoE+ ports : 4
 Colour : Black

Type no.	Manufacturer no.	Description
EM4430	EM4430	Number of ports: 5 x 10/100Mbps Auto-Negotiation

Eminent 8-Port 10/100Mbps Switch, 8 PoE ports

- Max PoE power : 30W for each PoE port, 140W for all PoE ports

Technical specifications

LAN speed : 10/100
 Layer functions : Layer 2 (unmanaged)
 Mounting : 19 Inch
 Dimensions : 179 x 280 x 44 mm
 Power supply : Built-in power supply
 Input voltage : 100 - 240 V AC
 Included : 19" mounting bracket, power cord



EM4431
 RJ45 ports : 8
 PoE+ ports : 4
 Colour : Black

Type no.	Manufacturer no.	Description
EM4431	EM4431	Number of ports: 8 x 10/100Mbps Auto-Negotiation

Eminent 16-Port 10/100Mbps Switch, 16 PoE ports

- Max PoE power : 30W for each PoE port, 260W total

Technical specifications

LAN speed	: 10/100
Layer functions	: Layer 2 (unmanaged)
Mounting	: 19 Inch
Dimensions	: 442 x 208 x 44 mm
Power supply	: Built-in power supply
Input voltage	: 100 - 240 V AC
Included	: 19" mounting bracket, power cord



EM4433

RJ45 ports	: 16
PoE+ ports	: 16
Colour	: Black

Type no.	Manufacturer no.	Description
EM4433	EM4433	Number of ports: 16 x 10/100Mbps Auto-Negotiation

Eminent 24-Ports 10/100Mbps Switch, 24 PoE ports

- Max PoE power : 30W for each PoE port, 260W total

Technical specifications

LAN speed	: 10/100
Layer functions	: Layer 2 (unmanaged)
Mounting	: 19 Inch
Dimensions	: 442 x 208 x 44 mm
Power supply	: Built-in power supply
Input voltage	: 100 - 240 V AC
Included	: 19" mounting bracket, power cord



EM4434

RJ45 ports	: 24
PoE+ ports	: 24
Colour	: Black

Type no.	Manufacturer no.	Description
EM4434	EM4434	Number of ports: 24 x 10/100Mbps Auto-Negotiation

PoE-switches

PoE switches provide power to various network devices they are connected to. PoE enabled devices, such as access points, IP cameras and VoIP phones are connected through the switch with a UTP cable and thus provide direct power.

PoE Gigabit Ethernet switches

Eminent 5-Port Gigabit Switch, 4 PoE ports

- Max PoE power : 26W for each PoE port, 75W for total

Technical specifications

LAN speed	: 10/100/1000
Layer functions	: Layer 2 (unmanaged)
Mounting	: 19 Inch
Dimensions	: 280 x 179 x 44 ml
Power supply	: Built-in power supply
Input voltage	: 100 - 240 V AC
Included	: 19" mounting bracket, power cord



EM4435

RJ45 ports	: 5
PoE ports	: 4
Colour	: Black

Type no.	Manufacturer no.	Description
EM4435	EM4435	Number of ports: 5 x 10/100/1000Mbps Auto-Negotiation

Eminent 8-Port Gigabit Switch, 8 PoE ports

- Max PoE power : 30W for each PoE port, 140W total

Technical specifications

LAN speed	: 10/100/1000
Layer functions	: Layer 2 (unmanaged)
Mounting	: 19 Inch
Dimensions	: 280 x 180 x 44 mm
Power supply	: Built-in power supply
Input voltage	: 100 - 240 V AC
Included	: 19" mounting bracket, power cord



EM4436

RJ45 ports	: 8
PoE+ ports	: 8
Colour	: Black

Type no.	Manufacturer no.	Description
EM4436	EM4436	Number of ports: 8 x 10/100/1000Mbps Auto-Negotiation

HDMI-switch

Do you have a limited number of HDMI ports on your TV and do you want to connect a digital TV decoder, game console, DVD player or laptop? Then use an Eminent HDMI switch, to connect all devices to your TV simultaneously with a single cable. The included remote control makes switching from one to the other source easy.

HDMI Switches

Eminent HDMI Switch 5 Ports

This splitter splits an incoming HDMI video signal to 10 outputs. Maximum resolution for the splitter is 4K

- Display 5 sources on 1 screen
- Auto input sensing: switches automatically to the available source

Technical specifications

4K compatible	: Yes
Connections (in)	: HDMI A (full-size) female (x5)
3840 xxx21	: 3840 x 2160
Power supply	: External power supply
Included	: Power adapter, remote control



AB7819

Connections (out)	: HDMI A (full-size) female (x5)
Video support	: HDMI 1.4a

Type no.	Manufacturer no.	Description
AB7819	AB7819	HDMI switch 5-ports

Eminent 4K HDMI splitter 4 ports

- Splits a single HDMI signal to four separate TVs/screens

Technical specifications

Connections (in)	: HDMI A (full-size) female (x1)
4K compatible	: Yes
Max. video resolution @ 30Hz	: 3840 x 2160
Power supply	: Adapter
Included	: Power adapter



AB7815

Connections (out)	: HDMI A (full-size) female (x4)
Video support	: EDID, HDCP, HDMI 1.4a

Type no.	Manufacturer no.	Description
AB7815	AB7815	HDMI 1.4a splitter 4 ports

HDMI-extenders

If you are unable to place a digital TV decoder, DVD player or game console close to your TV? An HDMI extender extends the HDMI signal up to 60 meters.

HDMI Extenders

Eminent HDMI extender set UTP

Technical specifications

Max. video resolution @ 60Hz	: 1080p
Extension cable	: CAT6 (x1)
Extension connector	: RJ45
Extension protocol	: Own
Power supply	: Adapter
Included	: Power adapter

AB7817

Connections (in)	: HDMI A (full-size) female (x1)
Connections (out)	: HDMI A (full-size) female (x1)
Video support	: EDID, HDCP, HDMI 1.4a
Max. extension distance	: 50 m

Type no.	Manufacturer no.	Description
AB7817	AB7817	HDMI 1.4a extender set CAT6 50 meters



EMINENT
BUSINESS LINE

Eminent HDMI extender set UTP

- HDMI extender set 60m single UTP Cable, 3D and IR support

Technical specifications

Max. video resolution @ 60Hz	: 1080p
Extension cable	: CAT6 (x1)
Extension connector	: RJ45
Extension protocol	: Own
Power supply	: External adapter
Included	: Power adapter

AB7811

Connections (in)	: HDMI A (full-size) female (x1)
Connections (out)	: HDMI A (full-size) female (x1)
Video support	: EDID, HDCP, HDMI 1.4a
Max. extension distance	: 60 m

Type no.	Manufacturer no.	Description
AB7811	AB7811	HDMI 1.4a extender set CAT6 60 meters, incl. IR



EMINENT
BUSINESS LINE

HDMI repeater

Extends a HDMI signal up to maximum 40 meters

Technical specifications

Max. resolution @ 60Hz	: 1080p
Max. length	: 40 m
Power supply	: HDMI cable

Type no.	Manufacturer no.	Description
AB7814	AB7814	HDMI repeater 40 meters



EMINENT
BUSINESS LINE

Video Splitters / Extender

Eminent HDMI splitter 4 ports

- Including built-in extension

Technical specifications

Connections (in)	: HDMI A (full-size) female (x1)
Max. video resolution @ 60Hz	: 1080p
Extension cable	: CAT6 (x4)
Power supply	: Adapter
Extension connector	: RJ45
Extension protocol	: Own



AB7812

Max. extension distance	: 50
Connections (out)	: HDMI A (full-size) female (x4)
Video support	: EDID, HDCP, HDMI 1.4a

Type no.	Manufacturer no.	Description
AB7812	AB7812	HDMI 1.4a splitter 4 ports CAT6

Eminent HDMI ontvanger dual pack (for 4 ports splitter)

Technical specifications

Max. video resolution @ 60Hz	: 1080p
Extension cable	: CAT6 (x1)
Extension connector	: RJ45
Extension protocol	: Own
Power supply	: Adapter



AB7813

Connections (out)	: HDMI A (full-size) female (x1)
Video support	: EDID, HDCP, HDMI 1.4a
Max. extension distance	: 50 m

Type no.	Manufacturer no.	Description
AB7813	AB7813	HDMI 1.4a receiver CAT6

KVM Switch

Eminent 2-port Intelligent KVM switch+audio

Technical specifications

Max. graphic resolution @ 60Hz	: 1920 x 1440
Control method	: Hot-key
Power supply	: Bus powered
Included	: Integrated connection cables



EM1037

Connections (computer)	: 3,5 mm jack male (x4), USB A male (x2), VGA HD D-sub 15-pin male (x2)
Connections (console)	: 3,5 mm jack female (x2), USB A female (x2), VGA HD D-sub 15-pin female (x1)
Video support	: VGA (RGBHV)
Other signals	: Analog audio

Type no.	Manufacturer no.	Description
EM1037	EM1037	VGA, USB and audio switch 1:2

USB Converters

Eminent USB 2.0 Signal Booster, 5m

- Possibility to cascade up to 4 USB signal extenders
- Length of the cable: 5 meters
- Easily extend your USB cable

Technical specifications

Cable length : 5 m
Interface : USB 2.0



Type no.	Manufacturer no.	Description
EM1014	EM1014	USB 2.0 Booster, 5m

Eminent USB 2.0 Signal Booster, 10m

- Can be cascaded up to 4 times.
- Length of the cable: 10 meters
- Easily extend your USB cable

Technical specifications

Cable length : 10 m
Interface : USB 2.0



Type no.	Manufacturer no.	Description
EM1020	EM1020	USB 2.0 Booster, 10m

Eminent USB to PS/2 Converter

- 1x USB converter to 2x PS/2
- USB Type A/ MiniDIN 6-Pin female

Technical specifications

Connector A : USB A (male)
Connector B : 2x PS/2 (female)



Type no.	Manufacturer no.	Description
SB2080	SB2080	Converter: USB to PS/2

Eminent USB to Serial Converter

- Compliant with USB 2.0 specifications
- Supports RS232 serial interface

Technical specifications

Connector A : USB A male
Connector B : 9 Sub-D male
Cable length : 0.6 m



Type no.	Manufacturer no.	Description
EM1016	EM1016	Converter: USB to serial

UPS**Eminent UPS 600VA RS232 + USB**

- Audible alarm during voltage drop and backup time of 10 minutes for 1 PC
- Fitted with USB and serial cable interface with software
- Voltage range of 165 VAC to 275 VAC

Technical specifications

Contains : Telephone connection protection
 Input voltage : 165V AC to 275V AC

**EMINENT**

Type no.	Manufacturer no.	Description
EM3980	EM3980	Capacity: 600VA/360W, 10 min.

Eminent UPS 1000VA RS232 + USB

- Audible alarm during voltage drop and backup time of 20 minutes for 1 PC
- Fitted with serial and USB cable interface with software
- Wide range of input voltage from 165 VAC to 275 VAC

Technical specifications

Contains : Telephone connection protection
 Input voltage : 165V AC to 275V AC

**EMINENT**

Type no.	Manufacturer no.	Description
EM3982	EM3982	Capacity: 1000VA/600W, 20 min.

Eminent UPS 1600VA RS232

- Audible alarm during voltage drop and backup time of 25 minutes for 1 PC
- Fitted with serial and USB cable interface with software
- Wide range of input voltage from 165 VAC to 275 VAC

Technical specifications

Contains : Telephone connection protection
 Input voltage : 165V AC to 275V AC

**EMINENT**

Type no.	Manufacturer no.	Description
EM3984	EM3984	Capacity: 1600VA/900W, 25 min.

User-friendly ICT-accessories

Event is part of Eminent and supplies user-friendly ICT accessories for use with a pc, laptop, smartphone or tablet.

The Event line-up includes connectivity, input, sound and vision, tablet and laptop accessories, gaming accessories power and cables. The products of Event come with a fresh and trendy packaging and are competitively priced.



USB Chargers

The smartest USB chargers in the world

Advantages:

- Charging multiple USB devices at the same time
- Automatic distribution of the current between the devices
- Overload protection
- Stops charging when device is fully charged
- Fourfold protection

Most devices we use in daily life are battery powered. We need to charge our smartphone, tablet, smartwatch and other USB devices at least once a day. Preferably at the same time and in the same power socket.

Ewent presents 'The smartest USB chargers in the world'

Charge your valuable devices at the same time with only ONE charger. The smartest USB chargers in the world take care of this delicate job with ease and charge your USB devices safely. Both at home and in the car. They are the best travel companions for your USB devices.

Our chargers are the smartest USB chargers in the world. In contradiction to conventional chargers the Smart IC charging system identifies the connected devices and distributes automatically the available current between the devices. So each USB device is provided with just the right amount of power. Other chargers have the risk of blowing a fuse, stop charging when the required current is not available, destroy the charger itself or worse, damage the connected devices.

The Ewent Smart USB Chargers charge multiple devices at the same time and are equipped with overload protection. Besides, there is no standby power consumption because the smart chargers stop automatically when the connected devices are fully charged. Which is a good thing for both the environment and your wallet.

Last but certainly not least, our smart chargers are equipped with fourfold protection: over temperature protection, over voltage protection, over current protection and short circuit protection.

USB Chargers

Ewent Universal Charger with 4 USB ports Smart IC 4.5A

- Smart IC charging system: automatic self-output power adjustment

Technical specifications

Input voltage : 100-240 AC
 Output current : 4.5 A



ewent

Type no.	Manufacturer no.	Description
EW1216	EW1216	4.5A (home charger), Smart IC

Ewent Universal Charger with 2 USB ports Smart IC 2.4A

- Smart IC charging system: automatic self-output power adjustment

Technical specifications

Input voltage : 100 - 240 AC
 Output current : 2.4 A



ewent

Type no.	Manufacturer no.	Description
EW1232	EW1232	2.1A (home charger), Smart IC

Ewent Universal Charger with 1 USB port 1A

Technical specifications

Input voltage : 100 - 240 AC
 Output voltage : 5 V DC
 Output current : 1 A



ewent

Type no.	Manufacturer no.	Description
EW1200	EW1200	1A (home charger)

Ewent Home Charger 2.1A with Lightning connector

- MFI certified / Official Apple certified

Technical specifications

Input voltage : 100-240V AC
 Output current : 2.1 A



ewent

Type no.	Manufacturer no.	Description
EW1213	EW1213	2.1A (home charger) with lightning connector

Ewent Universal Charger with 2 USB ports 3.1A, with power socket

Technical specifications

Input voltage : 100 - 240 AC
 Output current : 3.1 A
 Socket type : Type F female



ewent

Type no.	Manufacturer no.	Description
EW1211	EW1211	3.1A (home charger)

Ewent Universal Wireless Smartphone Charger

Technical specifications

Input voltage : 5 V 1A
 Output current : 1 A
 Cable length : 1 m



ewent

Type no.	Manufacturer no.	Description
EW1190	EW1190	1A (wireless charger)

Ewent Car Charger 3 USB ports Smart IC 4.8A

- Smart IC charging system: automatic self-output power adjustment

Technical specifications

Input voltage : 12-24V DC
 Output current : 4.8 A



ewent

Type no.	Manufacturer no.	Description
EW1202	EW1202	4.8A (car charger), Smart IC

Ewent Quick Car Charger with 1 USB port 3A

- Quick Charge 3.0 support: charge up to 4x faster, 0-80% in only 35 minutes (for devices with QC 3.0 support)

Technical specifications

Input voltage : 12-24V DC
 Output current : 3 A



ewent

Type no.	Manufacturer no.	Description
EW1231	EW1231	3A (car charger), Quick Charge

Ewent Car Charger two port 2.1A

Technical specifications

Input voltage	: 12-24V AC
Output voltage	: 5V DC
Output current	: 2.1 A



ewent

Type no.	Manufacturer no.	Description
EW1220	EW1220	2.1A (car charger)

USB Charging cables

Ewent USB to Lightning cable

- MFI certified / Official Apple certified

Technical specifications

Connector A	: USB A male
Connector B	: Lightning
Cable length	: 1 m



ewent

Type no.	Manufacturer no.	Description
EW9908	EW9908	Data cable: Apple (Lightning)

Ewent Charge & Sync cable for Apple

- MFI certified / Official Apple certified

Technical specifications

Connector A	: USB A male
Connector B	: Dock 30 pin male
Cable length	: 1 m



ewent

Type no.	Manufacturer no.	Description
EW9903	EW9903	Data cable: Apple (30 pin)

Ewent Micro USB Data Cable for smartphone and tablet

Technical specifications

Connector A	: USB A male
Connector B	: USB micro B male
Cable length	: 1 m



ewent

Type no.	Manufacturer no.	Description
EW9911	EW9911	Data cable: Micro USB

USB Data Cable for Samsung Galaxy Tab

Technical specifications

Connector A	: USB A male
Connector B	: Samsung 30 pins
Cable length	: 1 m



Type no.	Manufacturer no.	Description
EW9907	EW9907	Data cable: Samsung (30 pin)

Powerbanks

Ewent USB Powerbank 7800mAh

- Integrated flashlight

Technical specifications

Max. capacity battery	: 7800 mAh
USB ports	: 2
Output current USB port 1	: 1 A
Output current USB port 2	: 2 A
Input voltage	: 5 V
Including	: Micro USB cable



Type no.	Manufacturer no.	Description
EW1237	EW1237	USB Powerbank 7800 mAh

Ewent USB Powerbank 2600mAh

- Integrated flashlight

Technical specifications

Max. capacity battery	: 2600 mAh
USB ports	: 1
Output current	: 1 A
Input voltage	: 5 V
Including	: Micro USB cable



Type no.	Manufacturer no.	Description
EW1235	EW1235	USB Powerbank 2600mAh

Power - Laptop Chargers

Laptop chargers

To find out what Ewent laptop adapter is suitable for your notebook, you can calculate the wattage of your notebook. First, check the original laptop adapter and specifications of your notebook. For example, your current laptop AC adapter has an output of 15V 3A. Multiply these values: you need a charger at least 45 watts (15V x 3A).

All Ewent laptop chargers come with a quadruple safety system that protects against overheating, over voltage, a too large current and short circuit. If the battery of your netbook or notebook is full, the Ewent charger automatically stops charging.

Free tips service!

Always the right tip for your laptop! Ewent offers several tips with the charger. Is your tip missing? You can easily apply through: www.ewent-online.com/spareparts. The tip will be sent for free.

Laptop chargers

Ewent Universal Notebook Charger 70W

- Free tip service

Technical specifications

Number of power connectors	: 11
Maximum power	: 70W
Input	: 100V-240V AC
Output	: 9.5 - 24V DC



ewent

Type no.	Manufacturer no.	Description
EW3965	EW3965	Universal Notebook charger 70W

Ewent Universal Notebook Charger 90W

- Free tip service

Technical specifications

Number of power connectors	: 11
Max. power	: 90W
Input	: 100V-240V AC
Output	: 9.5 - 24V DC



ewent

Type no.	Manufacturer no.	Description
EW3966	EW3966	Universal notebook charger 90W

Power Distribution Units

Ewent Desktop Multi power socket 5x 2x USB ports with Surge Protection

- Incl. 2 USB output (2.1A) for charging tablets and smartphones
- By it's functional design all outlets are accessible
- Protects devices from overloads with a max. leakage current of up to 2.500 A

Technical specifications

Input connector	: CEE 7/7 angled male
Socket type	: Type F female
Cable type	: H05VV-F3G 1,5
USB charging ports	: 2
USB output	: 2.1 A
Switching	: Illuminated switch
Surge protection	: 2500 A
Max. load	: 230V AC / 16 A

EW3935

Number of sockets	: 5
Cable length	: 1.5 m
Colour	: White



ewent

Type no.	Manufacturer no.	Description
EW3935	EW3935	Number of sockets: 5 sockets, 2x USB 2.1, Cable length 1.5 meter

Ewent Power Strip 6x outlets with individual switches

- Each outlet has its own illuminated on/off switch: less standby power consumption
- Child safety protection on each port

Technical specifications

Input connector : CEE 7/7 angled male
 Socket type : Type F female
 Cable type : H05VV-F3G 1,5
 Switching : Illuminated switch
 Max. load : 230V AC / 16 A



EW3933

Number of sockets : 6
 Cable length : 1.5 m
 Colour : White

Type no.	Manufacturer no.	Description
EW3933	EW3933	Number of sockets: 6 sockets, 1.5 meter

Ewent Multi power socket 5x with Surge Protection

Technical specifications

Input connector : CEE 7/7 angled male
 Socket type : Type F female
 Cable type : H05VV-F3G 1,5
 Switching : Illuminated switch
 Surge protection : 19500 A
 Max. load : 230V AC / 16 A



EW3951

Number of sockets : 5
 Cable length : 1.5 m
 Colour : Black

Type no.	Manufacturer no.	Description
EW3951	EW3951	Number of sockets: 5 sockets, Cable length 1.5 meter

Ewent 150W Power Inverter 12V to 230V with 2.1A USB port

- 12 Volt DC to 230 AC Volt Power Inverter
- Plugs straight into your cigarette lighter
- USB charging port for Phone or MP3/Media player
- Fits into the cup holder of your car

Technical specifications

Power : 150W
 Peak power : 300W
 Input voltage : 12V DC
 Output voltage : 230V AC



Type no.	Manufacturer no.	Description
EW3990	EW3990	Number of sockets: 1 socket + 1 USB charging port, Cable length 0.55 meter

UPS

Ewent Line Interactive UPS 650 VA with Power socket

- Back up time of approximately 8-20 minutes (depending on the load)
- AVR function to stabilize the input voltage
- 2x Output sockets with power failure and surge protection
- 2x Output sockets with surge protection

Technical specifications

Nominal voltage : 230V



ewent

Type no.	Manufacturer no.	Description
EW3940	EW3940	Capacity: 650VA/390W, 8-20 min.

Ewent Line Interactive UPS 720 VA with AVR

- AVR function to stabilize the input voltage
- Line Interactive technology
- Output socket with blackout protection
- Output sockets with short circuit protection

Technical specifications

Nominal voltage : 230V



ewent

Type no.	Manufacturer no.	Description
EW3941	EW3941	Capacity: 720VA/360W, 10-20 min.

Ewent Line Interactive UPS 1000 VA with AVR

- AVR function to stabilize the input voltage
- Line Interactive technology
- Output socket with blackout protection
- Output sockets with short circuit protection

Technical specifications

Nominal voltage : 230V



ewent

Type no.	Manufacturer no.	Description
EW3942	EW3942	Capacity: 1000VA/510W, 20-25 min.

PC power supply

Ewent Power Supply ATX 500W V2.3 soho line

Technical specifications

Power : 500W
 Input voltage : 110/230V AC
 Connections : 1x MB, 1x P4, 3x Molex, 3x SATA, 1x FDD



ewent

Type no.	Manufacturer no.	Description
EW3900	EW3900	500W ATX v2.3

Ewent Power Supply ATX 600W V2.3 with PFC

Technical specifications

Power : 600 W
Input voltage : 110/230V AC
Connections : 1x MB 20+4pin, 1x P4, 3x Molex, 4x SATA, 1x PCI-E, 1x FDD



ewent

Type no.	Manufacturer no.	Description
EW3905	EW3905	600W ATX v2.3 (PFC)

External HDD / SSD enclosures

Are you going to replace your internal hard drive with an SSD or a new hard drive?

Then the Ewent external hard drive enclosures are the ideal solution to give your old internal hard drive a new life.

You will have quick and easy extra storage you can easily take along with you.

For each type of hard disk Ewent offers a solution. Within our product range you will find different sizes, connections and types of hard drives, even for SSD/mSATA and M2:

Size:

- 2,5 inch
- 3,5 inch
- mSATA

Connections:

- Type C
- SATA
- P-ATA (IDE)
- mSATA
- M.2

Type:

- USB 2.0 (speed: 480Mbps)
- USB 3.0 (speed: 5Gbps) = USB3.1 Generation 1

USB 3.1 Hard drive enclosures

Ewent USB 3.1 Gen1 (USB 3.0) Enclosure 2.5" SATA

- Solid aluminium casing
- One touch backup software

Technical specifications

Interface : USB 3.1 Gen1 (USB 3.0)
 Hard disk interface : SATA
 Power supply : USB



ewent

Type no.	Manufacturer no.	Description
EW7033	EW7033	External Housing: 2.5" SATA, USB 3.1 Gen1

Ewent USB 3.1 Gen1 (USB 3.0) Enclosure 2.5" SATA (HDD up to 12.5mm)

- Suited for 2.5" SATA hard disk up to 12.5mm thickness
- Solid aluminium casing, for home, office and travel usage

Technical specifications

Interface : USB 3.1 Gen1 (USB 3.0)
 Hard disk interface : SATA
 Power supply : USB



ewent

Type no.	Manufacturer no.	Description
EW7034	EW7034	External Housing: 2.5" SATA, USB 3.1 Gen1 (HDD up to 12.5mm)

Ewent USB 3.1 Gen1 (USB 3.0) Enclosure 2.5" SATA (Screwless)

- Suited for 2.5" SATA hard disk up to 9.5mm
- Screwless mounting design for easy installation

Technical specifications

Interface : USB 3.1 Gen1 (USB 3.0)
 Hard disk interface : SATA
 Power supply : USB



ewent

Type no.	Manufacturer no.	Description
EW7044	EW7044	External Enclosure: 2.5" USB 3.1 Gen1 SATA (Screwless)

Ewent USB 3.1 Gen1 (USB 3.0) Enclosure 3.5" SATA

- Solid aluminium casing

Technical specifications

Interface : USB 3.1 Gen1 (USB 3.0)
 Hard disk interface : SATA
 Power supply : Adapter



ewent

Type no.	Manufacturer no.	Description
EW7055	EW7055	External Housing: 3.5" SATA, USB 3.1 Gen1

USB - USB 3.1 Hard drive enclosures

Ewent USB 3.1 Gen1 (USB 3.0) Enclosure 3.5" SATA (Screwless)

- Suited for 3.5" SATA hard disk
- Screwless mounting design for easy installation

Technical specifications

Interface	: USB 3.1 Gen1 (USB 3.0)
Hard disk interface	: SATA
Power supply	: USB



ewent

Type no.	Manufacturer no.	Description
EW7056	EW7056	External Enclosure: 3.5" USB 3.1 Gen1 SATA (Screwless)

Ewent USB 3.1 Gen1 (USB 3.0) Enclosure SSD 1.8" mSATA

- Solid aluminium enclosure for a 50mm mSATA SSD

Technical specifications

Interface	: USB 3.1 Gen1 (USB 3.0)
SSD interface	: mSATA
Power supply	: USB



ewent

Type no.	Manufacturer no.	Description
EW7020	EW7020	External Housing: SSD 1.8" mSATA, USB 3.1 Gen1

Ewent USB 3.1 Gen1 (USB 3.0) Enclosure M.2 SSD

- Solid aluminium enclosure for a M.2 SSD (Solid State Drive) up to 80mm
- UASP support for a higher data transfer

Technical specifications

Interface	: USB 3.1 Gen1 (USB 3.0)
SSD interface	: M.2
Power supply	: USB



ewent

Type no.	Manufacturer no.	Description
EW7023	EW7023	External Enclosure: SSD M.2, USB 3.1 Gen1

Ewent USB 3.1 Gen1 (USB 3.0) Docking Station 2.5" and 3.5" SATA

- For 2.5" and 3.5" SATA hard disks or SSD up to 12,5mm

Technical specifications

Interface	: USB 3.1 Gen1 (USB 3.0)
Hard disk interface	: SATA
Power supply	: Adapter



ewent

Type no.	Manufacturer no.	Description
EW7012	EW7012	Docking Station: 2.5" + 3.5" SATA, USB 3.1 Gen1 (USB 3.0)

Ewent Dual USB 3.1 Gen1 (USB 3.0) Docking Station 2.5" and 3.5" SATA

- Dual bay slot, supports Hard Disk SATA 3.5 "and 2.5" up to 12.5mm
- Cloning Function when the docking station is not connected to the PC
- Backup function when the docking station is connected to the PC

Technical specifications

Interface : USB 3.1 Gen1 (USB 3.0)
 Hard disk interface : SATA
 Power supply : Adapter



ewent

Type no.	Manufacturer no.	Description
EW7014	EW7014	Docking Station: 2.5"+ 3.5" SATA, USB 3.1 Gen1 (USB 3.0) (Dual)

Ewent USB 3.1 Gen1 (USB 3.0) to IDE and SATA Adapter

- Super Speed USB 3.1 Gen1 to IDE / SATA Cable
- Backup software

Technical specifications

Interface : USB 3.1 Gen1 (USB 3.0)
 Supports : SATA/IDE devices
 Power supply : Adapter



ewent

Type no.	Manufacturer no.	Description
EW7016	EW7016	Adapter: 2.5"+ 3.5" IDE/SATA, USB 3.1 Gen1 (USB 3.0)

Ewent USB 3.1 Gen1 (USB 3.0) to 2.5" SATA Adapter Cable SSD/HDD

- Connect a 2.5 inch SATA hard drive or SSD to your computer/laptop using this adapter cable
- Perfect for data migration, drive cloning and data backup applications

Technical specifications

Interface : USB 3.1 Gen1 (USB 3.0)
 Supports : HDD or SSD SATA I, II, III 2.5 inch
 Power supply : USB



ewent

Type no.	Manufacturer no.	Description
EW7017	EW7017	Adapter Cable (SSD/HDD): USB 3.1 Gen1 (USB 3.0)

Ewent 2.5" to 3.5" HDD/SSD Bracket BULK

- Mount 2.5" SSD or HDD drive into your PC to a free 3.5" slot
- BULK

Technical specifications

Suitable for : 2,5 inch SSD/hard disk



ewent

Type no.	Manufacturer no.	Description
EW7001	EW7001	Bracket HDD/SSD 2.5" - 3.5". BULK

USB 2.0 Hard drive enclosures

Ewent USB 2.0 Enclosure 2.5" SATA

- Solid aluminium casing

Technical specifications

Interface : USB 2.0
 Hard disk interface : SATA
 Power supply : USB



ewent

Type no.	Manufacturer no.	Description
EW7041	EW7041	External Housing: 2.5" SATA, USB 2.0

Ewent USB 2.0 Enclosure 3.5" SATA

- Solid aluminium casing

Technical specifications

Interface : USB 2.0
 Hard disk interface : SATA
 Power supply : Adapter



ewent

Type no.	Manufacturer no.	Description
EW7051	EW7051	External Housing: 3.5" SATA, USB 2.0

Ewent USB 2.0 Enclosure 3.5" SATA and IDE

- Solid aluminium casing

Technical specifications

Interface : USB 2.0
 Hard disk interface : SATA or PATA (IDE)
 Power supply : Adapter



ewent

Type no.	Manufacturer no.	Description
EW7047	EW7047	External Housing: 3.5" SATA + PATA, USB 2.0

Ewent USB 2.0 to IDE and SATA Adapter, 2.5" en 3.5"

- Backup software
- Supports 5.25" devices

Technical specifications

Interface : USB 2.0
 Hard disk interface : SATA or PATA (IDE)
 Power supply : Adapter



ewent

Type no.	Manufacturer no.	Description
EW1015	EW1015	Adapter: 2.5" + 3.5" IDE/SATA, USB 2.0

USB 3.1 Gen1 Hubs

Ewent 4 Port USB 3.1 Gen1 (USB 3.0) Hub Type-C

Technical specifications

USB compatibility	: USB 3.1 Gen1 (USB 3.0)
Connector A	: Type-C
Connector B	: USB A female
Data transfer rate	: 5Gbps, 480 / 12 / 1.5 Mbit/s
Power supply	: USB



ewent

Type no.	Manufacturer no.	Description
EW1135	EW1135	Hub 3.1 Gen1 (USB 3.0) Type-C, number of ports: 4x USB A female

Ewent 4 Port USB 3.1 Gen1 (USB 3.0) Hub

- Equipped with power supply

Technical specifications

USB compatibility	: USB 3.1 Gen1 (USB 3.0)
Connector A	: USB A male
Connector B	: USB A female
Data transfer rate	: 5Gbps, 480 / 12 / 1.5 Mbit/s
Power supply	: Adapter



ewent

Type no.	Manufacturer no.	Description
EW1134	EW1134	Hub USB 3.1 Gen1 (USB 3.0), number of ports: 4x USB A female

Ewent 3 Port USB 3.1 Gen1 (USB 3.0) Hub with Gigabit network port

- 2-in-1 upgrade for your Ultrabook: add 3 USB ports and a Gigabit Network port

Technical specifications

USB compatibility	: USB 3.1 Gen1 (USB 3.0)
Connector A	: USB A male
Connector B	: USB A female
Data transfer rate	: USB Hub: 5Gbps, 480 / 12 / 1.5 Mbit/s
RJ45 ports	: 1x Gigabit



ewent

Type no.	Manufacturer no.	Description
EW1140	EW1140	Hub USB 3.1 Gen1 (USB 3.0) and Network Adapter, number of ports: 3x USB A female, 1x Gigabit Lan

Ewent 4 Port USB 3.1 Gen1 (USB 3.0) Hub

Technical specifications

USB compatibility	: USB 3.1 Gen1 (USB 3.0)
Connector A	: USB A male
Connector B	: USB A female
Data transfer rate	: 5Gbps, 480 / 12 / 1.5 Mbit/s
Power supply	: USB



ewent

Type no.	Manufacturer no.	Description
EW1133	EW1133	Hub USB 3.1 Gen1 (USB 3.0), number of ports: 4x USB A female

USB 2.0 Hubs

Ewent 4 ports USB Hub Mini

Technical specifications

USB compatibility	: USB 2.0
Connector A	: USB A male
Connector B	: USB A female
Power supply	: USB



ewent

Type no.	Manufacturer no.	Description
EW1123	EW1123	Hub USB 2.0, number of ports: 4x USB A female

Ewent Flexible 4 Port USB Hub

- Flexible design for optimal performance

Technical specifications

USB compatibility	: USB 2.0
Connector A	: USB A male
Connector B	: USB A female
Power supply	: USB



ewent

Type no.	Manufacturer no.	Description
EW1110	EW1110	Hub USB 2.0, number of ports: 4x USB A female

Ewent 4 port USB Hub Micro

Technical specifications

USB compatibility	: USB 2.0
Connector A	: USB A male
Connector B	: USB A female
Power supply	: USB

EW1126

Colour	: Blue
Number of ports	: 4x USB A female

EW1127

Number of ports	: 4x USB A female
Color	: Green



ewent

Type no.	Manufacturer no.	Description
EW1126	EW1126	Hub USB 2.0, number of ports: 4x USB A female (Colour: Blue)
EW1127	EW1127	Hub USB 2.0, number of ports: 4x USB A female (Colour: Green)

Ewent 7 port USB Hub

- Switch ON/OFF

Technical specifications

USB compatibility : USB 2.0
 Connector A : USB A male
 Connector B : USB A female
 Power supply : USB



ewent

Type no.	Manufacturer no.	Description
EW1130	EW1130	Hub USB 2.0, number of ports: 7x USB A female

USB 3.0 Card readers

Ewent USB 3.1 Gen1 (USB 3.0) SD Card Reader

- Support for SD and Micro SD

Technical specifications

USB compatibility : USB 3.1 Gen1 (USB 3.0)
 Connector A : USB A male
 Power supply : USB



ewent

Type no.	Manufacturer no.	Description
EW1072	EW1072	Card Reader: USB 3.1 Gen1 (USB 3.0)

Ewent USB 3.1 Gen1 (USB 3.0) Card Reader

- Support for the most common used memory cards

Technical specifications

USB compatibility : USB 3.1 Gen1 (USB 3.0)
 Connector A : USB A male
 Power supply : USB



ewent

Type no.	Manufacturer no.	Description
EW1074	EW1074	Card Reader: USB 3.1 Gen1

USB 2.0 Card readers

Ewent 64 in-1 Card Reader USB 2.0

- Support for the most common used memory cards

Technical specifications

USB compatibility : USB 2.0
 Connector A : USB A male
 Power supply : USB



ewent

Type no.	Manufacturer no.	Description
EW1050	EW1050	Card Reader: USB 2.0

Ewent Card Reader and 3 port USB Hub

- Combo card reader + 3 Port USB HUB
- Support for the most common used memory cards

Technical specifications

USB compatibility	: USB 2.0
Connector A	: USB A male
Power supply	: USB



ewent

Type no.	Manufacturer no.	Description
EW1044	EW1044	Card Reader + USB hub: USB 2.0

Ewent USB 2.0 Smart Card ID reader

- Compatible with Belgium eID cards
- Supports ISO 7816, T=0 or T=1 protocols
- Complies with PC/SC 1.0/2.0, EMV 4.1 and WHQL
- Fitted with USB 2.0 port (compliant with USB 1.1)

Technical specifications

USB compatibility	: USB 2.0
Connector A	: USB A male
Power supply	: USB



ewent

Type no.	Manufacturer no.	Description
EW1052	EW1052	e-ID/smartcard reader: USB 2.0

Ewent 3.5 Inch Internal card reader, ID Card reader

- Read your EID, Smart Card, Sim card and most common used memory cards

Technical specifications

Interface	: Intern (9-pin USB)
-----------	----------------------



ewent

Type no.	Manufacturer no.	Description
EW1077	EW1077	e-ID/smartcard reader: USB 2.0 (Internal)

Eminent Card Reader for 3.5 Inch bay OEM

- Bulk packing
- Support for the most common used memory cards

Technical specifications

Interface	: Internal (9-pin USB)
-----------	------------------------



EMINENT

Type no.	Manufacturer no.	Description
EM9000	EM9000	Card Reader: USB 2.0 (Internal)

Eminent Card Reader for 3,5 Inch bay

- Support for the most common used memory cards

Technical specifications

Interface : Internal (9-pin USB)



Type no.	Manufacturer no.	Description
EM1059	EM1059	Card Reader: USB 2.0 (Internal)

Ewent MICRO USB Bluetooth Receiver Class 1

- Wirelessly exchange data with other Bluetooth devices
- Bluetooth v4.0 class 1

Technical specifications

Bluetooth : v4.0 Class I



Type no.	Manufacturer no.	Description
EW1085	EW1085	Maximum range: 10 m

e`went

Event introduces a new product line:
Gaming accessories

PLAY
by event

Gaming headphone with built-in microphone

- Comfortable over ear pads and adjustable padded headband
- Powerful bass unit
- With volume control and microphone mute switch
- Compatible with gaming consoles by using the included jack adapter
- Tangle-free nylon braided USB cable

Type no.: PL3320

ADJUSTABLE
microphone

COMPATIBLE WITH GAMING CONSOLES
jack adapter included

Gaming Mouse pad

EXTRA LARGE
400x320mm

- Optimized for all types of gaming mice
- Optimal surface for high accurate gaming
- Anti-slip rubber base
- Large design: 400x320mm

Type no.: PL3340


Gaming accessories

Gaming Mouse

- High accuracy: 3200 DPI
- DPI switch: choose between 4 pre-set DPI levels
- 4-colour illumination with breathing effect
- Ergonomic design: game comfortably
- 6 buttons
- Tangle-free nylon braided USB cable

Type no.: **PL3300**

BREATHING EFFECT
4 colour illumination



Gaming Keyboard


- Backlight: 3 area-colour illumination with breathing effect
- Solid metal full-sized keyboard
- Key Anti-Ghosting, capable of registering up to 19 simultaneous keystrokes
- 12 Multimedia keys
- Windows lock to enable Gaming mode
- Tangle-free nylon braided USB cable

Type no.	Description
PL3310	US Layout
PL3311	IT Layout
PL3312	ES Layout
PL3313	HU Layout
PL3314	BE Layout
PL3315	PT Layout

SOLID METAL
full-sized keyboard



3 AREA COLOUR ILLUMINATION
with breathing effect



Mice

Ewent Optical Mouse USB

Technical specifications

Interface : Wired (USB/PS2)
dpi : 1000



ewent

Type no.	Manufacturer no.	Description
EW3154	EW3154	Optical Mouse, USB

Ewent Vertical Ergonomic Mouse USB

- Innovative ergonomic mouse that alleviates many common symptoms of hand/mouse-related strain
- Vertical design, allowing you to work comfortably and reduces strain

Technical specifications

Interface : Wired (USB)
dpi : 1000



ewent

Type no.	Manufacturer no.	Description
EW3156	EW3156	Vertical mouse, USB

Ewent Wireless Optical Mouse 1200dpi

Technical specifications

Interface : Wireless (USB nano)
dpi : 1200



ewent

Type no.	Manufacturer no.	Description
EW3221	EW3221	OEM (cardboard box)
EW3222	EW3222	Retail (blister)

Ewent Wireless Optical Mouse 1000 dpi

Technical specifications

Interface : Wireless (USB nano)
dpi : 1000



ewent

Type no.	Manufacturer no.	Description
EW3209	EW3209	Colour: White/Green
EW3210	EW3210	Colour: White/Blue
EW3211	EW3211	Colour: White/Orange

Ewent Wireless Mouse with Nano Receiver and DPI switch

- Optical sensor selectable 1000/1200 and 1600dpi for precise tracking

Technical specifications

Interface : Wireless (USB nano)
dpi : 1000/1200/1600



ewent

Type no.	Manufacturer no.	Description
EW3215	EW3215	Colour: Black
EW3216	EW3216	Colour: White/Black
EW3217	EW3217	Colour: Black/Red
EW3218	EW3218	Colour: Black/Blue

Keyboards

Ewent Business Keyboard QWERTY Layout

Technical specifications

Interface : Wired (USB)
Layout : QWERTY



ewent

Type no.	Manufacturer no.	Description
EW3107	EW3107	Wired business keyboard: QWERTY Layout

Ewent USB Multimedia Keyboard QWERTY / AZERTY Layout

Technical specifications

Interface : Wired (USB)
Layout : QWERTY or AZERTY



ewent

Type no.	Manufacturer no.	Description
EW3130	EW3130	Wired multimedia keyboard: QWERTY Layout
EW3131	EW3131	Wired multimedia keyboard: AZERTY Layout

Ewent USB Keyboard AZERTY Layout with Smart Card Reader

- With integrated Smart Card Reader

Technical specifications

Interface : Wired (USB) cable length: 1.5m
Layout : AZERTY



ewent

Type no.	Manufacturer no.	Description
EW3250	EW3250	Wired keyboard: AZERTY Layout, with Smart card reader

Ewent Wireless Keyboard QWERTY layout and Mouse set

- 2.4GHz Wireless keyboard, max. Range 10m
- Wireless optical mouse 1000 dpi

Technical specifications

Interface	: Wireless (USB nano)
Layout	: US layout
dpi	: 1000



Type no.	Manufacturer no.	Description
EW3135	EW3135	Wireless Keyboard: US Layout

Ewent Smart TV Wireless Keyboard with Touchpad

- Wireless compact keyboard for Smart TV or laptop / computer
- 10m wireless signal range (2.4 GHz)
- Integrated 3.5 inch touchpad with large buttons for left- and right mouse click

Technical specifications

Interface	: Wireless (USB nano)
Layout	: QWERTY, AZERTY or QWERTZU



Type no.	Manufacturer no.	Description
EW3115	EW3115	Wireless TV keyboard: QWERTY Layout
EW3113	EW3113	Wireless TV keyboard: AZERTY Layout
EW3114	EW3114	Wireless TV keyboard: QWERTZU Layout

Ewent Bluetooth Keyboard Layout

- Compact design ideal for Tablet and Smartphone
- For iOS, Android and Windows

Technical specifications

Interface	: Bluetooth V3.0
Layout	: QWERTY, AZERTY or QWERTZU



Type no.	Manufacturer no.	Description
EW3163	EW3163	Bluetooth keyboard: QWERTY Layout
EW3168	EW3168	Bluetooth keyboard: AZERTY Layout
EW3162	EW3162	Bluetooth keyboard: QWERTZU Layout

Ewent Numeric Keyboard

Technical specifications

Interface	: Wired (USB)
-----------	---------------



Type no.	Manufacturer no.	Description
EW3102	EW3102	Wired numeric keyboard

Speakers

Ewent Desktop Speaker 2.0

Technical specifications

Interface : Jack: 3.5mm
 Output : 2.5 W
 Frequency Response Range : 100Hz-20KHz
 Power supply : USB



ewent

Type no.	Manufacturer no.	Description
EW3513	EW3513	Colour: Black/white

Ewent 2.0 Speakerset

Technical specifications

Interface : Jack: 3.5mm
 Output : 6 W
 Frequency Response Range : 200Hz-20KHz
 Power supply : Built-in



ewent

Type no.	Manufacturer no.	Description
EW3504	EW3504	Speakerset 2.0

Ewent 2.1 Speakerset

Technical specifications

Interface : Jack: 3.5mm
 Output : 15 W
 Frequency Response Range : 100Hz-20KHz
 Power supply : Built-in



ewent

Type no.	Manufacturer no.	Description
EW3505	EW3505	Speakerset 2.1

Ewent 2.1 Speakerset

Technical specifications

Interface : Jack: 3.5mm
 Output : 40 W
 Frequency Response Range : 100Hz-20KHz
 Power supply : Built-in



ewent

Type no.	Manufacturer no.	Description
EW3512	EW3512	Speakerset 2.1

Input and multimedia - Speakers

Bluetooth speakers

Noise is all around you, hard or soft, wherever you are. Nice to hear or not. You can't always influence this. What you can influence is the quality of the sound. Whether you want to enjoy your favorite music indoors, or outside. Alone, or with others. From a computer, laptop, smartphone, tablet or MP3 player. It's all possible with an Accentus bluetooth speaker.

Accentus Wireless Bluetooth Speaker

- Splash-resistant Stereo Outdoor Bluetooth Speaker with hands-free function

Technical specifications

Interface	: Bluetooth, 3.5mm
Bluetooth compatibility	: V2.1 class 2
Audio output	: 3 W
Battery	: built-in Lithium battery 1500mAh
Power supply	: Micro-USB



ACCENTUS

Type no.	Manufacturer no.	Description
AC3519	AC3519	Bluetooth speaker

Accentus Wireless Bluetooth Speaker

- Splash-resistant ABS housing and metal grill ensure the solid protection

Technical specifications

Interface	: Bluetooth, 3.5mm
Bluetooth compatibility	: V4 class 2
Audio output	: 2x 4 W
Battery	: built-in Lithium battery 4000mAh
Power supply	: Micro-USB



ACCENTUS

Type no.	Manufacturer no.	Description
AC0001	AC0001	Bluetooth Speaker

Headphones/headsets

Ewent Headset, 2x Jack 3.5mm

Technical specifications

Interface	: Jack: 2 x 3.5mm
Cable length	: 2.0 m



ewent

Type no.	Manufacturer no.	Description
EW3563	EW3563	Connector: Jack 2x 3.5mm

Ewent Headset , 2x Jack 3.5mm

Technical specifications

Interface	: Jack: 2 x 3.5mm
Cable length	: 2.0 m



ewent

Type no.	Manufacturer no.	Description
EW3561	EW3561	Connector: Jack 2x 3.5mm

Ewent Headset

Technical specifications

Interface : Jack: 3.5mm
 Cable length : 2.1 m



Type no.	Manufacturer no.	Description
EW3567	EW3567	Connector: Jack 3.5mm

Ewent Headphone

Technical specifications

Interface : Jack: 3.5mm
 Cable length : 1.8 m



Type no.	Manufacturer no.	Description
EW3577	EW3577	Connector: Jack 3.5mm

Ewent Headphone for PC and Smartphone

- Adapter Audio cable from jack 3.5mm F to 2 x jack 3.5mm M

Technical specifications

Interface : Jack: 3.5mm
 Cable length : 1.2 m



Type no.	Manufacturer no.	Description
EW3576	EW3576	Connector: Jack 3.5mm

Ewent DJ Headphones with folding headband

Technical specifications

Interface : Jack: 3.5mm
 Cable length : 1.20 m



Type no.	Manufacturer no.	Description
EW3575	EW3575	Connector: Jack 3.5mm

Ewent In-ear Headphones

- 3 sizes for a perfect integration

Technical specifications

Interface : Jack: 3.5mm
Cable length : 1.2 m



Type no.	Manufacturer no.	Description
EW3584	EW3584	Connector: Jack 3.5mm

Ewent Multimedia Microphone

- Microphone is provided with adjustable stand and self-adhesive clip

Technical specifications

Interface : Jack: 3.5mm
Cable length : 1.8 m



Type no.	Manufacturer no.	Description
EW3550	EW3550	Connector: Jack 3.5mm

Soundcards

Ewent USB Audioblaster

- Speaker/headset and microphone inputs

Technical specifications

Interface : USB



Type no.	Manufacturer no.	Description
EW3751	EW3751	USB soundcard

Ewent Video Grabber

- With ArcSoft TotalMedia software
- Professionally edit your video into a DVD
- Capture video images from any analogue source (SVHS/Cinch)
- Store analogue movies on your PC

Technical specifications

Interface : USB



Type no.	Manufacturer no.	Description
EW3706	EW3706	USB Video Grabber

Gaming and webcams

Event webcam with microphone

Technical specifications

Interface : USB
 Maximum resolution : 640 x 480



ewent

Type no.	Manufacturer no.	Description
EW1089	EW1089	iCAM webcam with microphone

Event USB Double Shock Joypad

Technical specifications


Interface : USB



ewent

Type no.	Manufacturer no.	Description
EW3170	EW3170	USB Double shock joypad

Laptop bags



Ewent has selected a series of laptop bags that meet today's user requirements of laptop bags

Laptop cases and sleeves come in many colors, shapes and sizes. Ewent has selected a series of laptop bags that meet today's user requirements of a laptop bag.

The **Ewent Urban Bailhandle, backpack and the City Sleeve series** are trendy bags with a business touch. This series of laptop bags is suitable for both business users and consumers.

Ewent Urban bags are equipped with enough pockets to store your documents and accessories. Internally an additional storage is present for storing a tablet (max. 10.1") The bags are lightweight and made of strong, water-repellent material.

The **Ewent City Sleeve series** features a convenient storage compartment at the front. You can easily store documents and accessories.

Laptop bags

City Office Case 15-16.1 inch

- Hard frame for optimum protection

Technical specifications

Type of bag	: Shoulder bag
Protection	: 3 stars
Notebook compartment	: 42 x 31 x 6.5 cm
Material	: Nylon
Laptop size	: 16 inch
Laptop compartment	: 42 x 31 x 6.5 cm
Outside dimensions	: 45 x 35 x 7 cm
Main compartments	: 2
Weight	: 0.7 kg



ewent

Type no.	Manufacturer no.	Description
EW2502	EW2502	Max. laptop size: 15-16.1 inch, colour: Black

City Office Case 17-18.1 inch

- Hard frame for optimum protection

Technical specifications

Type of bag	: Shoulder bag
Protection	: 3 stars
Material	: Nylon
Laptop size	: 18.1 inch
Laptop compartment	: 44 x 32 x 5.5 cm
Outside dimensions	: 47 x 37,5 x 6,5 cm
Main compartments	: 2
Weight	: 0.8 kg



ewent

Type no.	Manufacturer no.	Description
EW2503	EW2503	Max. laptop size: 17-18.1 inch, colour: Black

City Bailhandle 15-16.1 inch

Technical specifications

Type of bag	: Shoulder bag
Protection	: 2 stars
Material	: Nylon
Laptop size	: 16 inch
Laptop compartment	: 38.5 x 30 x 6 cm
Outside dimensions	: 42 x 31 x 7 cm
Main compartments	: 2
Weight	: 0.5 kg



ewent

Type no.	Manufacturer no.	Description
EW2512	EW2512	Max. laptop size: 15-16.1 inch, colour: Black

Office supplies - Laptop bags

Urban Bailhandle 16 inch

- Double inner lining for a better protection of your laptop and tablet
- Easy attachable to your trolley, made off water repellent material

Technical specifications

Type of bag	: Shoulder bag
Protection	: 3 stars
Material	: Polyester mix
Laptop size	: 16 inch
Laptop compartment	: 40 x 30 x 4 cm
Tablet size	: 10.1 inch
Outside dimensions	: 45 x 35 x 6 cm
Main compartments	: 3
Weight	: 0.6 kg
Volume	: 10 l



ewent

Type no.	Manufacturer no.	Description
EW2525	EW2525	Max. laptop size: 16 inch, colour: Black

Urban Backpack 17.3 inch

- Double inner lining for a better protection of your laptop and tablet
- Additional outer compartments to store your smartphone, writing gear and more
- Made off water repellent material

Technical specifications

Type of bag	: Backpack
Protection	: 3 stars
Material	: Polyester mix
Laptop size	: 17.3 inch
Laptop compartment	: 31 x 46 x 4 cm
Tablet size	: 10.1 inch
Outside dimensions	: 43 x 50 x 14 cm
Main compartments	: 6
Weight	: 0.98 kg
Volume	: 30 l



ewent

Type no.	Manufacturer no.	Description
EW2528	EW2528	Max. laptop size: 17.3 inch, colour: Black

Urban Laptop Sleeve 13.3 inch

- Outer compartment with zipper for storage accessories

Technical specifications

Type of bag	: Sleeve
Protection	: 2 stars
Material	: Polyester
Laptop size	: 13.3 inch
Laptop compartment	: 34 x 25 x 2 cm
Outside dimensions	: 35 x 26 x 3 cm
Main compartments	: 2
Weight	: 0.2 kg
Volume	: 3 l



ewent

Type no.	Manufacturer no.	Description
EW2520	EW2520	Max. laptop size: 13.3 inch, colour: Black

Urban Laptop Sleeve 15.6 inch

- Outer compartment with zipper for storage accessories

Technical specifications

Type of bag	: Sleeve
Protection	: 2 stars
Material	: Polyester
Laptop size	: 15.6 inch
Laptop compartment	: 39 x 28 x 2 cm
Outside dimensions	: 40 x 29 x 3 cm
Main compartments	: 2
Weight	: 0.24 kg
Volume	: 4 l



Type no.	Manufacturer no.	Description
EW2523	EW2523	Max. laptop size: 13.3 inch, colour: Black

Laptop & Monitor stands

Reduce the risk of back and neck strain

Ergonomic notebook stands prevent joint problems through the convenient adjustable angle. Prevent back and neck pain by placing your monitor at the correct height. Allow yourself a comfortable work place and take advantage of additional features, such as a USB hub or a paper tray.

Create an ergonomic and space-saving work environment by using the **Ewent LCD Desk Mount**. Place your monitor to your ideal height and viewing angle for a better posture and thus avoid back, neck and shoulder complaints. The Ewent Desk Mounts are suitable for screens up to 27 inch and are easy to attach to your desk via a clamp or grommet mount.



Monitor & laptop stands

Event Monitor Riser with useful drawer

- Raise your monitor to a comfortable level (72mm to 100mm)
- Supports monitors up to 27 kg
- Drawer for storing A4 size papers and stationery, cable management system
- Non-skid rubber feet for stability

Technical specifications

Colour : Black



ewent

Type no.	Manufacturer no.	Description
EW1280	EW1280	Monitor Riser: with drawer

Event Notebook Cooling System incl. USB HUB

- With 3 built-in silent cooling fans for protection against overheating
- 2 fans are adjustable in height to place them in areas with more heat from the notebook
- HUB USB 2.0 4 ports for connecting mouse and keyboard and other peripherals
- Suitable for any notebook, netbook or MacBook with screen sizes up to 16
- USB powered fans: no wall power connection needed

Technical specifications

Colour : Black



ewent

Type no.	Manufacturer no.	Description
EW1254	EW1254	Notebook stand: with fan and USB 2.0 hub

Event Notebook Stand Deluxe incl. USB HUB

- Six gears adjustable setting position
- Relieves strain in back, neck and wrists
- Integrated with USB hub for connecting up to four USB devices

Technical specifications

Colour : Black



ewent

Type no.	Manufacturer no.	Description
EW1251	EW1251	Notebook Standard: with USB 2.0 hub

Desk mount

Ewent LCD Desk Mount 13 - 27 inch, 1 screen

Technical specifications

Screens	: 1
Screen size	: 13-27 inch
Mounting	: Desk clamp, grommet
Max. weight per screen	: 8 kg
Pivot points	: 3
Depth	: 20-44 cm
Height	: 0-45 cm
Tilt	: 180 °
Rotation	: 360 °
Swivel	: 360 °
Colour	: Black
VESA minimum / maximum	: Min: 75x75, Max: 100x100 mm



Type no.	Manufacturer no.	Description
EW1510	EW1510	Desk mount

Ewent LCD Desk Mount 13 - 27 inch, 2 screens

Technical specifications

Screens	: 2
Screen size	: 13-27 inch
Mounting	: Desk clamp, grommet
Max. weight per screen	: 8 kg
Pivot points	: 3
Depth	: 20-44 cm
Height	: 0-45 cm
Tilt	: 180 °
Rotation	: 360 °
Swivel	: 360 °
Colour	: Black
VESA minimum / maximum	: Min: 75x75, Max: 100x100 mm



Type no.	Manufacturer no.	Description
EW1512	EW1512	Desk mount



Tablet and smartphone accessories

Ewent Stylus 2-in-1 Smartpen

- To be used as a tablet stylus and a ballpoint pen
- Used on tablet and smartphone with capacitive screens
- Ideal for drawing, writing, edit photos and make notes



ewent

Type no.	Manufacturer no.	Description
EW1422	EW1422	Stylus + pen

Ewent Stylus Smartpen

- Used on tablet and smartphone with capacitive screens



ewent

Type no.	Manufacturer no.	Description
EW1424	EW1424	Stylus

Ewent Smartphone Car Mount (display 25 pieces)

- Packed per 25 pieces in a unique counter display
- Fits perfectly to any smartphone by its adjustable width



ewent

Type no.	Manufacturer no.	Description
EW1276	EW1276	Smartphone car mount. Packed per 30 pieces in a unique counter display

Cleaning

Ewent Air Duster 220ml

- Works in up down position

Technical specifications

Contents : 220 ml



ewent

Type no.	Manufacturer no.	Description
EW5600	EW5600	Air Duster: 220ML (Upside/down use)

Ewent Air Duster 400ml

- Keep upright when using the canister!

Technical specifications

Contents : 400 ml



ewent

Type no.	Manufacturer no.	Description
EW5601	EW5601	Air Duster: 400ML

Ewent Screen cleaner

- Anti-bacterial: SGS tested, Anti-static, Alcohol and ammonia free and Dermatologically safe

Technical specifications

Contents : 1x 200 ml, 1x microfiber cloth



ewent

Type no.	Manufacturer no.	Description
EW5671	EW5671	Screen cleaner: 200ML

Ewent Surface Cleaning Wipes

- Anti-bacterial: SGS tested, Anti-static, Alcohol and ammonia free and Dermatologically safe
- Cane with 100 pre-moistened wipes Anti-static formula-ideals for office use.

Technical specifications

Contents : 100



ewent

Type no.	Manufacturer no.	Description
EW5612	EW5612	Surface Cleaning Wipes: 100 pieces

Mousepads

Ewent Mouse Pad (Black Leather look)

- Leather-look surface is perfect for precise mouse control

Technical specifications

Material : Polyurethane, rubber
Size : 22 x 18 x 0.3 m



ewent

Type no.	Manufacturer no.	Description
EW2761	EW2761	Mouse Pad: Heavy duty

Laptop locks

Ewent Notebook Lock with number combination

- Easy to use with any laptop and desktop with a built-in security slot
- 4-digit combination lock
- Strong locking device featuring a 1.5m steel cable

Technical specifications

Cable length : 1.50 m



ewent

Type no.	Manufacturer no.	Description
EW1241	EW1241	Notebook: 4-digit combination lock

Ewent Notebook Lock with 2 Keys

- Universal and easy to use with any laptop and desktop with a built-in security slot
- Comes with 2 identical keys
- Strong locking device featuring a 1.5m steel cable

Technical specifications

Cable length : 1.50 m



ewent

Type no.	Manufacturer no.	Description
EW1242	EW1242	Notebook: key lock (2 keys)

Retail packed cables

A cable is just a cable, right?

Nothing could be further from the truth. A good cable enables you to get the best picture from your monitor and TV, pushes your network to the limit and gets the maximum speed out of your USB port. Ewent makes cables to allow your equipment to perform optimally. For example, we use copper in many of our cables, because it has been shown that this is the best material.

All Ewent cables are packaged in an attractive blister, which ensures optimal presentation in your store or showroom.



Retail packed cable

Ewent Network cable

Ewent CAT5e UTP Networking Cable ivory

Technical specifications

Cable	: U/UTP CAT6
Conductor diametre	: AWG#24
Conductor material	: Full copper
Colour	: Ivory
Connectors	: RJ-45
Contacts	: 50µ gold
Bandwidth	: 100 MHz



ewent

Type no.	Manufacturer no.	Description
EW9520	EW9520	Length: 0.90 m
EW9521	EW9521	Length: 2.00 m
EW9522	EW9522	Length: 5.00 m
EW9523	EW9523	Length: 10.00 m
EW9524	EW9524	Length: 15.00 m

Ewent CAT5e UTP Networking Cable black

Technical specifications

Cable	: U/UTP CAT5E
Conductor diametre	: AWG#24
Conductor material	: Full copper
Colour	: Black
Connectors	: RJ-45
Contacts	: 50µ gold
Bandwidth	: 100 MHz



ewent

Type no.	Manufacturer no.	Description
EW9525	EW9525	Length: 0.90 m
EW9526	EW9526	Length: 2.00 m
EW9527	EW9527	Length: 5.00 m
EW9528	EW9528	Length: 10.00 m
EW9529	EW9529	Length: 15.00 m

Ewent CAT6 UTP Networking Cable black

Technical specifications

Cable	: U/UTP CAT6
Conductor diametre	: AWG#24
Conductor material	: Full copper
Colour	: Black
Connectors	: RJ-45
Contacts	: 50µ gold
Bandwidth	: 250 MHz



ewent

Type no.	Manufacturer no.	Description
EW9530	EW9530	Length: 0.90 m
EW9531	EW9531	Length: 2.00 m
EW9532	EW9532	Length: 5.00 m
EW9533	EW9533	Length: 10.00 m
EW9534	EW9534	Length: 15.00 m

Ewent Modular coupler RJ-45

Technical specifications

Connector A : RJ-45 female
 Connector B : RJ-45 female
 Wiring : 1:1



ewent

Type no.	Manufacturer no.	Description
EW9001	EW9001	Coupler RJ-45

Ewent Modular RJ-45 Connector (10 pieces)

- Modular Connector for round stranded cables
- Content: 10 pieces

Technical specifications

Housing : ABS Plastic
 Connectors : RJ-45
 Contacts : Phosphor bronze
 Contact finish : 50µ gold over 100µ Nickel
 Max. current : 1.5 A
 Max. voltage : 1000 V



ewent

Type no.	Manufacturer no.	Description
EW9002	EW9002	Connector: RJ-45 (8P/8C)

Ewent CAT6 Modular RJ-45 Connector (10 pieces)

- Modular Connector for solid and stranded cables
- Content: 10 pieces

Technical specifications

Housing : Polycarbonaat UL94V-2
 Connectors : RJ-45
 Contacts : Koperlegering
 Contact finish : 50µ gold
 Max. current : 2 A
 Max. voltage : 250 V AC V



ewent

Type no.	Manufacturer no.	Description
EW9004	EW9004	Connector: RJ-45 (8P/8C)

Ewent RJ-45 Cable Boots (10 pieces)

- UTP cable boots for 5.5 mm cable
- Content: 10 pieces

Technical specifications

Connectors : RJ-45
 Colour : Grey



ewent

Type no.	Manufacturer no.	Description
EW9003	EW9003	RJ-45 Cable Boots

Ewent Modular Crimp Tool

- Strips and cuts the cables and crimps the connectors

Technical specifications

Suitable for : RJ-45



ewent

Type no.	Manufacturer no.	Description
EW9005	EW9005	Suitable for: RJ-45

Ewent USB cable

Ewent USB 2.0 Connection Cable

Technical specifications

Connector A : USB A male
 Connector B : USB B male
 USB Standard : USB 2.0
 Speed : 480 Mb/s
 Colour : Black



ewent

Type no.	Manufacturer no.	Description
EW9625	EW9625	Length: 0.90 m
EW9620	EW9620	Length: 1.80 m
EW9621	EW9621	Length: 3.00 m
EW9626	EW9626	Length: 5.00 m

Ewent USB 3.0 Connection Cable

Technical specifications

Connector A : USB A male
 Connector B : USB B male
 USB Standard : USB 3.0
 Speed : 5 Gbit/s
 Colour : Black



ewent

Type no.	Manufacturer no.	Description
EW9623	EW9623	length: 1.80 m
EW9629	EW9629	length: 3.00 m

Ewent USB 3.1 Gen1 Connection Cable Type C

Technical specifications

Connector A : USB Type-C male
 Connector B : USB Type-C male
 USB Standard : USB 3.1 Gen1 (USB 3.0)
 Speed : 5 Gbit/s
 Colour : Black



ewent

Type no.	Manufacturer no.	Description
EW9640	EW9640	Length: 1.00 m

Cables - Retail packed cables

Ewent USB 3.1 Gen1 Connection Cable Type C naar USB 2.0 Type A

Technical specifications

Connector A	: USB Type-C male
Connector B	: USB Type-A male
USB Standard	: USB 3.1 Gen1 (USB 3.0)
Speed	: 480 Mbps
Colour	: Black

NEW!



ewent

Type no.	Manufacturer no.	Description
EW9641	EW9641	Length: 1.00 m

Ewent USB 3.1 Gen1 Adapter Type C naar USB Type A

Technical specifications

Connector A	: USB Type-C male
Connector B	: USB Type-A female
USB Standard	: USB 3.1 Gen1 (USB 3.0)
Speed	: 480 Mbps
Colour	: Black

NEW!



ewent

Type no.	Manufacturer no.	Description
EW9642	EW9642	Adapter USB C male - USB A female

Ewent USB 2.0 Extension Cable

Technical specifications

Connector A	: USB A male
Connector B	: USB A female
USB Standard	: USB 2.0
Speed	: 480 Mb/s
Colour	: Black



ewent

Type no.	Manufacturer no.	Description
EW9624	EW9624	Length: 1.80 m
EW9622	EW9622	Length: 3.00 m

Ewent Micro USB 2.0 Connection Cable

Technical specifications

Connector A	: USB B male micro
Connector B	: USB A male
USB Standard	: USB 2.0
Speed	: 480 Mb/s
Colour	: Black



ewent

Type no.	Manufacturer no.	Description
EW9628	EW9628	Length: 1.20 m

Ewent Mini USB 2.0 Connection Cable

Technical specifications

Connector A	: USB A male
Connector B	: USB B5 mini male
USB Standard	: USB 2.0
Speed	: 480 Mb/s
Colour	: Black



ewent

Type no.	Manufacturer no.	Description
EW9627	EW9627	Length: 1.80 m

Ewent Video cable

Ewent HDMI High Speed connection cable

Technical specifications

Connector A	: HDMI-A male
Connector B	: HDMI-A male
Conductor diametre	: AWG#28
Conductor Material	: Full Copper
HDMI standard	: HDMI High Speed
Colour	: Black



ewent

Type no.	Manufacturer no.	Description
EW9870	EW9870	Length: 1.50 m
EW9871	EW9871	Length: 2.50 m
EW9872	EW9872	Length: 5.00 m

Ewent Adapter HDMI A male - VGA female

- HDMI Male to VGA Female
- Video and audio converter from a digital HDMI connector to analogue VGA

Technical specifications

Connector A	: HDMI-A male
Connector B	: VGA female
Colour	: Black



ewent

Type no.	Manufacturer no.	Description
EW9864	EW9864	Length: 0.23 m

Ewent VGA connection cable

Technical specifications

Connector A	: 15 Pin HD Sub-D male
Connector B	: 15 Pin HD Sub-D male
Hoods	: Molded
Colour	: Black



ewent

Type no.	Manufacturer no.	Description
EW9880	EW9880	Length: 1.80 m

Cables - Retail packed cables

Ewent DisplayPort connection cable

- Provides up to 4K resolution with digital audio
- Supports colour depth of 6, 8, 10, 12, and 16 bits per component

Technical specifications

Connector A	: DisplayPort male
Connector B	: DisplayPort male
Conductor diametre	: AWG#28
Conductor Material	: Full copper
Shielding	: Mylar aluminium foil + 85% braid
DisplayPort standard	: DP version 1.2
Max. Resolution	: 3840 x 2160
Colour	: Black



ewent

Type no.	Manufacturer no.	Description
EW9840	EW9840	Length: 2.00 m
EW9841	EW9841	Length: 3.00 m

Ewent DVI-D Single Link connection cable

Technical specifications

Connector A	: DVI-D single link male (18+1)
Connector B	: DVI-D single link male (18+1)
Conductor diametre	: AWG#28
Conductor Material	: Full copper
Shielding	: Mylar aluminium foil + braid
Colour	: Black



ewent

Type no.	Manufacturer no.	Description
EW9830	EW9830	Length: 2.00 m

Ewent DVI-D Dual Link connection cable

Technical specifications

Connector A	: DVI-D dual link male (24+1)
Connector B	: DVI-D dual link male (24+1)
Conductor diametre	: AWG#28
Conductor Material	: Full copper
Shielding	: Mylar aluminium foil + braid
Colour	: Black



ewent

Type no.	Manufacturer no.	Description
EW9835	EW9835	Length: 2.00 m

Ewent Converter cable HDMI A male - DVI-D male

Technical specifications

Connector A	: HDMI-A male
Connector B	: DVI-D single link male (18+1)
Colour	: Black



ewent

Type no.	Manufacturer no.	Description
EW9860	EW9860	Length: 2.00 m

Ewent Converter cable Mini DisplayPort male - HDMI-A female

Technical specifications

Connector A	: Mini DisplayPort male
Connector B	: HDMI-A female
Conductor diametre	: AWG#32
Conductor material	: Full copper
Shielding	: Mylar aluminium foil + braid
DisplayPort standard	: 1.2
Max. Resolution	: 1920 x 1080
Colour	: White



ewent

Type no.	Manufacturer no.	Description
EW9861	EW9861	Length: 0.15 m

Ewent Video adapter

Ewent Adapter DVI-A male - VGA female

- RF Block, shielded

Technical specifications

Connector A	: DVI-A male
Connector B	: 15-HD D-sub female
Colour	: Black



ewent

Type no.	Manufacturer no.	Description
EW9850	EW9850	Adapter DVI-A male - VGA female

Ewent Adapter DVI-A female - VGA male

- RF Block, shielded

Technical specifications

Connector A	: DVI-A (24+5) female
Connector B	: HD 15 D-sub male
Colour	: Black



ewent

Type no.	Manufacturer no.	Description
EW9851	EW9851	Adapter VGA male - DVI-A female

Ewent Adapter DVI-D male - HDMI A female

- RF-Block shielded hood

Technical specifications

Connector A	: DVI-D male
Connector B	: HDMI A female
Colour	: Black



ewent

Type no.	Manufacturer no.	Description
EW9852	EW9852	Adapter DVI-D male - HDMI A female

Ewent Adapter HDMI A male - HDMI A female

- HDMI adapter angled 90 degrees down

Technical specifications

Connector A	: HDMI-A male
Connector B	: HDMI-A female
Colour	: Black

NEW!



ewent

Type no.	Manufacturer no.	Description
EW9855	EW9855	Direction: Angled 90 degrees down

Ewent Audio cable

Ewent 3,5 mm stereo jack extension cable male - female

Technical specifications

Connector A	: 3.5 mm stereo jack male
Connector B	: 3.5 mm stereo jack female
Colour	: Black



ewent

Type no.	Manufacturer no.	Description
EW9230	EW9230	Length: 3.00 m

Ewent 3,5 mm stereo jack connection cable male - male

Technical specifications

Connector A	: 3.5 mm stereo jack male
Connector B	: 3.5 mm stereo jack male
Colour	: Black



ewent

Type no.	Manufacturer no.	Description
EW9231	EW9231	Length: 1.50 m

Ewent 3,5 mm stereo jack audio splitter cable male - 2x female

- Splits sound to two audio devices

Technical specifications

Connector A	: 3,5 mm stereo jack male
Connector B	: 2x 3,5 mm stereo jack female
Colour	: Black



ewent

Type no.	Manufacturer no.	Description
EW9232	EW9232	Length: 0.10 m

Ewent audio convertercable 1x 3,5mm stereo jack male - 2x RCA male

- Connect your portable audio devices to your home stereo

Technical specifications

Connector A : 3,5 mm stereo jack male
 Connector B : 2x RCA male
 Colour : Black



ewent

Type no.	Manufacturer no.	Description
EW9233	EW9233	Length: 1.20 m

Ewent audio connection cable 2x RCA male - 2x RCA male

Technical specifications

Connector A : 2x RCA male
 Connector B : 2x RCA male
 Colour : Black



ewent

Type no.	Manufacturer no.	Description
EW9234	EW9234	Length: 1.20 m

Ewent Power cable

Ewent connection cable CEE 7/7 male (angled) - C5 female

- C5 female connector, often called a "Mickey Mouse" connector

Technical specifications

Connector A : CEE 7/7 male
 Connector B : IEC 60320 C5 female
 Cable length : 3 m
 Cable : 3x 0,75 mm²
 Suitable for : 230 V AC/2,50 A
 Colour : Black



ewent

Type no.	Manufacturer no.	Description
EW9180	EW9180	Length: 3.00 m

Ewent 230V connection cable schuko male (angled) - C13 female

Technical specifications

Connector A : Schuko power plug angled male (CEE 7/7)
 Connector B : IEC 60320 C13 female
 Cable length : 1.5 m
 Cable : 3x 0,75 mm²
 Colour : Black
 Suitable for : 230 V AC/6 A



ewent

Type no.	Manufacturer no.	Description
EW9185	EW9185	Length: 1.50 m

Cables - Retail packed cables

Ewent 230V connection cable Euro male - C7 female

Technical specifications

Connector A	: Euro connector male straight 2 Pins (CEE 7/16)
Connector B	: IEC 60320 C5 female
Cable length	: 1.5 m
Cable	: 2x 0,75 mm ²
Colour	: Black
Suitable for	: 230 V AC/2,50 A



ewent

Type no.	Manufacturer no.	Description
EW9181	EW9181	Length: 1.50 m

Ewent 230V extension cable C13 female - C14 male

Technical specifications

Connector A	: IEC 60320 C13 female
Connector B	: IEC 60320 C14 male
Cable length	: 1.8 m
Cable	: 3x 0,75 mm ²
Colour	: Black
Suitable for	: 230 V AC/6 A



ewent

Type no.	Manufacturer no.	Description
EW9186	EW9186	Length: 1.80 m

Ewent Data connection cable

Ewent Serial ATA power adapter cable

- Connect your 5,25" device to SATA

Technical specifications

Connector A	: SATA 15 pins connector female
Connector B	: 5.25" power male
Cable length	: 0.15 m
Colour	: Black, Red, Yellow



ewent

Type no.	Manufacturer no.	Description
EW9170	EW9170	Length: 0.15 m

Ewent Serial ATA III connection cable

- Equipped with a latch connector to make sure your cable is securely connected

Technical specifications

Connector A	: SATA III female with latch
Connector B	: SATA III female with latch
Colour	: Black



ewent

Type no.	Manufacturer no.	Description
EW9171	EW9171	Length: 0.50 m

Ewent OEM Cables

Profitable CAT5 and
CAT6 Patch Cables,
Video Cables

The Ewent patch cables offer a good price / performance ratio. By choosing other materials, it is possible to realize a competitive price.

CAT6 cables are made of thin wires (AWG26). All Ewent patch cables always have full copper conductors.



OEM packed cables

Ewent Network cables

CAT5E U/UTP CCA patch cable grey

- Suitable for small home offices

Technical specifications

Cable	: U/UTP
CATx	: CAT 5E
Conductors	: AWG26 Copper Clad Aluminum
Conductor material	: CCA
Colour	: Grey
Colour Number	: RAL 7045
Sheet	: PVC
Connector A	: RJ-45
Connector B	: RJ-45
Contacts	: 3µ flashgold
Bandwidth	: 100 MHz



Type no.	Manufacturer no.	Description
IM6000	IM6000	Length: 0,50 m
IM6001	IM6001	Length: 1,00 m
IM6051	IM6051	Length: 1.50 m
IM6002	IM6002	Length: 2,00 m
IM6003	IM6003	Length: 3,00 m
IM6005	IM6005	Length: 5,00 m
IM6007	IM6007	Length: 7.00 m
IM6010	IM6010	Length: 10,00 m

CAT5E U/UTP CCA patch cable red

- Suitable for small home offices

Technical specifications

Cable	: U/UTP
CATx	: CAT 5E
Conductors	: AWG#26 Copper Clad Aluminum
Conductor material	: CCA
Colour	: Red
Colour Number	: RAL 3031
Sheet	: PVC
Connector A	: RJ-45
Connector B	: RJ-45
Contacts	: 3µ flashgold
Bandwidth	: 100 MHz



Type no.	Manufacturer no.	Description
IM5500	IM5500	Length: 0,50 m
IM5501	IM5501	Length: 1,00 m
IM5551	IM5551	Length: 1.50 m
IM5502	IM5502	Length: 2,00 m
IM5503	IM5503	Length: 3,00 m
IM5505	IM5505	Length: 5,00 m
IM5507	IM5507	Length: 7.00 m
IM5510	IM5510	Length: 10,00 m

CAT5E U/UTP CCA patch cable blue

- Suitable for small home offices

Technical specifications

Cable	: U/UTP
CATx	: CAT 5E
Conductors	: AWG#26 Copper Clad Aluminum
Conductor material	: CCA
Colour	: Blue
Colour Number	: RAL 5012
Sheet	: PVC
Connector A	: RJ-45
Connector B	: RJ-45
Contacts	: 3μ flashgold
Bandwidth	: 100 MHz



ewent

Type no.	Manufacturer no.	Description
IM5600	IM5600	Length: 0,50 m
IM5601	IM5601	Length: 1,00 m
IM5651	IM5651	Length: 1.50 m
IM5602	IM5602	Length: 2,00 m
IM5603	IM5603	Length: 3,00 m
IM5605	IM5605	Length: 5,00 m
IM5607	IM5607	Length: 7.00 m
IM5610	IM5610	Length: 10,00 m

CAT5E U/UTP CCA patch cable green

- Suitable for small home offices

Technical specifications

Cable	: U/UTP
CATx	: CAT 5E
Conductors	: AWG#26 Copper Clad Aluminum
Conductor material	: CCA
Colour	: Green
Colour Number	: RAL 6016
Sheet	: PVC
Connector A	: RJ-45
Connector B	: RJ-45
Contacts	: 3μ flashgold
Bandwidth	: 100 MHz



ewent

Type no.	Manufacturer no.	Description
IM5700	IM5700	Length: 0,50 m
IM5701	IM5701	Length: 1,00 m
IM5751	IM5751	Length: 1.50 m
IM5702	IM5702	Length: 2,00 m
IM5703	IM5703	Length: 3,00 m
IM5705	IM5705	Length: 5,00 m
IM5707	IM5707	Length: 7.00 m
IM5710	IM5710	Length: 10,00 m

CAT5E U/UTP CCA patch cable yellow

- Suitable for small home offices

Technical specifications

Cable	: U/UTP
CATx	: CAT 5E
Conductors	: AWG#26 Copper Clad Aluminum
Conductor material	: CCA
Colour	: Yellow
Colour Number	: RAL 1023
Sheet	: PVC
Connector A	: RJ-45
Connector B	: RJ-45
Contacts	: 3µ flashgold
Bandwidth	: 100 MHz



ewent

Type no.	Manufacturer no.	Description
IM5800	IM5800	Length: 0,50 m
IM5801	IM5801	Length: 1,00 m
IM5851	IM5851	Length: 1.50 m
IM5802	IM5802	Length: 2,00 m
IM5803	IM5803	Length: 3,00 m
IM5805	IM5805	Length: 5,00 m
IM5807	IM5807	Length: 7.00 m
IM5810	IM5810	Length: 10,00 m

CAT5E U/UTP CCA patch cable black

- Suitable for small home offices

Technical specifications

Cable	: U/UTP
CATx	: CAT 5E
Conductors	: AWG#26 Copper Clad Aluminum
Conductor material	: CCA
Colour	: Black
Colour Number	: RAL 9011
Sheet	: PVC
Connector A	: RJ-45
Connector B	: RJ-45
Contacts	: 3µ flashgold
Bandwidth	: 100 MHz



ewent

Type no.	Manufacturer no.	Description
IM5900	IM5900	Length: 0,50 m
IM5901	IM5901	Length: 1,00 m
IM5951	IM5951	Length: 1,50 m
IM5902	IM5902	Length: 2,00 m
IM5903	IM5903	Length: 3,00 m
IM5905	IM5905	Length: 5,00 m
IM5907	IM5907	Length: 7.00 m
IM5910	IM5910	Length: 10,00 m

CAT6 U/UTP patch cable grey PVC AWG26 3u flashgold

- Full copper AWG#26 wires, 3μ flashgold RJ-45 contacts.

Technical specifications

Cable	: U/UTP
CATx	: CAT 6
Conductors	: AWG26
Conductor material	: Full copper
Colour	: Grey
Colour Number	: RAL 7045
Sheat	: PVC
Connector A	: RJ-45
Connector B	: RJ-45
Contacts	: 3μ flashgold
Bandwidth	: 250 MHz



ewent

Type no.	Manufacturer no.	Description
IM8000	IM8000	Length: 0,50 m
IM8001	IM8001	Length: 1,00 m
IM8051	IM8051	Length: 1,50 m
IM8002	IM8002	Length: 2,00 m
IM8003	IM8003	Length: 3,00 m
IM8005	IM8005	Length: 5,00 m
IM8007	IM8007	Length: 7,00 m
IM8010	IM8010	Length: 10,00 m

CAT6 U/UTP patch cable red PVC AWG26 3u flashgold

- Full copper AWG#26 wires, 3μ flashgold RJ-45 contacts.

Technical specifications

Cable	: U/UTP
CATx	: CAT 6
Conductors	: AWG26
Conductor material	: Full copper
Colour	: Red
Colour Number	: RAL 3031
Sheat	: PVC
Connector A	: RJ-45
Connector B	: RJ-45
Contacts	: 3μ flashgold
Bandwidth	: 250 MHz



ewent

Type no.	Manufacturer no.	Description
IM8500	IM8500	Length: 0,50 m
IM8501	IM8501	Length: 1,00 m
IM8551	IM8551	Length: 1,50 m
IM8502	IM8502	Length: 2,00 m
IM8503	IM8503	Length: 3,00 m
IM8505	IM8505	Length: 5,00 m
IM8507	IM8507	Length: 7,00 m
IM8510	IM8510	Length: 10,00 m

CAT6 U/UTP patch cable blue PVC AWG26 3u flashgold

- Cables completamente en cobre AWG#26, Contactos RJ-45 ba±ados en oro 3µ.

Technical specifications

Cable	: U/UTP
CATx	: CAT 6
Conductors	: AWG26
Conductor material	: Full copper
Colour	: Blue
Colour Number	: RAL 5012
Sheat	: PVC
Connector A	: RJ-45
Connector B	: RJ-45
Contacts	: 3µ flashgold
Bandwidth	: 250 MHz



ewent

Type no.	Manufacturer no.	Description
IM8600	IM8600	Length: 0,50 m
IM8601	IM8601	Length: 1,00 m
IM8651	IM8651	Length: 1,50 m
IM8602	IM8602	Length: 2,00 m
IM8603	IM8603	Length: 3,00 m
IM8605	IM8605	Length: 5,00 m
IM8607	IM8607	Length: 7,00 m
IM8610	IM8610	Length: 10,00 m

CAT6 U/UTP patch cable green PVC AWG26 3u flashgold

- Full copper AWG#26 wires, 3µ flashgold RJ-45 contacts.

Technical specifications

Cable	: U/UTP
CATx	: CAT 6
Conductors	: AWG26
Conductor material	: Full copper
Colour	: Green
Colour Number	: RAL 6016
Sheat	: PVC
Connector A	: RJ-45
Connector B	: RJ-45
Contacts	: 3µ flashgold
Bandwidth	: 250 MHz



ewent

Type no.	Manufacturer no.	Description
IM8700	IM8700	Length: 0,50 m
IM8701	IM8701	Length: 1,00 m
IM8751	IM8751	Length: 1,50 m
IM8702	IM8702	Length: 2,00 m
IM8703	IM8703	Length: 3,00 m
IM8705	IM8705	Length: 5,00 m
IM8707	IM8707	Length: 7,00 m
IM8710	IM8710	Length: 10,00 m

CAT6 U/UTP patch cable yellow PVC AWG26 3μ flashgold

- Full copper AWG#26 wires, 3μ flashgold RJ-45 contacts.

Technical specifications

Cable	: U/UTP
CATx	: CAT 6
Conductors	: AWG26
Conductor material	: Full copper
Colour	: Yellow
Colour Number	: RAL 1023
Sheat	: PVC
Connector A	: RJ-45
Connector B	: RJ-45
Contacts	: 3μ flashgold
Bandwidth	: 250 MHz



ewent

Type no.	Manufacturer no.	Description
IM8800	IM8800	Length: 0,50 m
IM8801	IM8801	Length: 1,00 m
IM8851	IM8851	Length: 1,50 m
IM8802	IM8802	Length: 2,00 m
IM8803	IM8803	Length: 3,00 m
IM8805	IM8805	Length: 5,00 m
IM8807	IM8807	Length: 7,00 m
IM8810	IM8810	Length: 10,00 m

CAT6 U/UTP patch cable black PVC AWG26 3μ flashgold

- Full copper AWG#26 wires, 3μ flashgold RJ-45 contacts.

Technical specifications

Cable	: U/UTP
CATx	: CAT 6
Conductors	: AWG26
Conductor material	: Full copper
Colour	: Black
Colour Number	: RAL 9011
Sheat	: PVC
Connector A	: RJ-45
Connector B	: RJ-45
Contacts	: 3μ flashgold
Bandwidth	: 250 MHz



ewent

Type no.	Manufacturer no.	Description
IM8900	IM8900	Length: 0,50 m
IM8901	IM8901	Length: 1,00 m
IM8951	IM8951	Length: 1,50 m
IM8902	IM8902	Length: 2,00 m
IM8903	IM8903	Length: 3,00 m
IM8905	IM8905	Length: 5,00 m
IM8907	IM8907	Length: 7,00 m
IM8910	IM8910	Length: 10,00 m

Ewent Video Cables

VGA connection cable male - male

- Pin 9 not connected

Technical specifications

Connector A	: 15 Pin HD D-sub male
Connector B	: 15 Pin HD D-sub male
Hoods	: Black molded
Colour	: Black



ewent

Type no.	Manufacturer no.	Description
AK3226	AK3226	VGA connection cable male - male 1,80 m
AK3227	AK3227	VGA connection cable male - male 3,00 m
AK3228	AK3228	VGA connection cable male - male 5,00 m

VGA extension cable male - female

- Pin 9 not connected

Technical specifications

Connector A	: 15 Pin HD D-sub male
Connector B	: 15 Pin HD D-sub female
Hoods	: Black molded
Colour	: Black



ewent

Type no.	Manufacturer no.	Description
AK3221	AK3221	VGA extension cable male - female 1,80 m

Eminent Europe Head office

Mailing address:

P.O. box 276
6160 AG Geleen
The Netherlands

Visiting address:

Sanderboutlaan 4a-3
6181 DN Elsloo
The Netherlands

Tel.: +31 (0)46-4269060
info@eminent-online.com

www.eminent-online.com

www.play-gaming.net

www.ewent-online.com



ISO 9001:2008

Eminent is a member of the TKH Group N.V. The TKH Group is listed on the Euronext stock exchange in Amsterdam. Eminent is ISO 9001:2008 certified. This certification confirms the continuous commitment to customer satisfaction and the resulting quality assurance and improvement.