

## MOTHERBOARD X299 RAIDER ENTER THE NEXT LEVEL





## SPECIFICATIONS

| Model Name  | X299 RAIDER   |
|---|---|
| CPU support<br>CPU socket   | Supports New Intel <sup>®</sup> Core™ X-series Processor Family<br>LGA 2066   |
| Chipset   | Intel <sup>®</sup> X299 Chipset   |
| Graphics Interfac   | 4 x PCI-E 3.0 x16 Slots<br>e <sup>3</sup> -way SLI / CrossFire  |
| Memory support  | 8 DIMMs, Quad Channel DDR4-4133(OC)+, Dual Channel<br>DDR4-4500(OC)+  |
| Expansion slots   | 1 x PCI-E 3.0 x1 Slot   |
| SATA / M.2 / U.2  | 8 x SATA 6Gb.s ports, 2 x Turbo M.2 slots, 1 x Turbo U.2 connector  |
| Intel <sup>®</sup> Optane™<br>USB 3.1 Gen2<br>USB 3.1 Gen1<br>USB 2.0 | Intel <sup>®</sup> Optane <sup>™</sup> Memory Ready<br>3 x USB 3.1 Gen2 (Type A+C)<br>8 x USB 3.1 Gen1<br>8 x USB 2.0 |
| LAN<br>Audio<br>Form Factor   | Intel <sup>®</sup> I219V Gigabit LAN<br>7.1 Channel High Definition Audio with S/PDIF<br>ATX                          |


## REAR CONNECTORS

| 1. Keyboard / Mouse  |  |
|----------------------|--|
| 2. Clear CMOS Button |  |
| 3 USB 3 1 Gen1       |  |

- 3. USB 3.1 Gen1
- 4. Intel® Gigabit LAN
  5. Golden Audio Connectors
- 6. USB 2.0
- 6. USB 2.0
- 7. USB 3.1 Gen2 Type-A/C

## FEATURES

- 1. DDR4 BOOST: Give your DDR4 memory a performance boost.
- TWIN TURBO M.2 and Intel® Optane Memory Ready: NVMe support, up to 32 Gb/s using PCI-Express Gen3 x4
- 3. TURBO U.2 with Steel Armor: The U.2 connector, featuring Steel Armor, allows connecting of the fastest NVMe based SSDs.
- Lightning USB 3.1 GEN2: Powered by the ASMedia ASM3142 USB 3.1 Gen2 controller, Lightning USB offers the fastest USB speeds.
- 5. Military Class 6: Latest evolution in high quality components for best protection and efficiency
- Intel® LAN: Great online experience through hardware design and bandwidth management offering the lowest latency.
- 7. Audio Boost 4: Reward your ears with studio grade sound quality for a true HI-FI experience.
- 8. EZ DEBUG LED: Easiest way to troubleshoot.



For more information check our Product page This datasheet was generated on Jul 5 2017

Product specifications and colors are subject to change without notice and may vary from those shown. Errors and omissions excepted.

8. Optical S/PDIF-Out