

Data Sheet

FUJITSU Accessory PalmSecure F Pro Mouse Security Access Protection

Maximize your security

Fujitsu's highly secure and easy to use PalmSecure F Pro Mouse captures an individual's palm image with a near-infrared light. The user simply places the palm of the hand above the sensor, which captures a unique image the blood flowing in the user's veins. Once that image is captured you can securely login with just your hand.

Security

- Highly secure biometric solution through palm vein authentication. It provides a powerful combination of strong biometric authentication for log-in security, access management and data protection for both client and enterprise environments.

Usability and Ergonomics

- PalmSecure is effortless to use. Simply hold the palm over a small infrared scanner and within a second the identity is verified. Because the system is contactless it is completely hygienic.

Designed for stand alone use

- Provides an off the shelf biometric identification device integrated in a USB laser mouse



PalmSecure F Pro Mouse

Technical specifications

	<p>Mid size mouse with integrated PalmSecure sensor 3 button 1 wheel USB 1 m cable Laser sensor 1000 dpi Lighting environment for authentication: Enrollment: below 1700 lux (halogenlamp) and below 5000 lux natural light Verification: below 45000 lux normal mode and below 80000 lux in high power mode Encrypting scheme: AES (length of cryptography key more than 128 bit) Authentication rate: FFR < 0,01% FAR below 0,00001% Template compatible with OEM sensor (M1E) from V30 library and higher in I format Authentication time (verify) < 1 sec This product cannot be used under direct sunlight</p>
MTBF (demonstrated)	100,000 h
Color	Black/anthracite

System requirements

Supported operating systems	<p>Windows 7 Windows 8 Windows 10</p>
-----------------------------	---

Compliance

Europe	CE
Compliance link	https://sp.ts.fujitsu.com/sites/certificates

Dimensions / Weight / Environmental

Dimensions (W x D x H)	50 x 90 x 26 mm
Cable length	1 m
Weight	ca 80 g
Operating ambient temperature	5 - 35 °C
Operating relative humidity	20 - 80 % (relative humidity, non-condensing)

Order code

	S26381-K435-L150	EAN: 4057185855532
--	------------------	--------------------

Warranty

Warranty period	2 years
Warranty type	Bring-In / Send-In Service
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Service Weblink	http://www.fujitsu.com/fts/services/support

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Accessory PalmSecure F Pro Mouse, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Accessory PalmSecure F Pro Mouse, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/fts/accessories

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
© 2017 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Technology Solutions GmbH
Website: www.fujitsu.com/fts
2017-10-05 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms
© 2017 Fujitsu Technology Solutions GmbH