Fujitsu recommends Windows 10 Pro.



Data Sheet FUJITSU Notebook LIFEBOOK E449

Your Well-Equipped Everyday Partner

The FUJITSU Notebook LIFEBOOK E449 is exclusively designed for office workers needing a powerful and well-equipped notebook that offers a fair price-performance ratio. Ultimate connectivity options such as 4 G/LTE, an integrated fingerprint sensor and a modern new design help you to work efficiently wherever you are.

Modern and robust design

Reliable mobility, ease of use and modern looks for everyday business demands

- Slim 23.9 mm entry notebook starting at 1.79 kg and featuring a robust and new cross wave 3D textured finish
- Enjoy an ergonomic viewing experience with an anti-glare 14.0-inch or 15.6-inch HD or FHD display

Reliable and secure performance

Protect your notebook and business data from unauthorized access at all times

■ New integrated area fingerprint sensor, TPM 2.0

Best in class connectivity

Be flexible and stay productive wherever you are

- Full set of ports with a full-sized HDMI, VGA and LAN connector and USB Type-C
- Embedded 4G/LTE enables you to access and transfer data faster

Convenient serviceability and upgradeability

Easy access to key components to reduce upgrade time and costs

 Battery, memory, internal storage and connectivity components (LTE & WLAN) can be changed with ease











Page 1 / 7 www.fujitsu.com/fts/mobile

Components

Base unit	LIFEBOOK E449
Operating systems	
Operating system pre-installed	Windows 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home
Processor	Intel® Core™ i7-8550U processor (1.8 GHz, up to 4.0 GHz, 8 MB) *
	Intel® Core™ i5-8350U processor (1.7 GHz, up to 3.6 GHz, 6 MB)
	Intel® Core™ i5-8250U processor (1.6 GHz, up to 3.4 GHz, 6 MB) *
	Intel® Core™ i3-8130U processor (2 Cores / 4 Threads, 2.2 GHz, up to 3.4 GHz, 4 MB) *
	Intel® Core™ i3-7020U processor (2.3 GHz, 3 MB) *
	*Processor only for retail, SMB, education and government
Nemory modules	4 GB (1 module(s) 4 GB) DDR4, , SO DIMM
	8 GB (1 module(s) 8 GB) DDR4, , SO DIMM
	16 GB (1 module(s) 16 GB) DDR4, , SO DIMM
Hard disk drives (internal)	SSD SATA III, 512 GB M.2 module, OPAL capable
	SSD SATA III, 256 GB M.2 module, OPAL capable
	SSD SATA III, 256 GB M.2 module
	SSD SATA III, 1 TB M.2 module, OPAL capable
	PCIe-SSD, 512 GB M.2 NVMe module, SED
	PCIe-SSD, 256 GB M.2 NVMe module, SED
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
	Accessible capacity may vary, also depending on used software.
	Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: S-ATA III or PCIe
Interface add on cards/components	memarstorage member. 5 / m/m of rece
(optional)	
3G/4G (optional)	LTE Sierra Wireless EM7455 (Cat. 6) (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s)
WLAN (optional)	Intel® Dual Band Wireless-AC8265 11ac with integrated Bluetooth 4.2
Display	35.6 cm (14-inch),LED backlight,(HD),Anti-glare display,compound,1,366 x 768 pixel,350:1,200 cd/m²
	35.6 cm (14-inch),LED backlight,(Full HD),Anti-glare IPS display,compound,1,920 x 1,080 pixel,700:1,220 cd/m²
Multimedia	
Camera	Built-in webcam (HD) with Status LED
Camera notes	720p, 1 megapixels, 1280 x 720
Microphone	dual digital array microphone

Base unit

Base unit	LIFEBOOK E449
General system information	
Chipset	Integrated
Supported capacity RAM (max.)	32 GB
Memory slots	2 SO DIMM (DDR4, 2400 MHz)
LAN	10/100/1,000 MBit/s Intel® I219V

Page 2 / 7 www.fujitsu.com/fts/mobile

General system information	
BIOS version	UEFI Specification 2.5
BIOS features	InsydeH20 Bios
Audio type	On board
Audio codec	Realtek ALC255 with MaxxAudio
Audio features	2x built-in speakers (stereo)
	2.7 Solite in Specificis (States)
Product design	Diade
Color	Black
Display	
Display notes	ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 40°, Top 10°, Bottom 30°; Color Gamut: 45%, response time 25 ms FHD - Viewing angle: Left/Right 80°, Top 80°, Bottom 80°; Color Gamut: 45%, response time 25 ms
Brightness - typical	HD - 200 cd/m², FHD - 220 cd/m²
Contrast - typical	HD - 350:1, FHD 700:1
Base unit	LIFEBOOK E449
TFT resolution (HDMI)	up to 3,840 x 2,160 @ 30 Hz
TFT resolution (VGA)	up to 1,920 x 1,200
Graphics brand name	Intel® HD Graphics 620, Intel® UHD Graphics 620
Graphics features	3 Display Support
Graphics notes	Shared memory depending on main memory size and operating system
DC-in	1
Audio: line-out / headphone	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)
Internal microphones	2x digital array microphones (optional)
USB 3.1 Gen1 (USB 3.0) total	2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality)
USB Type-C	1
VGA	1
НДМІ	1 v1.4
Ethernet (RJ-45)	1 (with status LED)
Memory card slots	1 - SD/microSD card : 2GB - SDHC/microSDHC card : 32GB - SDXC card : 512GB - microSDXC card : 200GB (or 128GB) Speed Class: up to UHS-I
SIM card slot	1 (Micro-SIM, only for models with integrated 4G/LTE module)
Keyboard and pointing devices	
	Keyboard w/o touchstick (spill-resistant)
	Number of keyboard keys: 85, Keyboard pitch: 18.4 mm, Keyboard stroke: 1.7 mm
	Multi gesture touchpad with two mouse buttons Status LED Power Button
Wireless technologies	
Antennas	2 Dual band WLAN antennas, 2 LTE antennas optional
Bluetooth	v4.2
WLAN encryption	WEP, WPA, WPA2
WLAN notes	Import and usage according to country-specific regulations.
GPS	Embedded in 3G/4G module if configured with WWAN
Power supply	
AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) standard AC-Adapter
Notes	65W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator

Page 3 / 7 www.fujitsu.com/fts/mobile

Power supply	
1st battery options	Lithium polymer battery 4-cell, 50 Wh
1st battery	
Battery features	Quick Charge: 80% in 1 h
Runtime 1st battery	up to 12 h
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity) Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.
Noise emission	
Noise emission	Please refer to the Eco Declaration
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	333.6 x 234 x 23.9 mm
, ,	13.13 x 9.21 x 0.94 inch
	from 1.79 kg
Weight (lbs)	from 3,94 lbs
Operating ambient temperature	5 - 35 °C (41 - 95 °F)
Compliance	
Product	LIFEBOOK E449
Model	ME14A
Europe	CE
•	CB
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) ENERGY STAR® 6.1 in progress EPEAT® in progress (dedicated regions)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates
Additional Software	
Additional software (preinstalled)	McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre- installed) Waves MaxxAudio (audio enhancer) Fujitsu Plugfree Network (network management utility) Fujitsu Anytime USB Charge Utility Fujitsu Battery Utility Fujitsu Function Manager Fujitsu DeskUpdate (driver and utility tool)
Additional software (optional)	Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) CyberLink YouCam (webcam software) Microsoft® Office Professional 2019 Microsoft® Office Home and Business 2019 (A Microsoft Account is required to activate each copy of these products. For purchase and activation only in the region in which it was acquired.)
 Manageability	
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN)
Manageability software	DeskView Client DeskView Instant BIOS Management

Page 4 / 7 www.fujitsu.com/fts/mobile

Manageability	
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model) BootP (made4you)
Security	
System and BIOS Security	Trusted Platform Module (TPM 2.0) EraseDisk (optional)
User Security	Embedded fingerprint sensor (optional) Hard disk password User and supervisor BIOS password Workplace Protect (secure authentication solution)
Warranty	
Warranty period	1 year (for countries in EMEIA)
Warranty type	Bring-in Service / Collect & Return Service (depending on country)
Warranty Terms & Conditions Product Related Services - the pe	http://support.ts.fujitsu.com/warranty rfect extension
Recommended Service	9x5, Onsite Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	http://ts.fujitsu.com/Supportservice

Recommended Accessories

MicroSaver Slim 2.0



The new Fujitsu Kensington MicroSaver 2.0 slim features the patented T-Bar Order Code: locking mechanism with carbon tempered steel core cable and an external S26361-F1650-L202 braided steel sheath. The MicroSaver slim 2.0 is available with Kensington Master Access. This security solution allows you to manage and maintain a limitless number of locks with a master key.

Wireless Mouse Touch WI910



The Fujitsu Wireless Mouse Touch WI910 has a special touch sensitive surface that recognizes when your hand touches the mouse even before you move it. This provides nearly instantaneous wake-up from the intelligent energy saving sleep mode. Unbeatable responsiveness combines with features like switchable resolution, and three programmable buttons for a unique user experience.

Order Code: S26381-K465-L100

Ultra Slim Portable DVD Writer **GP60NB60**



For independent working and entertainment on your business or private trips, Fujitsu offers the small external DVD drive designed to travel with you. S26341-F103-L142 Upgrade your notebook or PC with this external drive and use it wherever you are.

Order Code:

Keyboard KB950 Phone

The KB950 Phone is a modern and slim line USB keyboard with integrated S26381-F950-L4** (**: Skype for business features. This extremely reliable, high-speed input device is the perfect way to manage incoming and outgoing calls, even when the system is locked. Three additional keys make it easy to accept and end calls and mute your microphone during a call. Easy number dialing is assured with the numpad. The integrated 61×12 mm display shows the time and date, the user status and shows incoming call data in the form of the calling number and caller ID.

Country specific variation)

Page 6 / 7 www.fujitsu.com/fts/mobile

More information

Fujitsu products, solutions & services

In addition to FUJITSU Notebook LIFEBOOK E449, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK E449, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html

Copyright 2018 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

Fujitsu Technology Solutions GmbH Website: www.fujitsu.com/fts 2018-12-18 EM-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://www.fujitsu.com/fts/resources/navigation/terms-of-use.html
Copyright 2018 Fujitsu Technology Solutions GmbH