ThinkCentre M820z AIO 10SC0031SP

Product

ThinkCentre M820z AIO

Region

WE

Country

Spain

Machine Type

10SC

TopSeller

TopSeller

Processor

Core i5-9400 (6C / 6T, 2.9 / 4.1GHz, 9MB)

Graphics

Integrated Intel UHD Graphics 630

Monitor Cable

None

Memory

1x 8GB DDR4-2666

Storage

256GB SSD M.2 2280 PCIe x4 NVMe

Optane Memory

None

Optional Bay

None

Front Access HDD

None

Optical

DVD±RW

Media Reader

3-in-1

Display

21.5" FHD (1920x1080) WVA Anti-glare

Multi-touch

None

Camera

1080p

WLAN + Bluetooth

Intel 8265 11ac. 2x2 + BT4.2

Ethernet

Integrated

Optional Rear Ports

None

Chassis Intrusion Switch

Chassis Intrusion Switch

Chassis E-Lock

None

Cable Lock

None

Speaker

2Wx2

Dust Filter

None

Carry Handle

None

Stand

UltraFlex III Stand

Keyboard / Mouse

USB / USB

Power Supply

150W 90% Adapter

TUV Low Noise

TUV Ultra Low Noise

System Management

None

Operating System

Windows 10 Pro 64

Bundled Software

None

Warranty

3-year, Onsite

Upsell Service Bundles

None

End of Support

2025-08-23

Announce Date

2019-07-23



WWW.LENOVO.COM

This publication was developed for products and services offered in the United States and E.M.E.A countries. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or ftness for a particular purpose.



http://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2019. All rights reserved.





ThinkCentre M820z Platform Specifications

Processor	Intel® Celeron®, Intel	Pantium®	or 8th / 9th Gor	Intel Co	ro™ i3 / i5 / i7 / i0) saries	WLAN	Some: 11ac wireless, M.2 Card, Realtek RTL8821CE (dual band),
FIOCESSOI		Cores /	Frequency		Memory Support			Wi-Fi + Bluetooth 4.2 combo adapter, 1x1
	Processor	Threads	Base/Max(GHz)	Cache	(Up to)	Graphics		Some: 11ac wireless, M.2 Card, Realtek RTL8822BE (dual band), Wi-Fi + Bluetooth 4.2 combo adapter, 2x2
	Celeron G4900	2/2	3.1G	2 MB	DDR4-2400	UHD 610		Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165,
	Celeron G4920	2/2	3.2G	2 MB	DDR4-2400	UHD 610	_	Wi-Fi + Bluetooth 4.2 combo adapter, 1x1
	Celeron G4930	2/2	3.2G	2 MB	DDR4-2400	UHD 610		Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 8265, Wi-Fi + Bluetooth 4.2 combo adapter, 2x2
	Celeron G4950	2/2	3.3G	2 MB	DDR4-2400	UHD 610	Bluetooth™	Some: Bluetooth 4.2 wireless, integrated in Wi-Fi + BT combo adapter
	Pentium Gold G5400	2/4	3.7G	4 MB	DDR4-2400	UHD 610	Ethernet	Gigabit ethernet, Realtek RTL8111G, Wake on LAN®
	Pentium Gold G5420	2/4	3.8G	4 MB	DDR4-2400	UHD 610	Manageability	None
	Pentium Gold G5500	2/4	3.8G	4 MB	DDR4-2400	UHD 630 UHD 630	Security chip	Discrete TPM 2.0, TCG Certified
	Pentium Gold G5600	2/4	3.9G 4.0G	4 MB 4 MB	DDR4-2400 DDR4-2400	UHD 630	Security features	• Security slot (in rear for attachment of • Power-on, admin, hard disk password
	Pentium Gold G5620 Core i3-8100	4/4	4.0G 3.6G	6 MB	DDR4-2400 DDR4-2400	UHD 630	-	optional Kensington® MicroSaver® cable; • Boot sequence control Kensington lock also locks chassis) • Boot without keyboard and mouse
	Core i3-8300	4/4	3.7G	8 MB	DDR4-2400	UHD 630	_	Smart USB protection, allows keyboard Individual USB port disablement
	Core i5-8400	6/6	2.8G / 4.0G	9 MB	DDR4-2666	UHD 630	-	mouse only, blocks all storage devices • Optional Chassis intrusion switch
	Core i5-8500	6/6	3.0G / 4.1G	9 MB	DDR4-2666	UHD 630	Keyboard	Some: Lenovo Calliope Keyboard (USB connector), black
	Core i5-8600	6/6	3.1G / 4.3G	9 MB	DDR4-2666	UHD 630	1	Some: Lenovo Traditional Keyboard (USB connector), black
	Core i7-8700	6/12	3.2G / 4.6G	12 MB	DDR4-2666	UHD 630	Mouse	Some: Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black Some: Lenovo Calliope Mouse (USB connector), black
	Core i3-9100	4/4	3.6G / 4.2G	6 MB	DDR4-2400	UHD 630		Some: Lenovo Fingerprint Mouse (USB connector), Windows Hello support, black
	Core i3-9300	4/4	3.7G / 4.3G	8 MB	DDR4-2400	UHD 630		Some: Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black
	Core i5-9400	6/6	2.9G / 4.1G	9 MB	DDR4-2666	UHD 630	Mechanical	Business black color
	Core i5-9500	6/6	3.0G / 4.4G	9 MB	DDR4-2666	UHD 630		Toolless back cover, stand, memory removal
	Core i5-9600	6/6	3.1G / 4.6G	9 MB	DDR4-2666	UHD 630		Support VESA mount (100mm)
	Core i7-9700	8/8	3.0G / 4.7G	12 MB	DDR4-2666	UHD 630	_	Dimensions (WxDxH) Max weight (lb / kg) Adjustments
	Core i9-9900	8 / 16	3.1G / 5.0G	16 MB	DDR4-2666	UHD 630		Without stand (No camera): 19.3 X 1.9 X 13.5 (inch) (Touch) 11.6 / 5.25
Memory	32GB max (16GB SO-DIMM only available via special bid models), DDR4-2666*, two 260-pin SO-DIMM sockets, dual-channel capable					4-2666*,		491 X 49 X 342 (mm) (Non-touch) 11.1 / 5.05 N/A
								With Full Function Monitor stand (No camera):
	* System clocks down	n for the p	rocessors with lo	ower mer	mory controller			19.3 X 9.9 X 14.8 to 19.1 (inch) (1.5 × 1.
Storage	Some: Hard Drive / S				200 rpm			491 X 252 X 377 to 486 (mm) (Non-touch) 15.8 / 7.18 Lift: 110mm; Swivel: +/-45°
	Some: Solid State D Some: M.2 SSD / PC							With UltraFlex III stand (No camera):
	* 128GB SSD M.2 (2)				le 3.0 x 2. 16Gb	/s		Tilt: 70° back -5° forward:
	Some: Intel Optane T	™ Mémory	(not support Ce	ieron / P				19.3 X 9.9 X 16.4 (highest) (inch) (Touch) 17.3 / 7.85 (Non-touch) 16.9 / 7.65
Optical	Some: DVD-ROM SATA 1.5Gb/s Drive, slim (9.0mm)							491 X 252 X 410 (highest) (hill) (Non-touch) 10.9 7 7.05 Swivel: +/-45°
Media reader	Some: DVD Burner (DVD±RW), SATA 1.5Gb/s Drive, slim (9.0mm) Optional 3-in-1 media card reader						Power supply	150 watts, autosensing, 90% PSU
Graphics	Intel HD Graphics 610/630 in processor, uses main memory, DirectX® 12,					2,	Limited warranty ³ Some: 1-year or 3-year, depot repair service / service upgrades available Some: 1-year or 3-year, limited onsite service / service upgrades available	
		al monitor support via DisplayPort™;						
Display	Max resolution: 4096x2304 (DP)@60Hz, 1920x1080 (Panel)@60Hz 21.5 " (546.1mm) Full HD 1080p (1920x1080) TFT color, Borderless design,						Preload	Preloaded operating system Some: Windows 10 Pro 64-bit
	MVA panel, wide viewing angle (+/- 89°), LED backlight, 250 nits, 16:9 aspect ratio,							Some: Windows 10 F10 04-bit
NA delate and the	1000:1 contrast ratio,	, anti-glare	e, support Low B	lue Light	Mode			Preloaded applications (only some listed)
Multi-touch Camera	Optional multi-touch, Optional 1080p came	supports ara with d	10-point, ALF (A	dvanced I FD ind	In-cell louch) ted	nnology		Lenovo Vantage Missass ft Office and add as webses a seady at least a setimate.
Jamera	off, supports multi-de	egree rotat	ion (horizontal 0	° to 180°	, vertical -25° to	25°)		 Microsoft Office preloaded; purchase a product key to activate Cyberlink PowerDVD (only for models with DVD / DVD±RW)
Controls	Physical buttons on side for microphone mute and power on/off							Cýberlink Power2GO (onlý for models with DVD±RW)
Chipset	Intel B360 Chipset							• LinkedIn
Rear ports*	Four USB 3.1 Gerri (one supports Smart Fower On), one ethernet (h3-45),					5),	Environment	ENERGY STAR® 7.0*, EPEAT™ Silver rating* (*not for non-OS models), ErP Lot 3, TCO AIO Computer certified, GREENGUARD® certified, TUV Eye comfort certified (for Full Function Monitor Stand only), TUV Low Blue Light certified,
·	one DisplayPort, one optional serial (9-pin), one USB 3.1 Gen2 (one is Always On and fast charge), one USB 3.1 Type-C Gen 1, one optional card reader, one headphone / microphone combo jack (3.5mm)					,.		
Side ports*						e-C Gen 1,	,	TUV Ultra Low Noise certified (on some models), RoHS-compliant
							MIL-SPEC test	MIL-STD-810G military certification (Low Pressure [Altitude], High Temperature,
M.2 card slot	Two M.2 Card slots (one for WLAN, one for SSD/Optane)							Low Temperature, Temperature Shock, Humidity, Sand and Dust, Vibration, Shock, Fungus)
Audio support	g.: 20						Accessories	For compatible accessories, please go to http://smartfind.lenovo.com
	Dolby [®] Audio™ Prem	ium						
Note: The enecific	ations above may not be	available	in all regions					Lenovo, June 2019

















