Lenovo V530-24ICB AIO 10UW00E0SP

Product
Lenovo V530-24ICB AIO

Region
WE

Country
Spain

Machine Type
10UW

TopSeller
TopSeller

Processor
Core i5-9400T (6C / 6T, 1.8 / 3.4GHz, 9MB)

Graphics
Integrated Intel UHD Graphics 630

Memory
1 x 8GB DDR4-2666

Storage
256GB SSD 2.5" SATA6Gb/s Opal

Optane Memory
None

Optical
9.0mm DVD±RW

Media Reader
3-in-1

Display
23.8" FHD (1920x1080) WVA Anti-glare

Multi-touch
10-point Multi-touch

Camera
720p

WLAN + Bluetooth
Intel 3165 11ac, 1x1 + BT4.0

Keyboard / Mouse
USB Black / USB Black

Power Supply
90W 88% Adapter

Operating System
Windows 10 Pro 64

Stand
Monitor Stand

Color
Black

Warranty
1-year, Onsite

End of Support
2025-07-25

Announce Date
2019-06-25

Lenovo V530-24ICB AIO Platform Specifications

Lenovo

Processor	Intel® Pentium® Gold or 8th Generation Intel Core™ i3 / i5 / i7 Processor

Processor	Cores / Threads	Frequency Base/Max(GHz)	Cache	Memory Support (Up to)	Integrated Graphics
Pentium Gold G5400T	2 / 4	3.1G	4 MB	DDR4-2400	UHD 610
Pentium Gold G5420T	2 / 4	3.2G	4 MB	DDR4-2400	UHD 610
Core i3-8100T	4 / 4	3.1G	6 MB	DDR4-2666	UHD 630
Core i5-8400T	6 / 6	1.7G / 3.3G	9 MB	DDR4-2666	UHD 630
Core i5-9400T	6 / 6	1.8G / 3.4G	9 MB	DDR4-2666	UHD 630
Core i7-8700T	6 / 12	2.4G / 4.0G	12 MB	DDR4-2666	UHD 630

Memory	32GB max, DDR4-2666*, two 260-pin SO-DIMM sockets, dual-channel capable
	* System clocks down for the processors with lower memory controller
Disk	*Some:* Hard Drive / SATA 6.0Gb/s, 2.5", 7200 rpm
	Some: Hard Drive / SATA 6.0Gb/s, 2.5", 5400 rpm
	Some: M.2 Solid State Drive (SSD) 2242 / PCIe NVMe, PCIe 3.0 x 2
	Some: M.2 Solid State Drive (SSD) 2280 / PCIe NVMe, PCIe 3.0 x 4
Optane™ Memory	Optional 16GB Intel Optane™ Memory (not support Celeron / Pentium Processor), M.2
Optical (Optional)	DVD Burner (DVD±RW), tray-in, slim (9.0mm)
Media reader	3-in-1 card reader (SD, SDHC, SDXC)
Graphics	**Intel UHD Graphics 610/630** in processor, uses main memory, DirectX® 12, and **optional AMD Radeon™ 530 GDDR5, 2GB memory,** external monitor support via HDMI out
	Max resolution: 1920x1080 (HDMI)@60Hz
Display	**23.8"** (604.5mm), **FHD (1920x1080),** Wide Viewing Angle (horizontal: +/- 89°; vertical: +/- 89°), LED backlight, IPS, 250 nits, 16:9 aspect ratio, 1000:1 contrast ratio, anti-glare, borderless design, work as standalone monitor via HDMI in
Multi-touch	Optional multi-touch (10-point), Advanced In-Cell Touch (AIT) technology
Camera (Optional)	*Some:* 720p camera, with one digital microphone, LED indicator, with privacy camera cover
	Some: 1080p IR camera, with one digital microphone, LED indicator, with privacy camera cover
Controls	Power on/off button on right side
Chipset	**Intel B360 chipset**
Rear ports*	One USB 3.1 gen 2, three USB 2.0, ethernet (RJ-45), HDMI-in, HDMI-out, DC-in
Side ports*	One USB 3.1 gen 1
Bottom ports*	One USB 3.1 gen 1, card reader, headphone / microphone combo jack (3.5mm)
	* Depending on many factors, actual data transfer speed may be lower than theoretical speed
M.2 card slot	Two M.2 Card slots (one for WLAN, one for M.2 SSD)
Audio support	High Definition (HD) Audio, Realtek ALC274-VB / Conexant CX20726, two internal speakers (3W x 2)

WLAN	*Some:* 11ac wireless, M.2 Card, Realtek RTL8821CE (dual band), Wi-Fi + Bluetooth 4.0 combo adapter, 1x1
	Some: 11ac wireless, M.2 Card, Realtek RTL8822BE (dual band), Wi-Fi + Bluetooth 4.0 combo adapter, 2x2
	Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165, Wi-Fi + Bluetooth 4.0 combo adapter, 1x1
	Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 8265, Wi-Fi + Bluetooth 4.0 combo adapter, 2x2
Bluetooth™	*Some:* Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter
Ethernet	One gigabit ethernet port, Realtek RTL8111G, Wake on LAN®
Manageability	None
Security chip	Firmware TPM 2.0
Security features	● Security slot (in rear for attachment of optional Kensington® MicroSaver® cable; Kensington lock also locks back cover) ● Smart USB protection, allows keyboard/ mouse only, blocks all storage devices ● Power-on, admin, hard disk password ● Boot sequence control ● Individual USB port disablement
Keyboard	*Some:* Lenovo Calliope Keyboard (USB connector), black
	Some: Lenovo Calliope Wireless Keyboard (2.4GHz via USB receiver), black
Mouse	*Some:* Lenovo Calliope Mouse (USB connector), black
	Some: Lenovo Calliope Wireless Mouse (2.4GHz via USB receiver), black
Mechanical	● Black
	● Support VESA mount (100mm)

	Dimensions (WxDxH)	Max weight (lb / kg)	Adjustments
Without stand:	21.4 X 2.1 X 14.5 (inch); 542.7 X 54.1 X 367.4 (mm)	12.3 / 5.60	N/A
With Monitor stand:	21.4 X 9.0 X 17.2 (inch); 542.7 X 227.95 X 437.4 (mm)	15.4 / 7.00	Tilt: 65° back, -5° forward Swivel: +/-45°

Power supply	*Some:* 90 watts external adapter, autosensing, 88% PSU (for integrated models)
	Some: 120 watts external adapter, autosensing, 89% PSU (for discrete models)
Limited warranty	*Some:* **1-year**, **depot repair service**
	Some: **1-year** or **3-year**, **limited onsite service**
Preload	**Preloaded operating system**
	Some: Windows 10 Pro 64-bit
	Some: Windows 10 Home 64-bit
	Preloaded applications (only some listed)
	● Lenovo Vantage
	● Lenovo App Explorer
	● McAfee® LiveSafe™ (30-day trial)
	● Microsoft® Office preloaded; purchase a product key to activate
Environment	ENERGY STAR® 7.0; Low blue light certified; EPEAT™ Silver compliant;
Accessories	For compatible accessories, please go to **http://smartfind.lenovo.com/**

Note: The specifications above may not be available in all regions.

Lenovo V530-24ICB AIO