

## 3.3 ft. (1 m) USB-C to DisplayPort 1.4 Cable - Bi-Directional

Product ID: CDP2DP141MBD



This USB-C™ to DisplayPort™ 1.4 cable lets you connect your USB Type-C™ (or Thunderbolt 3™) device to a DisplayPort display, or a DP device to a USB-C display with just one cable.

### Unparalleled Performance with Support for 8K 30Hz

Supporting four times the resolution of 4K, this 8K DP 1.4 adapter cable delivers the stunning quality of UHD at resolutions up to 7680×4320, and also features HBR3 functionality, providing a bandwidth of up to 32.4Gbps.

The video cable is backward compatible with 4K and 1080p displays, which makes it a great accessory for home, office or other work environments, while future-proofing for 8K implementation.

## **Easy & Clutter-Free Installation**

At 3.3 ft. (1 m) in length, this bi-directional adapter cable delivers a compact connection that eliminates excess adapters and cabling, ensuring a tidy, professional installation. For longer installations, we also offer a 6.6 ft. (2 m) USB-C to DP cable, enabling you to choose the right cable length for your custom installation needs.

## **Convenient, Bi-Directional Support**

Use this USB-C to DisplayPort adapter cable to output 8K video and audio to a DP display from the USB Type-C (or Thunderbolt 3) port on your laptop or mobile device. With bi-directional capabilities, this cable can also connect your DisplayPort-enabled devices to a display featuring USB-C input. For added convenience, the cable supports both Mac & Windows operating systems.

CDP2DP141MBD is backed by a StarTech.com 3-year warranty and free lifetime technical support.

Note: Your USB-C device must support DP Alt Mode to work with this cable.

### Certifications, Reports and Compatibility



### Applications

- Stream 8K video to a DisplayPort 1.4 screen or monitor
- Ultimate accessory for early adopters of 8K technology
- Deliver eye-catching presentations while you're on the go
- Perfect for creative professionals

### Features

- Versatile, bi-directional support lets you connect either your USB Type-C (or DisplayPort) device to a DisplayPort (or USB-C) display
- High Bit Rate 3 (HBR3) capabilities, providing bandwidths up to 32.4Gbps
- Cutting-edge video quality with support for UHD video resolutions up to 8K 30Hz
- Compatible with Thunderbolt 3 and USB 3.1 Type-C ports that support DP Alt Mode
- Reduce clutter with an adapter and display cable, in-one
- Latching DisplayPort connector ensures a secure connection

<b>Hardware</b>	Warranty	3 Years
	Active or Passive Adapter	Active
	Audio	Yes
	AV Input	USB-C DisplayPort - 1.4
	AV Output	DisplayPort USB-C
	Chipset ID	Chrontel - CH7213C-BF Texas Instruments - TUSB544 VIA Labs - VL170
	<b>Performance</b>	Audio Specifications
Bandwidth		HBR3
Maximum Digital Resolutions		DisplayPort: 7680x4320 (8K) / 30Hz USB-C: 7680x4320 (8K) / 30Hz
Video Revision		DisplayPort 1.4
Wide Screen Supported		Yes
<b>Connector(s)</b>	Connector A	1 - USB-C (24 pin) DisplayPort Alt Mode Male Input 1 - Thunderbolt™ 3 USB-C (24-pin) (40Gbps) Male Input
	Connector B	1 - DisplayPort (20 pin) Male Output
<b>Special Notes / Requirements</b>	<b>Note</b>	Maximum performance is dependent upon the specifications of your video source and destination
	System and Cable Requirements	Your USB-C device must support DisplayPort Alt Mode to work with this cable
<b>Environmental</b>	Humidity	10%-85% RH
	Operating Temperature	0°C to 45°C (32°F to 113°F)
	Storage Temperature	-10°C to 70°C (14°F to 158°F)
<b>Physical Characteristics</b>	Color	Black
	Material	Plastic
	Product Height	10.000
	Product Length	39.4 in [100 cm]
	Product Width	20.000
	Weight of Product	44.000

<b>Packaging Information</b>	Package Height	25.000
	Package Length	225.000
	Package Width	125.000
	Shipping (Package) Weight	430.000
<b>What's in the Box</b>	Included in Package	1 - 1 m USB-C to DisplayPort 1.4 Bi-Directional Adapter Cable

Product appearance and specifications are subject to change without notice.