ThinkPad T14s Gen 1 (Intel) 20T0001TMX

Product

ThinkPad T14s Gen 1 (Intel)

Region

WE

Country/Region

Sweden

Machine Type

20T0

TopSeller

TopSeller

Processor

Intel Core i5-10310U (4C / 8T, 1.7 / 4.4GHz, 6MB)

Graphics

Integrated Intel UHD Graphics

Chipset

Intel SoC Platform

Memory

16GB Soldered DDR4-2666

Storage

256GB SSD M.2 2280 PCIe NVMe Opal2

Display

14" FHD (1920x1080) Low Power IPS 400nits Anti-glare

Touchscreen

None

Media Reader

MicroSD Reader

Ethernet

100/1000M via Optional Adapter

Optical

None

WLAN + Bluetooth

Intel AX201 11ax, 2x2 + BT5.0

WWAN

WWAN Upgradable

SIM Card

None

Smart Card Reader

Smart Card Reader

Monitor Cable

None

Bundled Accessories

None

Case Material

CFRP Hybrid (Top) + Magnesium (Bottom)

Camera

720p + IR with ThinkShutter

Microphone

2x, Array

Color

Black

Keyboard

Backlit, Nordic (DK/FI/NO/SV/EN)

Fingerprint Reader

Touch Style, Match-on-Chip

NFC

None

TPM

Discrete TPM 2.0

Battery

Integrated 57Wh

Power Adapter

65W USB-C

System Management

Intel vPro

Operating System

Windows 10 Pro 64, Nordic (DK/FI/SV/NO/EN)

Bundled Software

None

Base Warrantv

3-year, Depot

Bundled Service

3Y Onsite upgrade from 3Y Depot/CCI (5WS0A23006)

EAN/UPC/JAN

0195042534399

End of Support

2026-12-05

Announce Date

2020-05-22

Recommended Services

Best

5Y Premier Support Upgrade from 3Y Onsite (5WS0T36125)

Better

4Y Premier Support Upgrade from 3Y Onsite (5WS0T36167)

Good

3Y Premier Support Upgrade from 3Y Onsite (5WS0U26641)

Notes:

Battery life is an estimated maximum. Actual battery life may vary based on many factors, including screen brightness, active applications, features, power management settings, battery age and conditioning, and other customer preferences.

L

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.

© Lenovo, 2020. All rights reserved.





ThinkPad T14s Gen 1 (Intel) Platform Specifications

Processor					7 Proce							Dimensions	imensions WxDxH (black with FHD / FHD Touch / Privacy Guard):				
									ry Types				12.95" x 8.90" x 0.66"; 329.0mm x 226.15mm x 16.7mm WxDxH (black with FHD Low Power / UHD): 12.94" x 8.89" x 0.63"; 328.8mm x 225.8mm x 16.1mm WxDxH (silver): 12.96" x 8.92" x 0.68"; 329.15mm x 226.45mm x 17.2mr				
	i5-10310U i7-10510U i7-10610U	4	8	1.7 GHz 1.8 GHz 1.8 GHz	4.4 4.9	GHz GHz	6MB 8MB	DDR	4-2666	Intel U Grapi		Weight	Models	Black with FHD / FHD Touch / Privacy Guard	Black with FHD Low Power / UHD	Silver	
Graphics	Intel UHD Graphics in processor; supports up to 3 independent displays via native display and two external monitors; supports external monitors via HDMI (up to 4096x2160@24Hz), USB-C (up to 4096x2304@60Hz) or Thunderbolt (up to 4096x2304@60Hz)										onitors;		Weight 2.98 lb / 1.35 kg 2.81 lb / 1.27 kg 3.29 lb / 1.49 kg				
Chipset Memory	Intel SoC (System on Chip) platform 8GB, 16GB or 32GB / 2666MHz DDR4 / soldered to systemboard, no sockets * Installed memory is actually 3200MHz but run at 2666MHz due to Intel limitation											Media reader Ports	MicroSD card reader Two USB 3.1 Gen 1 (one Always On), one USB 3.1 Type-C Gen 1 (with the function of Power Delivery and DisplayPort).				
Display	Size Resolu			,,			ness Ratio		Contrast Ratio	Gamut	Viewing Angle 170°		one USB 3.1 Type-C Gen 2 / Thunderbolt 3 (with the function of PD and DP), HDMI 1.4b, Ethernet extension connector, combo slot of nano-SIM card (WWAN models) and microSD card reader, headphone / microphone combo jack, optional smart card reader, side docking connector, security keyhole * Depending on many factors, actual data transfer speed may be lower than theoretical spee				
	14.0" FHD (1920x1080) 14.0" FHD (1920x1080)			PS Anti-glare Anti-glare	lara M	L. JAI		16:9 16:9	700:1 700:1	45% 45%	170°						
	14.0" FHD (1920x1080) Low Power FHD (1920x1080)			IPS Anti-g	M		0 nits	16:9	800:1	72%	170°	Monitor cable (optional)	 Lenovo HDMI to VGA Monitor Adapter Lenovo USB-C to VGA Adapter Lenovo USB-C to DisplayPort Adapter 				
	14.0" Thinki Guard	Pad Priv	/acý	IPS Anti-g		lulti- ouch 50	0 nits	16:9	1000:1	72%	170°	Bundled Accy Camera (optional)	<i>Optional:</i> 9 HD720p	ThinkPad Ethernet Extens camera with ThinkShutter	sion Adapter Gen 2 camera privacy, fixed focu		
	14.0" HDR4 Dolby	00, Vision™	м	IPS Glos			0 nits	16:9	1500:1	100% DCI-P3	170°	Audio support	• IR camera and HD720p camera with ThinkShutter camera privacy, fixed focus HD Audio, Realtek® ALC3287 codec / Dolby® Audio speaker system, 1W x 2 / optional dual array far-field microphone, headphone / microphone combo jack				
) On-cell touch, supports 10-finger gesture											Keyboard	6-row, spill-resistant, multimedia Fn keys with Unified Communications controls,				
J	 M.2 2280 SSD / PCIe NVMe, PCIe 3.0 x 4 M.2 2242 SSD / PCIe NVMe, PCIe 3.0 x 2 Intel Optane™ Memory H10 with Solid State Storage, 											UltraNav™	optional LED backlight TrackPoint® pointing device and buttonless Mylar surface multi-touch touchpad				
	M.2 2280, PCIe NVMe 3.0 x 4 None											Security Security chip	Power-on password, hard disk password, supervisor password, security keyhole • Firmware TPM 2.0 integrated in chipset • Discrete TPM 2.0 TCG Certified				
	Native Intel Ethernet Connection I219-V (<i>Non-vPro</i>) or I219-LM (<i>vPro</i>) via optional ThinkPad Ethernet Extension Adapter Gen 2											Fingerprint readéi	(opt) Intel vPro Technology eader Optional: Touch style match on chip fingerprint reader on the palm rest				
WLAN + Bluetooth™	Intel Wi-Fi * Intel AX20	6 AX20 1 card s	J1, Wi-F supports	ı 2x2 802. BT5.1 but i	11ax -	+ Bluet 1 to BT5	ooth 5 . <i>0 by</i> И	.U Vindows	; OS			Battery	Integrated Li-Polymer 57Wh battery,				
, ,	AN (optional) Wireless WAN upgradable Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card Integrated Mobile Broadband 4G LTE-A, Fibocom L860-GL, MIMO 2x2, M.2 card For non-WWAN model, it means the model is NOT WWAN upgradable Gemalto eSIM Card											Max battery life AC adapter	supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter MobileMark* 2014: 21 hr MobileMark 2018: 14.3 hr * Battery life varies significantly with hardware configurations, settings, usage, & other factors • 45W USB-C AC adapter • 65W USB-C AC adapter • 65W USB-C slim AC adapter				
											Operating system	Operating system Optional: Windows® 10 Home 64 or Windows 10 Pro 64					
												(optional)	1-year d1-year li3-year/11-year +1-year +	lepot repair service lepot with 2-year system bo mited onsite service -yr battery depot repair serv - 2-year/1-yr battery depot r - 2-year/1-yr battery limited -yr battery limited onsite se	vice repair service onsite service		
												Mil-Spec test	Work in p	<u> </u>			
												Environment	EPEAT™	Gold; ENERGY STAR® 8.03	: RoHS-compliant		

