Data sheet

HP LaserJet Enterprise M605 series



A powerhouse printer loaded with manageability, energy savings, and mobile printing features.

Accelerate business results with outstanding print quality. Tackle large jobs and equip workgroups for success wherever business leads. Easily manage and expand this impressively fast, versatile printer—and help reduce environmental impact.



HP LaserJet Enterprise M605n



HP LaserJet Enterprise M605dn



HP LaserJet Enterprise M605dh

Take productivity to the next level

- Equip users to fly through tasks with the intuitive 4.3-inch (10.9 cm) color touchscreen and PIN printing.
- Meet high-volume demands with automatic two-sided printing and versatile paper trays—up to 3600 sheets.⁴
- Improve efficiency. Add paper-handling accessories to presort jobs, print on different media, and more.5
- Print uninterrupted for longer periods of time with high-yield Original HP LaserJet cartridges.

Meet business needs in the office and beyond

- Enable wireless direct printing in the office—from mobile devices—without accessing the network.7
- Print with just a touch of your NFC-enabled mobile device to this printer—no network needed.8
- Easily print from a variety of smartphones and tablets—generally no setup or apps required.²
- Easily print from virtually anywhere in the office with Ethernet and optional wireless connectivity.9

Advanced capabilities, easy management

- Easily expand this printer as solutions advance and workgroup needs grow, with add-on, updatable features.
- Protect sensitive data—at rest or in transit—with a variety of embedded and optional security solutions.10
- Easily take command of your printing environment from one central location—with HP Web Jetadmin.¹¹
- Quickly troubleshoot problems using cloud-based help services that are relevant and up to date.12

Less energy, more efficiency and savings

- Save energy—HP Auto-On/Auto-Off Technology turns your printer on when you need it and off when you don't is
- Conserve resources—this printer has lower typical electricity consumption than any device in its class.¹⁴
- Help save time and money with lightweight HP EcoFFICIENT paper—engineered for clean, trouble-free printing.
- Help reduce your impact. Count on easy, free cartridge recycling through HP Planet Partners.




HP LaserJet Enterprise M605x

¹ Program availability varies. Original HP cartridge return and recycling is currently available in more than 49 countries, territories, and regions in Asia, Europe, and North and South America through the HP Planet Partners program. For more information, visit hp.com/recycle ²Local printing requires mobile device and printer be on the same network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP Web-connected printer. App or software and HP ePrint account registration may also be required. Wireless proachband use requires separately purchased service contract for mobile devices. Check whereive provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details. Some features require purchase of an optional accessory, available Fall 2015. ³ Printing speed measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity ³ 5000-sheet input capacity requires purchase of additional accessories. ⁵ Optional paper-handing accessories must be purchased separately. ⁶ The optional high-yield Original HP Laser let cartridge must be purchased separately. ⁷ Wireless direct printing is standard on the HP Laser let Enterprise M60Sx only. Requires purchase of optional module, available Fall 2015, for the Laser let Enterprise M60Sx and M60Sdn. Mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see hp.comgobusinessmobileprinting ⁹ Fouch-to-print capability is standard on the HP Laser let Enterprise M60Sx only. Requires purchase of poinal HP Jetticreta 3000m near-field communications (MFC)/W

HP LaserJet Enterprise M605x

Product walkaround

- 1. Intuitive 4.3-inch (10.9 cm) color touchscreen tilts up for easier viewing (Available on the X bundle only)
- 2.600-sheet output bin
- 3. Top cover (access to the toner cartridge)
- 4. 100-sheet multipurpose tray 1
- 5. 500-sheet input tray 2
- 6. 500-sheet input tray 3
- 7. Hardware Integration Pocket (HIP)
- 8. Easy-access USB port
- 9. Convenient front on/off button
- 10. Output accessory cover
- 11. 512 MB standard memory (upgradeable to 1.5 GB) and a 1.2 GHz processor
- 12. Access port for optional Kensington style lock
- 13. Local area network (LAN) Ethernet (RJ 45) network port
- 14. Hi-speed USB 2.0 printing port
- 15. Hi-speed USB 2.0 port for connecting external USB devices
- 16. Power connection
- 17. Built-in automatic two-sided printing



Series at a glance









Model	M605n	M605dn	M605dh	M605x
Product number	E6B69A	E6B70A	L4W89A	E6B71A
Print speed in ppm, letter/A4 ³	Up to 58/55	Up to 58/55	Up to 58/55	Up to 58/55
Control panel	4-line LCD with keypad	4-line LCD with keypad	4-line LCD with keypad	4.3-inch (10.9 cm) color touchscreen
100-sheet multipurpose tray and 500-sheet tray 2	√	$\sqrt{}$	$\sqrt{}$	\checkmark
500-sheet tray 3	Optional	Optional	Optional	√
Up to three 1 x 500-sheet input trays and 1,500 sheet high-capacity input tray ⁴	Optional (up to a maximum of 6 trays total)			
Touch-to-print® and wireless direct mobile Printing7	Optional	Optional	Optional	\checkmark
HP High Performance Secure Hard Disk drive *Note HP FIPS 140 high-performance secure hard disk drive (M605dh)	Optional	Optional	√	Optional
Automatic duplexer	Optional	\checkmark	$\sqrt{}$	\checkmark
Support for high-capacity toner cartridge	√	√	$\sqrt{}$	√
ENERGY STAR certified	Not available	√	√	√

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

Same Day - 4 hour 9x5 and 13x5:

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

Next Business Day Exchange:

Exchange of hardware at customers' premise the next business day, if the issue cannot be resolved remotely.

Installation Service with Network Setup:

Installation services that include onsite installation and network setup of printing product.

For carepack availability visit: hp.com/go/cpc











Top features

Stay ahead of schedule with this swift and versatile printer—up to 58 pages per minute (ppm). Easily meet high-volume demands and provide flexible options for multiple users and paper

Business is mobile, and so is your workforce. Keep them covered—at their desk, on the way to the office, or stepping off a plane for an important meeting—with easy printing from mobile

Streamline fleet management—while giving workgroups the tools to support larger business initiatives. Extend print capabilities as business evolves, enhance security, and customize new solutions seamlessly.

Shrink your energy use while helping your company save money. This HP LaserJet Enterprise printer is designed for low energy consumption. Keep the printing process efficient and produce less waste.

Accessories F2G68A - HP LaserJet 500-Sheet Input Tray Feeder

F2G69A - HP LaserJet Auto Duplexer Two Side Print

F2G70A - HP LaserJet Printer Stand

F2G72A - HP LaserJet 500-Sheet Stacker Stapler

F2G73A - HP LaserJet 1500-Sheet Input Tray F2G74A - HP LaserJet 75-Sheet Envelope Feeder

F2G75A - HP LaserJet Custom Media Cassette Accessory

F2G81A - HP LaserJet 500-Sheet 5-Bin Mailbox

B5L28A - HP Two Internal USB Ports

B5L29A - HP Secure High Performance Hard Disk Drive (included in model M605dh)

G6W84A - HP 1GB 90-Pin DDR3 Slim DIMM

F5S62A - HP Trusted Platform Module

Q3216A - HP 1000-staple Cartridge

Supplies

F2G76A - HP LaserJet Printer 110V Maintenance Kit (225K yield)

F2G77A - HP LaserJet Printer 220V Maintenance Kit (225K yield)

CF281A - HP 81A Black Original LaserJet Toner Cartridge (~10,500 pages)

CF281X - HP 81X High Yield Black Original LaserJet Toner Cartridge (~25,000 pages)

Services

HP LaserJet Enterprise M605 Series

U8CR0E - HP 3 year Next Business Day + Defective Media Retention LaserJet M605 Hardware Support

U8CR2E - HP 3 year 4 hour 13x5 + Defective Media Retention LaserJet M605 Hardware Support

U8CR3E - HP 3 year Next Business Day Exchange + Defective Media Retention LaserJet M605 Service

U8CR1E - HP 3 year 4 hour 9x5 + Defective Media Retention LaserJet M605 Hardware Support

U8CR4E - HP 3 year Return + Defective Media Retention LaserJet M605 Service

UC742E - Installation for 1 Network Configuration for Personal or Workgroup printer

² Local printing requires mobile device and printer be on the same network or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP Web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Ch service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details. Some features require purchase of an optional accessory, available Fall 2015. 3 Printing speed measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

HP LaserJet Enterprise M605 series

Technical Specifications	M605n(E6B69A)	M605dn(E6B70A)	M605dh(L4W89A)	M605x(E6B71A)			
AIO functions	PIOUSII(LUBOSK)		Print	PIOUSX(EDD/ IA)			
Print speed							
Print resolution	Letter: Up to 58 ppm black; ⁶ ; First Page Out Black: As fast as 7 sec; ⁶ Black (best): Up to 1200 x 1200 dpi						
Print Technology			3600 (600 × 600 dpi), HP ProRes 1200 (1200 × 1200 dp	i)			
				10			
Print Cartridges Number Standard Print Languages	2 (black) HP PCL 6, HP PCL 5e , HP Postscript Level 3 emulation, native PDF printing (v 1.7)						
Printer Smart Software Features	HD ePrint Apple AirPrint HD Auto-On/Auto-Off Technol	logy, HP FutureSmart Firmware, Easy Access USB, Hardw.	<u> </u>	HP ePrint, Apple AirPrint, HP Auto-On/Auto-Off Technolog			
Printer Smart Sortware reatures	HP Web Jeta	ıdmin, HP Universal Print Driver, 4-line color display contr	HP FutureSmart Firmware, Easy Access USB, Hardware Integration Pocket, Open Extensibility Platform, HP Web Jetadmin, HP Universal Print Driver, 4.3" color touchscree control panel				
Printer Management	Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator); HP Web JetAdmin Software; HP Proxy Agent Software; HP Imaging and Printing Security Center; HP Utility (Mac						
Standard Connectivity		ed USB 2.0 ports (Host and Device); built-in Gigabit Ethern					
Network Capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-T, 100Base-T, 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard)						
Network Ready		Standard (built-in	Gigabit Ethernet)				
Wireless Capability	Optio	onal, enabled with purchase of a pending hardware acces	sory	Yes, embedded NFC/HP Wireless Direct support			
Mobile Printing Capability		HP ePrint, Apple AirPrint™		HP ePrint, Apple AirPrint™, Touch-to-Print,			
Memory	Wireless Direct Printing Standard: 512 MB; Maximum: 1.5 GB						
Mass Storage	Standard: 512 MB, Maximum: 1.5 GB 4GB non-volatile storage, Firmware encryption (AES 128 or AES 256) of customer/job data; Secure Cryptographic Erase – Job Data, Secure Erase						
Processor Speed	1.2 GHz / Hard disk: Optional, 500 GB HP Secure High Performance Hard Disk Drive (included in M605dh model)						
Duty Cycle	Northly, letter: Up to 25,000 pages? Recommended Monthly Page Volume: 5000 to 16,000 ⁶ Monthly, letter: Up to 25,000 pages? Recommended Monthly Page Volume: 5000 to 16,000 ⁶						
Paper Handling	Printing, tetter: Op to 225,000 pages , Recommended Pronting Page Volume: 5000 to 16,000*						
	Input Capacities: 100-sheet multipurpose tray 1, 500-sheet input tray 2; 500-sheet without tray 3 (M605x), Automatic duplexer for two-sided printing (M605dn, M605xl), Up to 600 sheets standard labels legal (M905xl). On the face down bin, 100 in rear face up door) standard labels legal (M905xl). On the face down bin, 100 in rear face up door) standard labels legal (M905xl). We (M605n), M605xl). Envelope Feeder: Yes, 75; Standard Paper Trays: 2; 3 (M605xl). Media Types Supported: Paper (Bond, color, letterhead, plain, preprinted, prepunched, recycled, rough, light), envelopes, labels, cardstock, transparencies, shelf edge labels, user-defined: Media Walpish Supported: Multipurpose tray 1: 16 to 53 lb; Tray 2, optional S00-sheet High-capacity input tray: 16 to 32 lb; Optional Envelope feeder: 20 to 28 lb; Optional Duplexer: 16 to 32 lb; Media Sizes Supported: Multipurpose tray 1: letter, legal, executive, statement, 8.5 x 13 in, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelope (commercial No. 9, No. 10, Monarch), US postcard; fray 2, optional 500-sheet input tray; 247 to 8.5 x 14 in; Optional Custom ended acassette: 4.02 x 5.83 to 6.59 x 1.10 in						
Product Dimensions	W x D x H: 16.7 x 17.8 x 15.7 in; Maximum: 16.7 x 33 x 22.5 in	W x D x H: 16.7 x 21.1 x 15.7 i	n; Maximum: 16.7 x 33 x 22.5 in	W x D x H: 16.7 x 21.1 x 20.5 in; Maximum: 16.7 x 33 x 27.4 in			
Product Weight	49.7 lb ¹	57	lb ¹	71.5 lb ¹			
What's in the box		-installed HP Black LaserJet Toner Cartridge; Installation HP Duplexer (M605dn, M605dh, M605x models only); HF					
Warranty Features		1 year Next Bus	siness Day On Site				
Energy Efficiency Compliance	CECP		Energy Star® certified; Blue Angel; CECP; EPEAT® Silver				
Control Panel	4-line color LCD display, 3 LED lights (Ready, Data, Atten	ntion), buttons (Information, Stop/Cancel, Return, Home, F	older, Clear), 10-key numeric keypad	4.3-in touch screen, LCD (color graphics); 1 Home buttor			
Display Description		4-line LCD (color text and graphics) 4.3-in (10.9-cm) touchscreen LCD (color graphics)					
Software Included	Windows OS: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; Mac OS: Welcome Screen, (Direct users to HP.com or OS App Source for Laser Jet Software), Setup Scan To Folder and Email						
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts						
Compatible Operating Systems	Windows OS compatible with In-Box Driver: Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.), Windows Vista all (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows 7 all (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows YD SP3 (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows SP (5P3) (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows SP (5P3) (32-bit, 64-bit) editions (Whome, XP EVS) (32-bit, 64-bit) editions (Whome Basic, Premium, Professional, etc.), Windows SP (3P4) (32-bit, 64-bit) editions (windows SP (3P3) (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows SP (3P4) (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows SP (3P4) (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows SP (3P4) (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows SP (3P4) (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows SP (3P4) (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows SP (3P4) (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows SP (3P4) (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows SP (3P4) (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows SP (3P4) (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows SP (3P4) (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows SP (3P4) (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows SP (3P4) (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows SP (3P4) (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows SP (3P4) (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows SP (3P4) (32-bit) (32-bit, 64-bit) editions (excluding RT OS for Tablets), Windows SP (3P4) (32-bit)						
Compatible Network Operating Systems	Windows Server 2012 R2 (64-bit only), Windows Server 2012 Cluster Support (64-bit only), Windows Server 2012 (64-bit only), Windows Server 2008 Server 12008 Server 12008 Server 2008 Serv						
Minimum System Requirements	PE Windows XP (SP3) all 32-bit editions (VP Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows 7 all 32-bit and 64-bit editions; Windows 8/8.1 all 32-bit and 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-bit and 64-bit editions (XP Home, XP Pro, etc.), Windows Vista all 32-bit and 64-bit editions (Home Basic, Premium, Professional, etc.), Windows Vista all 32-bit and 64-bit editions (windows XP (SP3) 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 7 all 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit editions (sexcluding RT OS for Tablets), Windows 10 all 32-bit and 64-bit ed						
Power	Power Supply Type: Internal (Built-in) power supply; Power Requirements: 110-volt input voltage: 100 to 127 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) (Not dual voltage, product varies by part number with # Option code identifier); Power Consumption: 840 watts (Printing), 3.7 watts (Sleep), <0.1 watts (Manual Off), 0.7 watts (Auto-Off/Wake on LAN), <0.1 watts (Auto-Off/Manual On) ²						
Acoustics	Acoustic Power Emissions: 7.1 B(A); Acoustic Pressure Emissions: 56 dB(A) ⁴						
Operating Environment	Operating Temperature Range: 59 to 89.69°; Recommended Operating Temperature: 59 to 89.69°; Storage Temperature Range: -22 to 140°°; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10						
Security Management	80% RH; Recommended Humidity Operating Range: 10 to 80% RH Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WIA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Security lock slot, USB port disablement, hardware integration pocket for security solutions; Security management: Compatible with HP Imaging and Printing Security Center						

1 With cartridges 2 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. 3 Declared yield value in accordance with ISO/IEC 19752 and continuous printing, Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies, 4 Acoustic values are subject to change. For current information see hp.com/support. Configuration tested: M604dn, simplex printing, A4 paper at an average of 50 ppm. 3 Measured using ISO/IEC 17629. For more information, see thp.com/go/printerclaims. Exact speed varies depending on the system configuration, offware application, driver, and document complexity. 7 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. 8 HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. 9 HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Only available with Original HP supplies; Internet access required. 7 le learn more, with p.com/go/SureSupply. ¹⁰⁹ per participation and the product stability, it is a requirement to purchase the HP LaserJet P4010/P4510/600 Series Printer Stand (F2670A) when using M604/M605/M606 Printers with more than three HP LaserJet 500-sheet Input Tray Feeders (CE998A), or with one HP LaserJet 1500-sheet Input Tray (CE398A) and more than one HP LaserJet 500-sheet Input Tray Feeders (CE998A). ¹¹ Not all Compatible Operating Systems are supported with In-box software. Full solutio

Learn more at hp.com

© Copyright 2015-2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, Phone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. Linus is a U.S. registered trademark of Linus Torvalds. UNIXI is a registered trademark in the United States and other countries. Droporation. AirPrint, iPad, Phone, and iPod touch are trademarks of Citrix Systems, Inc. in the United States and other countries. PostScript is a registered trademark of Adobe Systems Incorporated.

