| Energy Efficiency Information | | | |
|--|---------------------|----------|-------------------|
| Attribute | Symbol | Value | Units |
| Model Identification | | ECA60 | |
| Annual Energy Consumption | AEC_{Hood} | 61.6 | kWh |
| Time increase factor | f | 1.7 | |
| Fluid Dynamic Efficiency | FDE _{Hood} | 9.2 | |
| Energy Efficiency Index | EEI _{Hood} | 87.6 | |
| Measured airflow at Best Efficiency Point | Q_{BEP} | 207.3 | m ³ /h |
| Measured Pressure at Best Efficiency Point | P _{BEP} | 151 | Pa |
| Maximum airflow | Q_{MAX} | 329.6 | m ³ /h |
| Measured electric power at Best Efficiency Point | W_{BEP} | 94.1 | W |
| Nominal lighting power | WL | 6 | W |
| Average illumination of the lighting system on the cooking surface | E _{Middle} | 551 | Lux |
| Measured power consumption in standby | P_{S} | NA | W |
| Measured power consumption off mode | Po | 0 | W |
| Sound power level | L_{WA} | 65 | dBA |
| Grease Filter Efficiency | GFE _{Hood} | 58.3 (E) | % |
| Lamp efficiency | LE _{Hood} | 91.8 (A) | % |