

HP Scanjet N7710 Document Sheet-feed Scanner



Quickly and easily manage documents, using a robust sheet-feed solution.

Fast scanning

It's our fastest, most advanced sheet-feed scanning solution for workgroup document management. Just drop a stack of 50 sheets in the feeder and press a button for duplex scanning at speeds of up to 35 pages per minute (ppm) and 70 images per minute (ipm).

Save time by creating up to 30 scan profiles for recurring scan jobs—such as paper size, file destination, and more—and employ them again later with HP Smart Document Scan Software. A pull-out reference chart on the scanner provides a dedicated place to list profiles and their corresponding numbers.

Enjoy the convenience of a copier, without the extra steps. Just press the one-touch Copy button to send a scan, or multiple copies of a scan, to the default printer.

Increases productivity

Confidently perform quick, unattended two-sided scanning—up to 1,500 pages a day—using the 50-sheet automatic document feeder (ADF).

No need to double check—you can trust that every page will be captured. If more than one sheet begins to feed, ultrasonic double-feed detection stops the scanner and notifies you to reset the paper in the ADF.

Optimize scans on the first pass and increase OCR accuracy with Kofax® Virtual Rescan®. Get clear scans at 200 dpi or scan at up to 600 dpi¹ for higher-resolution images.

Reduce start-up time—patented HP technology keeps the lamp warm and ready to scan.

Simple document management

Create an archival document management solution out of the box with Scansoft® PaperPort®, which allows you to scan, organize, and share documents. Seamlessly integrate the scanner into existing systems and start scanning right away with the included ISIS® and TWAIN drivers.

Convert stacks of hardcopies into electronic files using the power and accuracy of the included IRIS Readiris[™] Pro OCR software. Save scans in multiple formats—PDFA, PDF, TIFF, JPEG, and more—at manageable file sizes, so they can easily be edited, e-mailed, or organized.

Scan and manage business and ID cards using an integrated card slot and NewSoft® Presto! BizCard SE.

¹ Maximum resolution may be affected by PC system factors.

HP Scanjet N7710 Document Sheet-feed Scanner

3

2 1

- 50-sheet automatic 1 document feeder
- 2 Ultrasonic double-feed detection
- 3 Intuitive control panel features LCD display
- Cancel button 4
- 5 Button settings button
- Copy button with 6 number of copies and color/black-and-white selectors
- Scan-to destination 7 button with selection buttons
- Card feeder for easy 8 scanning of business cards
- 9 Fast duplex scanning at speeds of up to 35 ppm and 70 ipm
- 10 Power button
- 11 Built-in Hi-Speed USB 2.0 port
- 12 Space-saving retractable paper tray

Rear view



HP Smart Document Scan Software

Use this ISIS-based capture and routing software to create custom workflow profiles with settings for the scanning and destination parameters below. For more information on HP's Smart Document Scan Software, see "Efficient document management" on page 3.

Scan settings

- Simplex/Duplex
- Kofax Virtual ReScan
- Page size
- Resolution •
- Color mode •
- Brightness and Contrast •
- Ultrasonic double-feed detection
- JPEG compression
- Color dropout
- Gamma correction

Process settings

- Auto-straighten
- Auto-orient
- Auto-crop
- Delete blank pages •
- Delete barcodes
- Separate pages into multiple documents
- - Open eBook 1.0

Destination settings

File types supported

• Microsoft® Word

Top view

- WordPerfect
- XML
- Excel
- TIFF
- PNG

Routing destinations

8

9

- Application
- E-mail
- FTP
- Printer
- SharePoint
- Webfolder

- Text Unicode
- Rich text
- HTML 4.0

• PDF, PDF-A

- BMP
- JPEG Image

Powerful software solutions save time, increase workgroup productivity, and add value. Count on HP technology to help your business work smoothly.

Efficient document management

Simplify the scanning process with HP Smart Document Scan Software. This fast, robust ISIS-based capture and routing software helps you easily scan and manage your document jobs.

Create custom workflow profiles, including settings for file format, document size, resolution, and destination. Assign profiles to front-panel buttons for easy one-touch scanning and predictable, repeatable results, or launch from the application. Save to a shared drive, an e-mail application, Microsoft SharePoint Server, or any application that supports command line architecture.

Other customizations available include auto crop, auto page straighten, auto orientation, resize page, and deletion of blank pages. During the scanning process, pages can be reordered, rotated, deleted, and inserted using the preview window. The barcode detector or a blank page can separate jobs for batch scanning.

Compatibility

Integrate the scanner into your existing document management software, using the included ISIS drivers. The scanner also comes with TWAIN drivers for compatibility with most software applications—so you can start scanning immediately.

Superior image quality

Get clear, readable results—HP Scanjet scanners and Kofax Virtual Rescan image enhancement technology work together to automatically adjust the color and contrast of your scans. This is especially useful for scanning documents into a black-and-white file when the background is dark or damaged. Plus, to better help you optimize the image quality of all your documents, Kofax VRS can be turned on or off with a checkbox as part of a profile definition.

Better organization

Preview, reorganize, and add additional scans with drag-and-drop capabilities and the browser-type interface of the Scansoft PaperPort software, which displays thumbnails of files on the system.

Scan business, ID, and other rigid cards using the integrated card slot. Then, organize the information into a database you can easily search by name, company, and more, using the included NewSoft Presto! BizCard SE software.

Great value

The powerful software included with the HP Scanjet N7710 scanner helps you increase workgroup productivity. And HP technology ensures your scanner works reliably throughout the day, to give you the scanning performance you need.

Get the most from your scanner with HP supplies and services.

Product	
HP Scanjet N7710 Scanner	L1989A
Service and support	
HP Installation Service	UG837E
HP 3-year Next Business Day Exchange Service	UH250E
HP 3-year Next Business Day Onsite Support	UH252E
Supplies	
ADF Roller Replacement Kit	L1991-60001
ADF Cleaning Sheet Service Assembly, 5-Pack	C9915-60055

HP Scanjet N7710 Document Sheet-feed Scanner

Scan technology Charge Coupled Device (CCD) Automatic document feeder (ADF) Up to 35 ppm scan speed ¹ Up to 70 ipm ADF capacity 50 sheets Duty cycle Up to 1,500 pages per day Scan resolution: optical Up to 600 qpi Output resolution dpi settings 75, 100, 150, 200, 240, 300, 400, 500, 600 Color bit depth 48-bit internal, 24-bit external Grayscale levels 256 or 8-bit Paper Media types Media viges Paper (plain, inkjet), envelopes, labels, business and insurance cards, embossed cards, plastic IDs Maximum document scan size 8.5 by 34 in (215.9 by 863.6 mm) Minimum document scan size 2 by 2.9 in (50.8 by 73.6 mm) Media weight 16 to 32 lb bond Double-feed detection Yes - Ultrasonic File formats PDF, PDF/A, searchable PDF, PDF-MRC, JPG, BMP, UNICODE, RTF, DOC, XLS, XML, XPS (Windows Vista TM Ready only), TIFF, compressed TIFF (G3, G4, L2W), multi-page TIFF, PNG, TXI, HTML, WPD, OPF Control panel buttons Cancel, Copy, Scan document to, Tools utility, Up and down arrows (Select profile number or number of copies) Connectivity Hi-Speed USB 2.0 Yes 00 by 312 mm) Product dimensions (W by D by H) 12	Technical specifications	HP Scanjet N7710 scanner (L1989A)			
Automatic document feeder (ADF) Up to 35 ppm Scan speed ⁷ Up to 70 ipm ADF capacity 50 sheets Duty cycle Up to 1,500 pages per day Scan resolution: optical Up to 1,500 pages per day Output resolution dpi settings 75, 100, 150, 200, 240, 300, 400, 500, 600 Color bit depth 48-bit internal, 24-bit external Grayscale levels 256 or 8-bit Paper Paper (plain, inkjet), envelopes, labels, business and insurance cards, embossed cards, plastic IDs Maximum document scan size 8.5 by 34 in (215.9 by 863.6 mm) Maximum document scan size 16 to 32 lb bond Double-feed detection Yes - Ultrasonic PDF, PDF/A, searchable PDF, PDF-MRC, JPG, BMP, UNICODE, RTF, DOC, XLS, XML, XPS (Windows Vista TM Ready only), IIFF, compressed TIFF (G3, G4, LZW), multi-page TIFF, PNG, TXT, HTML, WPD, OPF Control panel buttons Cancel, Copy, Scan document to, Tools utility. Up and down arrows (Select profile number or number of copies) Control panel buttons Cancel, Copy, Scan document Scan Software, RIS Read/ins Pro CR, ScanSoft ReperPort, Kofax VRS, Nex%50 200 by 312 mm) Product weight 11.8 lb (5.4 kg) What's in the box HiSpeed USB 2.0 cleaning cloth, Lise Settings tabel for custom profiles, CDROM(s) with sothware for Windows Vista, Windows Vista, Wind	Scanner type	Sheet-feed			
scan speed? Up to 70 jpm ADF capacity 50 sheets ADF capacity 50 sheets Duty cycle Up to 1,500 pages per day Scan resolution: optical Up to 600 dpi Output resolution dpi settings 75, 100, 150, 200, 240, 300, 400, 500, 600 Calor bit depth 48-bit internal, 24-bit external Grayscale levels 256 or 8-bit Peper Maximum document scan size 8.5 by 34 in (215.9 by 863.6 mm) Minimum document scan size 2 by 2.9 in (50.8 by 73.6 mm) Media weight 16 to 32 lb bond Double-feed detection Yes - Ultrasonic File formats PDF/A, scarchable PDF, PDF-MRC, JPG, BMP, UNICODE, RTF, DOC, XLS, XML, XPS (Windows Vista TM Ready only), TIFF, compressed TIFF (G3, G4, LZW), multi-page TIFP, PNG, TXT, HTML, WPD, OPF Control panel buttons Cancel, Copy, Scan document to, Tools utility. Up and down arrows (Select profile number or number of copies) Connectivity Hi-Speed USB 2.0 Product dimensions (W by D by H) 12.6 by 10.6 by 12.3 in (320 by 270 by 312 mm); maximum (with paper trays extended): 12.6 by 19.7 by 12.3 in (320 by 500 by 312 mm) Product weight 11.8 lb (5.4 kg) What's in the box HP Scanjet N7710 Document Scanner, Hi-Speed USB 2.0 cable, power adapter and power c	Scan technology	Charge Coupled Device (CCD)			
ADF capacity 50 sheets Duty cycle Up to 1,500 pages per day Scan resolution: optical Up to 600 dpi Output resolution dpi settings 75, 100, 150, 200, 240, 300, 400, 500, 600 Calor bit depth 48-bit internal, 24-bit external Grayscale levels 256 or 8-bit Paper Paper (plain, inkjet), envelopes, labels, business and insurance cards, embossed cards, plastic IDs Maximum document scan size 2. by 2.9 in (50.8 by 73.6 mm) Media types Paper (plain, inkjet), envelopes, labels, business and insurance cards, embossed cards, plastic IDs Maximum document scan size 2. by 2.9 in (50.8 by 73.6 mm) Media weight 16 to 32 lb bond Double-feed detection Yes - Ultrasonic File formats PDF, PDF/A, searchable PDF, PDF-MRC, JPG, BMP, UNICODE, RTF, DOC, XLS, XML, XPS (Windows Vista TM Ready only), TIFF, compressed TIFF (G3, G4, LZW), multi-page TIFF, PNG, TXT, HTML, WPD, OPF Control panel buttons Cancel, Copy, Scan document to, Tools utility, Up and down arrows (Select profile number or number of capies) Connectivity Hi-Speed USB 2.0 Product dimensions (W by D by H) Product weight 11.8 Ib (5.4 kg) Whar's in the box H* Scapiet N7710 Document Scanner, Hi-Speed USB 2.0 cable, power adapter and power cord, IRIS reg	Automatic document feeder (ADF)	Up to 35 ppm			
Duty cycle Up to 1,500 pages per day Scan resolution: optical Up to 600 dpi Output resolution dpi settings 75, 100, 150, 200, 240, 300, 400, 500, 600 Color bit depth 48-bit internal, 24-bit external Grayscale levels 256 or 8-bit Paper Paper (plain, inkjet), envelopes, labels, business and insurance cards, embossed cards, plastic IDs Maximum document scan size 8.5 by 34 in (215.9 by 863.6 mm) Media types Paper (plain, inkjet), envelopes, labels, business and insurance cards, embossed cards, plastic IDs Maximum document scan size 2 by 2.9 in (50.8 by 73.6 mm) Media weight 16 to 32 Ib bond Double-feed detection Yes - Ultrasonic PDF, PDF/A, searchable PDF, PDF-MRC, JPG, BMP, UNICODE, RTF, DOC, XLS, XML, XPS (Windows Vista TM Ready only), IIFF, compressed TIFF (G3, G4, LZW), multi-page TIFF, PNG, TXT, HTML, WPD, OPF Connectivity His Speed USB 2.0 Product dimensions (W by D by H) 12.6 by 10.6 by 12.3 in (320 by 270 by 312 mm); maximum (with paper trays extended): 12.6 by 19.7 by 12.3 in (320 by 500 by 312 mm) Product weight 11.8 lb (5.4 kg) What's in the box HP Scanjet N7710 Document Scanner, Hi-Speed USB 2.0 cable, power adapter and power cord, IRIS registration flyer, printed Setup and Support Guide, ADF cleanin	scan speed ²	Up to 70 ipm			
Scan resolution: optical Up to 600 dpi Output resolution dpi settings 75, 100, 150, 200, 240, 300, 400, 500, 600 Color bit depth 48-bit internal, 24-bit external Grayscale levels 256 or 8-bit Paper Paper (plain, inkjet), envelopes, labels, business and insurance cards, embossed cards, plastic IDs Maximum document scan size 8.5 by 34 in (215.9 by 863.6 mm) Mainmum document scan size 2 by 2.9 in (50.8 by 73.6 mm) Media weight 16 to 32 lb bond Double-feed detection Yes - Ultrasonic File formats PDF, PDF/A, searchable PDF, PDF-MRC, JPG, BMP, UNICODE, RTF, DOC, XLS, XML, XPS (Windows Vista TM Ready only), TIFF, compressed TIFF (63, G4, LZW), multi-page TIFF, PNG, TXT, HTML, VPD, OPF Control panel buttons Cancel, Copy, Scan document to, Tools utility, Up and down arrows (Select profile number or number of copies) Control yead dimensions (W by D by H) 12.3 in (320 by 270 by 312 mm); maximum (with paper trays extended): 12.6 by 19.7 by 12.3 in (320 by 500 by 312 mm) Product dimensions (W by D by H) 11.8 lb (5.4 kg) What's in the box HP Sconjet N7710 Document Scanner, Hi-Speed USB 2.0 cable, power adapter and power cord, IRIS registration flye, printed Setup and Support Guide, ADF cleaning cloth, User Settings Label for custom profiles, CD-ROM(s) with software for Windows including HP Smart Document Scan	ADF capacity	50 sheets			
Output resolution dpi settings 75, 100, 150, 200, 240, 300, 400, 500, 600 Color bit depth 48-bit internal, 24-bit external Grayscale levels 256 or 8-bit Paper Paper (plain, inkjet), envelopes, labels, business and insurance cards, embossed cards, plastic IDs Maximum document scan size 8.5 by 34 in (215.9 by 863.6 mm) Minimum document scan size 2 by 2.9 in (50.8 by 73.6 mm) Media weight 16 to 32 lb bond Double-feed detection Yes - Ultrasonic File formats PDF, PDF/A, searchable PDF, PDF-MRC, JPG, BMP, UNICODE, RTF, DOC, XLS, XML, XPS (Windows Vista TM Ready only), TIFF, compressed TIFF (G3, G4, LZW), multi-page TIFF, PNG, TXT, HTML, WPD, OPF Control panel buttons Cancel, Copy, Scan document to, Tools utility, Up and down arrows (Select profile number or number of copies) Connectivity Hi-Speed USB 2.0 Product dimensions (W by D by H) 12.6 by 10.6 by 12.3 in (320 by 270 by 312 mm); maximum (with paper trays extended): 12.6 by 19.7 by 12.3 in (320 by 500 by 312 mm) Product weight 11.8 b(5.4.4g) What's in the box HP Scanjet N7710 Document Scanner, Hi-Speed USB 2.0 cable, power adapter and power cord, IRIS registration flyer, printed Setup and Support Guide, ADF cleaning cloth, User Settings Label for custom profiles, CD-ROM(s) with software for Windows induding HP Smart Document Scan Software, IRIS Readrits ProC. Soct RPAPerFort, Kofax VRS, NeawS	Duty cycle	Up to 1,500 pages per day			
Color bit depth 48-bit internal, 24-bit external Grayscale levels 256 or 8-bit Paper Paper (plain, inkjet), envelopes, labels, business and insurance cards, embossed cards, plastic IDs Maximum document scan size 8.5 by 34 in (215.9 by 863.6 mm) Media veight 16 to 32 lb bond Double-feed detection Yes - Ultrasonic PDF, PDF/A, searchable PDF, PDF-MRC, JPG, BMP, UNICODE, RTF, DOC, XLS, XML, XPS (Windows Vista TM Ready only), TIFF, compressed TIFF (G3, G4, LZW), multi-page TIFF, PNG, TXT, HTML, WPD, OPF Control panel buttons Cancel, Copy, Scan document to, Tools utility, Up and down arrows (Select profile number or number of copies) Product dimensions (W by D by H) 12.6 by 12.3 in (320 by 270 by 312 mm); maximum (with paper trays extended): 12.6 by 19.7 by 12.3 in (320 by 500 by 312 mm) Product weight 11.8 lb (5.4 kg) What's in the box HP Scanjet N7710 Document Scanner, Hi-Speed USB 2.0 cable, power adapter and power cord, IRIS registration flyer, printed Setup and Support Guide, ADF cleaning cloth, User Settings Label for custom profiles, CD-ROM(s) with software for Windows including HP Smart Document Scan Software, IRIS Readiris Pro OCR, ScanSoft PaperPort, Kofax VRS, NewSoft Prestol BizCard Reader, EMC/Captiva SIS/TWAIN drivers, EMC/Captiva QuickScan Pro (demo version) Compatible operating systems Certified for Windows VP, XP x64 2000: 500 MHz processor, 64 MB RAM (drivers only), 256 MB RAM (minimum), 80 MB available hard disk space (drivers only), 200	Scan resolution: optical				
Grayscale levels 256 or 8-bit Paper Paper (plain, inkjet), envelopes, labels, business and insurance cards, embossed cards, plastic IDs Maximum document scan size 8.5 by 34 in (215.9 by 863.6 mm) Minimum document scan size 2 by 2.9 in (50.8 by 73.6 mm) Media weight 16 to 32 lb bond Double-feed detection Yes - Ultrasonic File formats PDF, PDF/A, searchable PDF, PDF-MRC, JPG, BMP, UNICODE, RTF, DOC, XLS, XML, XPS (Windows Vista TM Ready only), ITF, compressed TIFF (G3, C4, LZW), multi-page TIFF, PNG, TXT, HTML, WPD, OPF Control panel buttons Cancel, Copy, Scan document to, Tools utility, Up and down arrows (Select profile number or number of copies) Product dimensions (W by D byH) 12.6 by 10.6 by 12.3 in (320 by 270 by 312 mm); maximum (with paper trays extended): 12.6 by 19.7 by 12.3 in (320 by 500 by 312 mm) Product weight 11.8 lb (5.4 kg) What's in the box HP Scanjet N7710 Document Scanner, Hi-Speed USB 2.0 cable, power adapter and power cord, IRIS registration flyer, printed Setup and Support Guide, ADF cleaning cloth, User Settings Label for custom profiles, CD-ROM(s) with software for Windows including HP Smart Document Scan Software, IRIS Readiris Pro OCR, Scan Soft PaperPort, Kofax VRS, NewSoft Prestol BizCard Reader, EMC/Captiva ISIS/TWAIN drivers, EMC/Captiva QuickScan Pro (demo version) Cortride for Windows XP, XP x64 2000: 500 MHz processor, 64 MB RAM (drivers only), 256 MB RAM (minimum), 80 MB available hard disk space (drivers only), 200 MB available hard disk space (drivers only), 200 MB available hard disk space (drivers only), 200 MB av	Output resolution dpi settings				
Paper Paper (plain, inkjet), envelopes, labels, business and insurance cards, embossed cards, plastic IDs Maximum document scan size 8.5 by 34 in (215.9 by 863.6 mm) Minimum document scan size 2 by 2.9 in (50.8 by 73.6 mm) Media weight 16 to 32 lb bond Double-feed detection Yes - Ultrasonic PDF, PDF/A, searchable PDF, PDF-MRC, JPG, BMP, UNICODE, RTF, DOC, XLS, XML, XPS (Windows Vista™ Ready only), TIFF, compressed TIFF (G3, G4, LZW), multi-page TIFF, PNG, TXT, HTML, WPD, OPF Control panel buttons Cancel, Copy, Scan document to, Tools utility, Up and down arrows (Select profile number or number of copies) Product dimensions (W by D by H) 12.6 by 10.6 by 12.3 in (320 by 270 by 312 mm); maximum (with paper trays extended): 12.6 by 19.7 by 12.3 in (320 by 500 by 312 mm) Product weight 11.8 lb (5.4 kg) What's in the box HP Scanjet N7710 Document Scanner, Hi-Speed USB 2.0 cable, power adapter and power cord, IRIS registration flyer, printed Setup and Support Guide, ADF cleaning cloth, User Settings Label for custom profiles, CD-ROM(s) with software for Windows including HP Smart Document Scan Software, IRIS Readiris Pro OCR, ScanSoft PaperPort, Kofax VRS, NewSoft Prestol BizCard Reader, EMC/Captiva SIS/TWAIN drivers, EMC/Captiva QuickScan Pro (dem version) Compatible operating systems Microsoft Windows Vista x64: 800 MHz processor, 64 MB RAM (drivers only), 256 MB RAM (minimum), 80 MB available hard disk space (drivers only), 200 MB available hard disk space (drivers only),	Color bit depth				
Paper Media types Paper (plain, inkjet), envelopes, labels, business and insurance cards, embossed cards, plastic IDs Maximum document scan size 8.5 by 34 in (215.9 by 863.6 mm) Minimum document scan size 2 by 2.9 in (50.8 by 73.6 mm) Media weight 16 to 32 lb bond Double-feed detection Yes - Ultrasonic PDF, PDF/A, searchable PDF, PDF-MRC, JPG, BMP, UNICODE, RTF, DOC, XLS, XML, XPS (Windows Vista TM Ready only), TIFF, compressed TIFF (G3, G4, LZW), multi-page TIFF, PNG, TXT, HTML, WPD, OPF Control panel buttons Cancel, Copy, Scan document to, Tools utility, Up and down arrows (Select profile number or number of copies) Product dimensions (W by D by H) 12.6 by 10.6 by 12.3 in (320 by 270 by 312 mm); maximum (with paper trays extended): 12.6 by 19.7 by 12.3 in (320 by 500 by 312 mm) Product weight 11.8 lb (5.4 kg) What's in the box HP Scanjet N7710 Document Scanner, Hi-Speed USB 2.0 cable, power adapter and power cord, IRIS registration flyer, printed Setup and Support Guide, ADF cleaning cloth, User Settings Label for custom profiles, CD-ROM(s) with software for Windows including HP Smart Document Scan Software, IRIS Readiris Pro OCR, ScanSoft PaperPort, Kofax VRS, NewSoft Prestol BizCard Reader, EMC/Captiva SUIS/TVAIN drivers, EMC/Captiva QuickScan Pro (dem version) Compatible operating systems Microsoft Windows XP, YR x64 2000: 500 MHz processor, 64 MB RAM (drivers only), 256 MB RAM (minimum), 80 MB available hard disk space (drivers only), 200 MB available hard disk space (drivers only),		,			
Media types Paper (plain, inkjet), envelopes, labels, business and insurance cards, embossed cards, plastic IDs Maximum document scan size 8.5 by 34 in (215.9 by 863.6 mm) Media weight 16 to 32 Ib bond Double-feed detection Yes - Ultrasonic File formats PDF, PDF/A, searchable PDF, PDF-MRC, JPG, BMP, UNICODE, RTF, DOC, XLS, XML, XPS (Windows Vista TM Ready only), TIFF, compressed TIFF (G3, G4, LZW), multi-page TIFF, PNG, TXT, HTML, WPD, OPF Control panel buttons Cancel, Copy, Scan document to, Tools utility, Up and down arrows (Select profile number or number of copies) Connectivity Hi-Speed USB 2.0 Product dimensions (W by D by H) 12.6 by 10.6 by 12.3 in (320 by 270 by 312 mm); maximum (with paper trays extended): 12.6 by 19.7 by 12.3 in (320 by 500 by 312 mm) Product weight 11.8 lb (5.4 kg) What's in the box HP Scanjet N7710 Document Scanner, Hi-Speed USB 2.0 cable, power adapter and power cord, IRIS registration flyer, printed Setup and Support Guide, ADF cleaning cloth, User Settings Label for custom profiles, CD-ROM(s) with software for Windows including HP Smart Document Scan Software, IRIS Readiris Pro OCR, ScanSoft PaperPort, Kofax VRS, NewSoft Prestol BizCard Reader, EMC/Captiva SIS/TWAIN drivers, EMC/Captiva QuickScan Pro (dem oversion) Compatible operating systems Certified for Windows Vista, Windows 2000 Minimum system requirements Microsoft Windows XP, XP x64 2000: 500 MHz processor, 512					
Maximum document scan size 8.5 by 34 in (215.9 by 863.6 mm) Minimum document scan size 2 by 2.9 in (50.8 by 73.6 mm) Media weight 16 to 32 lb bond Double-feed detection Yes - Ultrasonic File formats PDF, PDF/A, searchable PDF, PDF-MRC, JPG, BMP, UNICODE, RTF, DOC, XLS, XML, XPS (Windows Vista TM Ready only), TIFF, compressed TIFF (63, 64, LZW), multi-page TIFF, PNG, TXT, HTML, WPD, OPF Control panel buttons Cancel, Copy, Scan document to, Tools utility, Up and down arrows (Select profile number or number of copies) Connectivity HiSpeed USB 2.0 Product dimensions (W by D by H) 12.6 by 10.6 by 12.3 in (320 by 270 by 312 mm); maximum (with paper trays extended): 12.6 by 19.7 by 12.3 in (320 by 500 by 312 mm) Product weight 11.8 lb (5.4 kg) What's in the box HP Scanjet N7710 Document Scanner, Hi-Speed USB 2.0 cable, power adapter and power cord, IRIS registration flyer, printed Setup and Support Guide, ADF cleaning cloth, User Settings Label for custom profiles, CD-ROM(s) with software for Windows including HP Smart Document Scan Software, IRIS Readiris Pro OCR, ScanSoft PaperPort, Kofax VRS, NewSoft Prestol BizCard Reader, EMC/Captiva SIS/TWAIN drivers, EMC/Captiva QuickScan Pro (demo version) Compatible operating systems Certified for Windows Vista, Windows 2000 Minimum system requirements Microsoft Windows XP, XP x64 2000: 500 MHz processor, 512 MB RAM, 80 MB available hard disk space (drivers only), 200 MB available hard disk space (min	Media types	Paper (plain, inkjet), envelopes, labels, business and insurance cards, embossed cards, plastic IDs			
Minimum document scan size 2 by 2.9 in (50.8 by 73.6 mm) Media weight 16 to 32 lb bond Double-feed detection Yes · Ultrasonic File formats PDF, PDF/A, searchable PDF, PDF-MRC, JPG, BMP, UNICODE, RTF, DOC, XLS, XML, XPS (Windows Vista TM Ready only), TIFF, compressed TIFF (G3, G4, LZW), multi-page TIFF, PNG, TXT, HTML, WPD, OPF Control panel buttons Cancel, Copy, Scan document to, Tools utility, Up and down arrows (Select profile number or number of copies) Connectivity Hi:Speed USB 2.0 Product dimensions (W by D by H) 12.6 by 10.6 by 12.3 in (320 by 270 by 312 mm); maximum (with paper trays extended): 12.6 by 19.7 by 12.3 in (320 by 500 by 312 mm) Product weight 11.8 lb (5.4 kg) What's in the box HP Scanjet N7710 Document Scanner, Hi:Speed USB 2.0 cable, power adapter and power cord, IRIS registration flyer, printed Setup and Support Guide, ADF cleaning cloth, User Settings Label for custom profiles, CD-ROM(s) with software for Windows including HP Smart Document Scan Software, IRIS Readiris Pro OCR, ScanSoft PaperPort, Kofax VRS, NewSoft Prestel BizCard Reader, EMC/Captiva ISIS/TWAIN drivers, EMC/Captiva QuickScan Pro (demo version) Compatible operating systems Certified for Windows Vista, Windows Vista x64, Windows@ XP® Home, Windows XP Professional, Windows XP Professional x64, Windows 2000 Minimum system requirements Microsoft Windows XP, XP 42 0000: 500 MHz processor, 64 MB RAM (drivers only), 256 MB RAM (minimum), 80 MB available hard disk space (drivers only), 200 MB available	/1				
Media weight 16 to 32 lb bond Double-feed detection Yes - Ultrasonic File formats PDF, PDF/A, searchable PDF, PDF-MRC, JPG, BMP, UNICODE, RTF, DOC, XLS, XML, XPS (Windows Vista TM Ready only), TIFF, compressed TIFF (G3, G4, LZW), multi-page TIFF, PNG, TXT, HTML, WPD, OPF Control panel buttons Cancel, Copy, Scan document to, Tools utility, Up and down arrows (Select profile number or number of copies) Product dimensions (W by D by H) 12.6 by 10.6 by 12.3 in (320 by 270 by 312 mm); maximum (with paper trays extended): 12.6 by 19.7 by 12.3 in (320 by 500 by 312 mm) Product weight 11.8 lb (5.4 kg) What's in the box HP Scanjet N7710 Document Scanner, Hi-Speed USB 2.0 cable, power adapter and power cord, IRIS registration flyer, printed Setup and Support Guide, ADF cleaning cloth, User Settings Label for custom profiles, CD-ROM(s) with software for Windows including HP Smart Document Scan Software, IRIS Readiris Pro OCR, ScanSoft PaperPort, Kofax VRS, NewSoft Prestol BizCard Reader, EMC/Captiva ISIS/TWAIN drivers, EMC/Captiva QuickScan Pro (demo version) Certified for Windows Vista, Windows Vista xó4, Windows@ XP® Home, Windows XP Professional, Windows XP Professional xó4, Windows 2000 Microsoft Windows XP, Yz xó4 2000: 500 MHz processor, 64 MB RAM (drivers only), 256 MB RAM (minimum), 80 MB available hard disk space (drivers only), 200 MB available hard disk space (minimum), USB 1.1 and later, CD-ROM drive, 800 by 600 SVGA monitor, 16-bit color, Microsoft Windows Internet Explorer 6 and later Windows Vista, Vista xó4: 800 MHz processor, 512 MB RAM, 80 MB available hard disk space (drivers only), 200 ME available	Minimum document scan size				
Double-feed detection Yes - Ultrasonic File formats PDF, PDF/A, searchable PDF, PDF-MRC, JPG, BMP, UNICODE, RTF, DOC, XLS, XML, XPS (Windows Vista™ Ready only), TIFF, compressed TIFF (G3, G4, LZW), multi-page TIFF, PNG, TXT, HTML, WPD, OPF Control panel buttons Cancel, Copy, Scan document to, Tools utility, Up and down arrows (Select profile number or number of copies) Connectivity Hi-Speed USB 2.0 Product dimensions (W by D by H) 12.6 by 10.6 by 12.3 in (320 by 270 by 312 mm); maximum (with paper trays extended): 12.6 by 19.7 by 12.3 in (320 by 500 by 312 mm) Product weight 11.8 lb (5.4 kg) What's in the box HP Scanjet N7710 Document Scanner, Hi-Speed USB 2.0 cable, power adapter and power cord, IRIS registration flyer, printed Setup and Support Guide, ADF cleaning cloth, User Settings Label for custom profiles, CD-ROM(s) with software for Windows including HP Smart Document Scan Software, IRIS Readiris Pro OCR, ScanSoft PaperPort, Kofax VRS, NewSoft Presto! BizCard Reader, EMC/Captiva ISIS/TWAIN drivers, EMC/Captiva QuickScan Pro (demo version) Compatible operating systems Certified for Windows Vista, Windows Vista x64, Windows® XP® Home, Windows XP Professional, Windows XP Professional x64, Windows 2000 Minimum system requirements Microsoft Windows XP, XP x64 2000: 500 MHz processor, 64 MB RAM (drivers only), 256 MB RAM (minimun), 80 MB available hard disk space (drivers only), 200 MB available hard disk spa	Media weight				
File formats PDF, PDF/A, searchable PDF, PDF-MRC, JPG, BMP, UNICODE, RTF, DOC, XLS, XML, XPS (Windows Vista™ Ready only), TIFF, compressed TIFF (G3, G4, LZW), multi-page TIFF, PNG, TXT, HTML, WPD, OPF Control panel buttons Cancel, Copy, Scan document to, Tools utility, Up and down arrows (Select profile number or number of copies) Hi-Speed USB 2.0 Hi-Speed USB 2.0 Product dimensions (W by D by H) 12.6 by 10.6 by 12.3 in (320 by 270 by 312 mm); maximum (with paper trays extended): 12.6 by 19.7 by 12.3 in (320 by 500 by 312 mm) Product weight 11.8 lb (5.4 kg) What's in the box HP Scanjet N7710 Document Scanner, Hi-Speed USB 2.0 cable, power adapter and power cord, IRIS registration flyer, printed Setup and Support Guide, ADF cleaning cloth, User Settings Label for custom profiles, CD-ROM(s) with software for Windows including HP Smart Document Scan Software, IRIS Readiris Pro OCR, ScanSoft PaperPort, Kofax VRS, NewSoft Prestol BizCard Reader, EMC/Captiva ISIS/TWAIN drivers, EMC/Captiva QuickScan Pro (demo version) Compatible operating systems Certified for Windows Vista, Windows Vista x64, Windows® XP® Home, Windows XP Professional, Windows XP Professional x64, Windows 2000 Minimum system requirements Microsoft Windows XP, XP x64 2000: 500 MHz processor, 64 MB RAM (drivers only), 256 MB RAM (minimum), 80 MB available hard disk space (drivers only), 200 MB available hard disk space (drivers	3	Yes - Ultrasonic			
only), TIFF, compressed TIFF (G3, G4, LZW), multi-page TIFF, PNG, TXT, HTML, WPD, OPF Control panel buttons Cancel, Copy, Scan document to, Tools utility, Up and down arrows (Select profile number or number of copies) Connectivity Hi-Speed USB 2.0 Product dimensions (W by D by H) 12.6 by 10.6 by 12.3 in (320 by 270 by 312 mm); maximum (with paper trays extended): 12.6 by 19.7 by 12.3 in (320 by 500 by 312 mm) Product weight 11.8 lb (5.4 kg) What's in the box HP Scanjet N7710 Document Scanner, Hi-Speed USB 2.0 cable, power adapter and power cord, IRIS registration flyer, printed Setup and Support Guide, ADF cleaning cloth, User Settings Label for custom profiles, CD-ROM(s) with software for Windows including HP Smart Document Scan Software, IRIS Readiris Pro OCR, ScanSoft PaperPort, Kofax VRS, NewSoft Presto! BizCard Reader, EMC/Captiva ISIS/TWAIN drivers, EMC/Captiva QuickScan Pro (demo version) Compatible operating systems Certified for Windows Vista, Windows 2000 Minimum system requirements Microsoft Windows XP, XP x64 2000: 500 MHz processor, 64 MB RAM (drivers only), 256 MB RAM (minimum), 80 MB available hard disk space (drivers only), 200 MI available hard disk space (drivers only), 200		PDF, PDF/A, searchable PDF, PDF-MRC, JPG, BMP, UNICODE, RTF, DOC, XLS, XML, XPS (Windows Vista TM Ready			
Control panel buttons Cancel, Copy, Scan document to, Tools utility, Up and down arrows (Select profile number or number of copies) Connectivity Hi-Speed USB 2.0 Product dimensions (W by D by H) 12.6 by 10.6 by 12.3 in (320 by 270 by 312 mm); maximum (with paper trays extended): 12.6 by 19.7 by 12.3 in (320 by 500 by 312 mm) Product weight 11.8 lb (5.4 kg) What's in the box HP Scanjet N7710 Document Scanner, Hi-Speed USB 2.0 cable, power adapter and power cord, IRIS registration flyer, printed Setup and Support Guide, ADF cleaning cloth, User Settings Label for custom profiles, CD-ROM(s) with software for Windows including HP Smart Document Scan Software, IRIS Readiris Pro OCR, ScanSoft PaperPort, Kofax VRS, NewSoft Prestol BizCard Reader, EMC/Captiva ISIS/TWAIN drivers, EMC/Captiva QuickScan Pro (demo version) Compatible operating systems Certified for Windows Vista, Windows Vista x64, Windows@ XP® Home, Windows XP Professional, Windows XP Professional x64, Windows 2000 Minimum system requirements Microsoft Windows XP, XP x64 2000: 500 MHz processor, 64 MB RAM (drivers only), 256 MB RAM (minimum), 80 MB available hard disk space (drivers only), 200 MB available hard disk space (minimum), USB 1.1 and later, CD-ROM drive, 800 by 600 SVGA monitor, 16-bit color, Microsoft Windows Internet Explorer 6 and later Windows Vista, Vista x64: 800 MHz processor, 512 MB RAM, 80 MB available hard disk space (drivers only), 200 ME available hard disk space (drivers o					
Connectivity Hi-Speed USB 2.0 Product dimensions (W by D by H) 12.6 by 10.6 by 12.3 in (320 by 270 by 312 mm); maximum (with paper trays extended): 12.6 by 19.7 by 12.3 in (320 by 500 by 312 mm) Product weight 11.8 lb (5.4 kg) What's in the box HP Scanjet N7710 Document Scanner, Hi-Speed USB 2.0 cable, power adapter and power cord, IRIS registration flyer, printed Setup and Support Guide, ADF cleaning cloth, User Settings Label for custom profiles, CD-ROM(s) with software for Windows including HP Smart Document Scan Software, IRIS Readiris Pro OCR, ScanSoft PaperPort, Kofax VRS, NewSoft Presto! BizCard Reader, EMC/Captiva ISIS/TWAIN drivers, EMC/Captiva QuickScan Pro (demo version) Compatible operating systems Certified for Windows Vista, Windows Vista x64, Windows® XP® Home, Windows XP Professional, Windows XP Professional x64, Windows 2000 Minimum system requirements Microsoft Windows XP, XP x64 2000: 500 MHz processor, 64 MB RAM (drivers only), 256 MB RAM (minimum), 80 MB available hard disk space (drivers only), 200 MB available hard disk space (drivers only), 200 ME available hard disk space (driveres only), 200 ME available hard disk space (dr	Control panel buttons				
Product dimensions (W by D by H) 12.6 by 10.6 by 12.3 in (320 by 270 by 312 mm); maximum (with paper trays extended): 12.6 by 19.7 by 12.3 in (320 by 500 by 312 mm) Product weight 11.8 lb (5.4 kg) What's in the box HP Scanjet N7710 Document Scanner, Hi-Speed USB 2.0 cable, power adapter and power cord, IRIS registration flyer, printed Setup and Support Guide, ADF cleaning cloth, User Settings Label for custom profiles, CD-ROM(s) with software for Windows including HP Smart Document Scan Software, IRIS Readiris Pro OCR, ScanSoft PaperPort, Kofax VRS, NewSoft Prestel BizCard Reader, EMC/Captiva ISIS/TWAIN drivers, EMC/Captiva QuickScan Pro (demo version) Compatible operating systems Certified for Windows Vista, Windows Vista x64, Windows® XP® Home, Windows XP Professional, Windows XP Professional x64, Windows 2000 Minimum system requirements Microsoft Windows XP, XP x64 2000: 500 MHz processor, 64 MB RAM (drivers only), 256 MB RAM (minimum), 80 MB available hard disk space (drivers only), 200 MB available hard disk space (drivers only), 200 ME available hard disk space (minimum), USB 1.1 and later, CD-ROM drive, 800 by 600 SVGA monitor, 16-bit color, Microsoft Windows Internet Explorer 7 and later Warranty One-year limited hardware warranty, phone and web support included. Warranty may vary by country as required by					
Product weight 11.8 lb (5.4 kg) What's in the box HP Scanjet N7710 Document Scanner, Hi-Speed USB 2.0 cable, power adapter and power cord, IRIS registration flyer, printed Setup and Support Guide, ADF cleaning cloth, User Settings Label for custom profiles, CD-ROM(s) with software for Windows including HP Smart Document Scan Software, IRIS Readiris Pro OCR, ScanSoft PaperPort, Kofax VRS, NewSoft Presto! BizCard Reader, EMC/Captiva ISIS/TWAIN drivers, EMC/Captiva QuickScan Pro (demo version) Compatible operating systems Certified for Windows Vista, Windows Vista x64, Windows® XP® Home, Windows XP Professional, Windows XP Professional x64, Windows 2000 Minimum system requirements Microsoft Windows XP, XP x64 2000: 500 MHz processor, 64 MB RAM (drivers only), 256 MB RAM (minimum), 80 MB available hard disk space (drivers only), 200 MB available hard disk space (minimum), USB 1.1 and later, CD-ROM drive, 800 by 600 SVGA monitor, 16-bit color, Microsoft Windows Internet Explorer 6 and later Windows Vista, Vista x64: 800 MHz processor, 512 MB RAM, 80 MB available hard disk space (drivers only), 200 ME available hard disk space (minimum), USB 1.1 and later, CD-ROM drive, 800 by 600 SVGA monitor, 16-bit color, Microsoft Windows Internet Explorer 7 and later Warranty One-year limited hardware warranty, phone and web support included. Warranty may vary by country as required by	Product dimensions (W by D by H)	12.6 by 10.6 by 12.3 in (320 by 270 by 312 mm); maximum (with paper trays extended): 12.6 by 19.7 by 12.3 in			
What's in the boxHP Scanjet N7710 Document Scanner, Hi-Speed USB 2.0 cable, power adapter and power cord, IRIS registration flyer, printed Setup and Support Guide, ADF cleaning cloth, User Settings Label for custom profiles, CD-ROM(s) with software for Windows including HP Smart Document Scan Software, IRIS Readiris Pro OCR, ScanSoft PaperPort, Kofax VRS, NewSoft Presto! BizCard Reader, EMC/Captiva ISIS/TWAIN drivers, EMC/Captiva QuickScan Pro (demo version)Compatible operating systemsCertified for Windows Vista, Windows Vista x64, Windows® XP® Home, Windows XP Professional, Windows XP Professional x64, Windows 2000Minimum system requirementsMicrosoft Windows XP, XP x64 2000: 500 MHz processor, 64 MB RAM (drivers only), 256 MB RAM (minimum), 80 MB available hard disk space (drivers only), 200 MB available hard disk space (minimum), USB 1.1 and later, CD-ROM drive, 800 by 600 SVGA monitor, 16-bit color, Microsoft Windows Internet Explorer 6 and later Windows Vista, Vista x64: 800 MHz processor, 512 MB RAM, 80 MB available hard disk space (drivers only), 200 ME available hard disk space (minimum), USB 1.1 and later, CD-ROM drive, 800 by 600 SVGA monitor, 16-bit color, Microsoft Windows Internet Explorer 7 and laterWarrantyOne-year limited hardware wa	Product weight				
printed Setup and Support Guide, ADF cleaning cloth, User Settings Label for custom profiles, CD-ROM(s) with software for Windows including HP Smart Document Scan Software, IRIS Readiris Pro OCR, ScanSoft PaperPort, Kofax VRS, NewSoft Presto! BizCard Reader, EMC/Captiva ISIS/TWAIN drivers, EMC/Captiva QuickScan Pro (demo version)Compatible operating systemsCertified for Windows Vista, Windows Vista x64, Windows® XP® Home, Windows XP Professional, Windows XP Professional x64, Windows 2000Minimum system requirementsMicrosoft Windows XP, XP x64 2000: 500 MHz processor, 64 MB RAM (drivers only), 256 MB RAM (minimum), 80 MB available hard disk space (drivers only), 200 MB available hard disk space (minimum), USB 1.1 and later, CD-ROM drive, 800 by 600 SVGA monitor, 16-bit color, Microsoft Windows Internet Explorer 6 and later Windows Vista, Vista x64: 800 MHz processor, 512 MB RAM, 80 MB available hard disk space (drivers only), 200 ME available hard disk space (minimum), USB 1.1 and later, CD-ROM drive, 800 by 600 SVGA monitor, 16-bit color, Microsoft Windows Internet Explorer 6 and later Windows Vista, Vista x64: 800 MHz processor, 512 MB RAM, 80 MB available hard disk space (drivers only), 200 ME available hard disk space (minimum), USB 1.1 and later, CD-ROM drive, 800 by 600 SVGA monitor, 16-bit color, Microsoft Windows Internet Explorer 7 and laterWarrantyOne-year limited hardware warranty, phone and web support included. Warranty may vary by country as required by					
Windows XP Professional x64, Windows 2000 Minimum system requirements Microsoft Windows XP, XP x64 2000: 500 MHz processor, 64 MB RAM (drivers only), 256 MB RAM (minimum), 80 MB available hard disk space (drivers only), 200 MB available hard disk space (minimum), USB 1.1 and later, CD-ROM drive, 800 by 600 SVGA monitor, 16-bit color, Microsoft Windows Internet Explorer 6 and later Windows Vista, Vista x64: 800 MHz processor, 512 MB RAM, 80 MB available hard disk space (drivers only), 200 ME available hard disk space (drivers only), 200 ME windows Vista, Vista x64: 800 MHz processor, 512 MB RAM, 80 MB available hard disk space (drivers only), 200 ME available hard disk space (minimum), USB 1.1 and later, CD-ROM drive, 800 by 600 SVGA monitor, 16-bit color, Microsoft Windows Internet Explorer 7 and later Warranty One-year limited hardware warranty, phone and web support included. Warranty may vary by country as required by	what's in the box	printed Setup and Support Guide, ADF cleaning cloth, User Settings Label for custom profiles, CD-ROM(s) with software for Windows including HP Smart Document Scan Software, IRIS Readiris Pro OCR, ScanSoft PaperPort, Kofax VRS,			
Minimum system requirements Microsoft Windows XP, XP x64 2000: 500 MHz processor, 64 MB RAM (drivers only), 256 MB RAM (minimum), 80 MB available hard disk space (drivers only), 200 MB available hard disk space (minimum), USB 1.1 and later, CD-ROM drive, 800 by 600 SVGA monitor, 16-bit color, Microsoft Windows Internet Explorer 6 and later Windows Vista, Vista x64: 800 MHz processor, 512 MB RAM, 80 MB available hard disk space (drivers only), 200 ME available hard disk space (minimum), USB 1.1 and later, CD-ROM drive, 800 by 600 SVGA monitor, 16-bit color, Microsoft Windows Internet Explorer 7 and later Warranty One-year limited hardware warranty, phone and web support included. Warranty may vary by country as required by	Compatible operating systems				
Warranty One-year limited hardware warranty, phone and web support included. Warranty may vary by country as required by	Minimum system requirements	Microsoft Windows XP, XP x64 2000: 500 MHz processor, 64 MB RAM (drivers only), 256 MB RAM (minimum), 80 MB available hard disk space (drivers only), 200 MB available hard disk space (minimum), USB 1.1 and later, CD-ROM drive, 800 by 600 SVGA monitor, 16-bit color, Microsoft Windows Internet Explorer 6 and later Windows Vista, Vista x64: 800 MHz processor, 512 MB RAM, 80 MB available hard disk space (drivers only), 200 MB available hard disk space (minimum), USB 1.1 and later, CD-ROM drive, 800 by 600 SVGA monitor, 16-bit color,			
	Warranty	One-year limited hardware warranty, phone and web support included. Warranty may vary by country as required by			

Environmental ranges		Certifications	
Recommended temperature	50 to 95 degrees F (10 to 35 degrees C)	Safety	IEC 60950-1:2001, national derivatives, associated voluntary
Storage temperature	-40 to 140 degrees F (-40 to 60 degrees C)		and mandatory certifications: China (CCC), Russia (GOST),
Recommended relative humidity	15 to 80 percent		Taiwan (BSMI), Mexico (NOM)
Storage relative humidity	0 to 90 percent		
Power specifications		EMC	EU (CE certification of conformity), North America (FCC),
Required input voltage	100 to 240 V (±10 percent),		Australia (SMA), New Zealand (SMA), Russia (GOST), Korea
	50/60 Hz (±3 percent), 1.5 amp		(MIC), Taiwan (BSMI)
Power consumption ³	35 watts maximum		
ENERGY STAR [®] qualified models	; see <u>www.hp.com/go/energystar</u>		

² Scan speeds measured at 200 dpi (black and white, color, grayscale), TIFF, using HP Smart Document Scan Software. Test performed on a 3-GHz HP Media Center PC with 1 GB of RAM and Windows XP. Actual processing speeds may vary depending on PC performance and application software.

³ Power requirements are based on the country or region where the product is sold. Do not convert operating voltages or use with other voltages. Doing so might cause damage that would not be covered under HP's product warranty.



Adobe and Acrobat are trademarks of Adobe Systems Incorporated. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Microsoft, Windows, and Windows Vista are registered trademarks of Microsoft Corporation. All other product names mentioned herein may be trademarks of their respective companies.

© Copyright Hewlett-Packard Development Company, L.P. 2007.

All brand and product names are trademarks or registered trademarks of their respective companies. The information contained herein is subject to change without notice. To the extent allowed by local law, except for the obligations specifically set forth in this warranty statement, in no event shall HP or its third-party suppliers be liable for direct, indirect, special, incidental or consequential damages, whether based on contract, tort or any other legal theory and whether advised of the possibility of such damages. Printed in the U.S.A.



To learn more, visit <u>www.hp.com</u>