

Price list 2018







Your order will be delivered **free of charge!***

Prices valid from June 1st, 2018, prices in EUR, plus VAT.

Publishing of this price list shall render all previous price lists invalid with immediate effect. Technical changes, misprints and deviating forms, colours and designs reserved. Our general Terms and Conditions apply; these are available upon request or under www.hks-gmbh.de.

* These free-domicile prices include all projection screens up to a screen width of 600 cm. For widths of more than 600 cm, we will gladly provide the price of delivery. Such prices exclusively refer to delivery within Germany, island delivery excluded.

Contents

projection screens

stationary		
Titan II	up to W 240 x H 240 cm	6–8
Dolomit II crank	up to W 300 x H 300 cm	8–9
Dolomit II crank with black border		10–11
Dolomit II motor	up to W 300 x H 300 cm	12–13
Dolomit II motor with black border	up to W 300 x H 300 cm	14–15
equipment Dolomit II		16–17
Scala II crank	up to W 400 x H 300 cm	18–19
Scala II crank with black border	up to W 400 x H 300 cm	20–21
Scala II motor	up to W 400 x H 300 cm	22–23
Scala II motor with black border	up to W 400 x H 300 cm	24–25
equipment Scala II		26–27
Scala round housing	up to W 300 x H 300 cm	28–29
Kontrast	up to W 300 x H 250 cm	30–31
Kontrast-G	up to W 300 x H 250 cm	32–33
equipment Kontrast		34–35
Congress-S	up to 12 meters	36–39
equipment Congress-S		40–41
Congress 22	up to W 600 x H 400 cm	42–45
equipment Congress 22		46–47
Congress round housing	up to W 500 x H 400 cm	48–49
mobile		
Carat	up to W 350 x H 300 cm	50–51

Carat	up to w 350 x H 300 cm	50-51
Contour	up to W 350 x H 300 cm	52–53
Saphir-G	up to W 240 x H 200 cm	54–55

installation

Kabinett-A	up to W 350 x H 300 cm	56–57
Kabinett-G	up to W 400 x H 300 cm	58–59

frame screens

Brillant-L	up to W 600 x H 400 cm	60–61
Brillant-G	up to W 600 x H 375 cm	62–63

Euroscreen®

Diplomat Electric	up to W 300 x H 255 cm	64–65
Diplomat Tab Tension	up to W 240 x H 200 cm	66–67
Sesame 2.1	up to W 240 x H 200 cm	68–69
Sesame 2.1 Tab Tension	up to W 240 x H 200 cm	70–71
Freya Tab Tension	up to W 425 x H 345 cm	72–73
Thor Tab Tension	up to W 425 x H 270 cm	74–75
equipment		76–77
Frame Vision Light / Frame Vision	up to W 240 x H 182 cm	78–83
Ultimate Folding Screen	up to W 508 x H 340 cm	84–85

display stand

wall-floor mounting

MOW-S	86–87
MOW-S 130 Touch / B raster	88–89
MOW-XL	90–91
MOW-XL 130 Touch	92–93
MOW 150	94–95
LCD/W	96–97

freestanding

VST-D with bottom plate / V-foot / H-foot / S-foot	98–105
VST-D 130 Touch / 130 N	106–109
VST-D base cabinet	110–111
VST-S with V-foot / H-foot / S-foot / bottom plate and VST-S black column	112–115
VST-F	116–117
VST-L	118–119

freestanding – fixed

VST	120–121
VST-e	122–123
VST-e 120	124–125

video system mobile

VSM	126–127
VSM 2	128–129

bottom holder

Holder for preview monitors	130–131
sideboards	

Media Side select / Media Side select Premium	132-135
Media Side No 1	136–137
Media Side No 3	138–139

lectern's

Technology lectern 1	140–141
Technology lectern 2	142–143
Technology lectern 3 and 3.1	144–145
Lecturer's desks	146–147
Lecturer's desks 2	148–149
Lectern V / 19"-mobile rack V / lectern V individual modules	150–153

infoterminals

istand [°] 3 Stele (two-part)	154–155
istand [®] 4 Stele (one-piece)	156–157
istand [®] 3 display housing wall mounting, ceiling mounting landscape/portrait	158–159

Titan II crank/motor

Rolling projection screen for home cinema



Our standard

housing: powder-coated in RAL 9003 Signal white screen surface: Polar PU

- sheet steel housing W 10.5 x H 10.5 cm
- variable fixing points due to specially developed fixing consoles for wall or ceiling mounting, allow displacement in the range of 50 cm from the outer edge of the housing
- crank drive: maintenance-free drive with integrated unwinding limit stop, detachable crank
- motor drive: high-quality silenced 230V/50Hz electrical plug-in drive, motor drive on the right seen from the direction of projection
- screen surface Polar PU Flame retardant, meets the requirements of DIN 4102 B1
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens





article	kg	format	RRP	artno.
format				
Titan II crank	14	W 180 x H 180 cm	415,-€	25911818-2
Titan II crank	16	W 200 x H 200 cm	482,-€	25912020-2
Titan II crank	20	W 240 x H 240 cm	584,-€	25912424-2
format 16:10				
Titan II crank	15	W 200 x H 125 cm	447,-€	25911220-2
Titan II crank	18	W 240 x H 150 cm	564 <i>,</i> -€	25911524-2
format				
Titan II motor	14	W 180 x H 180 cm	544,-€	25921818-2
Titan II motor	16	W 200 x H 200 cm	 585,-€	25922020-2
Titan II motor	20	W 240 x H 240 cm	685,-€	25922424-2
format 16:10				
Titan II motor	15	W 200 x H 125 cm	556,-€	25921220-2
Titan II motor	18	W 240 x H 150 cm	652,-€	25921524-2
equipment				
radio remote control w	ith 1-chan	nel hand-held transmitter	211,-€	991083

radio remote control with 1-channel hand-held transmitter 211,-€	991083
--	--------

Dolomit II crank

Professional rolling projection screen for wall-/ceiling mounting or installation in suspended ceiling systems



Our standard

housing: powder-coated in RAL 9016 Traffic white screen surface: Polar PU

- aluminium housing W 11 x H 11 cm
- mounting grooves on all sides of the housing enable flexible mounting options on the wall or ceiling, easy installation with Quick mounting kit: position hinging securing
- optional: professional installation system for suspended ceilings with pre-assembly frame
 - suspended ceiling mounting kit to bridge the gap between raw ceiling and suspended ceiling
- crank drive: maintenance-free drive with integrated unwinding limit stop, detachable crank
- formats up to W 300 x H 300 cm
- screen surface Polar PU Flame retardant, meets the requirements of DIN 4102 B1
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens





article	kg	format	RRP	artno.
format				
Dolomit II crank	16	W 150 x H 150 cm	453,-€	36111515-2
Dolomit II crank	17	W 180 x H 180 cm	505,-€	36111818-2
Dolomit II crank	19	W 200 x H 200 cm	554,-€	36112020-2
Dolomit II crank	23	W 240 x H 240 cm	731,-€	36112424-2
Dolomit II crank	23	W 250 x H 200 cm	752,-€	36112025-2
Dolomit II crank	25	W 250 x H 250 cm	954,-€	36112525-2
Dolomit II crank	32	W 300 x H 250 cm	1.314,-€	36112530-2
Dolomit II crank	36	W 300 x H 300 cm	1.469,-€	36113030-2
format 4:3				
Dolomit II crank	16	W 180 x H 135 cm	505,-€	36111318-2
Dolomit II crank	17	W 200 x H 150 cm	554,-€	36111520-2
Dolomit II crank	21	W 240 x H 180 cm	731,-€	36111824-2
Dolomit II crank	22	W 250 x H 188 cm	752,-€	36111825-2
Dolomit II crank	31	W 300 x H 225 cm	1.255,-€	36112230-2
format 16:9				
Dolomit II crank	14	W 180 x H 101 cm	505 <i>,</i> -€	36111018-2
Dolomit II crank	15	W 200 x H 113 cm	554,-€	36111120-2
Dolomit II crank	20	W 240 x H 135 cm	731,-€	36111324-2
Dolomit II crank	21	W 250 x H 140 cm	752,-€	36111425-2
Dolomit II crank	29	W 300 x H 169 cm	1.255,-€	36111630-2
format 16:10				
Dolomit II crank	14	W 180 x H 113 cm	505,-€	36111118-2
Dolomit II crank	15	W 200 x H 125 cm	€	36111220-2
Dolomit II crank	20	W 240 x H 150 cm	731,-€	36111524-2
Dolomit II crank	21	W 250 x H 156 cm	752,-€	36111525-2
Dolomit II crank	29	W 300 x H 188 cm	1.255,-€	36111830-2

Dolomit II crank with black border

Professional rolling projection screen for wall-/ceiling mounting or installation in suspended ceiling systems



Our standard

housing: powder-coated in RAL 9016 Traffic white screen surface: Polar PU

- aluminium housing W 11 x H 11 cm
- mounting grooves on all sides of the housing enable flexible mounting options on the wall or ceiling, easy installation with Quick mounting kit: position hinging securing
- optional: professional installation system for suspended ceilings with pre-assembly frame
 - suspended ceiling mounting kit to bridge the gap between raw ceiling and suspended ceiling
- crank drive: maintenance-free drive with integrated unwinding limit stop, detachable crank
- formats up to W 300 x H 300 cm
- screen surface Polar PU with black border
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens





article	kg	external dimensior	ns image size		RRP	artno.			
format with circumferential 5 cm black border									
Dolomit II crank	16	W 150 x H 150 cm	W 140 x H 140 cm		611,-€	36111515-2R			
Dolomit II crank	17	W 180 x H 180 cm	W 170 x H 170 cm		695,-€	36111818-2R			
Dolomit II crank	19	W 200 x H 200 cm	W 190 x H 190 cm		764,-€	36112020-2R			
Dolomit II crank	23	W 240 x H 240 cm	W 230 x H 230 cm		983,-€	36112424-2R			
Dolomit II crank	23	W 250 x H 200 cm	W 240 x H 190 cm		988,-€	36112025-2R			
Dolomit II crank	25	W 250 x H 250 cm	W 240 x H 240 cm		1.217,-€	36112525-2R			
Dolomit II crank	32	W 300 x H 250 cm	W 290 x H 240 cm		1.602,-€	36112530-2R			
Dolomit II crank	36	W 300 x H 300 cm	W 290 x H 290 cm		1.784,-€	36113030-2R			

format 4:3 with circumferential 5 cm black border

Dolomit II crank	16	W 180 x H 138 cm	W 170 x H 128 cm	672,-€	36111318-2R
Dolomit II crank	17	W 200 x H 153 cm	W 190 x H 143 cm	738,-€	36111520-2R
Dolomit II crank	21	W 240 x H 183 cm	W 230 x H 173 cm	925,-€	36111824-2R
Dolomit II crank	22	W 250 x H 190 cm	W 240 x H 180 cm	983,-€	36111825-2R
Dolomit II crank	31	W 300 x H 228 cm	W 290 x H 218 cm	1.588,-€	36112230-2R

format 16:9 with a 5 cm black border at the right, the left and the bottom edge; top edge with black drop of approx. 30 cm

Dolomit II crank	14	W 180 x H 131 cm	W 170 x H 96 cm	679,-€	36111018-2R
Dolomit II crank	15	W 200 x H 142 cm	W 190 x H 107 cm	744,-€	36111120-2R
Dolomit II crank	20	W 240 x H 165 cm	W 230 x H 130 cm	955,-€	36111324-2R
Dolomit II crank	21	W 250 x H 170 cm	W 240 x H 135 cm	983,-€	36111425-2R
Dolomit II crank	29	W 300 x H 198 cm	W 290 x H 163 cm	1.585,-€	36111630-2R

format 16:10 with a 5 cm black border at the right, the left and the bottom edge; top edge with black drop of approx. 30 cm

Dolomit II crank	14	W 180 x H 142 cm	W 170 x H 107 cm	685,-€	36111118-2R
Dolomit II crank	15	W 200 x H 154 cm	W 190 x H 119 cm	750,-€	36111220-2R
Dolomit II crank	20	W 240 x H 179 cm	W 230 x H 144 cm	962,-€	36111524-2R
Dolomit II crank	21	W 250 x H 185 cm	W 240 x H 150 cm	991,-€	36111525-2R
Dolomit II crank	29	W 300 x H 217 cm	W 290 x H 182 cm	1.596,-€	36111830-2R

Special size and special production only on request

Dolomit II motor

Professional rolling projection screen for wall-/ceiling mounting or installation in suspended ceiling systems



Our standard

housing: powder-coated in RAL 9016 Traffic white screen surface: Polar PU

- aluminium housing W 11 x H 11 cm
- mounting grooves on all sides of the housing enable flexible mounting options on the wall or ceiling, easy installation with Quick mounting kit: position hinging securing
- optional: professional installation system for suspended ceilings with pre-assembly frame
 - suspended ceiling mounting kit to bridge the gap between raw ceiling and suspended ceiling
- motor drive: high-quality silenced 230V/50Hz electrical plug-in drive, with thermal protection switch, motor drive on the right seen from the direction of projection, doubled safety due to external limit switch
- formats up to W 300 x H 300 cm
- screen surface Polar PU Flame retardant, meets the requirements of DIN 4102 B1
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens





article	kg	format	RRP	artno.
format				
Dolomit II motor	16	W 150 x H 150 cm	560,-€	36121515-2
Dolomit II motor	17	W 180 x H 180 cm	610,-€	36121818-2
Dolomit II motor	19	W 200 x H 200 cm	656,-€	36122020-2
Dolomit II motor	23	W 240 x H 240 cm	866,-€	36122424-2
Dolomit II motor	23	W 250 x H 200 cm	846,-€	36122025-2
Dolomit II motor	25	W 250 x H 250 cm	1.038,-€	36122525-2
Dolomit II motor	32	W 300 x H 250 cm	1.381,-€	36122530-2
Dolomit II motor	36	W 300 x H 300 cm	1.530,-€	36123030-2
format 4:3				
Dolomit II motor	16	W 180 x H 135 cm	610,-€	36121318-2
Dolomit II motor	17	W 200 x H 150 cm	656,-€	36121520-2
Dolomit II motor	21	W 240 x H 180 cm	826,-€	36121824-2
Dolomit II motor	22	W 250 x H 188 cm	846,-€	36121825-2
Dolomit II motor	31	W 300 x H 225 cm	1.381,-€	36122230-2
format 16:9				
Dolomit II motor	14	W 180 x H 101 cm	610,-€	36121018-2
Dolomit II motor	15	W 200 x H 113 cm	656,-€	36121120-2
Dolomit II motor	20	W 240 x H 135 cm	826,-€	36121324-2
Dolomit II motor	21	W 250 x H 140 cm	846,-€	36121425-2
Dolomit II motor	29	W 300 x H 169 cm	1.381,-€	36121630-2
format 16:10				
Dolomit II motor	14	W 180 x H 113 cm	610,-€	36121118-2
Dolomit II motor	15	W 200 x H 125 cm	656,-€	36121220-2
Dolomit II motor	20	W 240 x H 150 cm	826,-€	36121524-2
Dolomit II motor	21	W 250 x H 156 cm	846,-€	36121525-2
Dolomit II motor	29	W 300 x H 188 cm	1.381,-€	36121830-2

Dolomit II motor with black border

Professional rolling projection screen for wall-/ceiling mounting or installation in suspended ceiling systems



Our standard

housing: powder-coated in RAL 9016 Traffic white screen surface: Polar PU

- aluminium housing W 11 x H 11 cm
- mounting grooves on all sides of the housing enable flexible mounting options on the wall or ceiling, easy installation with Quick mounting kit: position hinging securing
- optional: professional installation system for suspended ceilings with pre-assembly frame
 - suspended ceiling mounting kit to bridge the gap between raw ceiling and suspended ceiling
- motor drive: high-quality silenced 230V/50Hz electrical plug-in drive, with thermal protection switch, motor drive on the right seen from the direction of projection, doubled safety due to external limit switch
- formats up to W 300 x H 300 cm
- screen surface Polar PU with black border
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens





article	kg	external dimensions	image size	RRP	artno.
format with circumf	erentia	l 5 cm black border			
Dolomit II motor	16	W 150 x H 150 cm	W 140 x H 140 cm	768,-€	36121515-2R
Dolomit II motor	17	W 180 x H 180 cm	W 170 x H 170 cm	800,-€	36121818-2R
Dolomit II motor	19	W 200 x H 200 cm	W 190 x H 190 cm	866,-€	36122020-2R
Dolomit II motor	23	W 240 x H 240 cm	W 230 x H 230 cm	1.118,-€	36122424-2R
Dolomit II motor	23	W 250 x H 200 cm	W 240 x H 190 cm	1.082,-€	36122025-2R
Dolomit II motor	25	W 250 x H 250 cm	W 240 x H 240 cm	1.301,-€	36122525-2R
Dolomit II motor	32	W 300 x H 250 cm	W 290 x H 240 cm	1.671,-€	36122530-2R
Dolomit II motor	36	W 300 x H 300 cm	W 290 x H 290 cm	1.845,-€	36123030-2R

format 4:3 with circumferential 5 cm black border

Dolomit II motor	16	W 180 x H 138 cm	W 170 x H 128 cm	777,-€	36121318-2R
Dolomit II motor	17	W 200 x H 153 cm	W 190 x H 143 cm	842,-€	36121520-2R
Dolomit II motor	21	W 240 x H 183 cm	W 230 x H 173 cm	1.049,-€	36121824-2R
Dolomit II motor	22	W 250 x H 190 cm	W 240 x H 180 cm	1.077,-€	36121825-2R
Dolomit II motor	31	W 300 x H 228 cm	W 290 x H 218 cm	1.656,-€	36122230-2R

format 16:9 with a 5 cm black border at the right, the left and the bottom edge; top edge with black drop of approx. 30 cm

Dolomit II motor	14	W 180 x H 131 cm	W 170 x H 96 cm	784,-€	36121018-2R
Dolomit II motor	15	W 200 x H 142 cm	W 190 x H 107 cm	846,-€	36121120-2R
Dolomit II motor	20	W 240 x H 165 cm	W 230 x H 130 cm	1.050,-€	36121324-2R
Dolomit II motor	21	W 250 x H 170 cm	W 240 x H 135 cm	1.077,-€	36121425-2R
Dolomit II motor	29	W 300 x H 198 cm	W 290 x H 163 cm	1.653,-€	36121630-2R

format 16:10 with a 5 cm black border at the right, the left and the bottom edge; top edge with black drop of approx. 30 cm

Dolomit II motor	14	W 180 x H 142 cm	W 170 x H 107 cm	791,-€	36121118-2R
Dolomit II motor	15	W 200 x H 154 cm	W 190 x H 119 cm	852,-€	36121220-2R
Dolomit II motor	20	W 240 x H 179 cm	W 230 x H 144 cm	1.057,-€	36121524-2R
Dolomit II motor	21	W 250 x H 185 cm	W 240 x H 150 cm	1.085,-€	36121525-2R
Dolomit II motor	29	W 300 x H 217 cm	W 290 x H 182 cm	1.665,-€	36121830-2R

Special size and special production only on request

Optional Dolomit II

pre-assembly frame (for ceiling mounting)



mounting kit for suspended ceilings



1-channel radio remote control with hand-held transmitter



wall spacer Dolomit/Scala



key switch, surface-mounted







article	RRP	artno.
pre-assembly frame for ceiling mounting (for mounting on suspended ceilings, please additionally order mounting kit a	artno. 991030!)	
up to 180 cm screen width for Dolomit II	256,-€	991018
up to 200 cm screen width for Dolomit II	256,-€	991035
up to 240 cm screen width for Dolomit II	302,-€	991024
up to 250 cm screen width for Dolomit II	302,-€	991025
up to 300 cm screen width for Dolomit II	302,-€	991036
pre-assembly housing for ceiling mounting (for mounting on suspended ceilings, please additionally order mounting kit a	artno. 991030!)	
up to 180 cm screen width for Dolomit II	360,-€	991056
up to 200 cm screen width for Dolomit II	394,-€	991061
up to 240 cm screen width for Dolomit II	424,-€	991057
up to 250 cm screen width for Dolomit II	430,-€	991058
up to 300 cm screen width for Dolomit II	488,-€	991062
mounting kit for suspended ceilings	74,-€	991030
wall spacer, 20 cm	80,-€	99101020
wall spacer, 30 cm	80,-€	99101030
wall spacer, 40 cm	80,-€	99101040
crank drive, left	35,-€	991060
motor drive, left	35,-€	991070
1-channel radio remote control with hand-held transmitter	211,-€	991080
External 1-channel radio remote control with hand-held transmitter	211,-€	991083
radio remote control + relay for 2nd operating unit	341,-€	991081
key switch, surface-mounted	124,-€	991100
key switch, under plaster	124,-€	991110
special finish acc. to RAL Classic (screen)	221,-€	991120
special finish acc. to RAL Classic (pre-assembly frame)	221,-€	991125
special finish acc. to RAL Classic (pre-assembly housing)	221,-€	991126
projection screen unwinding forward	53,-€	991130
nounting angle profiles	53,-€ 34,-€/rm.	991130 991340

Scala II crank

The premium projection screen for versatile and professional use





Our standard

housing: powder-coated in RAL 9016 Traffic white screen surface: Polar PU

- aluminium housing W 12.5 x H 12.5 cm
- mounting grooves on all sides of the housing enable flexible mounting options on the wall or ceiling, easy installation with Quick mounting kit: position hinging securing
- revision option without need of dismounting of the entire screen
- optional: professional installation system for suspended ceilings with pre-assembly frame
 suspended ceiling mounting kit to bridge the gap between raw ceiling and suspended ceiling
- crank drive: maintenance-free drive with integrated unwinding limit stop, detachable crank
- formats up to W 375 x H 234 cm
- screen surface Polar PU (up to W 300 cm) Flame retardant, meets the requirements of DIN 4102 B1
- screen surface Polar TA (from W 300 cm) Meets the fire protection requirements of DIN 4102 B2
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens





article	kg	format	RRP	artno.
format				
Scala II crank	18	W 150 x H 150 cm	612,-€	10111515-2
Scala II crank	19	W 180 x H 180 cm	725,-€	10111818-2
Scala II crank	21	W 200 x H 200 cm	840,-€	10112020-2
Scala II crank	25	W 250 x H 200 cm	977,-€	10112025-2
Scala II crank	27	W 250 x H 250 cm	1.086,-€	10112525-2
Scala II crank	34	W 300 x H 250 cm	1.489,-€	10112530-2
Scala II crank	38	W 300 x H 300 cm	1.695,-€	10113030-2
format 4:3				
Scala II crank	19	W 200 x H 150 cm	816,-€	10111520-2
Scala II crank	24	W 250 x H 188 cm	967,-€	10111825-2
Scala II crank	33	W 300 x H 225 cm	1.446,-€	10112230-2
Scala II crank	45	W 350 x H 263 cm	1.906,-€	10112635-2
format 16:9				
Scala II crank	17	W 200 x H 113 cm	796,-€	10111120-2
Scala II crank	23	W 250 x H 140 cm	942,-€	10111425-2
Scala II crank	31	W 300 x H 169 cm	1.423,-€	10111630-2
Scala II crank	42	W 375 x H 211 cm	1.941,-€	10112137-2
format 16:10				
Scala II crank	17	W 200 x H 125 cm	796,-€	10111220-2
Scala II crank	23	W 250 x H 156 cm	942,-€	10111525-2
Scala II crank	31	W 300 x H 188 cm	1.423,-€	10111830-2
Scala II crank	42	W 375 x H 234 cm	1.966,-€	10112337-2

Scala II crank with black border

The premium projection screen for versatile and professional use



delivery free of charge!*

Our standard

housing: powder-coated in RAL 9016 Traffic white screen surface: Polar PU

- aluminium housing W 12.5 x H 12.5 cm
- mounting grooves on all sides of the housing enable flexible mounting options on the wall or ceiling, easy installation with Quick mounting kit: position hinging securing
- revision option without need of dismounting of the entire screen
- optional: professional installation system for suspended ceilings with pre-assembly frame
 suspended ceiling mounting kit to bridge the gap between raw ceiling and suspended ceiling
- crank drive: maintenance-free drive with integrated unwinding limit stop, detachable crank
- formats up to W 375 x H 234 cm
- screen surface Polar PU (up to W 300 cm) with black border
- screen surface Polar TA (from W 300 cm) with black border
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens





article	kg	external dimensions	image size	RRP	artno.		
format with circumferential 5 cm black border							
Scala II crank	18	W 150 x H 150 cm	W 140 x H 140 cm	770,-€	10111515-2R		
Scala II crank	19	W 180 x H 180 cm	W 170 x H 170 cm	914,-€	10111818-2R		
Scala II crank	21	W 200 x H 200 cm	W 190 x H 190 cm	1.051,-€	10112020-2R		
Scala II crank	25	W 250 x H 200 cm	W 240 x H 190 cm	1.214,-€	10112025-2R		
Scala II crank	27	W 250 x H 250 cm	W 240 x H 240 cm	1.349,-€	10112525-2R		
Scala II crank	34	W 300 x H 250 cm	W 290 x H 240 cm	1.778,-€	10112530-2R		
Scala II crank	38	W 300 x H 300 cm	W 290 x H 290 cm	2.010,-€	10113030-2R		

format 4:3 with circumferential 5 cm black border

Scala II crank	19	W 200 x H 153 cm	W 190 x H 143 cm	1.003,-€	10111520-2R
Scala II crank	24	W 250 x H 190 cm	W 240 x H 180 cm	1.160,-€	10111825-2R
Scala II crank	33	W 300 x H 228 cm	W 290 x H 218 cm	1.723,-€	10112230-2R

format 16:9 with a 5 cm black border at the right, the left and the bottom edge; top edge with black drop of approx. 30 cm

Scala II crank	17	W 200 x H 142 cm	W 190 x H 107 cm	985,-€	10111120-2R
Scala II crank	23	W 250 x H 170 cm	W 240 x H 135 cm	1.174,-€	10111425-2R
Scala II crank	31	W 300 x H 198 cm	W 290 x H 163 cm	1.694,-€	10111630-2R

format 16:10 with a 5 cm black border at the right, the left and the bottom edge; top edge with black drop of approx. 30 cm

Scala II crank	17	W 200 x H 154 cm	W 190 x H 119 cm	991,-€	10111220-2R
Scala II crank	23	W 250 x H 185 cm	W 240 x H 150 cm	1.182,-€	10111525-2R
Scala II crank	31	W 300 x H 217 cm	W 290 x H 182 cm	1.705,-€	10111830-2R
Scala II crank	44	W 350 x H 248 cm	W 340 x H 213 cm	2.290,-€	10112135-2R

Special size and special production only on request

Scala II motor

The premium projection screen for versatile and professional use





Our standard

housing: powder-coated in RAL 9016 Traffic white screen surface: Polar PU

- aluminium housing W 12.5 x H 12.5 cm
- mounting grooves on all sides of the housing enable flexible mounting options on the wall or ceiling, easy installation with Quick mounting kit: position hinging securing
- revision option without need of dismounting of the entire screen
- optional: professional installation system for suspended ceilings with pre-assembly frame
 suspended ceiling mounting kit to bridge the gap between raw ceiling and suspended ceiling
- motor drive: high-quality silenced 230V/50Hz electrical plug-in drive, with thermal protection switch, motor drive on the right seen from the direction of projection
- formats up to W 400 x H 300 cm
- screen surface Polar PU (up to W 300 cm) Flame retardant, meets the requirements of DIN 4102 B1
- screen surface Polar TA (from W 300 cm) Meets the fire protection requirements of DIN 4102 B2
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens





article	kg	format	I	RRP	artno.
format					
Scala II motor	18	W 150 x H 150 cm		916,-€	10121515-2
Scala II motor	21	W 180 x H 180 cm	1.	.076,-€	10121818-2
Scala II motor	23	W 200 x H 200 cm	1.	.172,-€	10122020-2
Scala II motor	26	W 250 x H 200 cm	1.	.539,-€	10122025-2
Scala II motor	27	W 250 x H 250 cm	1.	.684,-€	10122525-2
Scala II motor	32	W 300 x H 250 cm	2.	.102,-€	10122530-2
Scala II motor	33	W 300 x H 300 cm	2.	.159,-€	10123030-2
Scala II motor	42	W 350 x H 250 cm	2.	.465,-€	10122535-2
format 4:3					
Scala II motor	22	W 200 x H 150 cm	1.	.149,-€	10121520-2
Scala II motor	26	W 250 x H 188 cm		.530,-€	10121825-2
Scala II motor	31	W 300 x H 225 cm	2.	.069,-€	10122230-2
Scala II motor	42	W 350 x H 263 cm	2.	.494,-€	10122635-2
Scala II motor	48	W 400 x H 300 cm	2.	.768,-€	10123040-2
format 16:9					
Scala II motor	21	W 200 x H 113 cm	1	.128,-€	10121120-2
Scala II motor	25	W 250 x H 113 cm		,	10121120-2
	30			.507,-€	
Scala II motor Scala II motor		W 300 x H 169 cm W 350 x H 197 cm		.023,-€	10121630-2
	40			.220,-€	10121935-2
Scala II motor	43	W 375 x H 211 cm		.444,-€	10122137-2
Scala II motor	47	W 400 x H 225 cm	Ζ.	.689,-€	10122240-2
format 16:10					
Scala II motor	21	W 200 x H 125 cm	1.	.128,-€	10121220-2
Scala II motor	25	W 250 x H 156 cm		.507,-€	10121525-2
Scala II motor	30	W 300 x H 188 cm		.023,-€	10121830-2
Scala II motor	41	W 350 x H 219 cm		.409,-€	10122135-2
Scala II motor	44	W 375 x H 234 cm		.659,-€	10122337-2
Scala II motor	47	W 400 x H 250 cm		.721,-€	10122540-2
	-			, -	

Scala II motor with black border

The premium projection screen for versatile and professional use



Our standard

housing: powder-coated in RAL 9016 Traffic white screen surface: Polar PU

- aluminium housing W 12.5 x H 12.5 cm
- mounting grooves on all sides of the housing enable flexible mounting options on the wall or ceiling, easy installation with Quick mounting kit: position hinging securing
- revision option without need of dismounting of the entire screen
- optional: professional installation system for suspended ceilings with pre-assembly frame
 suspended ceiling mounting kit to bridge the gap between raw ceiling and suspended ceiling
- motor drive: high-quality silenced 230V/50Hz electrical plug-in drive, with thermal protection switch, motor drive on the right seen from the direction of projection
- formats up to W 375 x H 234 cm
- screen surface Polar PU (up to W 300 cm) with black border
- screen surface Polar TA (from W 300 cm) with black border
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens





article	kg	external dimensions	s image size	RRP	artno.		
format with circumferential 5 cm black border							
Scala II motor	18	W 150 x H 150 cm	W 140 x F 140 cm	1.074,-€	10121515-2R		
Scala II motor	21	W 180 x H 180 cm	W 170 x H 170 cm	1.265,-€	10121818-2R		
Scala II motor	23	W 200 x H 200 cm	W 190 x F 190 cm	1.382,-€	10122020-2R		
Scala II motor	26	W 250 x H 200 cm	W 240 x H 190 cm	1.776,-€	10122025-2R		
Scala II motor	27	W 250 x H 250 cm	W 240 x F 240 cm	1.947,-€	10122525-2R		
Scala II motor	32	W 300 x H 250 cm	W 290 x H 240 cm	2.391,-€	10122530-2R		
Scala II motor	33	W 300 x H 300 cm	W 290 x F 290 cm	2.475,-€	10123030-2R		
Scala II motor	42	W 350 x H 250 cm	W 340 x H 240 cm	2.781 <i>,</i> -€	10122535-2R		

format 4:3 with circumferential 5 cm black border

Scala II motor	22	W 200 x H 153 cm	W 190 x F 143 cm	1.334,-€	10121520-2R
Scala II motor	26	W 250 x H 190 cm	W 240 x H 180 cm	1.761,-€	10121825-2R
Scala II motor	31	W 300 x H 228 cm	W 290 x F 218 cm	2.345,-€	10122230-2R

format 16:9 with a 5 cm black border at the right, the left and the bottom edge; top edge with black drop of approx. 30 cm

Scala II motor	21	W 200 x H 142 cm	W 190 x F 107 cm	1.319,-€	10121120-2R
Scala II motor	25	W 250 x H 170 cm	W 240 x H 135 cm	1.738,-€	10121425-2R
Scala II motor	30	W 300 x H 198 cm	W 290 x ⊦ 163 cm	2.295,-€	10121630-2R
Scala II motor	40	W 350 x H 227 cm	W 340 x H 192 cm	2.534,-€	10121935-2R

format 16:10 with a 5 cm black border at the right, the left and the bottom edge; top edge with black drop of approx. 30 cm

Scala II motor	21	W 200 x H 154 cm	W 190 x ⊢ 119 cm	1.325,-€	10121220-2R
Scala II motor	24	W 250 x H 185 cm	W 240 x H 150 cm	1.746,-€	10121525-2R
Scala II motor	30	W 300 x H 217 cm	W 290 x ⊢ 182 cm	2.305,-€	10121830-2R
Scala II motor	42	W 350 x H 248 cm	W 340 x H 213 cm	2.734,-€	10122135-2R

Special size and special production only on request

Optional scala II

pre-assembly frame (for ceiling mounting)



mounting kit for suspended ceilings





1-channel radio remote control with hand-held transmitter

key switch, surface-mounted









article	RRP	artno.			
pre-assembly frame for ceiling mounting (for mounting on suspended ceilings, please additionally order mounting kit artno. 991030!)					
up to 180 cm screen width for Scala II	256,-€	991018-2			
up to 200 cm screen width for Scala II	256,-€	991035-2			
up to 250 cm screen width for Scala II	302,-€	991025-2			
up to 300 cm screen width for Scala II	302,-€	991036-2			
up to 350 cm screen width for Scala II	354,-€	991037-2			
up to 375 cm screen width for Scala II	354,-€	991038-2			
up to 400 cm screen width for Scala II	354,-€	991039-2			

pre-assembly housing for ceiling mounting (for mounting on suspended ceilings, please additionally order mounting kit art.-no. 991030!)

up to 180 cm screen width for Scala II	360,-€	991059
up to 200 cm screen width for Scala II	394,-€	991063
up to 250 cm screen width for Scala II	430,-€	991069
up to 300 cm screen width for Scala II	488,-€	991064
up to 350 cm screen width for Scala II	551,-€	991068
up to 375 cm screen width for Scala II	591,-€	991065
up to 400 cm screen width for Scala II	677,-€	991078

mounting kit for suspended ceilings	74,-€	991030
wall spacer, 20 cm	80,-€	99101020
wall spacer, 30 cm	80,-€	99101030
wall spacer, 40 cm	80,-€	99101040
crank drive, left	35,-€	991060
motor drive, left	35,-€	991070
1-channel radio remote control with hand-held transmitter	211,-€	991080
external 1-channel radio remote control with hand-held transmitter	211,-€	991083
radio remote control + relay for 2nd operating unit	341,-€	991081
key switch, surface-mounted	124,-€	991100
key switch, under plaster	124,-€	991110
special finish acc. to RAL Classic (screen)	221,-€	991120
special finish acc. to RAL Classic (pre-assembly frame)	221,-€	991125
special finish acc. to RAL Classic (pre-assembly housing)	221,-€	991126
projection screen unwinding forward	53,-€	991130
mounting angle profiles	34 <i>,</i> -€/rm	991340
polar GS extra charge (B1 test certificate)	41,-€/m²	60101000

The premium projection screen in a round housing for versatile and professional use



Our standard

housing:powder-coated in RAL 9016 Traffic white or of your choice in RAL Classic at no extra chargescreen surface:Polar PU

- aluminium housing diameter: 10 cm
- wall or ceiling mounting, mounting takes place by means using mounting brackets
- motor drive: high-quality silenced 230V/50Hz electrical plug-in drive, with thermal protection switch, motor drive on the right seen from the direction of projection
- formats up to W 300 x H 300 cm
- screen surface Polar PU Flame retardant, meets the requirements of DIN 4102 B1
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens





article	kg	format	RRP	artno.
format				
Scala round housing	18	W 150 x H 150 cm	1.152,-€	08121515
Scala round housing	19	W 180 x H 180 cm	1.314,-€	08121818
Scala round housing	21	W 200 x H 200 cm	1.409,-€	08122020
Scala round housing	25	W 250 x H 200 cm	1.775,-€	08122025
Scala round housing	27	W 250 x H 250 cm	1.922,-€	08122525
Scala round housing	34	W 300 x H 250 cm	2.542,-€	08122530
Scala round housing	38	W 300 x H 300 cm	2.751,-€	08123030
format 4:3				
Scala round housing	19	W 200 x H 150 cm	1.386,-€	08121520
Scala round housing	24	W 250 x H 188 cm	1.767,-€	08121825
Scala round housing	33	W 300 x H 225 cm	2.502,-€	08122230
format 16:9				
Scala round housing	17	W 200 x H 113 cm	1.365,-€	08121120
Scala round housing	23	W 250 x H 140 cm	1.743,-€	08121425
Scala round housing	31	W 300 x H 169 cm	2.479,-€	08121630
format 16:10				
Scala round housing	17	W 200 x H 125 cm	1.365,-€	08121220
Scala round housing	23	W 250 x H 156 cm	1.743,-€	08121525
Scala round housing	31	W 300 x H 188 cm	2.479,-€	08121830

Kontrast motor

The exclusive projection screen of luxury design for sophisticated demands



Our standard

housing: powder-coated in RAL 9016 Traffic white screen surface: Polar PU

- aluminium housing W 12.5 x H 12.5 cm, housing technology in noise-insulated construction
- mounting grooves on all sides of the housing enable flexible mounting options on the wall or ceiling, easy installation with Quick mounting kit: position hinging securing
- revision option without need of dismounting of the entire screen
- Housing with patented, automatic cover closing, thus perfect optical integration into the room. The cover closing offers additional protection against external influences
- motor drive: high-quality silenced 230V/50Hz electrical plug-in drive, with thermal protection switch, motor drive on the right seen from the direction of projection
- formats up to W 300 x H 250 cm
- screen surface Polar PU Flame retardant, meets the requirements of DIN 4102 B1
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens





article	kg	format	RRP	artno.
format				
Kontrast motor	17	W 150 x H 150 cm	1.222,-€	12121515
Kontrast motor	23	W 180 x H 180 cm	1.376,-€	12121818
Kontrast motor	24	W 200 x H 200 cm	1.469,-€	12122020
Kontrast motor	28	W 250 x H 200 cm	1.820,-€	12122025
Kontrast motor	32	W 250 x H 250 cm	1.960,-€	12122525
Kontrast motor	36	W 300 x H 250 cm	2.558,-€	12122530
format 4:3				
Kontrast motor	22	W 200 x H 150 cm	1.445,-€	12121520
Kontrast motor	27	W 250 x H 188 cm	1.813,-€	12121825
Kontrast motor	34	W 300 x H 225 cm	2.520,-€	12122230
format 16:9				
Kontrast motor	21	W 200 x H 113 cm	1.427,-€	12121120
Kontrast motor	26	W 250 x H 140 cm	1.790,-€	12121425
Kontrast motor	33	W 300 x H 169 cm	2.497,-€	12121630
format 16:10				
Kontrast motor	21	W 200 x H 125 cm	1.427,-€	12121220
Kontrast motor	26	W 250 x H 156 cm	1.790,-€	12121525
Kontrast motor	33	W 300 x H 188 cm	2.497,-€	12121830

Kontrast-G motor

The exclusive projection screen of luxury design for sophisticated demands



Our standard

housing: powder-coated in RAL 9016 Traffic white screen surface: Polar PU

- aluminium housing W 12.5 x H 11.3 cm, especially for installation in suspended ceilings
- mounting grooves on all sides of the housing enable flexible mounting options on the wall or ceiling, easy installation with Quick mounting kit: position hinging securing
- revision option without need of dismounting of the entire screen
- Housing with patented, automatic cover closing, thus perfect optical integration into the room. The cover closing offers additional protection against external influences
- motor drive: high-quality silenced 230V/50Hz electrical plug-in drive, with thermal protection switch, motor drive on the right seen from the direction of projection
- formats up to W 300 x H 250 cm
- screen surface Polar PU Flame retardant, meets the requirements of DIN 4102 B1
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens





autiala	l.e.	former	000	
article	kg	format	RRP	artno.
format				
Kontrast-G motor	17	W 150 x H 150 cm	1.222,-€	12121515-G
Kontrast-G motor	23	W 180 x H 180 cm	1.376,-€	12121818-G
Kontrast-G motor	24	W 200 x H 200 cm	1.469,-€	12122020-G
Kontrast-G motor	28	W 250 x H 200 cm	1.820,-€	12122025-G
Kontrast-G motor	32	W 250 x H 250 cm	1.960,-€	12122525-G
Kontrast-G motor	36	W 300 x H 250 cm	2.558,-€	12122530-G
format 4:3				
Kontrast-G motor	22	W 200 x H 150 cm	1.445,-€	12121520-G
Kontrast-G motor	27	W 250 x H 188 cm	1.813,-€	12121825-G
Kontrast-G motor	34	W 300 x H 225 cm	2.520,-€	12122230-G
format 16:9				
Kontrast-G motor	21	W 200 x H 113 cm	1.427,-€	12121120-G
Kontrast-G motor	26	W 250 x H 140 cm	1.790,-€	12121425-G
Kontrast-G motor	33	W 300 x H 169 cm	2.497,-€	12121630-G
format 16:10				
Kontrast-G motor	21	W 200 x H 125 cm	1.427,-€	12121220-G
Kontrast-G motor	26	W 250 x H 156 cm	1.790,-€	12121525-G
Kontrast-G motor	33	W 300 x H 188 cm	2.497,-€	12121830-G

Optional Kontrast/Kontrast-G



mounting kit for suspended ceilings (Kontrast-G)



1-channel radio remote control with hand-held transmitter

wall spacer



key switch, surface-mounted









article	RRP	artno.			
pre-assembly frame for ceiling mounting For mounting on suspended ceilings, please additionally order mounting kit artno. 991030! (Please specify the width of the screen when ordering the pre-assembly frame!)					
up to 200 cm screen width for Kontrast-G	256,-€	991066			
up to 300 cm screen width for Kontrast-G	302,-€	991067			
mounting kit for suspended ceilings	74,-€	991030			
wall spacer, 20 cm	80,-€	99101020			
wall spacer, 30 cm	80,-€	99101030			
wall spacer, 40 cm	80,-€	99101040			
motor drive, left	35,-€	991070			
1-channel radio remote control with hand-held transmitter	211,-€	991080			
external 1-channel radio remote control with hand-held transmitter	211,-€	991083			
radio remote control + relay for 2nd operating unit	341,-€	991081			
key switch, surface-mounted	124,-€	991100			
key switch, under plaster	124,-€	991110			
special finish acc. to RAL Classic (screen)	221,-€	991120			
special finish acc. to RAL Classic (pre-assembly frame)	221,-€	991125			
projection screen unwinding forward	53,-€	991130			
mounting angle profiles	33 <i>,</i> -€/rm	991340			
polar GS extra charge (B1 test certificate)	41,-€/m²	60101000			
black border extra charge	37,-€/rm	991600			

Congress-S motor

The multi-functional projection screen for congresses and events



delivery free of charge!*

Our standard

housing (up to format W 600 x H 400 cm):powder-coated in RAL 9016 Traffic whitehousing (from W 600 cm):galvanizedscreen surface:Polar TA

- steel housing from W 15 x H 15 cm (up to size W 600 x H 400 cm)
- housing galvanised from W 30 x H 30 cm (from size W 600 cm)
- mounting on ceiling by angles located at the outside of the housing
- revision options without need of dismounting the housing up to size W 600 x H 400 cm
- optional: professional installation system for suspended ceilings up to size W 600 x H 400 cm
- motor drive: high-quality silenced 230V/50Hz electrical plug-in drive, with thermal protection switch, motor drive on the right seen from the direction of projection
- formats up to 1.200 cm
- screen surface Polar TA Meets the fire protection requirements of DIN 4102 B2
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens

Important note regarding DIN 56950-4 – All screens above 5 meters are equipped as standard with a safety gear and safety limit switches. The built-in switch meets the requirements demanded in stage technology. Therefore all the necessary criteria for the tendering and testing of technical equipment in production facilities are already fulfilled in our standard version.




article	housing	kg	format	 RRP	artno.
format					
Congress-S	15 x 15 cm	64	W 350 x H 350 cm	2.094,-€	20123535-S
Congress-S	20 x 20 cm	92	W 400 x H 400 cm	 2.492,-€	20124040-S
Congress-S	20 x 20 cm	111	W 500 x H 400 cm	3.450,-€	20124050-S
Congress-S	20 x 20 cm	137	W 600 x H 400 cm**	4.569,-€	20124060-S
format 4:3					
Congress-S	15 x 15 cm	70	W 400 x H 300 cm	2.113,-€	20123040-S
Congress-S	20 x 20 cm	110	W 500 x H 375 cm	3.423,-€	20123750-S
former 10.0					
format 16:9	45 45	60		2.067.6	20422240 6
Congress-S	15 x 15 cm	68	W 400 x H 225 cm	2.067,-€	20122240-S
Congress-S	20 x 20 cm	107	W 500 x H 281 cm	3.311,-€	20122850-S
Congress-S	20 x 20 cm	134	W 600 x H 338 cm**	4.375,-€	20123360-S
format 16:10					
Congress-S	15 x 15 cm	69	W 400 x H 250 cm	2.082,-€	20122540-S
Congress-S	20 x 20 cm	108	W 500 x H 313 cm	3.356,-€	20123150-S
Congress-S	20 x 20 cm	136	W 600 x H 375 cm**	4.569,-€	20123760-S
Congress-S		317	W 700 x H 500 cm**	on request	20129969
Congress-S		564	W 800 x H 500 cm**	on request	20129969
Congress-S		636	W 900 x H 600 cm**	on request	20129969
Congress-S		746	W 1.000 x H 600 cm**	on request	20129969

** including safety catch and motor safety plate

Special size and special production up to 12 meters on request

Congress-S motor

The multi-functional projection screen for congresses and events



delivery free of charge!*

Our standard

housing (up to format W 600 x H 400 cm):powder-coated in RAL 9016 Traffic whitehousing (from W 600 cm):galvanizedscreen surface:Polar GS

- steel housing from W 15 x H 15 cm (up to size W 600 x H 400 cm)
- housing galvanised from W 30 x H 30 cm (from size W 600 x H 400 cm)
- mounting on ceiling by angles located at the outside of the housing
- revision options without need of dismounting the housing up to size W 600 x H 400 cm
- optional: professional installation system for suspended ceilings up to size W 600 x H 400 cm
- motor drive: high-quality silenced 230V/50Hz electrical plug-in drive, with thermal protection switch, motor drive on the right seen from the direction of projection
- formats up to 1.200 cm
- screen surface Polar GS Flame retardant, meets the requirements of DIN 4102 B1
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens

Important note regarding DIN 56950-4 – All screens above 5 meters are equipped as standard with a safety gear and safety limit switches. The built-in switch meets the requirements demanded in stage technology. Therefore all the necessary criteria for the tendering and testing of technical equipment in production facilities are already fulfilled in our standard version.







article	housing	kg	format	RRP	artno.
format					
Congress-S	15 x 15 cm	64	W 350 x H 350 cm	2.652,-€	20123535GS
Congress-S	20 x 20 cm	92	W 400 x H 400 cm	3.136,-€	20124040GS
Congress-S	20 x 20 cm	111	W 500 x H 400 cm	4.049,-€	20124050GS
Congress-S	20 x 20 cm	137	W 600 x H 400 cm**	5.381,-€	20124060GS
format 4:3					
Congress-S	15 x 15 cm	70	W 400 x H 300 cm	2.609,-€	20123040GS
Congress-S	20 x 20 cm	110	W 500 x H 375 cm	3.991,-€	20123750GS
format 16:9					
Congress-S	15 x 15 cm	68	W 400 x H 225 cm	2.469,-€	20122240GS
Congress-S	20 x 20 cm	107	W 500 x H 281 cm	3.770,-€	20122850GS
Congress-S	20 x 20 cm	134	W 600 x H 338 cm**	5.381,-€	20123360GS
format 16:10					
Congress-S	15 x 15 cm	69	W 400 x H 250 cm	2.516,-€	20122540GS
Congress-S	20 x 20 cm	108	W 500 x H 313 cm	3.840,-€	20123150GS
Congress-S	20 x 20 cm	136	W 600 x H 375 cm**	5.381,-€	20123760GS
Congress-S		317	W 700 x H 500 cm**	on request	20129969
Congress-S		564	W 800 x H 500 cm**	on request	20129969
Congress-S		636	W 900 x H 600 cm**	on request	20129969
Congress-S		746	W 1.000 x H 600 cm**	on request	20129969

**including safety catch and motor safety plate

Special size and special production up to 12 meters on request

pre-assembly frame (for ceiling mounting) (up to W 600 x H 400 cm)

mounting kit for suspended ceilings (up to W 600 x H 400 cm)



key switch, surface-mounted



Technical changes, misprints and deviating forms, colours and designs reserved. For misprints we accept no liability.

wall spacer without distance



1-channel radio remote control with hand-held transmitter



	I			ІК
article	housing		RRP	artno.
pre-assembly frame for ceiling mounting (For mounting on suspended ceilings, please addited and the subsection of the second	ounting kit artr	no. 991420-S!)		
up to 350 cm screen width for Congress-S	15 x 15 cm		364,-€	991035-S
up to 400 cm screen width for Congress-S	15 x 15 cm		469,-€	991036-S
up to 400 cm screen width for Congress-S	20 x 20 cm		469,-€	991037-S
up to 500 cm screen width for Congress-S	20 x 20 cm		557,-€	991038-S
up to 600 cm screen width for Congress-S	20 x 20 cm		668,-€	991039-S
mounting kit for suspended ceilings			181,-€	991420-S
wall spacer without distance			173,-€	99125000-S
wall spacer, 30 cm			215,-€	99125030-S
wall spacer, 40 cm			225,-€	99125040-S
motor drive, left			35,-€	991060-S
1-channel radio remote control with hand-held tra	ansmitter		211,-€	991080-S
external 1-channel radio remote control with hand transmitter	d-held		211,-€	991083-S
radio remote control + relay for 2nd operating uni	t		410,-€	991082-S
key switch, surface-mounted			124,-€	991100-S
key switch, under plaster			124,-€	991110-S
special finish acc. to RAL Classic, housing 15 x 15 c	m		359,-€	991280-S
special finish acc. to RAL Classic, pre-assembly frame		359,-€	991283-S	
special finish acc. to RAL Classic, housing 20 x 20 c		359,-€	991280-S	
special finish acc. to RAL Classic, pre-assembly frame		359,-€	991283-S	
special finish acc. to RAL Classic, housing 30 x 30 c		606,-€	991282	
special finish acc. to RAL Classic, housing 40 x 40 c	m		606,-€	991282
projection screen unwinding forward			73,-€	991130-S
professional assembly			on request	991370

Congress 22 motor

The multi-functional projection screen for congresses and events



delivery free of charge!*

Our standard

housing: powder-coated in RAL 9016 Traffic white screen surface: Polar TA

- aluminium housing W 22 x H 22 cm
- mounting grooves along the entire housing length of all housing sides enable flexible mounting option on the ceiling
- revision option without need of dismounting of the entire screen
- optional: professional installation for suspended ceilings with pre-assembly frame
- motor drive: high-quality silenced 230V/50Hz electrical plug-in drive, with thermal protection switch, motor drive on the right seen from the direction of projection
- formats up to W 600 x H 400 cm
- screen surface Polar TA Meets the fire protection requirements of DIN 4102 B2
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens

Important note regarding DIN 56950-4 – All screens above 5 meters are equipped as standard with a safety gear and safety limit switches. The built-in switch meets the requirements demanded in stage technology. Therefore all the necessary criteria for the tendering and testing of technical equipment in production facilities are already fulfilled in our standard version..





article	kg	format	RRP	artno.
format				
Congress 22	92	W 350 x H 350 cm	2.771,-€	20123535
Congress 22	97	W 400 x H 400 cm	3.219,-€	20124040
Congress 22	114	W 500 x H 400 cm	4.626,-€	20124050
Congress 22	139	W 600 x H 400 cm**	5.457 <i>,</i> -€	20124060
format 4:3			 	
Congress 22	91	W 350 x H 263 cm	2.569,-€	20122635
Congress 22	96	W 400 x H 300 cm	2.895,-€	20123040
Congress 22	114	W 500 x H 375 cm	4.491,-€	20123750
format 16:9				
Congress 22	91	W 400 x H 225 cm	2.787,-€	20122240
Congress 22	112	W 500 x H 281 cm	4.355,-€	20122850
Congress 22	138	W 600 x H 338 cm**	5.350,-€	20123360
format 16:10				
Congress 22	92	W 400 x H 250 cm	2.787,-€	20122540
Congress 22	112	W 500 x H 313 cm	4.355,-€	20123150
Congress 22	138	W 600 x H 375 cm**	5.350,-€	20123760

**including safety catch and motor safety plate

Special size and special production only on request

Congress 22 motor

The multi-functional projection screen for congresses and events



delivery free of charge!*

Our standard

housing: powder-coated in RAL 9016 Traffic white screen surface: Polar GS

- aluminium housing W 22 x H 22 cm
- mounting grooves along the entire housing length of all housing sides enable flexible mounting option on the ceiling
- revision option without need of dismounting of the entire screen
- optional: professional installation for suspended ceilings with pre-assembly frame
- motor drive: high-quality silenced 230V/50Hz electrical plug-in drive, with thermal protection switch, motor drive on the right seen from the direction of projection
- formats up to W 600 x H 400 cm
- screen surface Polar GS Flame retardant, meets the requirements of DIN 4102 B1
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens

Important note regarding DIN 56950-4 – All screens above 5 meters are equipped as standard with a safety gear and safety limit switches. The built-in switch meets the requirements demanded in stage technology. Therefore all the necessary criteria for the tendering and testing of technical equipment in production facilities are already fulfilled in our standard version.





article	kg	format	RRP	artno.
format				
Congress 22	92	W 350 x H 350 cm	3.328,-€	20123535B1
Congress 22	97	W 400 x H 400 cm	3.914,-€	20124040B1
Congress 22	114	W 500 x H 400 cm	5.461,-€	20124050B1
Congress 22	139	W 600 x H 400 cm**	6.482,-€	20124060B1
f				
format 4:3				
Congress 22	91	W 350 x H 263 cm	3.031,-€	20122635B1
Congress 22	96	W 400 x H 300 cm	 3.466,-€	20123040B1
Congress 22	114	W 500 x H 375 cm	5.289,-€	20123750B1
format 16:9				
Congress 22	91	W 400 x H 225 cm	3.259,-€	20122240B1
Congress 22	112	W 500 x H 281 cm	4.998,-€	20122850B1
Congress 22	138	W 600 x H 338 cm ^{**}	6.249,-€	20123360B1
format 16:10			 	
Congress 22	92	W 400 x H 250 cm	3.295,-€	20122540B1
Congress 22	112	W 500 x H 313 cm	5.055,-€	20123150B1
Congress 22	138	W 600 x H 375 cm**	6.328,-€	20123760B1

** including safety catch

Special size and special production only on request

Optional Congress 22

Vormontagerahmen



1-channel radio remote control with hand-held transmitter



key switch, surface-mounted







article	RRP	artno.
pre-assembly frame for ceiling mounting (For mounting on suspended ceilings, please additionally order mounting k	kit artno. 991420!)	
up to 350 cm screen width for Congress 22	364,-€	991077
up to 400 cm screen width for Congress 22	469,-€	991074
up to 500 cm screen width for Congress 22	557,-€	991075
up to 600 cm screen width for Congress 22	668,-€	991076
mounting kit for suspended ceilings	181,-€	991420
wall spacer without distance	173,-€	99125000
wall spacer, 30 cm	215,-€	99125030
wall spacer, 40 cm	225,-€	99125040
motor drive, left	35,-€	991070
1-channel radio remote control with hand-held transmitter	211,-€	991080
external 1-channel radio remote control with hand-held transmitter	211,-€	991083
radio remote control + relay for 2nd operating unit	410,-€	991082
(optionally integrated in the housing with housing extension of 20 cm)	124,-€	
key switch, surface-mounted	124,-€	991100
key switch, under plaster	359,-€	991110
special finish acc. to RAL Classic, housing 22 x 22 cm	359,-€	991280
special finish acc. to RAL Classic, pre-assembly frame 22 x 22 cm	73,-€	991283
projection screen unwinding forward	72,-€	991130-S
professional assembly	on request	991370

Congress round housing

The multi-functional projection screen for congresses and events



Our standard

housing:powder-coated in RAL 9016 Traffic white or of your choice in RAL Classic at no extra chargescreen surface:Polar TA

- aluminium housing diameter: 20 cm
- wall or ceiling mounting, mounting takes place by means using mounting brackets
- motor drive: high-quality silenced 230V/50Hz electrical plug-in drive, with thermal protection switch, motor drive on the right seen from the direction of projection
- formats up to W 500 x H 400 cm
- screen surface Polar TA Meets the fire protection requirements of DIN 4102 B2
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens





article	kg	format	RRP	artno.
format				
Congress round housing	85	W 350 x H 250 cm	3.622,-€	21122535
Congress round housing	97	W 400 x H 300 cm	4.086,-€	21123040
Congress round housing	103	W 400 x H 400 cm	4.396,-€	21124040
Congress round housing	126	W 500 x H 400 cm	6.037,-€	21124050
format 16:9				
Congress round housing	85	W 350 x H 197 cm	3.514,-€	21121935
Congress round housing	97	W 400 x H 225 cm	3.978,-€	21122240
Congress round housing	126	W 500 x H 281 cm	5.768,-€	21122850
format 16:10				
Congress round housing	85	W 350 x H 219 cm	3.514,-€	21122135
Congress round housing	97	W 400 x H 250 cm	3.978,-€	21122540
Congress round housing	126	W 500 x H 313 cm	5.768,-€	21123150

The equipment are part of the page equipment Congress-S

Special size and special production only on request

Carat crank/motor

The projection screen for mobile use



Our standard

housing:powder-coated in RAL 9016 Traffic whitetravelling mechanism:powder-coated in RAL 9016 Traffic whitescreen surface:Polar GS

- aluminium housing W 19 x H 19 cm, robust travelling mechanism
- ready for immediate use without need of further mounting work
- cover flap closes positively with housing in the retracted state, manually operable cover plate, robust scissor mechanism for excellent flatness
- motor drive: high-quality silenced 230V/50Hz electrical plug-in drive, with thermal protection switch, motor drive on the right seen from the direction of projection
- crank drive: maintenance-free drive with integrated unwinding limit stop, detachable crank
- formats up to W 350 x H 300 cm, lower edge of the image at 80 cm
- screen surface Polar GS Flame retardant, meets the requirements of DIN 4102 B1
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens





article	kg	format	RRP	artno.
Carat crank	122	W 240 x H 180 cm	4.306,-€	18111821
Carat crank	131	W 250 x H 200 cm	4.621,-€	18112023
Carat crank	145	W 300 x H 250 cm	5.854,-€	18112528
Carat crank	158	W 350 x H 300 cm	7.564,-€	18113033
Carat motor	122	W 240 x H 180 cm	4.306,-€	18121821
Carat motor	131	W 250 x H 200 cm	4.621,-€	18122023
Carat motor	145	W 300 x H 250 cm	5.854,-€	18122528
Carat motor	158	W 350 x H 300 cm	7.564,-€	18123033
equipment				
crank drive, left			35,-€	991060
motor drive, left			35,-€	991070
Special finish acc. to RAL	. Classic (p	re-assembly housing)		
up to 250 cm screen width			343,-€	99115022
up to 350 cm screen width			369,-€	99115032
travelling mechanism wi	th special	finish acc. to RAL Classic		
up to 2	250 cm scr	een width	320,-€	99124022
up to 350 cm screen width			365,-€	99124032

Special size and special production only on request

Contour crank/motor

The projection screen for universal portable use



Our standard

housing:powder-coated in RAL 9016 Traffic whitefeet:powder-coated in RAL 9016 Traffic whitescreen surface:Polar GS

- aluminium housing W 19 x H 19 cm with retractable feet
- housing length = screen surface width + 30 cm
- ready for immediate use without need of further mounting work, carrying handles on the front sides of the housing
- cover flap closes positively with housing in the retracted state, manually operable cover plate, robust scissor mechanism for excellent flatness
- motor drive: high-quality silenced 230V/50Hz electrical plug-in drive, with thermal protection switch, motor drive on the right seen from the direction of projection
- crank drive: maintenance-free drive with integrated unwinding limit stop, detachable crank
- formats up to W 350 x H 300 cm, lower edge of the image at 91.5 cm
- screen surface Polar GS Flame retardant, meets the requirements of DIN 4102 B1
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens





article	kg	format	RRP	artno.
Contour crank	71	W 240 x H 180 cm	3.128,-€	16111821
Contour crank	78	W 250 x H 200 cm	3.477,-€	16112023
Contour crank	88	W 300 x H 250 cm	4.603,-€	16112528
Contour crank	97	W 350 x H 300 cm	5.898,-€	16113033
Contour motor	71	W 240 x H 180 cm	3.128,-€	16121821
Contour motor	78	W 250 x H 200 cm	3.477,-€	16122023
Contour motor	88	W 300 x H 250 cm	4.603,-€	16122528
Contour motor	97	W 350 x H 300 cm	5.898,-€	16123033
equipment				
crank drive, left			35,-€	991060
motor drive, left			35,-€	991070
special finish acc. to RAL Classic (housing)				
up to 250 cm screen width			343,-€	99115022
up to 350 cm screen width			344,-€	99115032

Special size and special production only on request

Saphir-G

Mobility combined with a maximum of operating convenience



Our standard

housing:powder-coated in metallic anthracitetravelling mechanism:powder-coated in metallic anthracitescreen surface:Polar PU

- aluminium housing W 12.5 x H 12.5 cm, travelling mechanism is optionally available
- Total width = projection screen + 22 cm (including handle and rollers)
- with a few simple steps, the screen is ready for use, the cover plate will be opened, closed and secured with clamping locks, equipped with a handle and castor rollers for the practical transport
- robust scissor mechanism for excellent flatness, screen is manually extracted at the rear scissor mechanism and thus provides quick assembly and disassembly
- formats up to W 240 x H 200 cm, lower edge of the image at 17 cm
- including travelling mechanism, the lower edge of the image is at 90 cm
- screen surface Polar PU Flame retardant, meets the requirements of DIN 4102 B1
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens





379,-€

44909924

article	kg	format	RRP	artno.
Saphir-G	20	W 180 x H 200 cm	929,-€	44902018
Saphir-G	22	W 200 x H 200 cm	1.021,-€	44902020
Saphir-G	24	W 240 x H 200 cm	1.122,-€	44902024
equipment				
travelling mechanism	10	up to 180 cm width	341,-€	44909918
travelling mechanism	12	up to 200 cm width	341,-€	44909920

up to 240 cm width

15

travelling mechanism

Kabinett-A motor

System for assembly in sideboards, drawers or media cabinet



Our standard

support: aluminium screen surface: Polar GS

• aluminium support W 8 x H 4 cm

• space-saving installation options due to low installation depth

- motor drive: high-quality silenced 230V/50Hz electrical plug-in drive, with thermal protection switch, motor drive on the right seen from the direction of projection
- robustly designed scissor mechanism ensure optimal flatness of the screen in the extended state, screen extendable from bottom to top
- formats up to W 350 x H 300 cm
- screen surface Polar GS Flame retardant, meets the requirements of DIN 4102 B1
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens





article	kg	format	RRP	artno.
Kabinett-A motor	48	W 200 x H 150 cm	2.874,-€	27121518
Kabinett-A motor	54	W 240 x H 180 cm	3.641,-€	27121821
Kabinett-A motor	57	W 250 x H 200 cm	3.900,-€	27122023
Kabinett-A motor	67	W 300 x H 250 cm	5.667,-€	27122528
Kabinett-A motor	76	W 350 x H 300 cm	6.864,-€	27123033

equipment

motor drive, left	35,-€	991070
1-channel radio remote control with hand-held transmitter	211,-€	991080
black border	37,-€/rm	991600
professional assembly	on request	991370

Special size and special production only on request

Kabinett-G motor

The projection screen as ready-to-use module for cabinets, sideboards, floors or other assembly options



Our standard

support: aluminium screen surface: Polar GS

- assembled on a base support up to W 400 x H 19 x D 28 cm, without cover for assembly at reduced installation height
- motor drive: high-quality silenced 230V/50Hz electrical plug-in drive, with thermal protection switch, motor drive on the right seen from the direction of projection, low-noise operation due to vibration dampers
- robustly designed scissor mechanism ensure optimal flatness of the screen in the extended state, screen extendable from bottom to top
- formats up to W 400 x H 300 cm
- screen surface Polar GS Flame retardant, meets the requirements of DIN 4102 B1
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens





article	kg	format	RRP	artno.
Kabinett-G motor	58	W 200 x H 150 cm	2.874,-€	17121518
Kabinett-G motor	64	W 240 x H 180 cm	3.641,-€	17121821
Kabinett-G motor	71	W 250 x H 200 cm	3.899,-€	17122023
Kabinett-G motor	81	W 300 x H 250 cm	5.625,-€	17122528
Kabinett-G motor	90	W 350 x H 300 cm	6.864,-€	17123033
Kabinett-G motor	110	W 400 x H 300 cm	10.142,-€	17123040

equipment

motor drive, left	35,-€	991070
1-channel radio remote control with hand-held transmitter	211,-€	991080
black border	37,-€/rm	991600
professional assembly	on request	991370
wooden housing with manually operable cover	on request	
bottom tank	on request	

Special size and special production only on request

Brillant-L

The projection screen for training, seminars and conferences



delivery free of charge!*

Our standard

frame: aluminium in RAL 9016 Traffic white powder-coated screen surface: Polar GS

- circumferential aluminium frame W 10 x H 4 cm (frame on request in anodised aluminium free of charge)
- rigid wall mounting by means of four fixing angles which can be moved in mounting grooves
- installation depth approx. 6 cm up to a screen size W 450 x H 300 cm
- installation depth approx. 9.5 cm from a screen size W 450 x H 300 cm (with additional central brace)
- external frame dimensions up to W 600 x H 400 cm
- screen surface Polar GS Flame retardant, meets the requirements of DIN 4102 B1
- surface is tensioned and screwed on by means of lugs on the backside of the frame, so that the frame is kept as precise image framing from the front, ensuring an absolute flatness
- delivery takes place in a disassembled state, assembly is recommended by the HKS team
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens





article	kg	external dimension	s image size	RRP	artno.
format	0				
Brillant-L	31	W 254 x H 254 cm	W 234 x H 234 cm	1.387,-€	32102525
Brillant-L	46	W 304 x H 304 cm	W 284 x H 284 cm	1.560,-€	32103030
Brillant-L	67	W 404 x H 404 cm	W 384 x H 384 cm	2.569,-€	32104040
format 4:3					
Brillant-L	29	W 270 x H 208 cm	W 250 x H 188 cm	1.335,-€	32101825
Brillant-L	38	W 320 x H 245 cm	W 300 x H 225 cm		32102230
Brillant-L	45	W 420 x H 320 cm	W 400 x H 300 cm	1.905,-€	32103141
format 16:9					
Brillant-L	29	W 270 x H 160 cm	W 250 x H 140 cm	1.126,-€	32101425
Brillant-L	38	W 320 x H 189 cm	W 300 x H 169 cm	1.309,-€	32101630
Brillant-L	45	W 370 x H 217 cm	W 350 x H 197 cm	1.458,-€	32101935
Brillant-L	50	W 420 x H 245 cm	W 400 x H 225 cm	1.635,-€	32102240
Brillant-L	79	W 520 x H 301 cm	W 500 x H 281 cm	2.817,-€	32102850
Brillant-L	91	W 604 x H 349 cm	W 584 x H 329 cm	3.146,-€	32103360
format 16:10					
Brillant-L	29	W 270 x H 176 cm	W 250 x H 156 cm	1.170,-€	32101525
Brillant-L	38	W 320 x H 208 cm	W 300 x H 188 cm	1.343,-€	32101830
Brillant-L	45	W 370 x H 239 cm	W 350 x H 219 cm	1.506,-€	32102135
Brillant-L	50	W 420 x H 270 cm	W 400 x H 250 cm	1.652,-€	32102540
Brillant-L	79	W 520 x H 333 cm	W 500 x H 313 cm	2.929,-€	32103150
Brillant-L	91	W 604 x H 385 cm	W 584 x H 365 cm	3.270,-€	32103760
equipment					

special finish acc. to RAL Classic (pre-assembly frame)	221,-€	991390
professional assembly	on request	991370

Special size and special production only on request

Brillant-G

Framed projection screen for lecture halls, cinemas or for assembly behind wall panelling



Our standard

frame: powder-coated in RAL 9016 Traffic white screen surface: matt white S

- stable double metal frame as steel construction, frame not visible from the front
- installation depth approx. 15 cm (optional installation depth of approx. 11 cm possible)
- formats up to W 600 x H 375 cm (special versions up to 18 meters)
- screen surface matt white S with border, lugs and elastic straps for mounting on the frame (ensures a constant flatness of the screen surface even in case of varying temperatures)
- screen surface with seam for 200 cm width and more
- delivery takes place in a disassembled state from a size above W 250 x H 200 cm
- design according to DIN 56950-4: 2015 Safety requirements and inspections for serially manufactured projection screens





article	kg	format	RRP	artno.
format				
Brillant-G	49	W 200 x H 200 cm	1.601,-€	30702020
Brillant-G	61	W 250 x H 250 cm	2.248,-€	30702525
Brillant-G	73	W 300 x H 300 cm	3.192,-€	30703030
Brillant-G	97	W 400 x H 400 cm	4.522,-€	30704040
format 4:3				
Brillant-G	58	W 250 x H 188 cm	1.871,-€	30701825
Brillant-G	70	W 300 x H 225 cm	2.762,-€	30702230
Brillant-G	82	W 400 x H 300 cm	4.090,-€	30703040
format 16:9				
Brillant-G	44	W 250 x H 140 cm	1.603,-€	30701425
Brillant-G	54	W 300 x H 169 cm	 2.355,-€	30701630
Brillant-G	76	W 400 x H 225 cm	3.652,-€	30702240
Brillant-G	87	W 500 x H 281 cm	4.614,-€	30702850
Brillant-G	107	W 600 x H 338 cm	5.798,-€	30703360
farme at 40.40				
format 16:10 Brillant-G	35	W 200 x H 125 cm	1.302,-€	30701220
Brillant-G	44	W 250 x H 125 cm	,	
			1.670,-€	30701525
Brillant-G	54	W 300 x H 188 cm	2.451,-€	30701830
Brillant-G	63	W 350 x H 219 cm	 3.132,-€	30702135
Brillant-G	76	W 400 x H 250 cm	3.797,-€	30702540
Brillant-G	87	W 500 x H 313 cm	 4.804,-€	30703150
Brillant-G	107	W 600 x H 375 cm	6.026,-€	30703760
equipment				

professional assembly	on request
wall spacers	on request
frame arched	on request

Up to a size of the frame of W 250 x H 200 cm the delivery takes place in built-up state. In addition, the screen is delivered dismantled, the screen wall is always packed separately.

Special size and special production up to 18 meters on request

Diplomat Electric

Roller screen for conference and training rooms as well as home theaters



Our standard

housing: white, aluminium screen surface: Xpert



- aluminium housing W 8.9 x H 10.5 cm
- extremely flexible and easy to assemble in the slot channel due to the mounting device; wall-or ceiling mounting, quick installation with Plug & Play solution
- Wall and ceiling brackets are included
- Smart Motor: voltage: 220V, frequency: 50Hz, Power: 121W, motor drive on the left seen from the direction of projection, incl. radio remote control
- optional: see page 76/77 wall spacers (15, 30, 50 or 75 cm), radio remote control and much more
- screen surface **Xpert** hardly inflammable, meets the requirements of DIN 4102 B1, white surface, PVC-free, excellent flatness
- others surfaces available on request (for example for rear projection)



euroscreen®

screen size	viewing area	kg		RRP	artno.	
format 1:1 – without black border						
	W 180 x H 180 cm	9		582,-€	39721818	
	W 200 x H 200 cm	11		626,-€	39722020	
	W 220 x H 220 cm	13		681,-€	39722222	
	W 240 x H 240 cm	14		718,-€	39722424	

without black border

W 270 x H 225 cm	16	800,-€	39722227
W 300 x H 250 cm	17	896,-€	39722530

format 4:3 – with 5 cm black border right/left/down and black drop

W 160 x H 180 cm	W 150 x H 112,5 cm	8	672,-€	39721115
W 180 x H 180 cm	W 170 x H 127,5 cm	10	680,-€	39721217
W 200 x H 180 cm	W 190 x H 142,5 cm	11	699,-€	39721419
W 220 x H 210 cm	W 210 x H 157,5 cm	13	781,-€	39721521
W 240 x H 210 cm	W 230 x H 172,5 cm	14	833,-€	39721723
W 270 x H 230 cm	W 260 x H 195 cm	16	916,-€	39721926
W 300 x H 255 cm	W 290 x H 217,5 cm	18	925,-€	39722129

format 16:10 – with 5 cm black border right/left/down and black drop

W 160 x H 180 cm	W 150 x H 94 cm	8	672,-€	39729415
W 180 x H 180 cm	W 170 x H 106 cm	10	680,-€	39721017
W 200 x H 180 cm	W 190 x H 119 cm	11	699,-€	39721119
W 220 x H 180 cm	W 210 x H 131 cm	13	781,-€	39721321
W 240 x H 180 cm	W 230 x H 144 cm	13	833,-€	39721423
W 270 x H 200 cm	W 260 x H 162,5 cm	16	916,-€	39721626
W 300 x H 220 cm	W 290 x H 181 cm	17	925,-€	39721829

format 16:9 - with 5 cm black border right/left/down and black drop

W 160 x H 180 cm	W 150 x H 84,5 cm	8	672,-€	39728415
W 180 x H 180 cm	W 170 x H 95,5 cm	10	680,-€	39729517
W 200 x H 180 cm	W 190 x H 107 cm	11	699,-€	39721019
W 220 x H 180 cm	W 210 x H 118 cm	13	781,-€	39721121
B 240 x H 180 cm	B 230 x H 129,5 cm	14	833,-€	39721223
B 270 x H 200 cm	B 260 x H 146 cm	16	916,-€	39721426
B 300 x H 205 cm	B 290 x H 163 cm	18	925,-€	39721629

All formats are on request available without black border

Diplomat Tab Tension

Roller screen with tensioning mechanism on the sides



Our standard

housing: white, aluminium screen surface: FlexWhite

4:3 4:3 16:10 16:9

- aluminium housing W 8.9 x H 10.5 cm
- extremely flexible and easy to assemble in the slot channel due to the mounting device; wall-or ceiling mounting, quick installation with Plug & Play solution
- Wall and ceiling brackets are included
- Smart Motor: voltage: 220V, frequency: 50Hz, Power: 121W, motor drive on the left seen from the direction of projection, incl. radio remote control
- optional: see page 76/77 wall spacers (15, 30, 50 or 75 cm), radio remote control and much more
- the **tensioning mechanism** on the sides ensures the greatest possible flatness of the screen wall surface, weighting bar adds additional vertical tension
- screen surface FlexWhite Elastic matt white screen, first-class colour reproduction, ideal for ultra high resolution projection (4K)
- others surfaces available on request (for example for rear projection or ARL)



euroscreen®

screen size	viewing area	kg	RRP	artno.
without black border				
	W 160 x H 150 cm	11	1.034,-€	39821516
	W 180 x H 165 cm	13	1.068,-€	39821618
	W 200 x H 180 cm	15	1.090,-€	39821820
	W 220 x H 195 cm	17	1.165,-€	39821922
	W 240 x H 200 cm	19	1.329,-€	39822024

format 4:3 – with 5 cm black border right/left/down and approx. 30 cm black drop

W 160 x H 150 cm	W 150 x H 112,5 cm	11	1.298,-€	39821115
W 180 x H 165 cm	W 170 x H 127,5 cm	13	1.311,-€	39821217
W 200 x H 180 cm	W 190 x H 142,5 cm	15	1.344,-€	39821419
W 220 x H 195 cm	W 210 x H 157,5 cm	17	1.452,-€	39821521
W 240 x H 200 cm	W 230 x H 172,5 cm	19	1.542,-€	39821723

format 16:10 – with 5 cm black border right/left/down and approx. 30 cm black drop

W 160 x H 130 cm	W 150 x H 94 cm	11	1.298,-€	39829415
W 180 x H 140 cm	W 170 x H 106 cm	13	1.311,-€	39821017
W 200 x H 155 cm	W 190 x H 119 cm	15	1.344,-€	39821119
W 220 x H 165 cm	W 210 x H 131 cm	17	1.452,-€	39821321
W 240 x H 180 cm	W 230 x H 144 cm	19	1.542,-€	39821423

format 16:9 – with 5 cm black border right/left/down and approx. 30 cm black drop

W 160 x H 120 cm	W 150 x H 84,5 cm	11	1.298,-€	39828415
W 180 x H 130 cm	W 170 x H 95,5 cm	13	1.311,-€	39829517
W 200 x H 140 cm	W 190 x H 107 cm	15	1.344,-€	39821019
W 220 x H 155 cm	W 210 x H 118 cm	17	1.452,-€	39821121
W 240 x H 165 cm	W 230 x H 129,5 cm	19	1.542,-€	39821223

All formats are on request available without black border

Sesame 2.1

Award-winning housing with an innovative construction for ceiling installation in cavities



Our standard

housing: white, aluminium screen surface: Xpert



- aluminium housing W 16.1 x H 10 cm
- for ceiling mounting in suspended ceilings or in plaster ceilings, easy and fast access for the maintenance by external flange profiles (detachable)
- drop function: possibility of revision without disassembly of the housing
- optional: see page 76/77 specially designed holders for suspended ceilings (at the Sesame 2.1 will be for the assembly requires 1 pair of holders), ensure smooth installation up to a ceiling cavity of 100 cm, two threaded rods can also be connected, radio remote control
- Smart Motor: voltage: 220V, frequency: 50Hz, Power: 121W, motor drive on the right seen from the direction of projection, incl. radio remote control
- screen surface Xpert hardly inflammable, meets the requirements of DIN 4102 B1, white surface, PVC-free, excellent flatness
- screen rolls forward
- others surfaces available on request (for example for rear projection)



euroscreen®

screen size	viewing area	kg		RRP	artno.		
format 1:1 – without black border							
	W 160 x H 160 cm	17	1.	.074,-€	39921616		
	W 180 x H 180 cm	18	1.	.093,-€	39921818		
	W 200 x H 200 cm	20	1.	.153,-€	39922020		
	W 220 x H 220 cm	21	1.	.276,-€	39922222		
	W 240 x H 240 cm	23	1.	.348,-€	39922424		

format 4:3 – with 5 cm black border right/left/down and black drop

W 160 x H 175 cm	W 150 x H 112,5 cm	17	1.237,-€	39921115
W 180 x H 175 cm	W 170 x H 127,5 cm	18	1.254,-€	39921217
W 200 x H 175 cm	W 190 x H 142,5 cm	20	1.290,-€	39921419
W 220 x H 170 cm	W 210 x H 157,5 cm	21	1.376,-€	39921521
W 240 x H 205 cm	W 230 x H 172,5 cm	23	1.457,-€	39921723
W 270 x H 210 cm	W 260 x H 195 cm	24	1.570,-€	39921926
W 300 x H 235 cm	W 290 x H 217,5 cm	27	1.609,-€	39922129

format 16:10 – with 5 cm black border right/left/down and black drop

W 160 x H 175 cm	W 150 x H 94 cm	17	1.237,-€	39929415
W 180 x H 175 cm	W 170 x H 106 cm	18	1.254,-€	39921017
W 200 x H 175 cm	W 190 x H 119 cm	20	1.290,-€	39921119
W 220 x H 170 cm	W 210 x H 131 cm	21	1.376,-€	39921321
W 240 x H 170 cm	W 230 x H 144 cm	23	1.457,-€	39921423
W 270 x H 205 cm	W 260 x H 162,5 cm	24	1.570,-€	39921626
W 300 x H 205 cm	W 290 x H 181 cm	27	1.609,-€	39921829

format 16:9 – with 5 cm black border right/left/down and black drop

W 160 x H 175 cm	W 150 x H 84,5 cm	17	1.237,-€	39928415
W 180 x H 175 cm	W 170 x H 95,5 cm	18	1.254,-€	39929517
W 200 x H 175 cm	W 190 x H 107 cm	20	1.290,-€	39921019
W 220 x H 170 cm	W 210 x H 118 cm	21	1.376,-€	39921121
W 240 x H 170 cm	W 230 x H 129,5 cm	23	1.457,-€	39921223
W 270 x H 205 cm	W 260 x H 146 cm	24	1.570,-€	39921426
W 300 x H 205 cm	W 290 x H 163 cm	27	1.609,-€	39921629

All formats are on request available without black border

Sesame 2.1 Tab Tension

Award-winning housing with an innovative design for ceiling installation in cavities



Our standard

housing: white, aluminium screen surface: FlexWhite



- aluminium housing W 16.1 x H 10 cm
- for ceiling mounting in suspended ceilings or in plaster ceilings, easy and fast access for the maintenance by external flange profiles (detachable)
- drop function: possibility of revision without disassembly of the housing
- optional: see page 76/77 specially designed holders for suspended ceilings (at the Sesame 2.1 will be for the assembly requires 1 pair of holders), ensure smooth installation up to a ceiling cavity of 100 cm, two threaded rods can also be connected, radio remote control
- Smart Motor: voltage: 220V, frequency: 50Hz, Power: 121W, motor drive on the right seen from the direction of projection, incl. radio remote control
- the tensioning mechanism on the sides ensures the greatest possible flatness of the surface, weighting bar adds additional vertical tension
- screen surface FlexWhite Elastic matt white screen, first-class colour reproduction, ideal for ultra high resolution projection (4K)
- screen rolls forward
- others surfaces available on request (for example for rear projection or ARL)



euroscreen®

screen size	viewing area	kg	RRP	artno.
ohne schwarzen Rand				
	W 160 x H 150 cm	21	1.307,-€	39621516
	W 180 x H 165 cm	22	1.327,-€	39621618
	W 200 x H 180 cm	24	1.362,-€	39621820
	W 220 x H 195 cm	25	1.498,-€	39621922
	W 240 x H 200 cm	27	1.575,-€	39622024

format 4:3 – with 5 cm black border right/left/down and approx. 30 cm black drop

W 160 x H 150 cm	W 150 x H 112,5 cm	21	1.529,-€	39621115
W 180 x H 165 cm	W 170 x H 127,5 cm	22	1.546,-€	39621217
W 200 x H 180 cm	W 190 x H 142,5 cm	24	1.585,-€	39621419
W 220 x H 198 cm	W 210 x H 157,5 cm	25	1.647,-€	39621521
W 240 x H 200 cm	W 230 x H 172,5 cm	27	1.732,-€	39621723

format 16:10 – with 5 cm black border right/left/down and approx. 30 cm black drop

W 160 x H 130 cm	W 150 x H 94 cm	21	1.529,-€	39629415
W 180 x H 140 cm	W 170 x H 106 cm	22	1.546,-€	39621017
W 200 x H 155 cm	W 190 x H 119 cm	24	1.585,-€	39621119
W 220 x H 165 cm	W 210 x H 131 cm	25	1.647,-€	39621321
W 240 x H 180 cm	W 230 x H 144 cm	27	1.732,-€	39621423

format 16:9 – with 5 cm black border right/left/down and approx. 30 cm black drop

	_	-		
W 160 x H 120 cm	W 150 x H 84,5 cm	21	1.529,-€	39628415
W 180 x H 130 cm	W 170 x H 95,5 cm	22	1.546,-€	39629517
W 200 x H 140 cm	W 190 x H 107 cm	24	1.585,-€	39621019
W 220 x H 155 cm	W 210 x H 118 cm	25	1.647,-€	39621121
W 240 x H 165 cm	W 230 x H 129,5 cm	27	1.732,-€	39621223

All formats are on request available without black border

Freya Tab Tension

Screen with tensioning mechanism for the hidden ceiling installation



Our standard

Housing: white, aluminium Screen surface: FlexWhite



- aluminium housing W 20.3 x H 17.8 cm
- for **ceiling mounting** in suspended ceilings or in plaster ceilings (simple and quick access for maintenance because of external flange profiles available from summer 2018)
- Possibility to install the housing first and later the screen surface, possibility of **revision** without dismounting the housing
- optional: see page 76/77 specially designed holders for suspended ceilings (Freya Tab Tension requires 2 pairs of holders for the assembly), ensure smooth installation up to a ceiling cavity of 100 cm, two threaded rods can also be connected, radio remote control
- Smart Motor: voltage: 230V, frequency: 50 / 60Hz, Power: 200W, motor drive on the left seen from the direction of projection, incl. radio remote control
- the tensioning function provides Freya Tab Tension with a flat viewing surface, and the surface flatness can be adjusted after time if needed, a new heavy weight bottom dowel in white finish provides extra vertical tensioning.
- screen surface **FlexWhite** Elastic matt white front surface, first-class colour reproduction, ideal for ultra high resolution projection (4K)
- others surfaces available on request (for example for rear projection or ARL)


screen size	viewing area	kg	RRP	artno.
without black borde	r			
	W 250 x H 187,5 cm	35	2.940,-€	39421825
	W 275 x H 206 cm	37	3.023,-€	39422027
	W 300 x H 225 cm	41	3.044,-€	39422230
	W 325 x H 244 cm	43	3.108,-€	39422432
	W 350 x H 265 cm	48	3.167,-€	39422635
	W 375 x H 281 cm	54	3.220,-€	39422837
	W 400 x H 300 cm	61	3.272,-€	39423040
	W 425 x H 319 cm	65	3.365,-€	39423142
format 4:3 – with 5 cm	n black border right/left/down	and appr	30 cm black drop	
W 250 x H 210 cm	W 240 x H 180 cm	35	3.300,-€	39421824
W 275 x H 230 cm	W 265 x H 199 cm	37	3.375,-€	39421926
W 300 x H 250 cm	W 290 x H 217,5 cm	41	3.405,-€	39422129
W 325 x H 270 cm	W 315 x H 236 cm	43	3.468,-€	39422331
W 350 x H 285 cm	W 340 x H 255 cm	48	3.486,-€	39422534
W 375 x H 305 cm	W 365 x H 274 cm	54	3.580,-€	39422736
W 400 x H 325 cm	W 390 x H 292,5 cm	61	3.632,-€	39422939
W 425 x H 345 cm	W 415 x H 311 cm	65	3.684,-€	39423141
format 16.10 - with 5	cm black border right/left/do			
N 250 x H 180 cm	W 240 x H 150 cm	35	3.300,-€	39421524
<i>N</i> 275 x H 195 cm	W 265 x H 165,5 cm	37	3.375,-€	39421626
W 300 x H 210 cm	W 290 x H 181 cm	41	3.405,-€	39421020
W 325 x H 230 cm	W 315 x H 197 cm	41	3.468,-€	39421823
W 350 x H 245 cm	W 340 x H 212,5 cm	43	3.486,-€	39422133
W 375 x H 260 cm	W 365 x H 228 cm	40 54	3.580,-€	39422236
W 400 x H 275 cm	W 390 x H 244 cm	61		
		65	3.632,-€	39422439
W 425 x H 290 cm	W 415 x H 259 cm		3.684,-€	39422541
	m black border right/left/dow			
W 250 x H 165 cm	W 240 x H 135 cm	35	3.300,-€	39421324
W 275 x H 180 cm	W 265 x H 149 cm	37	3.375,-€	39421426
W 300 x H 195 cm	W 290 x H 163 cm	41	3.405,-€	39421629
W 325 x H 210 cm	W 315 x H 177 cm	43	3.468,-€	39421731
W 350 x H 225 cm	W 340 x H 191 cm	48	3.486,-€	39421934
W 375 x H 235 cm	W 365 x H 205 cm	54	3.580,-€	39422036
W 400 x H 250 cm	W 390 x H 218,5 cm	61	3.632,-€	39422139
W 425 x H 265 cm	W 415 x H 233,5 cm	65	3.684,-€	39422341
format 2.35:1 – with	5 cm black border right/left/de	own and a	ox. 30 cm black drop	
W 250 x H 135 cm	W 240 x H 102 cm	35	3.300,-€	39421024
W 275 x H 145 cm	W 265 x H 112,5 cm	37	3.375,-€	39421126
N 300 x H 155 cm	W 290 x H 123,5 cm	41	3.405,-€	39421229
W 325 x H 165 cm	W 315 x H 134 cm	43	3.468,-€	39421331
<i>N</i> 350 x H 175 cm	W 340 x H 144,5 cm	47	3.486,-€	39421434
W 375 x H 185 cm	W 365 x H 155 cm	53	3.580,-€	39421536
W 400 x H 200 cm	W 390 x H 166 cm	60	3.632,-€	39421639
W 425 x H 210 cm	W 415 x H 176,5 cm	64	3.684,-€	39421741

All formats are on request available without black border

Thor Tab Tension

Screen with tensioning mechanism



Our standard

Housing: white, aluminium Screen surface: FlexWhite



- aluminium housing W 16 x H 16 cm
- wall brackets and flexible mounting brackets for ceiling mounting
- housing offers a convenient wall-mountable channel attachment that saves valuable assembly time
- Smart Motor: voltage: 230V, frequency: 50 / 60Hz, Power: 200W, motor drive on the left seen from the direction of projection, incl. radio remote control
- optional: see page 76/77 radio remote control and much more
- the tensioning mechanism on the sides ensures the greatest possible flatness of the surface, **black** weighting bar gives additional vertical tension
- screen surface **FlexWhite** Elastic matt white screen, first-class colour reproduction, ideal for ultra high resolution projection (4K)
- others surfaces available on request (for example for rear projection or ARL)



screen size	viewing area	kg	RRP	artno.
without black border				
	W 250 x H 187,5 cm	35	1.828,-€	39521825
	W 275 x H 206 cm	37	1.909,-€	39522027
	W 300 x H 225 cm	41	1.930,-€	39522230
	W 325 x H 244 cm	43	1.992,-€	39522432
	W 350 x H 265 cm	48	2.051,-€	39522635
	W 375 x H 281 cm	54	2.101,-€	39522837
	W 400 x H 300 cm	61	2.153,-€	39523040
	W 425 x H 319 cm	65	2.243,-€	39523142
format 4:3 – with 5 cm bl	lack border right/left and ap	prox. 30	cm black drop	
W 250 x H 210 cm	W 240 x H 180 cm	35	2.181,-€	39521824
<i>N</i> 275 x H 230 cm	W 265 x H 199 cm	37	2.254,-€	39521926
W 300 x H 250 cm	W 290 x H 217,5 cm	41	2.282,-€	39522129
W 325 x H 270 cm	W 315 x H 236 cm	43	2.344,-€	39522331
<i>N</i> 350 x H 285 cm	W 340 x H 255 cm	48	2.363,-€	39522534
N 375 x H 305 cm	W 365 x H 274 cm	54	2.454,-€	39522736
<i>N</i> 400 x H 325 cm	W 390 x H 292,5 cm	61	2.505,-€	39522939
N 425 x H 345 cm	W 415 x H 311 cm	65	2.556,-€	39523141
format 16:10 – with 5 cm	black border right/left and	approx.	30 cm black drop	
V 250 x H 180 cm	W 240 x H 150 cm	35	2.181,-€	39521524
V 275 x H 195 cm	W 265 x H 165,5 cm	37	2.254,-€	39521626
V 300 x H 210 cm	W 290 x H 181 cm	41	2.282,-€	39521829
V 325 x H 230 cm	W 315 x H 197 cm	43	2.344,-€	39521931
N 350 x H 245 cm	W 340 x H 212,5 cm	48	2.363,-€	39522134
N 375 x H 260 cm	W 365 x H 228 cm	54	2.454,-€	39522236
<i>N</i> 400 x H 275 cm	W 390 x H 244 cm	61	2.505,-€	39522439
W 425 x H 290 cm	W 415 x H 259 cm	65	2.556,-€	39522541
format 16:9 – with 5 cm l	black border right/left and a	pprox. 3) cm black drop	
<i>N</i> 250 x H 165 cm	W 240 x H 135 cm	35	2.181,-€	39521324
N 275 x H 180 cm	W 265 x H 149 cm	37	2.254,-€	39521426
<i>N</i> 300 x H 195 cm	W 290 x H 163 cm	41	2.282,-€	39521629
N 325 x H 210 cm	W 315 x H 177 cm	43	2.344,-€	39521731
N 350 x H 225 cm	W 340 x H 191 cm	48	2.363,-€	39521934
N 375 x H 235 cm	W 365 x H 205 cm	54	2.454,-€	39522036
N 400 x H 250 cm	W 390 x H 218,5 cm	61	2.505,-€	39522030
W 425 x H 265 cm	W 415 x H 233,5 cm	65	2.556,-€	39522341
format 2.35:1 – with 5 cr	n black border right/left and	approx	30 cm black drop	
W 250 x H 135 cm	W 240 x H 102 cm	35	2.181,-€	39521024
W 275 x H 145 cm	W 265 x H 112,5 cm	37	2.254,-€	39521126
W 300 x H 155 cm	W 290 x H 123,5 cm	41	2.282,-€	39521229
W 325 x H 165 cm	W 315 x H 134 cm	43	2.344,-€	39521223
W 350 x H 175 cm	W 340 x H 144,5 cm	47	2.344,-€	39521331
W 375 x H 185 cm	W 365 x H 155 cm	53	2.303,-€	39521434
W 400 x H 200 cm	W 390 x H 166 cm	60	2.434,-€	39521530
W 425 x H 210 cm	W 415 x H 176,5 cm	64	2.505,-€	39521039
Il formats are on requ	dat	a she	et and drawing	

All formats are on request available without black border RF-remote control, 3-positions (Up-stop-down)

RF Dry contact transmitter

-

BRAFER

Wall brackets 15 cm, 30 cm, 50 cm and 75 cm

RF wall switch transmitter



RF Trigger key 12V RF transmitter



Recessed ceiling brackets







$euroscreen^{\circ}$

article	R	RP	artno.
RF-remote control	6	1,-€	39001001
RF wall switch transmitter	6	1,-€	39001002
RF dry contact transmitter	6	1,-€	39001003
RF-trigger key 12V RF transmitter	7	'5,-€	39001004
15 cm wall brackets	4	5,-€	39001005
30 cm wall brackets	5	0,-€	39001006
50 cm wall brackets	5	6,-€	39001007
75 cm wall brackets	6	7,-€	39001008
Recessed ceiling brackets, pair	8	2,-€	39001009

Frame Vision Light

Hochwertige Rahmenleinwand mit Spannmechanismus



Our standard

Frame: black aluminium Screen surface: FlexWhite

- W 5.1 x D 3.3 cm Wide, black aluminium frame
- easy installation of the frame profiles, smooth wall mounting because of easy-to-mount wall brackets
- screen surface **FlexWhite** Elastic matt white front surface, first-class color reproduction, ideal for ultra high resolution projection (4K)
- screen surface attached on the frame attached without need of any tools
- in order to achieve an optimal flatness, the surface can be adjusted in a tensioning groove
- others surfaces available on request (for example for rear projection or ARL)



$euroscreen^{\circ}$

screen size	viewing area	kg	RRP	artno.
format 4:3				
W 170 x H 130 cm	W 160 x H 120 cm	7	516,-€	39221216
W 180 x H 137,5 cm	W 170 x H 127,5 cm	8	522,-€	39221217
W 190 x H 145 cm	W 180 x H 135 cm	9	525,-€	39221318
W 200 x H 152,5 cm	W 190 x H 142,5 cm	10	530,-€	39221419
W 210 x H 160 cm	W 200 x H 150 cm	11	534,-€	39221520
W 220 x H 167,5 cm	W 210 x H 157,5 cm	12	537,-€	39221521
W 230 x H 175 cm	W 220 x H 165 cm	13	542,-€	39221622
W 240 x H 182,5 cm	W 230 x H 172,5 cm	14	546,-€	39221723
format 16:10				
W 170 x H 110 cm	W 160 x H 100 cm	7	516,-€	39221016
W 180 x H 116 cm	W 170 x H 106 cm	8	522,-€	39221017
W 190 x H 122,5 cm	W 180 x H 112,5 cm	9	525,-€	39221118
W 200 x H 129 cm	W 190 x H 119 cm	10	530,-€	39221119
W 210 x H 135 cm	W 200 x H 125 cm	11	534,-€	39221220
W 220 x H 141 cm	W 210 x H 131 cm	12	537,-€	39221321
W 230 x H 147,5 cm	W 220 x H 137,5 cm	13	542,-€	39221322
W 240 x H 154 cm	W 230 x H 144 cm	14	546,-€	39221423
format 16:9				
W 170 x H 100 cm	W 160 x H 90 cm	7	516,-€	39229016
W 180 x H 105,5 cm	W 170 x H 95,5 cm	8	522,-€	39229517
W 190 x H 111 cm	W 180 x H 101 cm	9	525,-€	39221018
W 200 x H 117 cm	W 190 x H 107 cm	10	530,-€	39221019
W 210 x H 122,5 cm	W 200 x H 112,5 cm	11	534,-€	39221120
W 220 x H 128 cm	W 210 x H 118 cm	12	537,-€	39221121
W 230 x H 133,5 cm	W 220 x H 123,5 cm	13	542,-€	39221222
W 240 x H 139,5 cm	W 230 x H 129,5 cm	14	546,-€	39221223
format 2.35:1				
W 170 x H 78 cm	W 160 x H 68 cm	7	516,-€	39226816
W 180 x H 82,5 cm	W 170 x H 72,5 cm	8	522,-€	39227217
W 190 x H 86,5 cm	W 180 x H 76,5 cm	9	525,-€	39227618
W 200 x H 91 cm	W 190 x H 81 cm	10	530,-€	39228119
W 210 x H 95 cm	W 200 x H 85 cm	11	534,-€	39228520
W 220 x H 99,5 cm	W 210 x H 89,5 cm	12	537,-€	39228921
W 230 x H 103,5 cm	W 220 x H 93,5 cm	13	542,-€	39229322
W 240 x H 108 cm	W 230 x H 98 cm	14	546,-€	39229823

High-quality framed screen with tensioning mechanism



Our standard

Frame: black aluminium Screen surface: FlexWhite

- W 10.3 x D 4.2 cm Wide, black aluminium frame
- easy installation of the frame profiles, smooth wall mounting because of easy-to-mount wall brackets
- screen surface FlexWhite Elastic matt white front surface, first-class color reproduction,

ideal for ultra high resolution projection (4K)

- screen surface attached on the frame attached without need of any tools
- in order to achieve an optimal flatness, the surface can be adjusted in three different channels
- others surfaces available on request (for example for rear projection or ARL)



screen size	viewing area	kg	RRP	artno.
format 4:3				
W 180 x H 140 cm	W 160 x H 120 cm	15	576,-€	39101216
W 200 x H 155 cm	W 180 x H 135 cm	17	606,-€	3910138
W 220 x H 170 cm	W 200 x H 150 cm	19	634,-€	39101520
W 240 x H 185 cm	W 220 x H 165 cm	20	720,-€	39101622
W 270 x H 210 cm	W 250 x H 190 cm	24	807,-€	39101925
W 295 x H 226 cm	W 275 x H 206 cm	25	947,-€	39102027
W 320 x H 245 cm	W 300 x H 225 cm	28	1.025,-€	39102230
W 370 x H 282,5 cm	W 350 x H 262,5 cm	32	1.148,-€	39102635
W 405 x H 309 cm	W 385 x H 289 cm	36	1.272,-€	39102838
format 16:10				
W 180 x H 120 cm	W 160 x H 100 cm	13	576,-€	39101016
W 200 x H 132,5 cm	W 180 x H 112,5 cm	15	606,-€	39101118
W 220 x H 145 cm	W 200 x H 125 cm	16	634,-€	39101220
W 240 x H 157,5 cm	W 220 x H 137,5 cm	18	720,-€	39101322
W 270 x H 176 cm	W 250 x H 156 cm	21	807,-€	39101525
W 295 x H 192 cm	W 275 x H 172 cm	23	947,-€	39101727
W 320 x H 207,5 cm	W 300 x H 187,5 cm	25	1.025,-€	39101830
W 370 x H 239 cm	W 350 x H 219 cm	30	1.148,-€	39102135
W 400 x H 270 cm	W 400 x H 250 cm	34	1.272,-€	39102540
format 16:9				
W 180 x H 110 cm	W 160 x H 90 cm	13	576,-€	39109016
W 200 x H 121 cm	W 180 x H 101 cm	15	606,-€	39101018
W 220 x H 132,5 cm	W 200 x H 112,5 cm	16	634,-€	39101120
W 240 x H 143,5 cm	W 220 x H 123,5 cm	18	720,-€	39101222
W 270 x H 160,5 cm	W 250 x H 140,5 cm	21	807,-€	39101425
W 295 x H 174,5 cm	W 275 x H 154,5 cm	23	947,-€	39101527
W 320 x H 189 cm	W 300 x H 169 cm	25	1.025,-€	39101630
W 370 x H 217 cm	W 350 x H 197 cm	30	1.148,-€	39101935
W 420 x H 245 cm	W 400 x H 225 cm	34	1.272,-€	39102240
format 2.35:1				
W 180 x H 88 cm	W 160 x H 68 cm	13	576,-€	39106816
W 200 x H 96,5 cm	W 180 x H 76,5 cm	15	606,-€	39107618
W 220 x H 105 cm	W 200 x H 85 cm	16	634,-€	39108520
W 240 x H 113,5 cm	W 220 x H 93,5 cm	18	720,-€	39109322
W 270 x H 126,5 cm	W 250 x H 106,5 cm	21	807,-€	39101025
W 295 x H 137 cm	W 275 x H 117 cm	23	947,-€	39101127
W 320 x H 147,5 cm	W 300 x H 127,5 cm	25	1.025,-€	39101230
W 370 x H 169 cm	W 350 x H 149 cm	30	1.148,-€	39101435
W 420 x H 190 cm	W 400 x H 170 cm	34	1.272,-€	39101740

High-quality framed screen with tensioning mechanism



Our standard

Frame: black aluminium Screen surface: ReAct 3.0

- W 10.3 x D 4.2 cm Wide, black aluminium frame
- easy installation of the frame profiles, smooth wall mounting because of easy-to-mount wall brackets
- screen surface **ReAct 3.0** Stretchy vinyl, optimal colour reproduction even in bright environments, ideal for ultra high resolution projection (4K)
- screen surface attached on the frame attached without need of any tools
- in order to achieve an optimal flatness, the surface can be adjusted in three different channels
- others surfaces available on request (for example for rear projection)



euroscreen®

screen size	viewing area	kg	RRP	artno.
format 4:3				
W 180 x H 140 cm	W 160 x H 120 cm	15	1.158,-€	39201216
W 200 x H 155 cm	W 180 x H 135 cm	17	1.245,-€	39201318
W 220 x H 170 cm	W 200 x H 150 cm	19	1.330,-€	39201520
W 240 x H 185 cm	W 220 x H 165 cm	20	1.502,-€	39201622
W 270 x H 210 cm	W 250 x H 190 cm	24	1.694,-€	39201925
W 295 x H 226 cm	W 275 x H 206 cm	25	1.946,-€	39202027
format 16:10				
W 180 x H 120 cm	W 160 x H 100 cm	13	1.158,-€	39201016
W 200 x H 132,5 cm	W 180 x H 112,5 cm	15	1.245,-€	39201118
W 220 x H 145 cm	W 200 x H 125 cm	16	1.330,-€	39201220
W 240 x H 157,5 cm	W 220 x H 137,5 cm	18	1.502,-€	39201322
W 270 x H 176 cm	W 250 x H 156 cm	21	1.694,-€	39201525
W 295 x H 192 cm	W 275 x H 172 cm	23	1.946,-€	39201727
W 320 x H 207,5 cm	W 300 x H 187,5 cm	25	2.124,-€	39201830
format 16:9				
W 180 x H 110 cm	W 160 x H 90 cm	13	1.158,-€	39209016
W 200 x H 121 cm	W 180 x H 101 cm	15	1.245,-€	39201018
W 220 x H 132,5 cm	W 200 x H 112,5 cm	16	1.330,-€	39201120
W 240 x H 143,5 cm	W 220 x H 123,5 cm	18	1.502,-€	39201222
W 270 x H 160,5 cm	W 250 x H 140,5 cm	21	1.694,-€	39201425
W 295 x H 174,5 cm	W 275 x H 154,5 cm	23	1.946,-€	39201527
W 320 x H 189 cm	W 300 x H 169 cm	25	2.124,-€	39201630
W 370 x H 217 cm	W 350 x H 197 cm	30	2.301,-€	39201935
format 2.35:1				
W 180 x H 88 cm	W 160 x H 68 cm	13	1.158,-€	39206816
W 200 x H 96,5 cm	W 180 x H 76,5 cm	15	1.245,-€	39207618
W 220 x H 105 cm	W 200 x H 85 cm	16	1.330,-€	39208520
W 240 x H 113,5 cm	W 220 x H 93,5 cm	18	1.502,-€	39209322
W 270 x H 126,5 cm	W 250 x H 106,5 cm	21	1.694,-€	39201025
W 295 x H 137 cm	W 275 x H 117 cm	23	1.946,-€	39201127
W 320 x H 147,5 cm	W 300 x H 127,5 cm	25	2.124,-€	39201230
W 370 x H 169 cm	W 350 x H 149 cm	30	 2.301,-€	39201435
W 420 x H 190 cm	W 400 x H 170 cm	34	2.703,-€	39201740

UFS – Ultimate Folding Screen

Portable projection screen for mobile use, e.g. for rental applications



Our standard

Frame:aluminium tube frameScreen surface:Matt White XT1000V or CineFlex CH1200V

- first screen completely manufactured using the CNC (Computer Numerical Controlled) manufacturing process
- lock & Load-Lock allows very easy assembly construction ensures a rigid frame and high stability and protection of locking components
- the surface is stretched from the front on the frame, on the back of the frame, the feet are attached
- protection of locking components
- standard legs are available in three different heights (H 292 cm, H 329 cm or H 366 cm), frame can be attached to the feet in 15.2 cm increments
- optionally recommended for extra stability: Heavy duty legs from a frame height of over 229 cm, Extra heavy duty legs – from a frame height of over 320 cm
- surface Matt White XT1000V for front projection, reflects a uniformly bright image, more

accurate colour balance

CineFlex CH1200V – for rear projection, neutral grey reflective diffusion surface, offers high resolution and contrast

• the delivery includes a durable polyethylene carrying case with wheels and carrying handles



$euroscreen^{\circ}$

Frame + case + legs				fror	nt projection, sur	face only	rea	r projection, surf	face only
screen size viewing area	kg	RRP	artno.	kg	RRP	artno.	kg	RRP	artno.
format 4:3 – with 7 cm black border, c	ircumferential								
W 244 x H 183 cm W 230 x H 169 cm	23	829,-€	39301623	4	540,-€	39401623	3,2	664,-€	39501623
W 305 x H 229 cm W 291 x H 215 cm	29	1.011,-€	39302129	5	694,-€	39402129	4	897,-€	39502129
W 366 x H 274 cm W 352 x H 260 cm	30	1.048,-€	39302635	6	858,-€	39402635	5	1.240,-€	39502635
W 427 x H 320 cm W 413 x H 306 cm	31	1.078,-€	39303041	7	1.005,-€	39403041	6,4	1.364,-€	39503041
format 16:10 – with 7 cm black border	; circumferentia	1							
W 244 x H 157 cm W 230 x H 144 cm	23	829,-€	39301423	3,4	540,-€	39401423	3,4	664,-€	39501423
W 272 x H 175 cm W 258 x H 161 cm	23	1.011,-€	39301625	10	694,-€	39401625	3,7	897,-€	39501625
W 330 x H 211 cm W 315 x H 197 cm	25	1.048,-€	39301931	5	858,-€	39401931	3,7	1.240,-€	39501931
W 386 x H 246 cm W 372 x H 232 cm	30	1.078,-€	39302337	7	1.005,-€	39402337	7	1.364,-€	39502337
W 447 x H 284 cm* W 433 x H 271 cm*	31	1.275,-€	39302743	7	956,-€	39402743	7	1.440,-€	39502743
format 16:9 – with 7 cm black border,	circumferential								
W 244 x H 142 cm W 230 x H 128 cm	23	829,-€	39301223	3,4	540,-€	39401223	3	664,-€	39501223
W 274 x H 157 cm W 260 x H 144 cm	24	1.011,-€	39301426	4,2	694,-€	39401426	х	897,-€	39501426
W 305 x H 175 cm W 291 x H 161 cm	25	1.048,-€	39301629	4,2	858,-€	39401629	3,7	1.240,-€	39501629
W 366 x H 211 cm W 352 x H 197 cm	30	1.078,-€	39301935	5	1.005,-€	39401935	4,6	1.364,-€	39501935
W 498 x H 284 cm* W 488 x H 271 cm*	31	1.275,-€	39302748	10	956,-€	39402748	10	1.440,-€	39502748
format 4:3 – with 10 cm black border,	circumferential								
W 264 x H 203 cm W 244 x H 183 cm	23	829,-€	39301824	4	540,-€	39401824	4	664,-€	39501824
W 325 x H 249 cm W 305 x H 229 cm	25	1.011,-€	39302230	5	694,-€	39402230	5	897,-€	39502230
W 386 x H 295 cm W 366 x H 274 cm	30	1.048,-€	39302736	6	858,-€	39402736	6	1.240,-€	39502736
W 447 x H 340 cm* W 427 x H 320 cm*	31	1.275,-€	39303242	7	1.005,-€	39403242	7	1.364,-€	39503242
format 16:9 – with 10 cm black border	, circumferentia	I							
W 239 x H 142 cm W 218 x H 122 cm	23	829,-€	39301221	3,4	540,-€	39401221	3,4	664,-€	39501221
W 345 x H 203 cm W 325 x H 183 cm	23	1.011,-€	39301832	4,2	694,-€	39401832	4,2	897,-€	39501832
W 424 x H 249 cm* W 404 x H 229 cm*	31	1.275,-€	39302240	5	859,-€	39402240	5	1.240,-€	39502240
W 508 x H 295 cm* W 488 x H 274 cm*	33	1.303,-€	39302748	10	1.005,-€	39402748	10	1.364,-€	39502748

* with Heavy duty legs

MOW-S

Motorised height adjustment elements for a display up to max. 60 or 120 kg





Our standard

column: RAL 9016 Traffic White

front panel: decor Bardolino Oak nature – further decors **without extra costs** on p. 160 – 161



- for an excellent integration of the motorised wall mount into an already existing furnishing, the powder coating according to RAL Classic of the column and the decor of the rectilinear front panel can be individually adapted to each room
- display up to 84"
- VESA-standard 100x100 800x400
- load capacity: up to 60 kg MOW-S 060 B up to 120 kg – MOW-S 120 B
- vertical travel of approx. 50 cm
- dimensions of the column: H 204 x W 49 x D 11 cm
- integrated cable management takes place inside the column, power and data lines to the display will be outside the column in an accompanying cable routing
- suitable for wall or wall-floor mounting
- for levelling uneven floors 2 adjustable feet included in the base





article	kg	RRP	artno.
MOW-S 060 B – load capacity up to 60 kg	74	1.449,-€	83502015
MOW-S 120 B – load capacity up to 120 kg	76	1.736,-€	83502016
laptop shelf in RAL 9005 Jet black		120,-€	83400078
camera shelf in RAL 9005 Jet black		106,-€	83400045
bracket for 2 displays (55")		187,-€	83400041
protection against collision (in case of obstacles the sensor reacts, stops and changes the direction)		106,-€	83400153
special finish acc. to RAL Classic		227,-€	991128

MOW-S 130 Touch/B raster

Height adjustment elements, motorised or by rastering, for a display up to max. 130 kg



Our standard

column: RAL 9016 Traffic White

front panel: decor Bardolino Oak nature – further decors **without extra costs** on p. 160 – 161



- for an excellent integration of the motorised wall mount into an already existing furnishing, the powder coating according to RAL Classic of the column and the decor of the rectilinear front panel can be individually adapted to each room
- display up to 84"
- VESA-standard 100x100 1.250x600, incl. tilt wedges, which allow inclination correction of 2° on heavy displays
- up to 130 kg load capacity, ideal bracket for the safe installation of very large and heavy displays
- vertical travel of approx. 50 cm
- dimensions of the column: H 204 x W 49 x D 11 cm
- integrated cable management takes place inside the column, power and data lines to the display will be outside the column in an accompanying cable routing
- suitable for wall or wall-floor mounting
- for levelling uneven floors 2 adjustable feet included in the base
- alternatively, there is the **MOW-S 130 B with raster** during installation, the display is mounted in one of six raster points, equipped with universal bracket acc. to VESA standard 100x100 800x400





article	kg	RRP	artno.
MOW-S 130 Touch	81	1.980,-€	83502022
laptop shelf in RAL 9005 Jet black		120,-€	83400078
camera shelf in RAL 9005 Jet black		106,-€	83400045
bracket for 2 displays (55")		187,-€	83400041
protection against collision (in case of obstacles the sensor reacts, stops and changes the direction)		106,-€	83400153
special finish acc. to RAL Classic		227,-€	991128

article	kg	RRP	artno.
MOW-S 130 B raster	42	951,-€	83502021
laptop shelf in RAL 9005 Jet black		120,-€	83400078
camera shelf in RAL 9005 Jet black		106,-€	83400045
bracket for 2 displays (55")		187,-€	83400041
special finish acc. to RAL Classic		223,-€	991128

MOW-XL

Motorised height adjustment elements for a display up to max. 120 kg



Our standard

column: RAL 9016 Traffic White

front panel: decor Bardolino Oak nature – further decors **without extra costs** on p. 160 – 161



- for an excellent integration of the motorised wall mount into an already existing furnishing, the powder coating according to RAL Classic of the column and the decor of the rectilinear front panel can be individually adapted to each room
- display up to 84"
- VESA-standard 100x100 800x400
- load capacity up to up to 120 kg
- vertical travel of approx. 50 cm
- dimensions of the column: H 200 x W 80 x D 16 cm MOW-XL 120 B

```
H 120 x W 80 x D 16 cm – MOW-XL 120 W
```

- integrated cable management takes place inside the column, power and data lines to the display will be outside the column in an accompanying cable routing
- suitable for wall or wall-floor mounting (MOW-XL 120 W wall mounting, please consider the load capacity of the wall!)





article	kg	RRP	artno.
MOW-XL 120 B – load capacity up to 120 kg floorstanding	81	1.832,-€	83502010
MOW-XL 120 W – load capacity up to 120 kg wall mounted	62	1.597,-€	83502000
laptop shelf in RAL 9005 Jet black		120,-€	83400078
camera shelf in RAL 9005 Jet black		106,-€	83400045
bracket for 2 displays (55")		187,-€	83400041
adjustable feet stainless steel		on request	
protection against collision (in case of obstacles the sensor reacts, stops and changes the direction)		106,-€	83400153
special finish acc. to RAL Classic		227,-€	991128

MOW-XL 130 Touch

Motorised height adjustment elements for a display up to max. 130 kg



delivery free of charge!*

Our standard

column: RAL 9016 Traffic White front panel: decor Bardolino Oak nature – further decors **without extra costs** on p. 160 – 161



- for an excellent integration of the motorised wall mount into an already existing furnishing, the powder coating according to RAL Classic of the column and the decor of the rectilinear front panel can be individually adapted to each room
- display up to 84"
- VESA-standard 100x100 1.250x600, incl. tilt wedges, which allow inclination correction of 2° on heavy displays
- up to 130 kg load capacity, ideal bracket for the safe installation of very large and heavy displays
- vertical travel of approx. 50 cm
- dimensions of the column: H 200 x W 80 x D 16 cm
- integrated cable management takes place inside the column, power and data lines to the display will be outside the column in an accompanying cable routing
- suitable for wall or wall-floor mounting





article	kg	RRP	artno.
MOW-XL 130 Touch	91	2.086,-€	83502011
laptop shelf in RAL 9005 Jet black		120,-€	83400078
camera shelf in RAL 9005 Jet black		106,-€	83400045
protection against collision (in case of obstacles the sensor reacts, stops and changes the direction)		106,-€	83400153
special finish acc. to RAL Classic		227,-€	991128

MOW 150

Motorised wall bracket for a display up to max. 130 kg



Our standard column: anodised

- the MOW 150 is an ideal bracket for safely installing very large and heavy displays
- VESA-standard 100x100 800x400
- load capacity up to max. 130 kg, an ideal bracket for safely install a Microsoft Surface Hub (for example)
- vertical travel approx. 50 cm
- dimensions H 151 x W 89 x D 23 cm
- native cable management takes place behind the column, integrated rear storage for example mini PC
- wall mounting with two metal angles, which can be adjusted in height, installation depth approx. 7 cm
- 4 levelling screws for levelling uneven floors
- delivery takes place in a disassembled state





article	kg	RRP	artno.
MOW 150	40	897,-€	83502023
MOW 150 black column	40	1.032,-€	83502035
laptop shelf in RAL 9005 Jet black		120,-€	83400078
camera shelf in RAL 9005 Jet black		106,-€	83400045
VESA 100x100 – 1.200x600 in RAL 9005 Jet black load capacity up to 130 kg		198,-€	83500006

LCD/W wall mount for displays



delivery free of charge!*

- Robust, stable wall mount for displays
- Completely made from 3 mm sheet steel
- VESA standard 100x100 800x400
- Load capacity up to 120 kg
- RAL 9005 Jet black





article	kg	RRP	artno.
LCD/W wall mount for displays up to 120 kg	8,5	125,-€	83500001

VST-D

Height-adjustable display stand with detachable rear panel



Our standard

column: RAL 9007 Grey aluminium bottom plate: RAL 9005 Jet black, fine structure

- display stand with steel sheet column
- display up to 84"
- VESA-standard 100x100 800x400, further VESA sizes on request
- load capacity up to max. 60 kg or max. 120 kg
- vertical travel of approx. 50 cm available in raster, manual or motorised version
- dimensions: H 169 x W 100 x D 58 cm (bottom plate, adjustable feet, without cover plate)

H 169 x W 131 x D 78 cm (extra large bottom plate, adjustable feet, without cover plate)**

H 180 x W 100 x D 58 cm (bottom plate, castor rollers and cover plate)

H 180 x W 131 x D 78 cm (extra large bottom plate, castor rollers and cover plate)**

- the very smooth running is ensured by a ball-bearing carriage, which is guided between 2 aluminium profiles
- behind the detachable rear panel is the integrated cable management, as well as an integrated bracket for mini PC inside the column
- VST-D motor has an up and down switch to move the display in height
- equipped with 4 castor rollers (approx. 10 cm \emptyset), 2 of them lockable
- also available with adjustable feet (instead of rollers and cover plate), for levelling on uneven floors





article	kg	RRP	artno.
VST-D 060 raster			
(Display mountable in 5 positions)			
- with 4 adjustable feet	60	1.061,-€	83400083
- with 4 castor rollers	71	1.203,-€	83400084
VST-D 060 manual			
(stepless adjustment by fine adjustment with Allen key)			
- with 4 adjustable feet	60	1.203,-€	83400085
- with 4 castor rollers	71	1.344,-€	83400086
VST-D 060 motor			
(stepless adjustment by 1 lifting motor)			
- with 4 adjustable feet	69	1.486,-€	83400073
- with 4 castor rollers	80	1.629,-€	83400074
VST-D 120 raster **			
(Display mountable in 5 positions)			
- with 4 adjustable feet	64	1.160,-€	83400069
- with 4 castor rollers	75	1.302,-€	83400070
VST-D 120 manual **		1.002, 0	
(stepless adjustment by fine adjustment with Allen key)			
- with 4 adjustable feet	64	1.302,-€	83400080
- with 4 castor rollers	75	1.443,-€	83400081
VST-D 120 motor **			
(stepless adjustment by 2 lifting motors)			
- with 4 adjustable feet	74	1.771,-€	83400075
- with 4 castor rollers	85	1.913,-€	83400076
equipment			
laptop shelf in RAL 9005 Jet black		120,-€	83400078
camera shelf in RAL 9005 Jet black		106,-€	83400045
bracket for 2 displays (55")		187,-€	83400041
bracket for 2 displays (65") load capacity up to 80 kg		239,-€	83400047
front housing		437,-€	83400150
shelf for front housing		34,-€	83400151
connection field in the front panel 230V, HDMI, VGA, USB		362,-€	83400079
special finish acc. to RAL Classic		227,-€	991128
protection against collision (in case of obstacles the sensor reacts,		106,-€	83400153
stops and changes the direction)		100, 0	00100100
other VESA-formats		on request	

VST-D with V-food

Height-adjustable display stand with detachable rear panel



Our standard

column: RAL 9007 Grey aluminium V-foot: RAL 9005 Jet black, fine structure

- display stand with steel sheet column
- display up to 84"
- VESA-standard 100x100 800x400, further VESA sizes on request
- load capacity up to max. 60 kg or max. 120 kg
- vertical travel of approx. 50 cm available in raster, manual or motorised version
- dimensions: H 172 x W 122 x D 65 cm (with adjustable feet)

H 183 x W 122 x D 65 cm (with rollers)

- the very smooth running is ensured by a ball-bearing carriage, which is guided between 2 aluminium profiles
- behind the detachable rear panel is the integrated cable management, as well as an integrated bracket for mini PC inside the column
- VST-D motor has an up and down switch to move the display in height
- equipped with 4 castor rollers (approx. 10 cm \emptyset), 2 of them lockable
- also available with adjustable feet (instead of rollers), for levelling on uneven floors



Technical changes, misprints and deviating forms, colours and designs reserved. For misprints we accept no liability.



article	kg	RRP	artno.
VST-D 060 raster with V-foot			
(Display mountable in 5 positions)			
- with 4 adjustable feet	60	1.061,-€	83400091
- with 4 castor rollers	71	1.203,-€	83400092
VST-D 060 manual with V-foot			
(stepless adjustment by fine adjustment with Allen key)			
- with 4 adjustable feet	60	1.203,-€	83400093
- with 4 castor rollers	71	1.344,-€	83400094
VST-D 060 motor with V-foot			
(stepless adjustment by 1 lifting motor)			
- with 4 adjustable feet	69	1.486,-€	83400095
- with 4 castor rollers	80	1.629,-€	83400096
VST-D 120 raster with V-foot			
(Display mountable in 5 positions)			
- with 4 adjustable feet	64	1.160,-€	83400097
- with 4 castor rollers	75	1.302,-€	83400098
VST-D 120 manual with V-foot			
(stepless adjustment by fine adjustment with Allen key)			
- with 4 adjustable feet	64	1.302,-€	83400099
- with 4 castor rollers	75	1.443,-€	83400100
VST-D 120 motor with V-foot			
(stepless adjustment by 2 lifting motors)			
- with 4 adjustable feet	74	1.771,-€	83400101
- with 4 castor rollers	85	1.913,-€	83400102
equipment			
laptop shelf in RAL 9005 Jet black		120,-€	83400078
camera shelf in RAL 9005 Jet black		106,-€	83400045
bracket for 2 displays (55")		187,-€	83400041
bracket for 2 displays (65") load capacity up to 80 kg		239,-€	83400047
connection field in the front panel 230V, HDMI, VGA, USB		362,-€	83400079
special finish acc. to RAL Classic		227,-€	991128

other VESA-formats

stops and changes the direction)

protection against collision (in case of obstacles the sensor reacts,

on request

106,-€

data sheet and drawing

VST-D with H-food

Height-adjustable display stand with detachable rear panel



Our standard

column: RAL 9007 Grey aluminium H-foot: RAL 9005 Jet black, fine structure

- display stand with steel sheet column
- display up to 84"
- VESA-standard 100x100 800x400, further VESA sizes on request
- load capacity up to max. 60 kg or max. 120 kg
- vertical travel of approx. 50 cm available in raster, manual or motorised version
- dimensions: H 174 x W 110 x D 72 cm (with adjustable feet) H 185 x W 110 x D 72 cm (with rollers)
- the very smooth running is ensured by a ball-bearing carriage, which is guided between 2 aluminium profiles
- behind the removable rear panel is the integrated cable management, as well as an integrated bracket for mini PC inside the column
- VST-D motor has an up and down switch to move the display in height
- equipped with 4 castor rollers (approx. 10 cm \emptyset), 2 of them lockable
- also available with adjustable feet (instead of rollers), for levelling on uneven floors



Technical changes, misprints and deviating forms, colours and designs reserved. For misprints we accept no liability.



article	kg		RRP	artno.
VST-D 060 raster with H-foot				
(Display mountable in 5 positions)				
- with 4 adjustable feet	60		1.061,-€	83400112
- with 4 castor rollers	71		1.203,-€	83400113
VST-D 060 manual with H-foot				
(stepless adjustment by fine adjustment with Allen key)				
- with 4 adjustable feet	60		1.203,-€	83400114
- with 4 castor rollers	71		1.344,-€	83400115
VST-D 060 motor with H-foot				
(stepless adjustment by 1 lifting motor)	60		1 400 0	02400446
- with 4 adjustable feet	69		1.486,-€	83400116
- with 4 castor rollers	80		1.629,-€	83400117
VST-D 120 raster with H-foot				
(Display mountable in 5 positions)				
- with 4 adjustable feet	64		1.160,-€	83400118
- with 4 castor rollers	75		1.302,-€	83400119
VST-D 120 manual with H-foot				
(stepless adjustment by fine adjustment with Allen key)				
- with 4 adjustable feet	64		1.302,-€	83400120
- with 4 castor rollers	75		1.443,-€	83400121
VST-D 120 motor with H-foot				
(stepless adjustment by 2 lifting motors)				
- with 4 adjustable feet	74		1.771,-€	83400122
- with 4 castor rollers	85		1.913,-€	83400123
equipment				
laptop shelf in RAL 9005 Jet black			120,-€	83400078
camera shelf in RAL 9005 Jet black			106,-€	83400045
bracket for 2 displays (55")			187,-€	83400041
bracket for 2 displays (65") load capacity up to 80 kg			239,-€	83400047
connection field in the front panel 230V, HDMI, VGA, USB			362,-€	83400079
special finish acc. to RAL Classic			227,-€	991128
protection against collision (in case of obstacles			106,-€	83400153
the sensor reacts, stops and changes the direction)				
other VESA-formats		(on request	

VST-D with S-food

Height-adjustable display stand with detachable rear panel



Our standard

column: RAL 9007 Grey aluminium S-foot: RAL 9005 Jet black, fine structure

- display stand with steel sheet column
- display up to 84"
- VESA-standard 100x100 800x400, further VESA sizes on request
- load capacity up to max. 60 kg or max. 120 kg
- vertical travel of approx. 50 cm available in raster, manual or motorised version
- dimensions: H 177 x W 119 x D 70 cm (with adjustable feet) H 188 x W 119 x D 70 cm (with rollers)
- the very smooth running is ensured by a ball-bearing carriage, which is guided between 2 aluminium profiles
- behind the detachable rear panel is the integrated cable management, as well as an integrated bracket for mini PC inside the column
- VST-D motor has an up and down switch to move the display in height
- equipped with 4 castor rollers (approx. 10 cm \emptyset), 2 of them lockable
- also available with adjustable feet (instead of rollers), for levelling on uneven floors



Technical changes, misprints and deviating forms, colours and designs reserved. For misprints we accept no liability.



article	kg	RRP	artno.
VST-D 060 raster with S-foot			
(Display mountable in 5 positions)			
- with 4 adjustable feet	60	1.061,-€	83400133
- with 4 castor rollers	71	1.203,-€	83400134
VST-D 060 manual with S-foot			
(stepless adjustment by fine adjustment with Allen key)			
- with 4 adjustable feet	60	1.203,-€	83400135
- with 4 castor rollers	71	1.344,-€	83400136
VST-D 060 motor with S-foot			
(stepless adjustment by 1 lifting motor)			
- with 4 adjustable feet	69	1.486,-€	83400137
- with 4 castor rollers	80	1.629,-€	83400138
VST-D 120 raster with S-foot			
(Display mountable in 5 positions)			
- with 4 adjustable feet	64	1.160,-€	83400139
- with 4 castor rollers	75	1.302,-€	83400140
VST-D 120 manual with S-foot			
(stepless adjustment by fine adjustment with Allen key)			
- with 4 adjustable feet	64	1.302,-€	83400141
- with 4 castor rollers	75	1.443,-€	83400142
VST-D 120 motor with S-foot			
(stepless adjustment by 2 lifting motors)			
- with 4 adjustable feet	74	1.771,-€	83400143
- with 4 castor rollers	85	1.913,-€	83400144
equipment			
laptop shelf in RAL 9005 Jet black		120,-€	83400078
camera shelf in RAL 9005 Jet black		106,-€	83400045
bracket for 2 displays (55")		187,-€	83400041
bracket for 2 displays (65") load capacity up to 80 kg		239,-€	83400047
connection field in the front panel 230V, HDMI, VGA, USB		362,-€	83400079
special finish acc. to RAL Classic		227,-€	991128
protection against collision (in case of obstacles		106,-€	83400153
the sensor reacts, stops and changes the direction)			
other VESA-formats		on request	

VST-D 130 Touch

Height-adjustable display stand with detachable rear panel for very heavy displays



Our standard

column/cover plate: RAL 9007 Grey aluminium bottom plate: RAL 9005 Jet black, fine structure

- display stand with steel sheet column an ideal bracket for safely install a Microsoft Surface Hub (for example)
- display up to 84"
- VESA 100x100 1.250x600, incl. tilt wedges, which allow inclination correction of 2° on heavy displays
- load capacity up to max. 130 kg
- vertical travel of approx. 50 cm
- dimensions: H 169 x W 131 x D 78 cm (extra large bottom plate, adjustable feet, without cover plate)
 H 180 x W 131 x D 78 cm (extra large bottom plate, castor rollers and cover plate)
- the very smooth running is ensured by a ball-bearing carriage, which is guided between 2 aluminium profiles
- behind the detachable rear panel is the integrated cable management, as well as an integrated bracket for mini PC inside the column
- up and down switch to move the display in height
- equipped with 4 castor rollers (approx. 10 cm \emptyset), 2 of them lockable
- also available with adjustable feet (instead of rollers and cover plate), for levelling on uneven floors



Technical changes, misprints and deviating forms, colours and designs reserved. For misprints we accept no liability.



article	kg	RRP	artno.
VST-D 130 Touch with 4 adjustable feet	119	1.972,-€	83400087
VST-D 130 Touch with 4 castor rollers	126	2.113,-€	83400088
laptop shelf in RAL 9005 Jet black		120,-€	83400078
camera shelf in RAL 9005 Jet black		106,-€	83400045
front housing		437,-€	83400150
shelf for front housing		34,-€	83400151
special finish acc. to RAL Classic		227,-€	991128
protection against collision (in case of obstacles		106,-€	83400153

the sensor reacts, stops and changes the direction)

VST-D 130 N

Height-adjustable display stand with detachable rear panel for very heavy displays



Our standard

column/cover plate: RAL 9007 Grey aluminium bottom plate: RAL 9005 Jet black, fine structure

- display stand with steel sheet column an ideal bracket for safely install a Microsoft Surface Hub (for example)
- display up to 84"
- VESA 100x100 1.250x600, incl. tilt wedges, which allow inclination correction of 2° on heavy displays
- load capacity up to max. 130 kg
- vertical travel of approx. 50 cm
- dimensions: H 169 x W 131 x D 78 cm (extra large bottom plate, adjustable feet, without cover plate) H 180 x W 131 x D 78 cm (extra large bottom plate, castor rollers and cover plate)
- the very smooth running is ensured by a ball-bearing carriage, which is guided between 2 aluminium profiles
- behind the detachable rear panel is the integrated cable management, as well as an integrated bracket for mini PC inside the column
- up and down switch to move the display in height
- equipped with 4 castor rollers (approx. 10 cm \emptyset), 2 of them lockable
- also available with adjustable feet (instead of rollers and cover plate), for levelling on uneven floors



Technical changes, misprints and deviating forms, colours and designs reserved. For misprints we accept no liability.


article	kg	RRI	Partno.
VST-D 130 N with 4 adjustable feet	119	1.972	.,-€ 83400089
VST-D 130 N with 4 castor rollers	126	2.113	8,-€ 83400090
laptop shelf in RAL 9005 Jet black		12	0,-€ 83400078
camera shelf in RAL 9005 Jet black		10	6,-€ 83400045
front housing		43	7,-€ 83400150
shelf for front housing		34	4,-€ 83400151
special finish acc. to RAL Classic		22	7,-€ 991128
protection against collision (in case of obstacles		10	6,-€ 83400153

the sensor reacts, stops and changes the direction)

VST-D base cabinet

Height-adjustable display stand with base cabinet



Our standard

column:	RAL 9007 Grey aluminium
aluminium profile:	anodised
base cabinet:	RAL 9005 Jet black, fine structure
shelf:	RAL 9005 Jet black, fine structure
doors:	glass

- visually adapted to the VST-D product line; VST-D column, base unit with glass doors and a shelf
- approx. 45 cm stepless height adjustment through the fine adjustment with an Allen key
- display up to 84"
- VESA-standard 100x100 800x400
- load capacity up to max. 120 kg (with adjustable feet)
- load capacity up to max. 50 kg (with castor rollers)
- dimensions: column: H 155 x W 80 x D 60 cm

base cabinet: H 50 x W 63 x D 55 cm (inside dimensions)

• column with integrated cable management for display and camera supply line with detachable rear panel



Technical changes, misprints and deviating forms, colours and designs reserved. For misprints we accept no liability.

110



article	kg	RRP	artno.
VST-D base cabinet with 4 adjustable feet (load capacity up to 120 kg!)	66	1.448,-€	83400082
VST-D base cabinet with 4 castor rollers (load capacity up to 50 kg!)	66	1.581,-€	83400154
VST-D base cabinet Motor with 4 adjustable feet (load capacity up to 120 kg!)	69	1.926,-€	83400155
VST-D base cabinet Motor with 4 castor rollers (load capacity up to 50 kg!)	69	2.058,-€	83400156
camera shelf in RAL 9005 Jet black		106,-€	83400045
protection against collision (in case of obstacles the sensor reacts, stops and changes the direction)		106,-€	83400153
special finish acc. to RAL Classic		223,-€	991128

VST-S

Motorised height-adjustable display stand



Our standard

column: anodised aluminium foot/bottom plate: RAL 9005 Jet black, fine structure

- display stand with height adjustment, lifting column raises and lowers e.g. a Microsoft Surface Hub, so as to allow the speaker to optimally use the touch function of the display
- VESA-standard 100x100 800x400
- load capacity up to max. 130 kg
- vertical travel of approx. 50 cm
- Abmessungen: V-foot H 144–194 x W 122 x D 65 cm (with adjustable feet)
 - H 155–205 x W 122 x D 65 cm (with rollers)
 - H-foot H 145–195 x W 110 x D 72 cm (with adjustable feet) H 156–206 x W 110 x D 72 cm (with rollers)
 - S-foot H 149–199 x W 119 x D 70 cm (with adjustable feet) H 160–210 x W 119 x D 70 cm (with rollers)

bottom plate - H 137,5-187,5 x B 90 x T 60 cm

- the integrated cable management is behind the column
- up and down switch to move the display in height
- equipped with 4 castor rollers (approx. 10 cm \emptyset), 2 of them lockable
- also available with adjustable feet (instead of rollers), for levelling on uneven floors
- delivery takes place in a disassembled state and packed in carton







Artikel	Kg	UVP	Art.Nr.
VST-S with V-foot and 4 adjustable feet	62	986,-€	83400300
VST-S with V-foot and 4 castor rollers	62	1013,-€	83400301
VST-S with H-foot and 4 adjustable feet	62	986,-€	83400302
VST-S with H-foot and 4 castor rollers	62	1013,-€	83400303
VST-S with S-foot and 4 adjustable feet	62	986,-€	83400304
VST-S with S-foot and 4 castor rollers	62	1013,-€	83400305
VST-S with bottom plate	62	986,-€	83400306
equipment			
laptop shelf in RAL 9005 Jet black		120,-€	83400078
camera shelf in RAL 9005 Jet black		106,-€	83400045
VESA 100x100 – 1.250x600 in RAL 9005 Jet black load capacity up to 130 kg		198,-€	83500005

VST-S with black column

Motorised height-adjustable display stand



Our standard

column: anodised aluminium, black foot/bottom plate: RAL 9005 Jet black, fine structure

- display stand with height adjustment, lifting column raises and lowers e.g. a Microsoft Surface Hub, so as to allow the speaker to optimally use the touch function of the display
- VESA-standard 100x100 800x400
- load capacity up to max. 130 kg
- vertical travel of approx. 50 cm
- Abmessungen: V-foot H 144–194 x W 122 x D 65 cm (with adjustable feet)
 - H 155–205 x W 122 x D 65 cm (with rollers)
 - H-foot H 145–195 x W 110 x D 72 cm (with adjustable feet) H 156–206 x W 110 x D 72 cm (with rollers)
 - S-foot H 149–199 x W 119 x D 70 cm (with adjustable feet) H 160–210 x W 119 x D 70 cm (with rollers)

bottom plate - H 137,5-187,5 x B 90 x T 60 cm

- the integrated cable management is behind the column
- up and down switch to move the display in height
- equipped with 4 castor rollers (approx. 10 cm \emptyset), 2 of them lockable
- also available with adjustable feet (instead of rollers), for levelling on uneven floors
- delivery takes place in a disassembled state and packed in carton







Artikel	Кg	UVP	Art.Nr.
VST-S black column with V-foot and 4 adjustable feet	62	1.121,-€	83400330
VST-S with V-foot and 4 castor rollers	62	1.148,-€	83400331
VST-S black column black column with H-foot and 4 adjustable feet	62	1.121,-€	83400332
VST-S black column with H-foot and 4 castor rollers	62	1.148,-€	83400333
VST-S black column with S-foot and 4 adjustable feet	62	1.121,-€	83400334
VST-S black column with S-foot and 4 castor rollers	62	1.148,-€	83400335
VST-S black column with bottom plate	62	1.121,-€	83400336
equipment			
laptop shelf in RAL 9005 Jet black		120,-€	83400078
camera shelf in RAL 9005 Jet black		106,-€	83400045
VESA 100x100 – 1.250x600 in RAL 9005 Jet black load capacity up to 130 kg		198,-€	83500005



Mobile display stand



delivery free of charge!*

Our standard

column: RAL 9005 Jet black, fine structure foot: RAL 9005 Jet black, fine structure

- 50 cm stepless height adjustment by screwing in groove ducts
- VESA-standard 100x100 800x400
- load capacity upt to max. 70 kg
- dimensions: H 136 x W 90 x D 77 cm (with adjustable feet)

H 148 x W 90 x D 77 cm (with rollers)

- the integrated cable management is inside the column housed in two integrated cable ducts
- incl. height-adjustable shelf (50 x 40 cm) e.g. a laptop or keyboard for max. 5 kg load capacity, removable
- equipped with 4 castor rollers (approx. 10 cm \emptyset), 2 of them lockable
- also available with adjustable feet (instead of rollers), for levelling on uneven floors
- delivery takes place in a disassembled state and packed in carton



Technical changes, misprints and deviating forms, colours and designs reserved. For misprints we accept no liability.

116



article	kg	RRP	artno.
VST-F and 4 adjustable feet	36	567,-€	83400400
VST-F and 4 castor rollers	36	594 <i>,</i> -€	83400401

VST-L

Display stand with slim column and detachable rear panel



Our standard

column: RAL 9007 Grey aluminium foot: RAL 9005 Jet black, fine structure

- elegant display stand with slim column for a display up to 65"
- adjustment range in 9 rasters, the display can be adjusted in 4 cm intervals approx. 40 cm in height
- VESA-standard 100x100 800x400
- load capacity up to max. 60 kg
- dimensions: ca. H 148 x W 70 x D 49 cm
- the integrated cable management takes place inside the column, behind the detachable rear panel
- equipped with 4 castor rollers (approx. 8 cm Ø), 2 of them lockable, adjustable feet are also in the delivery included for levelling on uneven floors
- delivery takes place in a disassembled state and packed in carton





article	kg	RRP	artno.
VST-L	37	620,-€	83500070

Mobile display stand for very large displays with integrated 19" slots



delivery free of charge!*

Our standard

column: front panel perforated plate: RAL 9007 Grey aluminium bottom plate: cover plate:

RAL 9005 Jet black, fine structure RAL 9005 Jet black, fine structure RAL 9007 Grey aluminium

- suitable for a display up to 84" or for two displays up to 55" each
- VESA-standard 100x100 800x400
- load capacity up to max. 120 kg
- dimensions: ca. H 175 x W 100 x D 58 cm
- the integrated cable management takes place inside the column
- the integrated 19" slots (2 height units) are easily accessible caused of the detachable rear panel
- equipped with 4 castor rollers (approx. 10 cm \emptyset), 2 of them lockable
- also available with adjustable feet (instead of rollers), for levelling on uneven floors
- delivery takes place in a built-up state



Technical changes, misprints and deviating forms, colours and designs reserved. For misprints we accept no liability.

17



article	kg	RRP	artno.
VST	90	1.927,-€	83400040
laptop shelf in RAL 9005 Jet black		106,-€	83400078
camera shelf in RAL 9005 Jet black		120,-€	83400045
bracket for 2 displays (55")		187,-€	83400041
front housing for additional 19" technology (2 height units) in RAL 9007 aluminium		313,-€	83400042
2 active fans inside the column		337,-€	83400046
special finish acc. to RAL Classic		227,-€	991128

Mobile display stand



Our standard

column, bottom plate:	RAL 9005 Jet black, fine structure
rear panel:	RAL 9005 Jet black, fine structure
PC housing:	RAL 9005 Jet black, fine structure
cover plate:	RAL 9007 Grey aluminium
aluminium profiles:	anodised

- suitable for a display up to 84" or for two displays up to 55" each
- VESA-standard 100x100 800x400, optional bracket for 2 displays
- load capacity approx. 80 kg
- dimensions: H 171 x W 100 x D 58 cm
- the integrated cable management takes place inside the column
- including lockable PC housing on the back
- equipped with 4 castor rollers (approx. 10 cm \emptyset), 2 of them lockable
- delivery takes place in a built-up state





article	kg	RRP	artno.
VST-e	75	1.151,-€	83400050
shelf in RAL 9005 Jet black		94,-€	83400008
camera shelf in RAL 9005 Jet black		106,-€	83400045
bracket for 2 displays (55")		187,-€	83400041
wooden compartment for the front		380,-€	83400066
special finish acc. to RAL Classic		227,-€	991128



Mobile display stand



Our standard

column, rear panel:RAL 9007 Grey aluminiumPC housing:RAL 9007 Grey aluminiumbottom plate:RAL 9005 Jet black, fine structurecover plate:RAL 9007 Grey aluminiumaluminium profile:anodised

- suitable for a display up to 90" or for 2 displays up to 65" each
- VESA-standard 100x100 800x400, optional available bracket for 2 displays
- other VESA brackets on request
- load capacity up to max. 130 kg
- dimensions: H 171 x W 131 x D 78 cm
- the integrated cable management takes place inside the column
- includes a lockable PC housing on the back
- extra large bottom plate, equipped with 4 castor rollers (approx. Ø 10 cm), 2 of them lockable
- delivery takes place in a built-up state



Technical changes, misprints and deviating forms, colours and designs reserved. For misprints we accept no liability.

124



article	kg	RRP	artno.
VST-e 120	126	1.870,-€	83400055
shelf VST-e 120 in RAL 9005 Jet black		94,-€	83400008
camera shelf in RAL 9005 Jet black		106,-€	83400045
bracket for 2 displays (65") load capacity max. 80 kg		239,-€	83400047
VESA 100x100 – 1.250x600 in RAL 9005 Jet black load capacity up to 130 kg		198,-€	83500005
wooden compartment for the front		380,-€	83400066
special finish acc. to RAL Classic		227,-€	991128

Mobile media furniture for your conference room, especially for video conferencing



Our standard

column:RAL 9016 Traffic Whitebase cabinet:RAL 9005 Jet black, fine structuredoors:RAL 9016 Traffic Whitecover plate:Diamond black U999 ST2 – further decors without extra costs on p. 160 – 161

- suitable for a display up to 84" or 2 displays up to 55" each
- raster in 7 intervals (24 cm)
- VESA-standard 100x100 800x400
- load capacity up to max. 100 kg
- dimensions: H 157 x W 120 x D 50 cm
- the integrated cable management for the display and camera feed takes place inside the column behind the detachable rear panel
- equipment cabinet equipped with 19" rails (2x11 height units) and a shelf
- the cover plate and the shelf are made of melamine-coated wood
- equipped with 4 castor rollers (approx. 10 cm \emptyset), 2 of them lockable
- delivery takes place in a built-up state





article	kg	RRI	P artno.
VSM	70	1.64	7,-€ 83400020
camera shelf in RAL 9005 Jet black		106	,-€ 83400045
bracket for 2 displays (je 55")		187	,-€ 83400041
special finish acc. to RAL Classic		227	,-€ 991128

VSM 2

Mobile media furniture for your conference room



Our standard

device compartment:RAL 9007 Grey aluminiumcolumn:RAL 9005 Jet black, fine structurebottom plate:RAL 9005 Jet black, fine structurecover plate:RAL 9007 Grey aluminium

- suitable for a display up to 84" or for 2 displays up to 55" each
- VESA-standard 100x100 800x400
- load capacity bis ca. 120 kg
- dimensions: H 155 x W 100 x D 58 cm, ideal for placement in room corners
- the integrated cable management for the display and the camera feed takes place inside the column behind the detachable rear panel
- the subframe is mounted on the travelling mechanism for mounting equipment with lockable door and slightly curved cover plate (IR-permeable)
- 2 shelves
- delivery takes place in a built-up state





article	kg	RRP	artno.
VSM 2	90	1.647,-€	83400022
camera shelf in RAL 9005 Jet black		106,-€	83400045
bracket for 2 displays (je 55")		187,-€	83400041
special finish acc. to RAL Classic		227,-€	991128

Holder for preview monitors

The perfect preview monitor-holder for speakers



- the bottom holder is mainly used as a holder for preview monitors
- speakers can use the **preview monitor** to see where the presentation is located and, for example, which pictures are visible to the listener just behind him on the screen
- in the theater for example, the holder can be used for the text passage
- at meetings, the floor stand does not disturb the speaker's field of vision
- depending on the requirements of your customer, we manufacture the bottom holder **individually** for your display for a **minimum** ground distance
- basic construction: powder-coated sheet steel, aluminium
- stepless tilt adjustment allows the user to have an optimal viewing angle on the display
- the display is to be provided by the customer
- optionally with 4 castor rollers, of which 2 are lockable or equipped with adjustable feet
- delivery takes place in an established state





article	kg	RRP	artno.
Holder for preview monitors		on request	

Media Side select

Sideboard for motorised height-adjustable display



Media Side select triple doors left and right, centrally optional cabinet module out of three drawers each, with adjustable feet

delivery free of charge!*

Our standard

lifting columns: door/drawers:

RAL 9016 Traffic white powder-coated cover plate/sidewalls/bottom plate: decors without extra costs on p. 133 decors without extra costs on p. 133

- display up to 86", VESA 100x100 1.250x600, incl. tilt wedges, which allow inclination correction of 2° on heavy displays
- load capacity up to max. 130 kg

dimensions:	Media Side select twice –	H 62,5 x W 123 x D 52 cm (with adjustable feet)
		H 76,5 x W 123 x D 52 cm (with castor rollers)
	Media Side select triple –	H 62,5 x W 182 x D 52 cm (with adjustable feet)
		H 76,5 x W 182 x D 52 cm (with castor rollers)
	Media Side select fourfold –	H 62,5 x W 242 x D 52 cm (with adjustable feet)
		H 76,5 x W 242 x D 52 cm (with castor rollers)

- cable channel for display connection behind the motorised column
- all Media Side selects are equipped with "push to open" doors as standard, incl. shelf optionally one lock per door, to secure the internal technology
- up and down switch to move the display in height
- adjustable feet, optional castor rollers
- delivery takes place in a built-up state





article	kg	RR	P	artno.
Media Side select Premium twice		2.56	61,-€	88002100
Media Side select Premium triple		2.82	24,-€	88002101
Media Side select Premium fourfold		3.14	41,-€	88002102
side segment for addition right and/or left		27	76,-€	88002103
cabinet module of three drawers		[58,-€	88002104
lock per door		<u>c</u>	92,-€	88002105
camera shelf in RAL 9005 Jet black		10)4,-€	83400045
special finish acc. to RAL Classic		22	23,-€	991128

Maple honey D2697 / PR	Walnut H1709 / ST 15	Black U190 / PE
Beech D8604 / BS	White K110 / PE	Brushed aluminium D 1309 / BS
Pastel Oak H1392 / ST15	Sand U100 / ST2	Lime Green U2504 / PE
Oak D302 / PR	Grey U112 / PE	

Media Side select Premium

Sideboard for motorised height-adjustable display



<u>Our standard</u>

lifting columns:RAL 9016 Traffic white powder-coatedcover plate/sidewalls:HKS standard decors – further decors without extra costs on p. 160 – 161door/drawers:HKS standard decors – further decors without extra costs on p. 160 – 161

- display up to 86", VESA 100x100 1.250x600, incl. tilt wedges, which allow inclination correction of 2° on heavy displays
- load capacity up to max. 130 kg
- dimensions: Media Side select Premium twice –
 Media Side select Premium triple –
 Media Side select Premium fourfold –
 Media Side select Premium
- lifting column covering of cable management as well clean cable routing through the gap between partition wall and removable rear panel
- cable channel for display connection behind the left motorised
- all Media Side selects are equipped with "push to open" doors as standard
- up and down switch to move the display in height
- mobile on castor rollers (approx. 10 cm \emptyset), adjustable feet optional
- delivery takes place in a built-up state





article	kg	RRP	artno.
Media Side select Premium twice		2.842,-€	88002090
Media Side select Premium triple		3.835,-€	88002091
Media Side select Premium fourfold		4.057,-€	88002092
side segment for addition right and/or left		1.013,-€	88002093
cabinet module of three drawers		361,-€	88002094
19" rails (each cabinet module with doors)		40,-€	88002095
camera shelf in RAL 9005 Jet black		106,-€	83400045
special finish acc. to RAL Classic		227,-€	991128

Media Side No 1

Elegant sideboard with removable display



Our standard

steel frame:RAL 9016 Traffic Whitecabinet decor:TechnoGlass HG, Acrylic high-gloss front white/Gladstone Oak Sand H3309 ST28

- combines the elegant design of a sideboard with the required technology of a conference room
- Media Side No 1 is available with or without media technology
- display up to max. 65", VESA-standard 100x100 800x400
- load capacity up to max. 120 kg
- dimensions: closed: H 108,0 x W 170,6 x D 60,6 cm

open: H 199,3 x W 170,6 x D 60,6 cm

- travelling shelf for a display, soundbar and web cam
- there is a console inside to accommodate smaller technical units
- two 19" mounting frames (each 3 height units) can be folded out by 90 degrees inside
- the rear panel is detachable and lockable
- 4 castor rollers ruggedised, of which 2 are lockable
- connection panel: 2x USB

Standard equipment for the variant with technology!

65" HD display • soundbar • blue-ray player • desktop mini PC • media control • web cam • network splitter

• Delivery: takes place in a built-up state





article	kg	RRP	artno.	
Media Side No 1	240	9.025,-€	88001000	
Media Side No 1 with technology	270	16.274,-€	88002000	

Media Side No 3

High-quality media furniture for a removable display



Our standard

Steel frame:RAL 9016 Traffic WhiteCabinet decor:TechnoGlass HG Acrylic high-gloss front white / sidewalls Dust grey U732 ST

- suitable for holding displays up to 84", for example a Microsoft Surface Hub
- load capacity up to max. 150 kg
- dimensions: closed: H 124 x W 261 x D 55 cm

open: H 218 x W 261 x D 55 cm

- front panel moveable and adjustable of 87 to 107 cm for user-friendly picture lower edge
- shelves placed on the right and on the left inside the Media Side behind the display
- shelf on the right includes a 230V socket, 2x USB and HDMI
- including cable management
- 230V and LAN connection with detachable cable
- the rear panel is detachable and lockable
- inclusive 2 sets of transport racks
- delivery takes place in a built-up state





article	kg	RRP	artno.
Media Side No 3	335	12.542,-€	88002080

Technology lectern 1

Robust lectern with motorised height adjustment



delivery free of charge!*

Our standard

corpus:RAL 7016 Anthracite greyfront panel:RAL 9007 Grey aluminiumbottom plate:RAL 9005 Jet black, fine structuredecor:Ellmau beech H1582 ST15 – further decors without extra costs on p. 160 – 161

- stepless height adjustment of approx. 30 cm (because of 2 integrated, motorised lifting columns)
- dimensions: H 95 125 x W 98 x D 74 cm (speaker's side)
 H 99 129 x W 98 x D 74 cm (audience side)
- basic equipment: lockable base cabinet for integration of 19" technology (max 8 height units), place for depositing a water glass, connection panel centrally underneath the lectern top (HDMI, USB / LAN, 3,5 stereo jack, 230V socket)
- lectern top tilted about 8° to the speaker
- mobile on 4 castor rollers, 2 of them lockable (optionally with adjustable feet)
- due to the colouring options available for the corpus, the front panel, the bottom plate and the different finishing options of its top part, the lectern integrates into any room conception
- delivery takes place in a built-up state



Technical changes, misprints and deviating forms, colours and designs reserved. For misprints we accept no liability.

140



article	kg	RRP	artno.
Technology lectern 1 – motorised height adjustment	149	4.192,-€	83600101
Technology lectern 1 – motorised height adjustment with extendable extensions at the right and left	149	4.402,-€	83600100
cut-out for displays up to 24" including bracket		203,-€	83600121
cut-out for gooseneck microphone		38,-€	83600137
cut-out for touch panel		64,-€	83600138
LED gooseneck light		130,-€	83600122
LED picture light/lighting for lectern (with external on/ off switch in the lectern top)		168,-€	83600123
side extension, right		189,-€	83600139
side extension, left		189,-€	83600140
keyboard extension		220,-€	83600141
DIN A4/DIN A3 Plexiglas surface for logo in front of the panel		134,-€	83600142
DIN A4 Plexiglas insert for logo in front of the panel		161,-€	83600143
special finish acc. to RAL Classic		227,-€	991128

Technology lectern 2

Robust lectern with motorised height adjustment



Our standard

corpus:RAL 7016 Anthracite greyfront panel:RAL 9007 Grey aluminiumbottom plate:RAL 9005 Jet black, fine structuredecor:Ellmau beech H1582 ST15 – further decors without extra costs on p. 160 – 161

- the stepless, motorised height adjustment of approx. 30 cm (because of 2 integrated, motorised lifting columns) ensures barrier-free use and can be individually adjusted to the height of each speaker
- dimensions: H 78 108 x W 97 x D 60 cm (speaker's side)

H 89 – 119 x W 97 x D 60 cm (audience side)

- basic equipment: base cabinet for integration of smaller technical devices, place for depositing a water glass, connection panel centrally underneath the lectern top (HDMI, USB / LAN, 3,5 stereo jack, 230V socket)
- lectern top tilted about 8° to the speaker
- mobile on 4 castor rollers, 2 of them lockable (optionally with adjustable feet)
- due to the colouring options available for the corpus, the front panel, the bottom plate and the different finishing options of its top part, the lectern integrates into any room conception
- delivery takes place in a built-up state





article	kg	RRP	artno.
Technology lectern 2 – motorised height adjustment	127	3.982,-€	83600110
cut-out for displays up to 24" including bracket		203,-€	83600121
cut-out for gooseneck microphone		38,-€	83600137
cut-out for touch panel		64,-€	83600138
LED gooseneck light		130,-€	83600122
LED picture light/lighting for lectern (with external on/off switch in the lectern top)		168,-€	83600123
side extension, right		189,-€	83600139
side extension, left		189,-€	83600140
keyboard extension		220,-€	83600141
Gooseneck microphone incl. digital amplifier for operation of external loudspeakers		1.948,-€	83600125
multi-touch display 22", flush mounted		1.026,-€	83600126
mini PC		on request	
HDMI and stereo-audio switch -with two inputs-		481,-€	83600133
DIN A4/DIN A3 Plexiglas surface for logo in front of the panel		134,-€	83600142
DIN A4 Plexiglas insert for logo in front of the panel		161,-€	83600143
panel of aluminium with stainless steel look		on request	
special finish acc. to RAL Classic		227,-€	991128

Technology lectern 3

Robust lectern – technical equipment included + optional expansion package 3.1



Our standard

corpus:RAL 7016 Anthracite greyfront panel:stainless steel finishbottom plate:RAL 9005 Jet black, fine structuredecor:Ellmau beech H1582 ST15 – further decors without extra costs on p. 160 – 161

• the stepless, motorised height adjustment of approx. 30 cm (because of 2 integrated, motorised lifting columns) ensures barrier-free use and can be individually adjusted to the height of each speaker

• dimensions: H 78 – 108 x W 98 x D 60 cm (speaker's side)

H 89 – 119 x W 98 x D 60 cm (audience side)

- base cabinet for integration of smaller technical devices, place for depositing a water glass
- lectern top tilted about 8° to the speaker
- mobile on 4 castor rollers, 2 of them lockable (optionally with adjustable feet)
- due to the colouring options available for the corpus, the front panel, the bottom plate and the different finishing options of its top part, the lectern integrates into any room conception
- delivery takes place in a built-up state




Technical Equipment:

- 22" flush-mounted multi-touch display integrated in the lectern top**
- 17" display Integrated in the front panel **
- connection panel centrally underneath the lectern top to the speaker: HDMI, 2x USB, 3,5 jack, 230V socket
- connection panel inside the column: 2 x HDMI, speakon (loudspeaker out), LAN, 230V socket
- automatic HDMI switch between mini PC and top HDMI connection panel (laptop) to bottom beamer output
- mini PC **
- integrated manuscript lamp
- side laptop extension is detachable

Optional extension package 3.1

consisting of:

- gooseneck microphone including swing mounting and microphone capsule
- digital amplifier
- line mixer, including shielding kit and cable harness

article	kg	RRP	artno.
Technology lectern 3	127	7.024,-€	83600300
Technology lectern 3 + extension package 3.1	140	8.591,-€	83600301
special finish acc. to RAL Classic		227,-€	991128

** correct use of equipment

The latest specifications are available upon request. Please ask our sales department.

Lecturer's desk

Robust lectern with motorised height adjustment



Our standard

corpus:	RAL 7016 Anthracite grey, fine structure
front panel:	RAL 9007 Grey aluminium, fine structure
bottom plate:	RAL 9005 Jet black, fine structure
decor:	Ellmau beech H1582 ST15 – further decors without extra costs on p. 160 – 161

- stepless height adjustment of approx. 30 cm (integrated electric lifting columns)
- dimensions: W 79 109 x B 130 x D 89 cm (with castor rollers)
 W 72 102 x B 130 x D 89 cm (with adjustable feet optional)
- basic equipment: base cabinet (lockable) for integration of 19" technology (max. 12 height units), place for depositing a water glass, connection panel centrally underneath the lectern top (HDMI, USB/LAN, 3,5 stereo jack, 230V socket)
- the lower front panel is removable for revision purposes
- 4 castor rollers, 2 of them lockable (with adjustable feet on request)
- due to the colouring options of the corpus, the front panel, the bottom plate and the different finishing options of the top part the lectern integrates in any room conception
- delivery takes place in a built-up state



Technical changes, misprints and deviating forms, colours and designs reserved. For misprints we accept no liability.



article	kg	RR	C	artno.
Lecturer's desk – motorised height adjustment	248	5.180),-€	83600120
cut-out for displays up to 24" including bracket		203	,-€	83600121
cut-out for gooseneck microphone		38	5,-€	83600137
cut-out for touch panel		64	.,-€	83600138
LED gooseneck light		130),-€	83600122
LED picture light/lighting for lectern (with external on/off switch in the lectern top)		168	5,-€	83600123
side extension, right		189	,-€	83600139
side extension, left		189	,-€	83600140
keyboard extension		220),-€	83600141
DIN A4/DIN A3 Plexiglas surface for logo in front of the panel		134	.,-€	83600142
DIN A4 Plexiglas insert for logo in front of the panel		161	.,-€	83600143
special finish acc. to RAL Classic		227	',-€	991128

Lecturer's desk 2

Barrier free, robust lectern with motorised height adjustment



Our standard

corpus:	RAL 9007 Grey aluminium, fine structure
front panel:	RAL 7016 Anthracite grey, fine structure
bottom plate:	RAL 9005 Jet black, fine structure
decor:	Ellmau beech H1582 ST15 – further decors without extra costs on p. 160 – 161

- barrier free stepless height adjustment of approx. 30 cm (integrated electric lifting columns)
- dimensions: W 80 110 x B 235 x D 80 cm
- basic equipment: base cabinet (lockable) for integration of 19" technology (max. 8 height units), place for depositing a water glass, connection panel centrally underneath the lectern top (HDMI, USB/LAN, 3,5 stereo jack, 230V socket)
- with adjustable feet
- due to the colouring options of the corpus, the front panel, the bottom plate and the different finishing options of the top part the lectern integrates in any room conception
- delivery takes place in a built-up state



Technical changes, misprints and deviating forms, colours and designs reserved. For misprints we accept no liability.



article	kg	RRP	artno.
Lecturer's desk 2 – motorised height adjustment	248	9.027,-€	83600150
cut-out for displays up to 24" including bracket		203,-€	83600121
cut-out for gooseneck microphone		38,-€	83600137
cut-out for touch panel		64,-€	83600138
LED gooseneck light		130,-€	83600122
LED picture light/lighting for lectern (with external on/off switch in the lectern top)		168,-€	83600123
special finish acc. to RAL Classic		227,-€	991128

Lectern V/19"mobile rack V

Elegant furniture series for individual use



Our standard

rack:RAL 9007 Grey aluminiumfront panel:RAL 7016 Anthracite greyshelves:melamine faced boards in anthracitelateral walls:genuine beech veneer

- mobile lectern with 19" module (11 height units) for receiving media technology
- dimensions: lectern V: H 116 x W 64 x D 61 cm (speaker's side) 19" mobile rack V: H 78 x W 64 x D 61 cm
- cross-braced design foot element each with two aluminium system frame columns in RAL 9007 Grey aluminium
- upper cover of the frame columns powder-coated
- placement surfaces of melamine-coated plates in anthracite
- side sections in genuine beech wood veneer, other finishing options upon request
- foldable front panel, slightly curved, in anthracite
- 4 castor rollers, 2 of them lockable



Technical changes, misprints and deviating forms, colours and designs reserved. For misprints we accept no liability.



article	kg	RRP	artno.
Lectern V	20	1.305,-€	83600010
consisting of: travelling mechanism, high speaker module with protective strip 19" module with lockable glass door, 19" rails (11 height units)			
19" mobile rack V	10	1.078,-€	83600020
consisting of: travelling mechanism, low			

19" module with lockable glass door, 19" rails

(11 height units)

$Lectern \ V \ individual \ modules$

1. Travelling mechanism, low (e.g. for the 19" module)



2. Travelling mechanism, high 3. 19" module

You can put together an individual solution tailored to your requirements from the individual modules.

Our standard

rack: RAL 9007 Grey aluminium front panel: RAL 7016 Anthracite grey shelves: melamine faced boards in anthracite lateral walls: genuine beech veneer



Technical changes, misprints and deviating forms, colours and designs reserved. For misprints we accept no liability.



article				RRP	artno.
	hight	width	depth		
travelling mechanism, low	H 78 cm	W 64 cm	D 61 cm	743,-€	84000070
travelling mechanism, high	H 116 cm	W 64 cm	D 61 cm	830,-€	84000080
19" module	H 55,3 cm	W 52,2 cm	D 52,2 cm	340,-€	84000150
speaker module	H 5,0 cm	W 52,2 cm	D 52,2 cm	110,-€	84000090
placement module	H 5,0 cm	W 52,2 cm	D 52,2 cm	95,-€	84000110
case module	H 5,0 cm	W 52,2 cm	D 52,2 cm	110,-€	84000100
electro module	H 13,5 cm	W 52,2 cm	D 52,2 cm	409,-€	84000130
drawer module	H 18,0 cm	W 52,2 cm	D 52,2 cm	295,-€	84000140
keyboard extension	H 1,6 cm	W 52,2 cm	D 52,2 cm	156,-€	84000210
side shelf, left	H 1,6 cm	W 30,0 cm	D 52,2 cm	133,-€	84000170
side shelf, right	H 1,6 cm	W 30,0 cm	D 52,2 cm	133,-€	84000180

istand[®]3

Slim steel sheet column with glass front or metal front (for touch display)



Our standard

corpus:	RAL 9016 Traffic White
metal front:	RAL 9005 Jet black
glass front:	RAL 9006 White aluminium (coated)
bottom plate:	RAL 9005 Jet black, fine structure

- basic construction: sheet steel powder-coated
- incl. 42" touch display or 43" display without touch function (others on request)
- the istand[®]3 is optionally equipped with a glass front for a passive display (behind closed EGS glass panel) or with a metal front with cutout for an interactive touch display
- dimensions: infoterminal: H 212 x W 73,5 x D 16 cm bottom plate: H 2 x W 99 x D 40 cm
- for transport and easy installation the istand[®]3 is divisible at about half height, the back consists of two detachable and lockable panels made of 1,5 mm sheet steel, protection of the internal technology
- well designed cable management, cable exits in the bottom plate allow the invisible connection for example in bottom tanks
- tilt protection by the bottom plate
- internal ventilation slots enable continuous operation (24/7)
- requirements for building materials of class B1 acc. to DIN 4102-1 have been demonstrably fulfilled infoterminals are flame retardant



Technical changes, misprints and deviating forms, colours and designs reserved. For misprints we accept no liability.



article	kg	RRP	artno.
istand [®] 3 with closed glass front incl. 43" display	134	4.192,-€	87003000
istand [®] 3 with cutout metal front incl. 42" display	116	4.612,-€	87003010
special finish acc. to RAL Classic		227,-€	991120
takes place comfortably free place of use within Germany, except shipping on island		292,-€	991364

istand[®]4

One-piece infoterminal with glass or metal front panel



Our standard

corpus:	RAL 9005 Jet black
metal front:	RAL 9005 Jet black (metal)
glass front:	RAL 9004 Signal Black (coated)
bottom plate:	RAL 9005 Jet black, fine structure

- basic construction: sheet steel powder-coated
- the istand[®]4 is optionally equipped with a glass front for a passive display (behind closed EGS glass panel) or with a metal front with cutout for an interactive touch display
- 43" display (to be provided by the customer)
- dimensions: infoterminal: H 203,5 x W 72,6 x D 12 cm bottom plate: H 0,8 x W 74 x D 70 cm
- tilt protection by the bottom plate
- protection of the internal technology by the rear lockable door made of 1,5 mm sheet steel
- well designed cable management: integrated cable duct, 3-fold socket, four cable exits in the bottom (allow for invisible connection for example in floor tanks)
- bracket for mini PC and WLAN receiver inside
- internal ventilation slots enable continuous operation (24/7)
- requirements for building materials of class B1 acc. to DIN 4102-1 have been demonstrably fulfilled infoterminals are flame retardant



Technical changes, misprints and deviating forms, colours and designs reserved. For misprints we accept no liability.



article	kg	RRP	artno.
istand [®] 4 with closed glass front	147	3.112,-€	87004020
istand [®] 4 with cutout metal front	149	2.380,-€	87004030
special finish acc. to RAL Classic		227,-€	991120
takes place comfortably free place of use within Germany, except shipping on island		292,-€	991364

istand[®]3 display housing



- depending on the customer requirements, we manufacture made-to-measure display housings, many variants are available
- basic construction: steel sheet powder-coated
- with a metal front with cutout for a display
- display to be provided by the customer
- wall or ceiling mounting (ceiling bracket in portrait/landscape format)
- protection of the internal technology by the rear lockable door made of sheet steel
- well designed cable management
- internal ventilation slots enable continuous operation (24/7)
- requirements for building materials of class B1 acc. to DIN 4102-1 have been demonstrably fulfilled infoterminals are flame retardant



Technical changes, misprints and deviating forms, colours and designs reserved. For misprints we accept no liability.



article	kg	RRP	artno.
istand [®] 3 display housing wall mounting for display up to 55" – landscape	46	2.166,-€	87000050
istand [®] 3 display housing ceiling mounting for display up to 47" – portrait	34	1.550,-€	87000060
istand [®] 3 display housing ceiling mounting for display up to 47" – landscape	34	1.550,-€	87000061
ceiling bracket in portrait/landscape format		on request	

Platinum White W980 ST2

Diamond Black U999 ST2

Sand Beige U156 ST9

Light Grey U708 ST9

Lime Green U630 ST9



Elmau Beech nature H1582 ST15









The decors are provided by Egger Holzstoffe Brilon GmbH. Further decors on request! Color deviations are no reason for a complaint, as the decors listed may differ!



HKS Systemtechnik GmbH Nikolaus-Otto-Straße 22 33178 Borchen

Tel.: +49 5251 500 12-0 Fax: +49 5251 500 12-12 office@hks-gmbh.de www.hks-gmbh.de