



HP USB-C G5 Essential Dock

Breid je mogelijkheden uit

Have everything you need to get the job done with this compact dock that keeps your desk clean. With a single USB-C® cable¹, open your ports to all your accessories, connect up to three high-res displays², stable Ethernet connection, and so much more...all while charging your laptop¹. Clear your desk and clear your mind with this HP USB-C G5 Essential Dock.



*Product image may differ from actual product

Naadloze productiviteit

Effortlessly go the extra mile with just a single USB-C® cable¹. This essential dock seamlessly powers and supports 4 USB-A ports for all your accessories, up to 3 high-res displays², and stable Ethernet connection—all while delivering 65W of power to your laptop.

Meer poorten, minder beperkingen

This essential dock is designed to work with what you're working with¹. It's compatible with most USB-C® or Thunderbolt™ enabled PCs³, and its various ports open the way to all your accessories.

Stay up to date

Keep your workforce up-to-date with connected firmware updates for your docking fleet⁴.

Essential Manageability

Make sure your workforce has the IT support they need to be productive with essential manageability features. Manage your docking fleet with full functionality of PXE boot⁵, MAC address pass-through⁶, Wake on LAN⁷, and LAN/WLAN switching.

HP USB-C G5 Essential Dock

Verbonden firmware-updates

IT kan firmware-updates van het dock beheren als het is aangesloten op de host-pc.⁴

Opstarten vanaf PXE

Boot computers via a network interface, allowing IT to remotely set up an employee's device.⁵

Schakelen tussen LAN/WLAN

For no interruptions in your connectivity, your dock turns off WLAN antennae automatically when connected to the LAN cable. When unplugged from the LAN cable, your device will automatically switch from wired network connection to Wi-Fi®.

MAC Address Pass-Through

Thanks to MAC address pass-through with full functionality, IT can easily identify and track their notebook fleet when connected through the dock's LAN.⁶

Wake-on-LAN

IT can make system updates and remotely image systems even when the computer is off or in sleep mode.⁷

HP USB-C G5 Essential Dock



Productnummer	72C71AA
Compatibiliteit	Tested and supported on select commercial HP notebooks. For HP notebook compatibility please visit: https://pcb.inc.hp.com/webapp/#/!us-en and search by notebook; Tested and supported on the following 3rd party notebooks: Apple MacBook Air Retina 2020, Google Pixelbook Go, Google Pixelbook Go 2, Apple MacBook Pro M1 2020, MacBook Air M1 2020, and Dell Latitude 7420.
UPC-nummer	197029013002
Productmateriaal	Plastic
Poort en connectoren	Voor: 1 SuperSpeed USB Type-C®? 5 Gb/s datasnelheid (tot 15 watt USB-stroomlevering) Zijde: 2 SuperSpeed USB Type-A met 5 Gb/s datasnelheid (opladen); 1 combo-audioaansluiting Achter: 2 DisplayPort™ 1.4; 1 HDMI 2.0; 1 RJ-45; 2 SuperSpeed USB Type-A met 5 Gb/s datasnelheid (opladen)
Voedingsadapterpoort	1 x 4,5 mm
Voedingsbron	120 W netvoedingsadapter ⁶
Verbindingstype	1 USB type C® kabel aan de voorzijde voor aansluiting op het hostsysteem (tot 65 W USB-voeding)
Fysieke beveiliging	1 Standard Kensington lock slot
Beheerfuncties	PXE Boot; Wake on LAN (WoL); MAC Address Pass Through (MAPT); LAN/WLAN switching; Connected firmware update ^{2,3,4,5}
Systeemvoeding:	Tot 65 watt via USB Type-C®? (zowel HP als niet-HP hostapparaten) ¹
Voedingsprofielen (PD)	12V/5A; 5V/3A; 9V/3A; 15V/4.33A/20V/3.25A
Kabellengte	1 m
Ondersteunt externe monitor	Voor hosts die DisplayPort™ 1.4 met Display Stream Compression ondersteunen: 3x FHD @ 60 Hz; 3x QHD @ 60 Hz; 3x 4K UHD @ 60 Hz; Voor hosts die DisplayPort™ 1.3/1.4 ondersteunen: 3x FHD @ 60 Hz; 3x QHD @ 60 Hz; 2x 4K UHD @ 60 Hz; Voor hosts die DisplayPort™ 1.2 ondersteunen: 3x FHD @ 60 Hz; 2x QHD @ 60 Hz; 1x 4K UHD @ 60 Hz ⁸
Type aan-uitknop	Mechanische aan-uitknop met ledindicator voor inschakelen of activeren van het hostsysteem
Productkleur	Zwart
Compatibele besturingsystemen	Windows 11 21H2; Windows 11 22H2; Windows 10 21H2; Windows 10 22H2; ChromeOS™ v103 and later; macOS Monterey 12.4 and later; macOS Big Sur 11.6
Systeemvereisten, minimaal	USB Type-C®? (USB-voeding, Alt Mode DisplayPort™)
Inhoud van de doos	HP USB-C G5 Essential Dock 120 watt netvoedingsadapter Netsnoer Installatieposter Garantiekartaal
Afmetingen (b x d x h)	122 x 122 x 45 mm
Gewicht	680 gr

HP USB-C G5 Essential Dock

Messaging, voetnoten

¹ For USB-C® alt mode functionality, host PC must support the DisplayPort™ Alt mode protocol through its USB-C® or Thunderbolt™ port. Charging and port replication is supported on notebooks that have implemented USB-C® Alt Mode industry specifications. Power button to turn on or wake the system only functions on HP or HP supported notebooks. PXE Boot functionality will depend on whether the host systems firmware has the EFI driver available. Connected firmware updates require internet connection and your docking station is not useable while updating. HP does not provide Ethernet and audio drivers on Mac PCs.

² Supports 3 x FHD @ 60Hz, 2 x QHD @ 60 Hz, 3 x 4K (requires a DisplayPort 1.4 machine with Display Stream Compression. If the system does not support Display Stream Compression, then the system must support DisplayPort 1.4 with high-res mode enabled in the system).

³ Supported features may vary by operating system and laptop PC.

⁴ Connected firmware updates require internet connection and your docking station is not useable while updating.

⁵ PXE Boot functionality will depend on whether the host systems firmware has the EFI driver available.

⁶ Your laptop PC may support MAC address pass-through from the Off, Sleep or Hibernate States, or only when the computer is On or in Sleep. Certain features are not functional on non-HP supported or non-HP laptop PCs. MAC address pass-through supports S0, S3, S4, S5 from warm and cold dock.

⁷ Your laptop PC may support Wake-on-LAN from the Off, Sleep or Hibernate States, or only when the computer is On or in Sleep. Wake-on-LAN is not functional on non-HP supported or non-HP laptop PCs. Wake-on-LAN from warm and cold dock.

Technische specificaties, voetnoten

¹ For USB-C® alt mode functionality, host PC must support the DisplayPort™ Alt mode protocol through its USB-C® or Thunderbolt™ port. Charging and port replication is supported on notebooks that have implemented USB-C® Alt Mode industry specifications. Power button to turn on or wake the system only functions on HP or HP supported notebooks. PXE Boot functionality will depend on whether the host systems firmware has the EFI driver available. Connected firmware updates require internet connection and your docking station is not useable while updating. HP does not provide Ethernet and audio drivers on Mac PCs.

² PXE Boot functionality will depend on whether the host systems firmware has the EFI driver available.

³ Your laptop PC may support Wake-on-LAN from the Off, Sleep or Hibernate States, or only when the computer is On or in Sleep. Wake-on-LAN is not functional on non-HP supported or non-HP laptop PCs. Wake-on-LAN from warm and cold dock.

⁴ Your laptop PC may support MAC address pass-through from the Off, Sleep or Hibernate States, or only when the computer is On or in Sleep. Certain features are not functional on non-HP supported or non-HP laptop PCs. MAC address pass-through supports S0, S3, S4, S5 from warm and cold dock.

⁵ Connected firmware updates require internet connection and your docking station is not useable while updating.

⁶ Cannot use any wattage below 120 W. Only 120 W or above. More wattage does not provide more power to the system.

⁷ Lock sold separately.

⁸ The Display Stream Compression (DSC) supported version and color format depends on the graphics capability. Display Stream Compression (DSC) is disabled when the display is attached to the VGA port or to an external DP2 VGA dongle.

