



Date: 2023.03.02

Page 1 of 10

Applicant	:	ZHONGSHAN WORTH ELECTRONIC TECHNOLOGY CO., LTD
Address	:	Building 5, anlibang liyuan science and technolog y industrial park, no. 9 fuze road, sanjiao town Zhongshan

#### Report on the submitted samples said to be:

Sample Name	:	Magnetic absorption wireless charging mobile power supply
Trade Mark	:	N/A
Style No.	:	E29B, E29A, OPP138, OPP139
Testing Period	:	February 25, 2023 ~ March 02, 2023
Results	:	Please refer to next page(s).

TEST REQUEST	CONCLUSION
According to the customer's request, based on the performed tests on submitted sample, the result of Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, Dibuyl Phthalate(DBP), Benzylbutyl Phthalate(BBP), Bis(2-ethylhexyl) Phthalate(DEHP), Diispbutyl phthalate(DIBP) content comply with the limit requirement as set of RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.	Pass

Signed for and on behalf of LCS







Report No.: LCS230303013AR

Date: 2023.03.02

Page 2 of 10

#### **Results:**

#### A.EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Seq. No.	Tested Part(s)		Date of sample					
		Cd	Pb	Hg	Cr▼	Br		submission/resu
		Cu		ing		PBBs	PBDEs	bmission
1	Blue plastic shell	BL	BL	BL	BL	BL	BL	2023-02-25
2	Black soft plastic sheet	BL	BL	BL	BL	BL	BL	2023-02-25
3	Black plastic sheet	BL	BL	BL	BL	BL	BL	2023-02-25
4	Silver metal ring	BL	BL	BL	BL	1	1 2	2023-02-25
5	White plastic sheet	BL	BL	BL	BL	BL	BL	2023-02-25
6	Black plastic sheet	BL	BL	BL	BL	BL	BL	2023-02-25
7	Silver metal shrapnel	BL	BL	BL	BL	1	1	2023-02-25
8	Silver sheet metal	BL	BL	BL	BL		1	2023-02-25
9	Black plastic sheet	BL	BL	BL	BL	BL	BL	2023-02-25
10	Silver metal needle	BL	BL	BL	BL	/	/	2023-02-25
11	Grey ceramics	BL	BL	BL	BL	BL	BL	2023-02-25
12	Red wire	BL	BL	BL	BL	1	1 0	2023-02-25
13	Red plastic thread	BL	BL	BL	BL	BL	BL	2023-02-25
14	Silver wire	BL	BL	BL	BL	/	/	2023-02-25
15	Black triode	BL	BL	BL	BL	BL	BL	2023-02-25
16	Black IC	BL	BL	BL	BL	BL	BL	2023-02-25
17	Red capacitor	BL	BL	BL	BL	BL	BL	2023-02-25
18	Black plastic thread	BL	BL	BL	BL	BL	BL	2023-02-25
19	Brown capacitor	BL	BL	BL	BL	BL	BL	2023-02-25
20	light-emitting diode	BL	BL	BL	BL	BL	BL	2023-02-25
21	Tin solder	BL	BL	BL	BL	/	/	2023-02-25
22	PCB board	BL	BL	BL	BL	BL	BL	2023-02-25
23	Black IC	BL	BL	BL	BL	BL	BL	2023-02-25
24	Chip resistor	BL	BL	BL	BL	BL	BL	2023-02-25
25	Black diode	BL	BL	BL	BL	BL	BL	2023-02-25
26	Silver plastic sheet	BL	BL	BL	BL	BL	BL	2023-02-25

Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com







Date: 2023.03.02

Page 3 of 10

Note:

(1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

Element	Unit	Non-metal	Metal	Composite Material
Cd	malka	BL≤70-3σ<Χ	BL≤70-3σ<Χ	BL≤50-3σ<Χ
Cd mg/kg	mg/kg	<130+3σ≤OL	<130+3σ≤OL	<150+3σ≤OL
Pb mg/kg	malka	BL≤700-3σ<Χ	BL≤700-3σ<Χ	BL≤500-3σ<Χ
	mg/kg	<1300+3σ≤OL	<1300+3σ≤OL	<1500+3σ≤OL
11.0		BL≤700-3σ<Χ	BL≤700-3σ<Χ	BL≤500-3σ<Χ
Hg mg/kg	mg/kg	<1300+3σ≤OL	<1300+3σ≤OL	<1500+3σ≤OL
Cr	mg/kg	BL≤700-3σ<Χ	BL≤700-3σ<Χ	BL≤500-3σ<Χ
Br	mg/kg	BL≤300-3σ <x< td=""><td></td><td>BL≤250-3σ<x< td=""></x<></td></x<>		BL≤250-3σ <x< td=""></x<>

Note:

BL = Below Limit

OL = Over Limit

X = Inconclusive

- (2) The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- (3) The maximum permissible limit is quoted from the document 2015/863/EC amending RoHS directive 2011/65/EU:
- (4) ▼=For restricted substances PBBs and PBDEs, the results show the total Br content; The restricted substance was Cr(VI), and the results showed the total Cr content

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)			
Cadmium (Cd)	100			
Lead (Pb)	1000			
Mercury (Hg)	1000			
Hexavalent Chromium (Cr(VI))	1000			
Polybrominated biphenyls (PBBs)	1000			
Polybrominated diphenylethers (PBDEs)	1000			
Dibuyl Phthalate(DBP)	1000			
Benzylbutyl Phthalate(BBP)	1000			
Di-(2-ethylhexyl) Phthalate(DEHP)	1000			
Diispbutyl phthalate(DIBP)	1000			

\*\*\*\*







Date: 2023.03.02

Page 4 of 10

#### Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

#### B. EU RoHS Directive 2011/65/EU and its amendment Directives 2015/863/EU on Lead, Cadmium,

#### Mercury, Hexavalent Chromium, PBBs, PBDEs, DBP, BBP, DEHP, DIBP content.

#### Test method:

Lead(Pb) & Cadmium(Cd) Content:

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

#### Mercury(Hg) Content:

With reference to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

Hexavalent Chromium(Cr(VI)) Content:

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, by alkaline digestion and analysis was performed by UV-visible spectrophotometer (UV-Vis)

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

#### BBP DBP DEHP & DIBP Content:

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

\*\*\*\*\*\*\*







Report No.: LCS230303013AR

Date: 2023.03.02

Page 5 of 10

#### Note:

- MDL = Method Detection Limit
- /= Not apply
- LOQ = Limit of Quantification, The LOQ of Hexavalent chromium is 0.10 μg/cm<sup>2</sup>
- The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13ug/cm<sup>2</sup>. The sample coating is considered to contain Cr(VI)
  b. The sample is negative for Cr(VI) if Cr(VI) is N.D.(concentration less than 0.10ug/cm<sup>2</sup>). The sample coating is considered a non- Cr(VI) based coating
  c. The result between 0.10µg/cm<sup>2</sup> and 0.13µg/cm<sup>2</sup> is considered to be inconclusive, unavoidable coating variations may influence the determination
- Information on storage conditions and production date of the tested samples is unavailable and thus Cr(VI) results represent status of the sample at the time of testing
- mg/kg = ppm=parts per million
- N.D.=Not Detected(<MDL or LOQ)
- #1 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in glass of cathode ray tubes, electronic components and fluorescent tubes.
- #2 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in electronic ceramic parts (e.g. piezoelectronic devices).
- #3 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Copper containing up to 4% (40000ppm) by weight.
- #4 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead).
- #5 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Aluminum containing up to 0.4% (4000ppm) by weight.
- #6 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Cadmium and its compounds in electrical contact is exempted.
- #7 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its Amendments, Lead is exempted in steel for machining purposes and in galvanised steel containing up to 0.35% (3500ppm) by weight.

\*\*\*\*\*\*\*\*

Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com







Date: 2023.03.02

Page 6 of 10

#### 1) The test results of DBP、BBP、DEHP & DIBP

ltere	l lucit	мы	Results	Lineit	
Item	Unit	MDL	1+2+3+5+6+9	Limit	
Dibuyl Phthalate(DBP)	mg/kg	600	N.D.	1000	
Benzylbutyl Phthalate(BBP)	mg/kg	600	N.D.	1000	
Di-(2-ethylhexyl) Phthalate(DEHP)	mg/kg	600	N.D.	1000	
Diispbutyl phthalate(DIBP)	mg/kg	600	N.D.	1000	

Item	Unit	MDL	Results	- Limit
	Unit		11+13+15+16+17+18	
Dibuyl Phthalate(DBP)	mg/kg	600	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	mg/kg	600	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	600	N.D.	1000

Item	Unit	MDL	Results	Limit
	Unit		19+20+22+23+24+25+26	
Dibuyl Phthalate(DBP)	mg/kg	600	N.D.	1000
Benzylbutyl Phthalate(BBP)	mg/kg	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	mg/kg	600	N.D.	1000
Diispbutyl phthalate(DIBP)	mg/kg	600	N.D.	1000

Remark:


- mg/kg = ppm
- N.D. = Not detected
- MDL=Method detected limited
- Flow chart appendix is included
- Photo appendix is included.








Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com







#### Report No.: LCS230303013AR

Date: 2023.03.02

Page 8 of 10



Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com



Page 9 of 10 Report No.: LCS230303013AR Date: 2023.03.02 01 KUSUEUE-N 4115AP Test Min <mark>02</mark> <mark>04</mark> 03 21 08-10 11-12 05-07 <mark>18</mark> 17 <mark>16</mark> 15 <mark>13-14</mark>

Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com






Report No.: LCS230303013AR

Date: 2023.03.02

Page 10 of 10

#### Statement:

- 1. The test report is considered invalidated without approval signature, special seal on the perforation.
- 2. The result(s) shown in this report refer only to the sample(s) tested.
- 3. Without written approval of LCS, this report can't be reproduced except in full.
- 4. The sample(s) and sample information was/were provided by the client who should be responsible for the authenticity which LCS hasn't verified.
- 5. In case of any discrepancy between the English version and Chinese version of the testing reports(if generated), the Chinese version shall prevail.



Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com