

4-Port USB-C Hub - 5Gbps - Bus Powered - USB C to 4x USB-A Hub w/ Optional Auxiliary Power Input - Portable Desktop/Laptop USB Hub - 1ft (30cm) Cable - USB Expansion Hub

Product ID: 5G4AB-USB-C-HUB



This USB Hub adds four USB-A 3.2 Gen 1 (5Gbps) ports to a USB-C enabled desktop or laptop computer. The USB Hub connects to a USB-C port on a computer, using the built-in 1ft. (30cm) host cable. The USB hub is backward compatible with USB 2.0 (480Mbps) devices, ensuring support for a wide range of modern and legacy USB peripherals (e.g., thumb drives, external HDDs/SSDs, HD cameras, mice, keyboards, webcams, and audio headsets). The USB hub is compact in size, facilitating portability when travelling.

The USB hub can operate with bus power alone. It features a Micro USB power input that can be connected to a USB power adapter (sold separately), providing up to 4.5W (5V/0.9A) of power in addition to the 15W of bus power. This flexibility is ideal for applications requiring additional power, such as connecting a high-power USB device (e.g., external HDD/SSD), while using the other ports to connect lower powered devices. The downstream ports are each capable of providing up to 4.5W of power to the connected peripherals. For added protection to connected USB devices, the USB ports feature Overcurrent Protection (OCP). OCP prevents USB peripherals from drawing more power than is safely allocated for each port.

This device is OS independent, supporting all operating systems, including Windows, macOS, ChromeOS, iPadOS, and Android. The Hub is automatically detected, configured, and installed upon connection to a host computer. This ensures automatic installation and with any USB-C laptop, including Thunderbolt 3, Thunderbolt 4, and USB4 computers such as Apple MacBook (Intel/M1/M2), Lenovo X1 Carbon, and Dell XPS. The built-in extra-long 1 ft. (30 cm) USB-C host cable ensures easy setup and reduces connector strain on 2-in-1 devices such as the Surface Pro 7, iPad Pro, HP Elite X2 and laptops on riser stands.


Developed to improve performance and security, StarTech.com Connectivity Tools is the only software suite on the market that is compatible with a wide variety of IT connectivity accessories. The applicable software for this product is the USB Event Monitoring Utility. Use this utility to track and log any connected USB devices.

For more information and to download the StarTech.com Connectivity Tools application, please visit: www.StarTech.com/connectivity-tools

This product is backed for 2-years by StarTech.com, including free lifetime 24/5 multi-lingual technical assistance.



## **Certifications, Reports and Compatibility**



## Applications

- Connect four USB-A peripherals to a USB-C equipped laptop or desktop
- Ideal for traveling between the home and office

## Features

• 4-PORT USB HUB: Bus-powered USB 3.2 Gen 1 (5Gbps) expansion hub features a USB-C host connector and 4x USB-A ports (Supports OCP & Wake on USB) - Draws 15W of power from the USB host - Downstream ports can provide up to 4.5W of power

• AUXILIARY POWER INPUT: The USB hub features a Micro USB power input (cable sold separately) to add 4.5W (5V/0.9A) of power to the hub for applications where additional power may be required, such as connecting high power USB devices like SSD drives

• COMPATIBILITY: OS independent - Supports all operating systems, incl. Windows, macOS, Linux, iPadOS, ChromeOS, Android - Compatible w/ Thunderbolt 3/4 & USB4 host devices like MacBook (Intel/M1/M2), Lenovo X1 Carbon, Dell XPS, MS Surface - Works w/USB 2.0

• EXTRA LONG CABLE: Compact housing and bus-powered ideal for travel - Attached extra long 1ft. (30cm) host cable for easy setup and to reduce connector strain on 2-in-1 devices such as Surface Pro 7, iPad Pro, HP Elite X2, and laptops on riser stands

• APPLICATIONS: Add multiple USB-A ports from a single USB-C port for connecting peripherals like keyboard/mouse, USB SSDs & thumb drives - Ideal for desktops or laptop computers with limited USB ports - USB Event Monitoring utility available for download

| Hardware |                       |         |
|----------|-----------------------|---------|
|          | Warranty              | 2 Years |
|          | USB-C Device Port(s)  | No      |
|          | USB-C Host Connection | Yes     |
|          | Fast-Charge Port(s)   | No      |



|                                 | Ports                            | 4   |
|---------------------------------|----------------------------------|---|
|                                 | Interface                        | USB 3.2 Gen 1 (5Gbps)   |
|                                 | Bus Type                         | USB 3.2 Gen 1 (5Gbps)   |
|                                 | Industry Standards               | USB 3.2 Gen 1 - Backward compatible with USB 2.0 and 1.1  |
|                                 | Chipset ID                       | VIA - VL817   |
| Performance                     | Maximum Data Transfer<br>Rate    | 5Gbps (USB 3.2 Gen 1)   |
|                                 | Type and Rate                    | USB 3.2 Gen 1 - 5 Gbit/s  |
|                                 | UASP Support                     | Yes   |
| Connector(s)                    | External Ports                   | 4 - USB 3.2 Type-A (9 pin, Gen 1, 5Gbps)  |
|                                 |                                  | 1 - USB Micro-B (5 pin) (Power)   |
|                                 | Host Connectors                  | 1 - USB 3.2 Type-C (24 pin, Gen 1, 5Gbps)   |
| Special Notes /<br>Requirements | System and Cable<br>Requirements | A host computer with an available USB-A port.   |
|                                 |                                  | (Optional - when USB bus power is inadequate) USB Power<br>Source with USB Micro-B host cable to provide supplemental<br>power to the USB hub (up to 4.5W). |
|                                 | Note                             | USB 3.2 Gen 1 (5Gbps) is also known as USB 3.1 Gen 1 (5Gbps) and USB 3.0 (5Gbps).   |
| Power                           | Power Source                     | Bus Powered   |
| Environmental                   | Operating Temperature            | 0C to 70C (32F to 158F)   |
|                                 | Storage Temperature              | -40C to 80C (-40F to 176F)  |
|                                 | Humidity                         | 0% ~ 95% at 25C   |



## Physical Characteristics

| Characteristics          | Color                        | Space Gray        |
|--------------------------|------------------------------|-------------------|
|                          | Form Factor                  | Compact           |
|                          | Material                     | Plastic           |
|                          | Cable Length                 | 11.8 in [30 cm]   |
|                          | Product Length               | 16.5 in [42.0 cm] |
|                          | Product Width                | 2.1 in [5.4 cm]   |
|                          | Product Height               | 0.6 in [1.6 cm]   |
|                          | Weight of Product            | 2.9 oz [82.0 g]   |
| Packaging<br>Information |                              |                   |
|                          | Package Quantity             | 1                 |
|                          | Package Length               | 6.7 in [17.0 cm]  |
|                          | Package Width                | 5.6 in [14.2 cm]  |
|                          | Package Height               | 1.2 in [3.0 cm]   |
|                          | Shipping (Package)<br>Weight | 4.7 oz [133.0 g]  |
| What's in the Box        | Included in Package          | 1 - USB Hub       |

\*Product appearance and specifications are subject to change without notice.