

Product datasheet

Specifications



APC Smart-UPS Ultra On-Line Lithium-ion XBP 180V 2U Rack/ Tower

SRTL180RM2UBP

EAN Code: 0731304437024

Main

Product or component type	External battery pack
Number of rack unit	2U
Battery type	Li-Ion (Lithium-Ion)
Provided equipment	Rack mounting brackets Vertical mounting brackets
Range of product	Smart-UPS Ultra

Batteries & Runtime

Number of battery free slots	0
Number of battery filled slots	0
Battery voltage	180 V
Number of battery replacement quantity	2

Physical

Colour	Silver grey
Height	86 mm
Width	432 mm
Depth	724 mm
Product weight	32.4 kg
Mounting mode	Rack-mounted with kit Tower-mounted with kit

Output

Battery capacity	8 Ah
------------------	------

Conformance

Product certifications	UL 1973
------------------------	---------

Environmental

Ambient air temperature for operation	0...40 °C
Operating altitude	0...10000 ft
Relative humidity	0...95 % non-condensing
Ambient air temperature for storage	-15...45 °C

Storage altitude	0...15240 m
Storage Relative Humidity	0...95 % non-condensing

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	39.2 cm
Package 1 Width	58.5 cm
Package 1 Length	98.4 cm
Package 1 Weight	42 kg
SCC14	10731304437024

Logistical informations

Country of origin	PH
--------------------------	----

Contractual warranty

Warranty (in months)	60
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	310 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	297 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	7 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	6 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	5ee38369-4dfb-4636-ab65-b08aa3242891
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	95
Removable battery	User replaceable
Take-back	No

Image of product / Alternate images

Alternative



