Product data sheet Characteristics

NSYFPLS3636G

Polyester rear part of PLS box 36x36x13.5cm





Main

Range	Thalassa	
Product name	Thalassa PLS	
Device short name	PLS	
Device application	Multi-purpose	
Product or component type	Insulating modular rear	
Enclosure nominal height	360 Mm	
Enclosure nominal width	360 Mm	
Enclosure nominal depth	135 Mm	
Enclosure mounting	Wall mounted	
Device composition	1 rear part: on enclosure	
Body type	One piece moulded	
Type of front cover	Without	

Complementary

Material	Polyester reinforced with fibreglass	
Colour	Body: grey (RAL 7035)	
Standards	NEMA 4X IEC 62208 NEMA classification 13	
Product certifications	UL	

Environment

Electrical insulation class	Class II	
IP degree of protection	IP66 conforming to IEC 60529	
IK degree of protection	IK09 conforming to IEC 62262	
Fire resistance	960 °C conforming to IEC 62208	
Ambient air temperature for storage	-3070 °C	

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	15.0 Cm	
Package 1 Width	38.0 Cm	
Package 1 Length	38.0 Cm	
Package 1 Weight	1.5 Kg	
Unit Type of Package 2	CAR	

Number of Units in Package 2	6	
Package 2 Height	44.0 Cm	
Package 2 Width	73.0 Cm	
Package 2 Length	37.0 Cm	
Package 2 Weight	10.198 Kg	

Offer Sustainability

Sustainable offer status	Green Premium product	
REACh Regulation	[™] REACh Declaration	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration	
Mercury free	Yes	
China RoHS Regulation	☐ China RoHS Declaration	
RoHS exemption information	₫Yes	
Environmental Disclosure	Product Environmental Profile	

Product Life Status : Commercialised

