HP Color LaserJet Enterprise X55745dn Printer



Powerfully compact. Extraordinarily efficient.

Transform your workflows with advanced capabilities in a compact footprint. From print speeds to color panels⁷, get flexible configurations to meet your needs today and tomorrow. All while protecting your business against evolving cyber threats.



This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds









More than a printer, in a compact footprint

- Get peak performance with scalable configurations delivering maximum productivity for robust printing needs.
- Fast print speeds of up to 45 PPM ¹ to help you get everything done faster.
- Maintain productivity and stay up-to-date on the latest features across your fleet with upgradeable HP FutureSmart firmware.²
- Take control of your printing environment with HP Web Jetadmin³ to help manage your fleet and build
 consistent print experiences.

Customizable and scalable solutions

- Get the functionality you need with input options to help optimize your device to meet your business needs and your budget.
- Make a statement and modernize your office with elegant designs and customizable color panels⁷.
- Choose storage options to handle data and documents stored on the device.

Fast and seamless digitization


- Customize your print experience with cloud-connected HP Workpath apps. Access personalized content and integrate paper and digital workflows.⁴
- Give your team the tools to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions, and card reader support.
- Make color management simple with HP Custom Color Manager. Match color output of any
 document-device combination by simply pulling color profiles from the cloud. Get high-quality color
 profiles without the hassle of expensive color matching systems.⁸

Always on guard with HP Wolf Security

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically
 checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Memory ShieldTM and expanded run-time intrusion detection protects memory and other applications. Common Criteria certified⁶ to continually monitor memory activity, detect and stop zeroday attacks in real time [known/unknown] and self-heal.
- Minimize exposure with whitelisting checks, firmware that is automatically checked during start-up to determine if it's authentic code – digitally signed by HP.

Product walkaround

- 1. Automatic 2-sided printing
- 2. HP eMMC storage
- 3. Front door access to All-in-One toner cartridges
- 4. 250-sheet output bin supports media sizes up to Legal (8.5x14 inch)
- 5. 4.3 inch color touchscreen display (10.9 cm)
- 6. Hardware Integration Pocket¹ (for connecting accessories and third-party devices)
- 7. Easy-access USB port²
- 8. Power button
- 9. Right door access to the print path
- 10. 100-sheet multipurpose tray 1 supports media sizes up to Legal (8.5x14 inch)
- 11. 550-sheet tray 2 supports media sizes up to Legal (8.5x14 inch)
- 12. Slot for cable-type security lock³
- 13. SuperSpeed USB 3.0 Host $Port^3$
- 14. Hi-Speed USB 2.0 Host $Port^3$
- 15. Gigabit Ethernet Port³
- 16. SuperSpeed 3.0 device port³



Series at a glance



Model	HP Color Laser Jet Enterprise X55745dn Printer	
Product number	6QP97A	
Functions	Print	
Print speed	Up to 43 ppm (A4)	
Control panel	10.9 cm color touchscreen display	
RMPV	Up to 15,000 pages per month	
Input capacity	650/2,300 (std/max)	
Output capacity (standard)	250-sheets	
Processor	Dual-core 1.4 GHz	
Workpath enabled	Yes (with 2GB upgrade)	
Extensibility	HP FutureSmart 5, OXPd	

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ² An administrator must enable the easy-access USB port before use. ³ Additional items included on the back of the printer in the

Accessories, Supplies and Support

riccessories, so	ipplies and Support
Accessories	W9240MC HP Blk Managed Laser let Toner Crtg(~21,000 pages) W9241MC HP (yn Managed Laser let Toner Crtg(~14,000 pages) W9243MC HP Vlw Managed Laser let Toner Crtg(~14,000 pages) W9243MC HP Vlw Managed Laser let Toner Crtg(~14,000 pages) S2760A HP Laser let 110V Fuser Kit S2761A HP Laser let 110V Fuser Kit S2761A HP Laser let 220V Fuser Kit S2767A HP Laser let 220V Enhanced Fuser Kit S2767A HP Laser let Image Transfer Belt S2769A HP Laser let Image Transfer Belt Kit S2776A HP Laser let Image Transfer Belt Kit S2774BA HP Laser let Tray 2 Roller Kit S2774BA HP Laser let Tray 2 Roller Kit S2774BA HP Laser let Tray 1 Roller Kit S2774BA HP Laser let Tray 8 Roller Kit S2774BA HP Laser let Tray 8 Roller Kit S2774BA HP Laser let Roller Kit S278A HP Laser let Scotlation For US Government KBB30A HP SmartCard NIPRNet Solution for US Government RBB30A HP SmartCard NIPRNet Solution for US Government ZNR12A HP Removable Hard Drive Enclosure 478C2A HP Printing Voice Assistant 60NS5A HP Color Laser let Storage Stand 60NS5A HP LOB DDR3Lx32 120-pin 933MHz DIMM 616H1A HP ZGB DDR3Lx32 120-pin 933MHz DIMM 816H1A HP ZGB DDR3Lx32 120-pin 933MHz TAA DIMM 83D3A HP LIGH CSECURE USB Reader 97COSA HP HIPZ Keystoke Reader 97COSA HP HIPZ Keystoke Reader
	9EQ11A HP 500GB CCC FIPS Hard Disk Drive 3JN69A HP JELIFACT 310W BLEJNFC/Wireless 630A7A HP CLJ X557 Constellation Yellow Color Panel Kit 630A8A HP CLJ X557 Constile Green Color Panel Kit 630A8A HP CLJ X557 Aurora Purple Color Panel Kit 630B0A HP CLJ X557 Comet Red Color Panel Kit 630B1A HP CLJ X557 Lunar Gray Color Panel Kit 630B1A HP CLJ X557 Lunar Gray Color Panel Kit 630CBA HP 550 Sheet Paper Tray Cosmic Green Panel Kit 630CBA HP 550 Sheet Paper Tray Cosmic Green Panel Kit 630CBA HP 550 Sheet Paper Tray Cosmic Green Panel Kit 630D0A HP 550 Sheet Paper Tray Lunar Gray Panel Kit 630D1A HP 550 Sheet Paper Tray Lunar Gray Panel Kit 630D1A HP 550 Sheet Paper Tray Lunar Gray Panel Kit 630D1A HP 550 Sheet Paper Tray Lunar Gray Panel Kit 630DBA HP Storage Stand Constellation Yellow Panel Kit 630DBA HP Storage Stand Constellation Yellow Panel Kit 630DBA HP Storage Stand Comet Red Panel Kit 630PA HP Storage Stand Lunar Gray Panel Kit 630PA HP Storage Stand Lunar Gray Panel Kit 630PA HP Storage Stand Lunar Gray Panel Kit 630PA HP Color Laser Let Constellation Yellow Sol sheet Paper Tray 65A2BA HP Color Laser Let Constellation Yellow Sol sheet Paper Tray 65A3DA HP Color Laser Let Constellation Yellow Sol sheet Paper Tray 65A3DA HP Color Laser Let Comet Red 550 sheet Paper Tray 65A3DA HP Color Laser Let Comet Red 550 sheet Paper Tray 65A3DA HP Color Laser Let Comet Red 550 sheet Paper Tray 65A3DA HP Color Laser Let Comet Red 550 sheet Paper Tray 65A3DA HP Color Laser Let Comet Red 550 sheet Paper Tray 65A3DA HP Color Laser Let Comet Red 550 sheet Paper Tray 65A3DA HP Color Laser Let Comet Red 550 sheet Paper Tray 65A3DA HP Color Laser Let Comet Red 550 sheet Paper Tray 65A3DA HP Color Laser Let Comet Red 550 sheet Paper Tray 65A3DA HP Color Laser Let Comet Red 550 sheet Paper Tray 65A3DA HP Color Laser Let Comet Red 550 sheet Paper Tray 65A3DA HP Color Laser Let Comet Red 550 sheet Paper Tray 65A3DA HP Color Laser Let Comet Red 550 sheet Paper Tray 65A3DA HP Color Laser Let Comet Red 550 sheet Paper Tray
Service and Support	U4SPGE HP 3 year Next Business Day with DMR Service for Color Laser Jet Enterprise X557xx U4SPHE HP 4 year Next Business Day with DMR Service for Color Laser Jet Enterprise X557xx U4SPJE HP 5 year Next Business Day with DMR Service for Color Laser Jet Enterprise X557xx U4SPJE HP 5 year A hour 9x5 with DMR Service for Color Laser Jet Enterprise X557xx U4SPLE HP 4 year 4 hour 9x5 with DMR Service for Color Laser Jet Enterprise X557xx U4SPLE HP 4 year 4 hour 9x5 with DMR Service for Color Laser Jet Enterprise X557xx U4SPLE HP 3 year 4 hour 9x5 with DMR Service for Color Laser Jet Enterprise X557xx U4SPME HP 5 year Channel Parts Exchange with DMR Service for Color Laser Jet Enterprise X557xx U4SPVE HP 4 year Channel Parts Exchange with DMR Service for Color Laser Jet Enterprise X557xx U4SPVE HP 9 year Channel Parts Exchange with DMR Service for Color Laser Jet Enterprise X557xx U4SPVE HP 1 year Post Warranty A hour 9x5 with DMR Service for Color Laser Jet Enterprise X557xx U4SPVE HP 1 year Post Warranty A hour 9x5 with DMR Service for Color Laser Jet Enterprise X557xx U4SQ3PE HP 1 year Post Warranty Channel Parts Exchange with DMR Service for Color Laser Jet Enterprise X557xx U4SQ3PE HP 1 year Post Warranty Channel Parts Exchange with DMR Service for Color Laser Jet Enterprise X557xx U4SQ3PE HP 1 year Post Warranty Channel Parts Exchange with DMR Service for Color Laser Jet Enterprise X557xx U4SQ3PE HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise 570x X557xx Fuser 110 U4SUBE HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise 570x X557xx Fuser 110 U4SUSE HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise 570x X557xx Fuser 110 U4SUSE HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise 570x X557xx Fuser 110 U4SUSE HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise 570x X557xx Fuser 120 U4SUSE HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise 570x X557xx Fuser 220 Enhanced U4SUSE HP Maintenance Kit Repla

Technical specifications

Model	HP Color LaserJet Enterprise X55745dn Printer	
Product number	6QP97A	
Functions	Print	
Control panel	4.3 in (10.9 cm) touchscreen with color graphics	
Print		
Print technology	Laser	
Print speed	Black (A4, normal): Up to 43 ppm Colour (A4, normal): Up to 43 ppm; Black (A4, duplex): Up to 43 ipm Colour (A4, duplex): Up to 43 ipm	
First page out	Black (A4, ready): As fast as 6.9 sec Colour (A4, ready): As fast as 7.6 sec; Black (A4, sleep): As fast as 9.2 sec Colour (A4, sleep): As fast as 10.2 sec	
Print resolution	Black (best): Up to 1,200 x 1,200 dpi Colour (best): Up to 1200 x 1200 dpi; Technology: HP ImageREt 3600, Fine Lines (1200x1200 dpi), Quickview (300x300 dpi)	
Monthly duty cycle	Up to 120,000 pages A4; Recommended monthly page volume: 2000 to 15,000	
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB, HP EasyColor	
Standard print languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7), URF (AirPrint)	
Fonts and typefaces	105 internal True Type fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts	
Print area	Print margins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area: 207.4 x 1191.4 mm	
Duplex printing	Automatic	
Processor speed	1.4 GHz	
Connectivity		
Standard	1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2)	
Optional	HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A	
Mobile printing capability	Apple AirPrint™; NFC touch-to-print (optional); Mopria™ Certified	
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x	
Network capabilities	Via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard);	
Hard disk	Standard, 16 GB eMMC; Optional, 32 GB eMMC; Optional, minimum 500 GB HDD; Optional, 256 GB SSD (via CTO)	
Memory	Standard: 1.5 GB; Maximum: 3.5 GB	
Media handling		
Number of paper trays	Standard: 2; Maximum: 5	
Media types	Paper (plain, light, intermediate, light bond, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined	
Media size	Custom (metric): Tray 1: 64 x 127 to 216 x 1200 mm; Tray 2, optional 1x550-sheet feeders: 101 x 148 to 216 x 356 mm Supported (metric): Tray 1: 64, A5, A6, RA4, B5, B6, 16k, 10 x 15 cm, Oficio, postcards (JIS single and double) envelopes (DL, C5, B5, C6); Tray 2, optional 1x550-sheet feeders: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16k, Dpostcard (JIS)	
Media handling	Tray 1: Paper: 100 sheets of 75 g/m² media; Envelopes: 10 Tray 2: Paper: 550 sheets Maximum: Up to 2300 sheets	
Media weight	Tray 1: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); Tray 2: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); optional 550-sheet input trays: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy);	
Input capacity	Standard input: 550-sheet input tray, 100-sheet multi-purpose tray Standard output: 250-sheet output bin Optional input: optional 550-sheet input trays (up to 3)	
Output capacity	Standard: Up to 250 sheets Maximum: Up to 250 sheets	
Compatible operating systems	Windows 11; Windows 10; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux	
Compatible network operating systems	Windows Server; SAP; Novell; UNIX; Citrix; Linux	
Minimum system requirements	Windows: 2 GB available hard disk space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see apple.com;	
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com;	
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS; SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Eras SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory ShieldTN with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known go code (DLLS, EXEs,); Security management: Compatible with Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs	
Security management		

Technical specifications

Model	HP Color Laser.let Enterprise X55745dn Printer	
Product number	6QP97A	
Dimensions and weight		
Printer dimensions (W \times D \times H) ⁹	Minimum 500 x 460 x 415 mm; Maximum : 885 x 770 x 590 mm	
Package dimensions (W x D x H)	498 x 598 x 652 mm	
Printer weight	31.14 kg	
Package weight	34.3 kg	
Operating environment	Temperature: 10 to 32.5°C Humidity: 30 to 70% RH	
Storage conditions	Temperature: -20 to 40°C	
Acoustics	Acoustic power emissions: 6.5 B(A) Acoustic pressure emissions: 53 dB(A)	
Power	Requirements: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 12 A; Input voltage: 220 V to 240V nominal, (+/-10%) 50 - 60Hz nominal (+/-3Hz), 6 A; Consumption: 605.3 watts (Printing/Copying), 40.1 watts (Ready), 1.1 watts (Sleep), 0.09 watts (Manual Off); Typical Electricity Consumption (TEC) ² : 0.515 kWh/week (Energy Star 3.0); 0.491 kWh/week (Blue Angel); Power supply type: Built in 110V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier)	
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology	
Certifications	UL/cUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China Compulsory Product Certification - CCC (China); Bureau of Indian Standards - BIS Registration (India); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries. Electromagnetic emission standard: CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class B / EN 55032:2015 Class A + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries. CECP; IT ECO Declaration; Blue Angel; EPEAT® Gold registered; SEPA; KOECO Blue Angel compliant ⁴ Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies	
Sustainable impact specifications	5% post-consumer recycled plastic; ENERGY STAR® certified; EPEAT® registered	
Country of origin	Made in Japan	
What's in the box ²	60P97A HP Color LaserJet Single-function Printer; HP Black Original Managed LaserJet Toner Cartridge (~3,500 yield), HP Cyan, Magenta and Yellow Managed Original LaserJet Toner Cartridges (~3,000 yield each) (toner cartridges installed); Documentation (Hardware Install Guide); Power cord; Tray Lock Kit (Paper-size cassette locks, paper tray interface screws, P-cartridge door access control screws)	
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.	

Footnotes

- ¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and
- Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.
- ³ HP Web Jetadmin is available for download at no additional charge at hp.com/go/wja
- ⁴ Not all MFPs may be compatible with Workpath apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Not all apps may be available in all locations. Subscription may be required. Personalized content and integration functions are applicable to supported HP Workpath apps only.
- 5 HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2022 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrintersThatProtect For more information, visit: http://www.hp.com/go/printersecurityclaims

 6 Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running
- HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification Report HP Intrusion Detection.pdf
- ⁷ This product comes with Atmosphere Blue (standard) panels. Panels in other colors (Constellation Yellow, Comet Red, Aurora Purple, Lunar Grey, Cosmic Green) are only available transactionally via HP Configure to Order, or contractually via Managed Print Services. Models offered in China have Lunar Grey (standard) instead of Atmosphere Blue. Please contact your HP or partner representative to learn more about customizable color panels. ⁸ Contact your HP or your Partner Representative to learn more about Custom Color Manager

Technical specifications disclaimers

- 1 EPEAT® registered where applicable, EPEAT registration varies by country. See http://www.epeat.net for registration status by country,
- ² For yield information on the cartridge(s) included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors
- Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
- ⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel.
- 5 Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield 6 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and
- A Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁸ Measured using ISO/IEC 17629. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁹ Maximum dimensions means doors, paper trays, and ADF (if applicable) are fully open.













