

# HP Color LaserJet Enterprise 6701dn Printer



Powerfully productive. Extraordinarily efficient.

Transform your workflows with advanced capabilities in a compact footprint. Customizable configurations from print speeds to color panels help to meet the needs of busy workgroups. All while protecting your business against evolving security threats.



This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: <http://www.hp.com/learn/ds>

## Customizable and scalable solutions<sup>1</sup>

- Get the functionality you need with unprecedented, flexible configurations built to order. Optimize your device to meet your business needs and your budget.
- Choose built-in storage options including HDD and SSD drives to handle data and document stored on the device.

## Fast and seamless digitization

- Customize your print experience with cloud-connected HP Workpath apps. Access personalized content and integrate paper and digital workflows.<sup>2</sup>
- Give your team the tools to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions, and card reader support.
- Make color management simple with HP Custom Color Manager. Match color output of any document-device combination by simply pulling color profiles from the cloud. Get high-quality color profiles without the hassle of expensive color matching systems.<sup>3</sup>
- Targeted fusing technology<sup>4</sup> requires less energy and helps to reduce cooling requirements allowing for larger, faster color print jobs.

## Everything you expect from an office printer

- Advanced workflow solutions makes this fully featured A4 printer the best choice for all your workgroup needs.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware<sup>5</sup>
- Take control of your printing environment with HP Web Jetadmin<sup>6</sup> to help manage your fleet and build consistent print experiences.
- Busy work groups can get everything done with fast print speeds of up to 61 ppm<sup>7</sup> setting the pace to handle any workload with reliable quality.

## Always on guard with HP Wolf Security

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- HP Connection Inspector examines network connections. The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Memory Shield<sup>TM</sup> and expanded run-time intrusion detection protects memory and other applications. Common Criteria certified<sup>8</sup> to continually monitor memory activity, detect and stop zero-day attacks in real time [known/unknown] and self-heal.
- Minimize exposure with whitelisting checks, firmware that is automatically checked during start-up to determine if it's authentic code – digitally signed by HP.

Toote liikuv maskott

- 1. Automatic 2-sided printing
- 2. HP eMMC storage
- 3. Front door access to All-in-One toner cartridges
- 4. 500-sheet output bin supports media sizes up to A4
- 5. 4.3 inch color touchscreen display (10.9 cm)
- 6. Hardware Integration Pocket (for connecting accessories and third-party devices)
- 7. Easy-access USB port
- 8. Power button
- 9. Right door access to the print path
- 10. 100-sheet multipurpose tray 1 supports media sizes up to A4
- 11. 550-sheet tray 2 supports media sizes up to A4
- 12. Slot for cable-type security lock
- 13. SuperSpeed USB 3.0 Host Port
- 14. Hi-Speed USB 2.0 Host Port
- 15. Gigabit Ethernet Port
- 16. SuperSpeed 3.0 device port



Tooteseeria ülevaade



|                            |                                             |
|----------------------------|---------------------------------------------|
| Mudel                      | HP Color LaserJet Enterprise 6701dn Printer |
| Toote number               | 58M42A                                      |
| Funktsioonid               | Print                                       |
| Prindikiirus               | 61 ppm (A4)                                 |
| Juhtpaneel                 | 10.9 cm color touchscreen display           |
| RMPV                       | Up to 17,000 pages per month                |
| Söötesalve mahutavus       | 650/3,850 (std/max)                         |
| Output capacity (standard) | 500-sheets                                  |
| Protsessor                 | Dual-core 1.2 GHz                           |
| Workpath enabled           | Yes (with 4GB upgrade)                      |
| Extensibility              | HP FutureSmart 5, OXPd                      |

## Lisaseadmed, tarvikud ja tootetugi

|                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Kulumaterjalid            | <p> <b>527F9A</b> HP LaserJet Toner Collection Unit<br/> <b>527G3A</b> HP LaserJet 220V Enhanced Fuser Kit<br/> <b>527G8A</b> HP LaserJet Image Transfer Belt<br/> <b>527G9A</b> HP LaserJet Image Transfer Belt<br/> <b>527H2A</b> HP LaserJet Tray 2 Roller Kit<br/> <b>527H3A</b> HP LaserJet MP Tray Roller Kit<br/> <b>6H122A</b> HP LaserJet ADF Maintenance Kit<br/> <b>W2130A</b> HP 213A Black Original LaserJet Toner Cartridge (~3,500) pages<br/> <b>W2130X</b> HP 213X High Yield Black Original LaserJet Toner Cartridge (~9,000) pages<br/> <b>W2130Y</b> HP 213Y Extra High Yield Black Original LaserJet Toner Cartridge (~18,000) pages<br/> <b>W2131A</b> HP 213A Cyan Original LaserJet Toner Cartridge (~3,000) pages<br/> <b>W2131X</b> HP 213X High Yield Cyan Original LaserJet Toner Cartridge (~6,000) pages<br/> <b>W2131Y</b> HP 213Y Extra High Yield Cyan Original LaserJet Toner Cartridge (~12,000) pages<br/> <b>W2132A</b> HP 213A Yellow Original LaserJet Toner Cartridge (~3,000) pages<br/> <b>W2132X</b> HP 213X High Yield Yellow Original LaserJet Toner Cartridge (~6,000) pages<br/> <b>W2132Y</b> HP 213Y Extra High Yield Yellow Original LaserJet Toner Cartridge (~12,000) pages<br/> <b>W2133A</b> HP 213A Magenta Original LaserJet Toner Cartridge (~3,000) pages<br/> <b>W2133X</b> HP 213X High Yield Magenta Original LaserJet Toner Cartridge (~6,000) pages<br/> <b>W2133Y</b> HP 213Y Extra High Yield Magenta Original LaserJet Toner Cartridge (~12,000) pages<br/> <b>W2140Z</b> HP 214Z Ultra High Yield Black Original LaserJet Toner Cartridge (~31,000) pages<br/> <b>W2141Z</b> HP 214Z Ultra High Yield Cyan Original LaserJet Toner Cartridge (~26,000) pages<br/> <b>W2142Z</b> HP 214Z Ultra High Yield Yellow Original LaserJet Toner Cartridge (~26,000) pages<br/> <b>W2143Z</b> HP 214Z Ultra High Yield Magenta Original LaserJet Toner Cartridge (~26,000) pages </p>                                                                                                                                                                                                                                            |
| Lisavarustus              | <p> <b>1M8J0A</b> HP 4GB DDR3Lx64 204-pin 933MHz DIMM<br/> <b>1M8J1A</b> HP 4GB DDR3Lx64 204-pin 933MHz DIMM TAA<br/> <b>2NR12A</b> HP Removable Hard Drive Enclosure<br/> <b>35H11A</b> HP HID Mobile Access Mifare DES Fire Keystroking Reader<br/> <b>3JN69A</b> HP Jetdirect 3100w BLE/NFC/Wireless Accessory<br/> <b>478C2A</b> HP Printing Voice Assistant<br/> <b>4QL32A</b> HP Legic Secure USB Reader<br/> <b>4XN67A</b> Internal USB Expansion Kit<br/> <b>616G9A</b> HP LaserJet A5 HCI Guide Kit<br/> <b>616H0A</b> HP LaserJet Statement HCI Guide Kit<br/> <b>65A28A</b> HP Color LaserJet Constellation Yellow 550 sheet Paper Tray<br/> <b>65A29A</b> HP Color LaserJet Cosmic Green 550 sheet Paper Tray<br/> <b>65A30A</b> HP Color LaserJet Aurora Purple 550 sheet Paper Tray<br/> <b>65A31A</b> HP Color LaserJet Comet Red 550 sheet Paper Tray<br/> <b>65A32A</b> HP Color LaserJet Lunar Gray 550 sheet Paper Tray<br/> <b>65A33A</b> HP Color LaserJet Constellation Yellow 2100 sheet High Capacity Paper Tray/Stand<br/> <b>65A34A</b> HP Color LaserJet Cosmic Green 2100 sheet High Capacity Paper Tray/Stand<br/> <b>65A35A</b> HP Color LaserJet Aurora Purple 2100 sheet High Capacity Paper Tray/Stand<br/> <b>65A36A</b> HP Color LaserJet Comet Red 2100 sheet High Capacity Paper Tray/Stand<br/> <b>65A37A</b> HP Color LaserJet Lunar Gray 2100 sheet High Capacity Paper Tray/Stand<br/> <b>65A38A</b> HP Color LaserJet Constellation Yellow Storage Stand<br/> <b>65A39A</b> HP Color LaserJet Cosmic Green Storage Stand<br/> <b>65A40A</b> HP Color LaserJet Aurora Purple Storage Stand<br/> <b>65A41A</b> HP Color LaserJet Comet Red Storage Stand<br/> <b>65A42A</b> HP Color LaserJet Lunar Gray Storage Stand<br/> <b>6QN54A</b> HP Color LaserJet Stand<br/> <b>6QN55A</b> HP Color LaserJet Storage Stand<br/> <b>6QN57A</b> HP Color LaserJet 550-sheet Media Tray<br/> <b>6QN58A</b> HP Color LaserJet 2100 HCI Feeder and Stand<br/> <b>8FP31A</b> HP Jetdirect LAN Accessory<br/> <b>9EQ11A</b> HP 500GB CCC, FIPS Hard Disk Drive<br/> <b>X3D03A</b> HP USB Universal Card Reader<br/> <b>Y7C05A</b> HP HIP2 Keystroke Reader </p> |
| Teenindus ja tugiteenused | <p> <b>U45RJE</b> HP 3 year Next Business Day Service with Defective Media Retention for Color LaserJet Ent 670x<br/> <b>U45RKE</b> HP 4 year Next Business Day Service with Media Retention for Color LaserJet Ent 670x<br/> <b>U45RLE</b> HP 5 year Next Business Day Service with Media Retention for Color LaserJet Ent 670x<br/> <b>U45RVE</b> HP 3 year Parts Only Service with Defective Media Retention for Color LaserJetEnt670x<br/> <b>U45RWE</b> HP 4 year Parts Only Service with Defective Media Retention for Color LaserJetEnt670x<br/> <b>U45RXE</b> HP 5 year Parts Only Service with Defective Media Retention for Color LaserJetEnt670x<br/> <b>U45RYPE</b> HP 1 year Post Warranty Next Business Day Service with Defective Media Retention for Color LaserJet Ent 670x<br/> <b>U45S4PE</b> HP 1 year Post Warranty Parts Only Service with Defective Media Retention for Color LaserJetEnt670x </p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

## Tehniline spetsifikatsioon

|                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Mudel                                 | HP Color LaserJet Enterprise 6701dn Printer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Toote number                          | 58M42A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Funktsioonid                          | Print                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Juhtpaneel                            | 4.3 in (10.9 cm) touchscreen with color graphics                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Printimine</b>                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Printimise tehnoloogia                | Laser                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Prindikiirus <sup>6</sup>             | <b>Mustvalge (A4, tavaline):</b> Up to 61 ppm <b>Värviline (A4, tavaline):</b> Up to 61 ppm ; <b>Mustvalge (A4, kahepoolne):</b> Up to 61 ipm <b>Värviline (A4, kahepoolne):</b> Up to 61 ipm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Esimene lehekülg väljas <sup>8</sup>  | <b>Must (A4, valmisstaadium):</b> As fast as 6.0 sec <b>Värviline (A4, valmis):</b> As fast as 6.5 sec ; <b>Mustvalge (A4, unerežiim):</b> As fast as 8.4 sec <b>Värviline (A4, unerežiim):</b> As fast as 8.9 sec                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Prindi eraldusvõime                   | <b>Must (parim):</b> Up to 1200 x 1200 dpi <b>Värviline (parim):</b> Up to 1200 x 1200 dpi ; <b>Tehnoloogia:</b> HP ImageREt 3600, Enhanced (600x600 dpi), Fine Lines (1200x1200 dpi), Quickview (300x300 dpi), Pantone Calibrated                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Igakuine töövõime                     | Up to 100,000 pages A4; <b>Soovitav igakuine lehekülgede hulk:</b> 2000 to 17,000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Printeri nutikad tarkvarafunktsioonid | Apple AirPrint™, Mopria-certified, HP ePrint, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off technology, Easy Access USB, Two-Sided Printing, Hardware Integration Pocket, Intuitive 4.3 in (10.9 cm) touchscreen control panel, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, print preview                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Standardised printerikeeled           | HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7), URF (AirPrint)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Fondid ja kirjatüübid                 | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://www.hp.com/go/laserjetfonts">http://www.hp.com/go/laserjetfonts</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Printimisala                          | <b>Prindiveerised</b> ülemine: 4.3 mm, Allserv: 4.3 mm, Vasak: 4.3 mm, Parem: 4.3 mm; Maksimaalne prindiala : 207.4 x 1191.4 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Mõlemale lehepoolele printimine       | Automatic                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Protsessori kiirus                    | 1.2 GHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Ühenduvus</b>                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Standardne                            | 1 Front USB port; 1 Gigabit Ethernet 10/100/1000T network; 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Fakultatiivne                         | HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Mobiilne printimine                   | HP ePrint; Apple AirPrint™; Mopria™ Certified; NFC touch-to-print (optional)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Toetatud võrguprotokollid             | Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Võrguvõimalused                       | Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-T, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Kõvaketas                             | Optional, 500 GB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Mälu                                  | <b>Standardne:</b> 2 GB ; <b>Maksimaalselt:</b> 6 GB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Kandjate kasutamine</b>            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Sõttesalvide arv                      | <b>Standardne:</b> 2 ; <b>Maksimaalselt:</b> Up to 6                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Kandjate tüübid                       | Paper (plain, light, intermediate, light bond, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Prindikandja formaat                  | <b>Kohandatav formaat (meeter):</b> Tray 1: 64 x 127 to 216 x 1200 mm; Tray 2, optional 1x550-sheet feeders: 101 x 148 to 216 x 356 mm; optional 2,100-sheet high-capacity feeder: custom sizes not supported in this tray <b>Toetatud formaat (meeter):</b> Tray 1: A4, A5, A6, RA4, B5, B6, 16k, 10 x 15 cm, Oficio, postcards (JIS single and double) envelopes (DL, C5, B5, C6); Tray 2, optional 1x550-sheet feeders: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16k, Dpostcard (JIS); optional 2,100-sheet high-capacity feeder: A4; A5 (with optional accessory)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Kandjate kasutamine                   | <b>Salv 1:</b> Paper: 100 sheets of 75 g/m² media; Envelopes: 10 <b>Maksimaalselt:</b> Up to 3850 sheets                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Kandja kaal                           | Tray 1: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); Tray 2: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); optional 550-sheet input trays: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); optional 2,100-sheet high-capacity input: 60 to 220 g/m² (plain)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Sõttesalve mahutavus                  | <b>Standardsisend:</b> 550-sheet input tray, 100-sheet multi-purpose tray <b>Standardsisend:</b> 500-sheet output bin <b>Valikuline sisend:</b> optional 550-sheet input trays (up to 3), optional 2,100-sheet high capacity input                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Väljastussalve mahutavus              | <b>Standardne:</b> Up to 500 sheets <b>Maksimaalselt:</b> Up to 500 sheets                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Ühilduvad operatsioonisüsteemid       | Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Chrome OS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Sobivad võrgu operatsioonisüsteemid   | SAP; Novell; UNIX; Citrix; Windows Server                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Minimaalsed süsteeminõud              | <b>Windows:</b> 2 GB available hard disk space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; <b>Mac:</b> 2 GB available hard drive space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see apple.com;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Juurdekuuluv tarkvara                 | No software solutions are included in the Box only on <a href="http://hp.com">http://hp.com</a> <a href="http://123.hp.com">http://123.hp.com</a> , <a href="http://support.hp.com">http://support.hp.com</a> ;                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Turvalisuse tagamine                  | Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory Shield™ with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs |
| Printeri hooldamine                   | HP Web JetAdmin; Embedded Web Server; HP Security Manager; HP Insights; HP Advance; HP Command Center; HP Smart Device Services (SDS)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

Tehniline spetsifikatsioon

|                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Mudel                                    | HP Color LaserJet Enterprise 6701dn Printer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Toote number                             | 58M42A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Mõõdud ja kaal                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Printeri mõõdud (L x S x K) <sup>9</sup> | Minimum 500 x 460 x 415 mm; Maksimaalselt: 860 x 770 x 470 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Paki mõõtmed (W x D x H)                 | 498 x 598 x 652 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Printeri kaal                            | 31.14 kg                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Paki mass                                | 34.3 kg                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Töökeskkond                              | Temperatuur: 10 to 32.5°C õhuniiskus: 30 to 70% RH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Hoiutingimused                           | Temperatuur: -20 to 40°C                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Müra                                     | Helivõimsustase: 6.6 Bel (A) Helirõhutase: 55 dB(A)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Toide                                    | Nõuded: Input voltage: 100V to 127V nominal (+/- 10%), 50 - 60Hz nominal (+/- 3Hz), 12 A; Input voltage: 220V to 240V nominal, (+/- 10%) 50 - 60Hz nominal (+/- 3Hz), 6 A;<br>Kulu: 708 watts (Printing/Copying), 47.3 watts (Ready), 1.23 watts (Sleep), 0.08 watts (Auto Off/Manual On), 0.08 watts (Manual Off);<br>Tavapärane elektritarbimine (TEC) <sup>3</sup> : 0.699 kWh/week (Energy Star 3.0); 0.679 kWh/week (Blue Angel);<br>Vooluallika tüüp: Built in 110V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Energy savings feature technology        | HP Auto-On/Auto-Off Technology; Instant-on Technology; Low-power sleep mode; Power save                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Sertifikaadid <sup>1</sup>               | UL/cUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China Compulsory Product Certification - CCC (China); Bureau of Indian Standards - BIS Registration (India); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries.<br>Elektromagnetilise emissiooni standard: CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class A / EN 55032:2015 Class A + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class A, ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries.<br>CECP; Blue Angel; IT ECO Declaration; EPEAT® Gold registered; SEPA; KOECO<br>Blue Angel-ühilduvus <sup>4</sup> Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies |
| Sustainable impact specifications        | 5% post-consumer recycled plastic; ENERGY STAR® certified; EPEAT® registered                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Päritoluriik                             | Made in Japan                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Karbi sisu <sup>2</sup>                  | 58M42A HP Color LaserJet 6701dn Printer; HP Black Original LaserJet Toner Cartridge (~7,000 yield), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (~6,000 yield each) (toner cartridges installed); Documentation (Hardware Install Guide); Power cord                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Garantii                                 | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to <a href="http://hp.com/support">http://hp.com/support</a> to learn about HP award winning service and support options in your region.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

Ääremärkused

<sup>1</sup> To learn more about configure to order options, contact your HP or Partner Representative.  
<sup>2</sup> Not all MFPs may be compatible with Workpath apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Not all apps may be available in all locations. Subscription may be required. Personalized content and integration functions are applicable to supported HP Workpath apps only.  
<sup>3</sup> Contact your HP or your Partner Representative to learn more about Custom Color Manager.  
<sup>4</sup> Targeted fusing technology comes standard on the 6000/X600 series bundles and is offered as an optional service part on the 5000/X500 series.  
<sup>5</sup> Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.  
<sup>6</sup> HP Web Jetadmin is available for download at no additional charge at <https://www.hp.com/go/wja>.  
<sup>7</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.  
<sup>8</sup> Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: <https://www.commoncriteriaportal.org/files/epfiles/Certification Report - HP Intrusion Detection.pdf>.

Tehnilistest spetsifikatsioonidest lahtiütlemine

<sup>1</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.  
<sup>2</sup> For yield information on the cartridge(s) included with your printer, see <http://www.hp.com/go/toneryield>. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.  
<sup>3</sup> Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).  
<sup>4</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel.  
<sup>5</sup> Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see <https://www.hp.com/go/toneryield>  
<sup>6</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.  
<sup>7</sup> Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.  
<sup>8</sup> Measured using ISO/IEC 17629. For more information see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.  
<sup>9</sup> Maximum dimensions means doors, paper trays, and ADF (if applicable) are fully open.