HP Color LaserJet Enterprise Flow MFP 6801zfw+ Printer



Powerfully productive. Extraordinarily efficient.

Transform your workflows with advanced capabilities in a compact footprint. Customizable configurations from print speeds to color panels¹⁰ help to meet the needs of busy workgroups. All while protecting your business against evolving security threats. Please note: floor-standing finisher (632P1A) must be ordered together with the printer.



This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds









Customizable and scalable solutions ¹⁰

- Get the functionality you need with flexible printer configurations and easy-to- scale solutions.
 Optimize your device to meet your business needs and your budget.
- · Select the document feeding solution that works best for your team.
- Choose storage options including HDD and SSD drives to handle data and document stored on the device.

Fast and seamless digitization

- Customize your print experience with cloud-connected HP Workpath apps. Access personalized content and integrate paper and digital workflows.¹
- Give your team the tools to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions, and card reader support.
- Targeted fusing technology² requires less energy and helps to reduce cooling requirements allowing for larger, faster color print jobs.
- Make color management simple with HP Custom Color Manager. Match color output of any
 document-device combination by simply pulling color profiles from the cloud. Get high-quality
 color profiles without the hassle of expensive color matching systems.¹¹

Everything you expect from an office printer

- Experience ultra-fast scanning speeds and ultimate productivity with HP Flow technology and 200 ipm³ duplex scan technology
- HP's innovative in-line scan bar in an A4 printer helps to diagnose print quality issues with accurate remediation steps.
- Avoid interruptions and lost productivity with reverse-and-retry technology⁴ that automatically detects and resolves multi-sheet feed issues.
- Easily scan and capture text from documents with high accuracy OCR software.
- Busy work groups can get everything done with fast print speeds of up to 55 PPM⁵ setting the
 pace to handle any workload with reliable quality.

Always on guard with HP Wolf Security

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- HP Connection Inspector examines network connections. The printer's outgoing network
 connections are inspected to stop suspicious requests and thwart malware so you can stay
 connected and in the clear.
- Memory ShieldTM and expanded run-time intrusion detection protects memory and other applications. Common Criteria certified⁷ to continually monitor memory activity, detect and stop zero-day attacks in real time [known/unknown] and self-heal.
- Minimize exposure with whitelisting checks, firmware that is automatically checked during start-up to determine if it's authentic code – digitally signed by HP.

Product walkaround

- 1. Automatic 2-sided printing
- 2. 3,300-sheet high-capacity Staple Finisher with hole-punch option
- 3. HP High-Performance Secure Hard Disk
- 4. Front door access to All-in-One toner cartridges
- 5. 550-sheet tray 3 supports media sizes up to Legal (8.5x14 inch)
- 6. 150-sheet dual side Flow enabled ADF supportsmediasizes up to Legal (8.5x14 inch)
- $7.\,10.1$ inch color touchscreen display (25.6 cm) Optional QWERTY physical keyboard attaches only to 10.1 inch color touchscreen display
- 8. Long originals media sensor
- 9. Easy-access USB port¹
- 10. Convenience Stapler
- 11. Hardware Integration Pocket² (for connecting accessories and third-party devices)
- 12. Power button
- 13. Right door access to the print path
- 14. 100-sheet multipurpose tray 1 supports media sizes up to Legal (8.5x14 inch)
- 15. 550-sheet tray 2 supports media sizes up to Legal (8.5x14 inch)
- 16. 2,100-sheet high-capacity tray/stand supports media sizes up to Legal (8.5x14 inch)
- 17. Tray 3 & 4 jams access doors
- 18. Slot for cable-type security lock 5
- 19. SuperSpeed USB 3.0 Host Port⁵
- 20. Hi-Speed USB 2.0 Host Port⁵
- 21. Gigabit Ethernet Port⁵
- 22. SuperSpeed 3.0 device port⁵
- 23. (Optional OCR Accelerator Card)⁵



Series at a glance



Model	HP Color LaserJet Enterprise Flow MFP 6801zfw+ Printer
Product number	76H11A 76H11A
Functions	Print, copy, scan, and fax (wireless optional)
Print speed	Up to 61 ppm (A4)
Control panel	10.1 inch color touchscreen display
Scan speed	95 ppm(A4 b&w/color)/190 ipm(A4 b&w/color) (simplex/duplex)
RMPV	Up to 14,000 pages per month
nput capacity	3,300/3,300 (std/max)
Output capacity (standard)	3,300-sheets
Processor	Quad-core 1.6 GHz
Flow solutions	Yes
Workpath enabled	Yes
Extensibility	HP FutureSmart 5, OXPd

¹ An administrator must enable the easy-access USB port before use. ² Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printer claims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. ⁵ Additional items included on the back of the printer in the Input/Output Plate. * 6801zfw+ image shown as example

Accessories, Supplies and Support

Supplies	W2130A HP 213A Blk Original LaserJet Toner Crtq(~3,500 pages)
	W2131A HP 213A Cyn Original Laser Jet Toner Crtd(~3,000 pages)
	W2132A HP 213A Ylw Original Laser Jet Toner Crtg(~3,000 pages)
	W2133A HP 213A Mgn Original LaserJet Toner Crtg(~3,000 pages)
	W2130X HP 213X Blk Original Laser Jet Toner Crtg(~9,000 pages)
	W2131X HP 213X Cyn Original LaserJet Toner Crtq(~6,000 pages)
	W2132X HP 213X Ylw Original LaserJet Toner Crtq(~6,000pages)
	W2133X HP 213X Mgn Original LaserJet Toner Crtq(~6,000 pages)
	W2130Y HP 213Y Blk Original Laser Jet Toner Crtq(~18,000 pages)
	W2131Y HP 213Y Cyn Original Laser Jet Toner Crtg(~12,000 pages)
	W2132Y HP 213Y Ylw Original Laser Jet Toner Crtg(~12,000 pages)
	W2133Y HP 213Y Mgn Original Laser Jet Toner Crtg(~12,000 pages)
	W2170Z HP 217Z Blk Original LaserJet Toner Crtq(~32,000 pages)
	W21712 HP 2172 (yn Original LaserJet Toner Crtg(~24,000 pages)
	W21722 HP 2177 YN Original LaserJet Toner Crtd(~24,000 pages)
	W21732 HP 2172 Mg Original LaserJet Toner Crtq. (~24,000 pages)
Accessories	4XN67A HP Internal USB Expansion Kit
	8F931A HP_letdirect LAN Accessory
	B5L31A HP Foreign Interface Harness
	1MQ5A HP Laser Jet Statement HCI Guide Kit
	6QN54A HP LaserJet Workflow Keyboard
	6QN55A HP LaserJet Workflow UK Keyboard
	6QN57A HP 2GB DDR3Lx32 120-pin 933MHz DIMM
	6QN58A HP 2GB DDR3Lx32 120-pin 933MHz TAA DIMM
	616G9A HP 4GB DDR3Lx64 204-pin 933MHz DIMM
	616H0A HP USB Universal Card Reader
	1MOQ2A HP HIP2 Keystroke Reader
	616H2A HP Legic Secure USB Reader
	6QY68A HP HID Mob Acc Mifare DES Fire ks Reader
	616H1A HP 500GB CCC FIPS Hard Disk Drive
	1M8J0A HP Jetdirect 3100w BLE/NFC/Wireless
	630B1A HP CLJ X579 Constellation Yellow Color Panel Kit
	630B2A HP CLJ X579 Cosmic Green Color Panel Kit
	630B3A HP CLJ X579 Aurora Purple Color Panel Kit
	630B4A HP CLJ X579 Comet Red Color Panel Kit
	630B5A HP CLJ X579 Lunar Gray Color Panel Kit
	630C1A HP 550 Sheet Paper Tray Constellaiton Yellow Panel Kit
	630C2A HP 550 Sheet Paper Tray Cosmic Green Panel Kit
	630C3A HP 550 Sheet Paper Tray Aurora Purple Panel Kit
	630C4A HP 550 Sheet Paper Tray Comet Red Panel Kit
	630C5A HP 550 Sheet Paper Tray Lunar Gray Panel Kit
	630D1A HP Storage Stand Constellation Yellow Panel Kit
	630D2A HP Storage Stand Cosmic Green Panel Kit
	630D3A HP Storage Stand Aurora Purple Panel Kit
	630D4A HP Storage Stand Comet Red Panel Kit
	630D5A HP Storage Stand Lunar Gray Panel Kit
	766R7A HP Laser Jet 512 GB SED-TAÁ Solid State Drive
	65A32A HP Color Laser Jet Lunar Gray 550 sheet Paper Tray
	65A37A HP Color Laser Jet Lunar Gray 2100 sheet High Capacity Paper Tray/Stand
	65A42A HP Color Laser Jet Lunar Gray Storage Stand
Service and Support	U45SXE HP 3 year Next Business Day with DMR Service for Color Laser Jet Enterprise MFP 680x
Service and Support	U455XE HP 3 year Next Business Day with DMR Service for Color Laser Jet Enterprise MPP 600X U455XE HP 4 year Next Business Day with DMR Service for Color Laser Jet Enterprise MPP 680X
	U4557E HP 4 year Next Business Day with DMR Service for Color Laser Jet Enterprise MPP 680x U4557E HP 5 year Next Business Day with DMR Service for Color Laser Jet Enterprise MPP 680x
	U450ZE HP 3 year 4 Nour 9SS with DMR Service for Color LaserJet Enterprise MPP 600X U45T0E HP 3 year 4 Nour 9SS with DMR Service for Color LaserJet Enterprise MPP 600X
	U4ST1E HP 4 year 4 hour 9x5 with DMR Service for Color LaserJet Enterprise MFP 680x U4ST2E HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Enterprise MFP 680x
	U4ST6E H 9 year (halian se) with bring service in Cool Laserjeet Enterprise mirr 90000A U4ST6E H 9 year (halian se) Exchange with DMR Service for Color Laserjeet Enterprise MFP 680x
	U4ST7E HP 4 year Channel Parts Exchange with DMR Service for Color Laser Jet Enterprise MFP 680x U4ST8E HP 5 year Channel Parts Exchange with DMR Service for Color Laser Jet Enterprise MFP 680x
	U45T9PE HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Enterprise MFP 680x
	U4STCPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color LaserJet Enterprise MFP 680x
	U45THPE HP 1 year PW Channel Parts Exchange with DMR Service for Color Laser Jet Enterprise MFP 680x
	U45VXE HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise MFP 680x Fuser 110 Enhanced
	U4SVYE HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise MFP 860x Fuser 220 Enhanced
	U4SVZE HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise MFP 680x ITB
	U45W0E HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise MFP 680x ITB Kit
	U45W1E HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise MFP 680x X677xx TCU
	U45W2E HP Maintenance Kit Replacement Service for Color LaserJet Enterprise MFP 680x X677xx MP Tray Roller
	U45W3E HP Maintenance Kit Replacement Service for Color LaserJet Enterprise MFP 680x X677xx Tray 2 Roller
	U60YTE HP Maintenance Kit Replacement Service for Color LaserJet Enterprise MFP 680x X677xx ADF Flow Roller
	U60YVE HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise MFP 680x X677xx ADF Flow Roller
	U45W4E HP Maintenance Kit Replacement Service for Color LaserJet Enterprise MFP X677xx Fuser 110 Enhanced
	U45W5E HP Maintenance Kit Replacement Service for Color LaserJet Enterprise MFP X677xx Fuser 220 Enhanced
	U45W6E HP Maintenance Kit Replacement Service for Color LaserJet Enterprise MFP X677xx ITB
	U49RFE HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise MFP X677xx Transfer Roller

Technical specifications

Madel	UD Color I secretat Enterprise Clay MED 6001-fru Drinter
Model Product number	HP Color LaserJet Enterprise Flow MFP 6801zfw+ Printer 76H11A76H11A
Functions	Print, copy, scan, fax
Control panel	10.1 in (25.6 cm) touchscreen with color graphics
Print	10.1 IIT(25.0 cm) (addiscreen with color graphics
Print technology	Laser
Print speed ⁶	Black (A4, normal): Up to 61 ppm Colour (A4, normal): Up to 61 ppm; Black (A4, duplex): Up to 61 ipm Colour (A4, duplex): Up to 61 ipm
First page out ⁷	Black (A4, ready): As fast as 7.9 sec Colour (A4, ready): As fast as 8.7 sec; Black (A4, sleep): As fast as 10.6 sec Colour (A4, sleep): As fast as 11.6 sec
Print resolution	Black (best): Up to 1,200 x 1,200 dpi Colour (best): Up to 1200 x 1200 dpi; Technology: HP ImageREt 3600, Enhanced (600x600 dpi), Fine Lines (1200x1200 dpi), Quickview (300x300 dpi)
Monthly duty cycle	Up to 100,000 pages A4; Recommended monthly page volume: Up to 30,000 pages
Printer smart software features	Apple AirPrint™, Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off technology, Easy Access USB, Two-Sided Printing, Hardware Integration Pocket, Intuitive 10.1 in (25.6 cm) touchscreen control panel, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, print preview
Standard print languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts
Print area	Print margins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area: 207.4 x 347.4 mm
Duplex printing	Automatic
Сору	
Copy speed	Black (A4): Up to 61 cpm; Colour (A4): Up to 61 cpm
Copier specifications	Book Copy; Booklet; Build Job; Collation; Color; Content orientation; Copy preview; Darkness control; Default Original Size; Edge Erase; Edge-to-Edge; ID Copy; Image adjustment; Job build; N or Z-ordering; Number of Copies; N-up; Original Size; Original Type; Paper Size; Paper Source; Paper type; Photo; Punch; Save Current Settings; Staple; Text; Text/Photo; Tray Selection; Two-sided copy; Watermark; reduce/enlarge; Scan mode (book, 2-sided ID); Stamps; Image overlay; Image shift; Image preview; Paper selection; Scan to job storage; Automatically strainghten; Automatically detect color/monochrome; Auto tone; Multi-feed detection; Document editing; Auto paper color removal; Maximum number of copies: Up to 9999 copies; Reduce/Enlarge: 25 to 400%
Scan	
Scan speed ¹⁰	Normal (A4): Up to 95 ppm/190 ipm (b&w), up to 95 ppm/190 ipm (color) ;Duplex (A4): Up to 190 ipm (b&w), up to 190 ipm (color)
Scan file format ¹¹	PDF; Hi-Compression PDF; PDFA; JPEG; TIFF; MTIFF; XPS
Scanner specifications	Scanner type Flatbed; ADF; Scan technology. Charge Coupled Device (CCD) Flatbed; Contact Image Sensor (CIS) ADF; Scan input modes: Front Panel Applications: Copy; E-Mail; FAX; Save to Network Folder; Save to USB; Save to Device Memory; Open Extensibility Platform (OXP) Applications, HP Workpath Applications; Twain version: Version 2.4; Duplex ADF scanning: Yes; Optical scan resolution: Up to 600 x 600 dpi
Scanner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets
Scannable area	Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 216 x 864 mm
Bit depth/ Grey scale levels	24-bit / 256
Digital sending	Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten; embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps
Fax	
Fax ⁴	Yes, 33.6 kbps
Fax specifications	Fax memory: Up to 1000 pages; Fax resolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 1000 numbers
Fax smart software features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule
Processor speed	1.6 GHz
Connectivity	
Standard	1 Bluetooth Low Energy; 1 Fax; 1 Front USB port; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Wi-Fi 802.11ac (dual band); 1 Wi-Fi Direct
Optional	HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A
Mobile printing capability	Apple AirPrint™; Mopria™ Certified; NFC Touch-to-print (optional)
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking
Hard disk	Standard, minimum 500 GB HDD; Optional, 256 GB SSD (via CTO)
Memory	Standard: 6 GB; Maximum: 6 GB
Media handling	
Number of paper trays	Standard: 5 : Maximum: Up to 5 trays
Media types	Paper (plain, light, intermediate, light bond, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined
Media size	Custom (metric): Tray 1: 64 x 127 to 216 x 356 mm; Tray 2, Tray 3 (1x550-sheet feeder): 101 x 148 to 216 x 356 mm; Tray 4 (2,100-sheet high-capacity feeder): custom sizes not supported in this tray Supported (metric): Tray 1: A4, A5, A6, RA4, B5, B6, 16k, 10 x 15 cm, Oficio, postcards (JIS) single and double) envelopes (DL, C5, B5, C6); Tray 2, Tray 3 (1x550-sheet feeder): A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16k, Dpostcard (JIS); Tray 4 (2,100-sheet high-capacity feeder): A4; A5 (with optional accessory) ADF: Letter; legal; oficio; executive; statement; 16k; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 4 x 6 in; 5 x 7 in; 5 x 8 in; 68 x 147 mm to 215.9 x 863.6 mm; 2.68 x 5.79 in to 8.46 x 34 in
Media handling	Tray 1: Paper: 100 sheets of 75 g/m² media; Envelopes: 10 Tray 2: Paper: 550 sheets Tray 3: Paper: 550 sheets Maximum: Up to 3300 sheets ADF: Standard, 150 sheets
Media weight	Tray 1: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); Tray 2: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); optional 550-sheet input trays: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); optional 2,100-sheet high-capacity input: 60 to 220 g/m² (plain)
Input capacity	Standard input: 2x 550-sheet input trays; 2,100-sheet high capacity input; 100-sheet multi-purpose tray Standard output: 100 sheet output tray; 200 sheet output tray with hole punch; 1200 sheet output tray with hole punch & offset stacking; 1800 sheet output tray with hole punch, offset stacking & staple Optional input: optional 550-sheet input trays (up to 3), optional 2,100-sheet high capacity input
Output capacity	Standard: Up to 3300 sheets Maximum: Up to 3300 sheets
-	•

Technical specifications

Model	HP Color LaserJet Enterprise Flow MFP 6801zfw+ Printer
Product number	76H11A76H11A
Compatible operating systems	Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; SAP; Linux; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina
Compatible network operating systems	Citrix; Linux; Novell; UNIX; Windows Server
Minimum system requirements	Windows: 2 GB available hard disk space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see apple.com;
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com;
Security management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SMMPV3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory ShieldTM with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs
Printer management	HP Web JetAdmin; Embedded Web Server; HP Security Manager; HP Insights; HP Advance; HP Command Center; HP Smart Device Services (SDS)
Dimensions and weight	
Printer dimensions (W \times D \times H) 12	Minimum 1202 x 559 x 1147 mm; Maximum : 1552 x 939 x 1383 mm
Package dimensions (W x D x H)	760 x 790 x 1339 mm
Printer weight	79.5 kg
Package weight	148.49 kg (engine + 632P1A)
Operating environment	Temperature: 10 to 32.5°C Humidity: 30 to 70% RH
Storage conditions	Temperature: -20 to 40°C
Acoustics	Acoustic power emissions: 6.7 Bel(A) Acoustic pressure emissions: 53 dB(A)
Power	Requirements: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 12 A; Input voltage: 220 V to 240V nominal, (+/-10%) 50 - 60Hz nominal (+/- 3Hz), 6 A; Consumption: 717 watts (Printing/Copying), 63.4 watts (Ready), 1.1 watts (Sleep), 0.1 watts (Auto Off/Manual On), 0.1 watts (Manual Off); Typical Electricity Consumption (TEC) ⁹ : 0.709 kWh/week (Energy Star 3.0); 0.659 kWh/week (Blue Angel); Power supply type: Built in 110V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier)
Energy savings feature technology	HP Auto-On/Auto-Off Technology; HP Auto-Off Technology; Instant-on Technology; Instant-on Copy; Power save
Certifications	UL/cUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSM (Taiwan); Certificate of China Compulsory Product Certification - CCC (China); Bureau of Indian Standards - BIS Registration (India); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries. Electromagnetic emission standard: CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class A / EN 55032:2015 Class A + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class A, ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries. CECP; IT ECO Declaration; Blue Angel; EPEAT® Gold registered; SEPA; KOECO; ENERGY STAR® certified Blue Angel compliant® Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies Telecom compliance: Telecom Wireless: FCC 47 CFR Part 15 Subpart C & E (UNII); FCC 47 CFR Part 15 Subpart C & E; IRSS-Gen Issue 4/RSS 247 Issue 2, 2017 & RSS 102 Issue 5, 2015; EN 301 489–1 V2.2.3; EN 301 489–1 V3.2.4; EN 304 440–1 V2.1.1; EN 300 328 V2.2.2; EN 301 893 V2.1.1. Other Telecom approvals as required by individual countries. Telecom Wired: ES 203 021-1 v2.1.1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2; FCC Rules and Regulations 47 CFR Part 68. Other Telecom approvals as required by individual countries.
Sustainable impact specifications	5% post-consumer recycled plastic; ENERGY STAR® certified; EPEAT® registered
Country of origin	Made in China
What's in the box ¹	76H11A HP Color Laser Jet Multifunction Printer; HP Black Original Laser Jet Toner Cartridge (~9,000 yield), HP Cyan, Magenta and Yellow Original Laser Jet Toner Cartridges (~6,000 yield each) (toner cartridges installed); Documentation (Hardware Install Guide); Power cord; floor-standing finisher (632P1A) must be ordered together with the printer
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to https://hp.com/support to learn about HP award winning service and support options in your region.

Footnotes

¹ Not all MFPs may be compatible with Workpath apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Not all apps may be available in all locations. Subscription may be required. Personalized content and integration functions are applicable to supported HP Workpath apps only. ² Targeted fusing technology comes standard on the 6000/X600 series bundles and is offered as an optional service part on the 5000/X500 series. ³ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and applications offtware. Measured using standards found at: http://standards.iso.org/lttf/PublicQNavallable/Standards/SC28_Test_Pages/ ³ Reverse and retry technology is only available on Flow-based models. ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, oftware application, driver, and document complexity. ⁶ HP's most advanced embedded security features are available on Flow-based models, visit http://www.hp.com/go/printerslands/filed/enters to automatically lettert, stop, and recover from attacks with a self-healing reboot, in alignment with NIST 5' 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hpt.com/go/PrinterslandProtect. For more information, visit: http://www.hp.com/go/printerslands/forestands/f

Technical specifications disclaimers

¹ For yield information on the cartridge(s) included with your printer, see https://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. ² Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see https://www.hp.com/go/toneryield³ EPEAT* registered where applicable. EPEAT registration varies by country. See https://www.peat.net for registration status by country. ⁶ Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory. ⁵ Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁶ Measured using ISO/IEC 17529. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁷ Measured using ISO/IEC 17529. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, driver, and document complexity. ⁸ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel. ⁹ Typical Electricity Consumption (TEC) rating represents the typicall electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). ¹⁰ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. ¹¹ For Scan Software (included in the box















