A Vision of Precision

Uniquely designed to deliver incredible visuals and extended flexibility, the HP E27k G5 4K USB-C Monitor redefines precision, so there's nothing between you and your best. Stylishly crafted with your comfort and the planet in mind, this 4K display is a powerhouse of productivity.



*Product image may differ from actual product

A View to Behold

Whether you're focused in or looking at the bigger picture, you'll have sight of every detail you need to make things happen on this 68.6 cm(27") diagonal 4K monitor¹. Take in every exquisite detail in an image or more cells in a spreadsheet with four times the precision of a standard FHD monitor. And see it all in consistently vibrant colors through 99% sRGB color space.

Simple, Powerful Connections

When you're working from home one day and the office the next, free yourself, your desk and your laptop from a mess of cables by simply connecting one USB-C® cable that connects your display and all your accessories—from webcam to keyboard—all while charging your laptop at 65W. To make your workday even easier, instantly start up all your devices thanks to Single Power On² and secure a stable internet connection with RJ-45.

Comfort at Work

When doing your best relies on feeling your best, physical and viewing comfort is key. Easily find all-day comfort with 4-way adjustability optimized by the step-by-step Ergonomic Setup Guide³. See comfortably from day to night with the ambient light sensor that automatically adapts display brightness to fit your surroundings, and enjoy added comfort with HP Eye Ease.

Sustainability in action

Inspiration on Display

Spark joy on your desk and in the world with a monitor built around you. The elegant design, including integrated 3W dual speakers, elevates your office while maximizing space. Beyond the looks, be inspired by a monitor that contains recycled plastics⁴ and metals⁵. And customize your space to boost your productivity with the matching accessory ecosystem⁶.









Featuring

Ergonomic Setup Guide

Achieve all-day comfort when you apply the best practices from the Ergonomic Setup Guide.³

HP Eye Ease

HP Eye Ease is an always-on, low-blue light filter that helps keep your eyes comfortable throughout the day by reducing blue light without impacting color accuracy or adding a yellow color shift.⁷

Ambient Light Sensor

Automatically adjusts your screen's brightness to the lighting of your environment for comfortable viewing.

4K Resolution

Get lost in the captivating definition and ultra-precise details of 4K resolution. The pixel dense 3840 x 2160 resolution expands your workspace and transforms all your content into a remarkable, lifelike experience.¹

IPS Panel

No matter where you stand, IPS technology ensures image accuracy and consistency across wide 178-degrees horizontal and vertical viewing angles.

99% sRGB Color Space

Ideal color reproduction with minimal effort.7

Endless Adjustability

4-way adjustability for the perfect viewing angle.

More Ports. More Flexibility.

More ports means more capabilities. With an HDMI, DisplayPort™, USB-C® plus 3 additional USB ports and 1 downstream 15W USB-C®, you can connect or charge multiple devices like a headset and webcam.⁸

HP Client Management Script Library (CMSL)

HP Client Management Script Library (CMSL) makes remote manageability easy to use. This powerful solution works seamlessly with Intune/SCCM to manage your display fleet using PowerShell.⁹

HP Display Center

Customize your display with easy, intuitive HP Display Center software. 10

USB-C® Connectivity

Keep your set up simple and seamless with a display that has everything built in. Connect a keyboard and mouse to the ports on the back of this monitor and only one USB-C $^{\circ}$ cable to your notebook for data, video, and up to 65W of charging.

Dependable Internet Connectivity

Keep your set up simple and seamless with a display that has everything built in. Connect a keyboard and mouse to the ports on the back of this monitor and only one USB-C® cable to your notebook for data, video, and up to 65W of charging.

Single Power On

Instantly turn on your display and PC, even when the lid is closed, by pressing the power button on the bottom of the display.²

Effortless Joypad OSD Button

It's never been easier to configure your display's settings right from the monitor. Simply navigate the on-screen menu with the joypad OSD button to adjust brightness, contrast, and color.

3-Sided Micro-Edge Bezel

See and do more on your screen with a 3-sided micro-edge bezel that maximizes your viewing area for a sleek design and virtually seamless dual-monitor setups.

Dual 3W Speakers

The integrated, side-firing 2x3W speakers deliver crystal-clear audio.

Materials that Matter

This monitor's enclosure consists of 90% recycled and renewable material.⁴

Mindful Metals

At HP, we don't stop when it comes to protecting our shared future. That's why this monitor was engineered to contain 25% recycled metals.¹⁵

Thoughtful Product Packaging

100% recyclable packaging that can stay out of landfills. 11,12

Increased Energy Efficiency

Reaching highest energy-saving standards with an ENERGY STAR® rating and EPEAT® Registration. 13,14

Matching Accessories

Customize your desk to fit your work needs with the matching accessory ecosystem.⁶

Boosted Manageability

With MAC address pass-through, PXE Boot, and Wake-on-LAN built in, easily manage your monitor fleet. Out-of-band manageability available with supported HP notebooks. 16,17



Specifications

Display specifications	S
Display size	68.6 cm (27")
Viewable diagonal size	27" (68.47 cm)
Aspect ratio	16:9 ¹
Curvature	Flat
Native resolution	4K UHD (3840 x 2160) ^{1,2}
Resolution (maximum)	4K UHD (3840 x 2160 @ 60 Hz)
Resolutions supported	640 x 480; 720 x 400; 800 x 600; 1024 x 768; 1280 x 720; 1280 x 1024; 1440 x 900; 1600 x 900; 1600 x 1200; 1680 1050; 1920 x 1080; 1920 x 1200; 2560 x 1440; 3840 x 2160; 720 x 480
Panel type	IPS; LCD
Bezel	3-sided borderless
Panel active area	59.67 x 33.57 cm
Panel bit depth	10 bit (8 bit + FRC)
Display colors	Up to 1.07 billion colors supported ³
Display color gamut	99% sRGB
Refresh rate (maximum)	60 Hz
Display scan frequency	30-60 Hz (Vertical); 30-135 KHz (Horizontal)
Response time	5ms GtG (with overdrive) ¹
Brightness	350 nits ¹
Contrast ratio	1000:1 (Static) 1 8000000:1 (Dynamic) 1
Pixel pitch	0.15 x 0.15 mm
Pixels per inch (ppi)	163 ppi
Viewing angle	178° (Vertical) 178° (Horizontal)
Backlight type	Edge-lit
Backlight lamp life	30,000 hours
Display features	On-screen controls; Single Power ON; Anti-glare; Height Adjust/Tilt/Swivel/Pivot; HP Eye Ease; Ambient light sensor
Display User Control Options	Management; Information; Exit; Input; Color; Image; Power; Menu; Brightness+
Management software	HP Display Center; HP Client Management Script Library 12,16
Remote manageability	Through HP Display Manager; In-Band MAC Address Pass Through (MAPT); Out-of-Band MAC Address Pass Through (MAPT); In-Band Wake on LAN (WoL); Out-of-Band Wake on LAN (WoL); PXE Boot ^{13,14}
Low blue light modes	Yes, HP Eye Ease (TÜV Low Blue Light Hardware Solution certified)
Flicker-free	Yes
Screen treatment	Anti-glare
Hardness	3H
VESA mount	100 mm x 100 mm
Adjustability	Height adjustment range: 150 mm Tilt: -5 to +20° Swivel: ±45° Pivot: ±90°
Camera	No integrated camera
Speaker output power	2x3W;

Connectivity and communications

Connectivity and continuincations		
Port and connectors	1 HDMI 2.0 1 DisplayPort™ 1.4 1 SuperSpeed USB Type-C® 5Gbps signaling rate (Up to 15W USB Power Delivery) 1 SuperSpeed USB Type-C® 5Gbps signaling rate (up to 65W USB Power Delivery, Alt Mode DisplayPort™ 1.4) 3 SuperSpeed USB Type-A 5Gbps signaling rate (1 charging) 1 RJ-45 (10/100/1000 Mbps)	
HDCP	Yes, DisplayPort™, HDMI and USB Type-C®	
Power supply	100 - 240 VAC 50/60 Hz (Internal)	



Specifications

Product color	Black
Stand color	Black; Silver
Detachable stand	Yes
Physical security	Security lock-ready ¹¹
Dimensions without Stand (W x D x H)	61.34 x 4.7 x 36.46 cm (without hinge); 61.34 x 7.51 x 36.46 cm (with hinge)
Dimensions with stand (W x D x H)	61.34 x 22.73 x 54.7 cm
Weight	10 kg
Packaged Dimensions (W x D x H)	69.9 x 44.6 x 16 cm
Packaged weight	10.1 kg

Certification and compliance

Power consumption	190 W (maximum), 29 W (typical), 0.5 W (standby)
Energy efficiency	ENERGY STAR® certified
Ecolabels	TCO Certified; EPEAT® registered ⁴
Sustainable impact specifications	Outside box and corrugated cushions are 100% sustainably sourced and recyclable; Contains ocean-bound recycled plastic; 70% ITE-derived closed loop plastic; At least 25% recycled metal ^{5,6,7,8,9}
Certifications	BIS; BSMI; CB; CCC; CE; CEL; cTUVus; EAC; FCC; ISO 9241-307; KC/KCC; Korea MEPS (E-standby); NOM; PSB; SEPA; TUV-S; UL/CSA; VCCI; WEEE; ISC; CEL Grade 3; ICE; UAE; TGM; Ukraine certificates; NRCS; PSE; Ukraine EE; Works with Chromebook certified ¹⁵
Microsoft WHQL certification	Windows 11; Windows 10
Environmental	Operating temperature range: 5 to 35°C Operating humidity: 20 to 80% RH Non-operating humidity: 5 – 95%

Additional information

Manufacturer Warranty	HP three-year limited warranty
What's in the box	Monitor; Warranty card; Quick Setup Poster; 1 USB Type-C® to Type-C cable; AC power cord ¹⁰
Country of origin	Made in China



Footnotes

Messaging Footnotes

- ¹4K content required to view in 4K resolution.
- ² Single Power On only compatible with HP PCs with Windows 10 or higher.
 ³ Ergonomic Setup Guide is available through HP Display Center. Host PC requires Windows 10 or higher. HP Display Center is available on the Microsoft store.
- 4 Recycled/Renewable materials made up of 85% ITE, 4.5% Ocean Bound Plastics, and 0.5% coffee grounds. Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT* standard. HP defines renewable according to the Global Reporting Initiative Sustainability Reporting Standards.
- ⁵ Consists of 25% recycled metals. Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams.
- ⁶ Extended ecosystem sold separately.

 ⁷ All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary, either higher or lower.
- ⁸ AC Power cable and USB-C* 3.1 cable included. All other cables sold separately.

 ⁹ HP CMSL is estimated to be available between November 2024 to April 2025. HP CMSL is only supported on 64-bit PowerShell 5.1 and higher. CMSL Support Windows 10 version 1809 and higher, and Windows 11. Some limitations may apply to legacy displays. Visit support.hp.com to download HP CMSL.
- 10 Host PC requires Windows 10 or higher. HP Display Center is available on the Microsoft store.

 11 100% outer box/corrugate cushion packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic. Excludes plastic bags and plastic foam sheeting. $^{\rm 12}$ Recycling facilities not available in all locations.

- ABUST A PROBLEM TO A PROBLEM TO
- Not all notebooks support remote manageability.
- ¹⁷ Out-of-band manage ability only available with HP G7, G8 and G9 HP notebooks and not supported on non-HP devices.

Technical Specifications Footnotes

- ¹All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.

 ²DisplayPort™ 1.4 or HDMI 2.0 required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 3840 x 2160 at 60 Hz with 10-bit color using one DisplayPort™, HDMI. The video card of the connected PC must be capable of supporting 3840 x 2160 and include one DisplayPort™ or one HDMI outputs to drive the monitor at the preferred mode.

 ³Number of colors through A-FRC technology.
- 4 EPEAT* registered where applicable. EPEAT* registration varies by country. See www.epeat.net for registration status by country. Based on US EPEAT* registration according to IEEE 1680.1-2018 EPEAT*. Status varies by country. Visit www.epeat.net for more information.

 ⁵ External power supplies, WWAN modules, power cords, cables, and peripherals excluded. Service parts obtained after purchase may not be Low Halogen.
- 6 ITE Derived Closed Loop Plastic percentage is based on the definition set in the IEEE 1680.1-2018 standard.
- All plastic parts contain ocean-bound plastic. Percentage of ocean-bound plastic contained in each component varies by product.
- 8 Recycled metal is expressed as a percentage of the total weight of the metal according to ISO 14021 definitions for metal parts over 25 grams.
- 9 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.
- 10 Included cables may vary by country
- 12 Host PC requires Windows 10 and above. HP Display Center is available on the Microsoft store.
- 13 Not all notebooks support remote manageability.
- ¹⁴ Out-of-band manageability only available with HP G7, G8 and G9 HP notebooks and not supported on non-HP devices.
 ¹⁵ Monitors produced from June 2024 comply with China regulation GB 21520-2023.
- 16 HP CMSL is estimated to be available between November 2024 to April 2025. HP CMSL is only supported on 64-bit PowerShell 51 and higher. CMSL Support Windows 10 version 1809 and higher, and Windows 11. Some limitations may apply to legacy displays. Visit support.hp.com to download HP CMSL.

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. DisplayPort* is a trademark owned by the Video Electronics Standards Association (VESA*) in the United States and other countries. USB Type-C* and USB-C* are registered trademarks of USB Implementers Forum. ENERGY STAR* is a registered mark owned by the U.S. government.

