



# HP Color LaserJet Enterprise Flow MFP 5800zf Printer

Powerfully compact. Extraordinarily efficient.

Transform your workflows with advanced capabilities in a compact footprint. From print speeds to colour panels<sup>11</sup>, get flexible configurations to meet your needs today and tomorrow. All while protecting your business against evolving cyber threats.



This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: <http://www.hp.com/learn/ds>

## More than a printer, in a compact footprint

- Experience ultra-fast scanning speeds and ultimate productivity with HP Flow technology and up to 112 ipm<sup>1</sup> duplex scan technology.
- Maximise your productivity and increase print performance with HP's powerful tri-core processor for copying, scanning, and printing.
- Easily scan and capture text to digitise documents with high-accuracy OCR software. Once scanned, make edits to the document before printing. Increase the speed of OCR scanning with an optional accelerator card.<sup>2</sup>
- Save time by scanning once and sending to multiple destinations with customised shortcuts to eliminate steps and avoid misdirection.
- Improve your workflow and save time with convenient digital editing directly on the device control panel.

## Customisable and scalable solutions<sup>9</sup>

- Get the functionality you need with unprecedented, flexible configurations built to order. Optimise your device to meet your business needs and your budget.
- Select the document feeding solution that works best for your team.
- Choose built-in storage options including HDD and SSD drives to handle data and documents stored on the device.
- Match any office décor with modern designs and the option of five customisable colour panels.<sup>11</sup>

## Fast and seamless digitisation


- Customise your print experience with cloud-connected HP Workpath apps. Access personalised content and integrate paper and digital workflows.<sup>3</sup>
- Give your team the tools to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions, and card reader support.
- Make colour management simple with HP Custom Color Manager. Match colour output of any document-device combination by simply pulling color profiles from the cloud. Get high-quality colour profiles without the hassle of expensive colour matching systems.<sup>10</sup>

## Always on guard with HP Wolf Security

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Memory Shield<sup>TM</sup> and expanded run-time intrusion detection protects memory and other applications. Common Criteria certified<sup>5</sup> to continually monitor memory activity, detect and stop zero-day attacks in real time [known/unknown] and self-heal.
- Minimise exposure with whitelisting checks, firmware that is automatically checked during start-up to determine if it's authentic code – digitally signed by HP.

## Product walkaround

1. 100-sheet dual side Flow Enabled ADF supports media sizes up to Legal (8.5x14 inch)
2. 250-sheet output bin supports media sizes up to Legal (8.5x14 inch)
3. Automatic 2-sided printing
4. HP High-Performance Secure Hard Disk
5. Front door access to All-in-One toner cartridges
6. Slot for cable-type security lock
7. Super Speed USB 3.0 Host Port
8. Hi-Speed USB 2.0 Host Port
9. Gigabit Ethernet Port
10. Super Speed 3.0 device port
11. (Optional OCR Accelerator Card)
12. 25.6 cm color touchscreen display
13. Long originals media sensor
14. Easy-access USB port2
15. Convenience Stapler
16. Hardware Integration10 Pocket (for connecting accessories and third-party devices)
17. Power button
18. Right door access to the print path
19. 100-sheet multipurpose tray 1 supports media sizes up to A4
20. 550-sheet tray 2 supports media sizes up to A4



## Series at a glance



|                            |  |
|----------------------------|--|
| Model                      | HP Color LaserJet Enterprise Flow MFP 5800zf Printer |
| Product number             | 58R10A   |
| Functions                  | Print, copy, scan, fax (wireless optional)           |
| Print speed                | 43 ppm (A4)  |
| Control panel              | 25.6 cm color touchscreen display                    |
| Scan speed                 | Up to 56 ppm/112 ipm (simplex/duplex)                |
| RMPV                       | Up to 10,000 pages per month                         |
| Input capacity             | 650/2,300 (std/max)                                  |
| Output capacity (standard) | 250-sheets   |
| Processor                  | Tri-core 1.2 GHz                                     |
| Flow solutions             | Yes  |
| Workpath enabled           | Yes  |
| Extensibility              | HP FutureSmart 5, OXPd                               |

## Accessories, Supplies and Support

|  |  |   |
|--|--|---|
| Supplies   | 527G1A HP LaserJet 220V Fuser Kit (~225,000) pages (~225,000) pages (~225,000) pages (~225,000) pages                    |   |
|  | 527G7A HP LaserJet 220V Enhanced Fuser Kit (~225,000) pages (~225,000) pages (~225,000) pages (~225,000) pages           |   |
|  | 527G8A HP LaserJet Image Transfer Belt (~225,000) pages (~225,000) pages (~225,000) pages (~225,000) pages               |   |
|  | 527G9A HP LaserJet Image Transfer Belt (~225,000) pages (~225,000) pages (~225,000) pages (~225,000) pages               |   |
|  | 527H2A HP LaserJet Tray 2 Roller Kit (~150,000) pages (~150,000) pages (~150,000) pages (~150,000) pages                 |   |
|  | 527H3A HP LaserJet MP Tray Roller Kit (~150,000) pages (~150,000) pages (~150,000) pages (~150,000) pages                |   |
|  | 6H121A HP LaserJet ADF Maintenance Kit (~75,000) pages (~75,000) pages (~75,000) pages (~75,000) pages                   |   |
|  | W2130A HP 213A Black Original LaserJet Toner Cartridge (~3,500) pages  |   |
|  | W2130X HP 213X High Yield Black Original LaserJet Toner Cartridge (~9,000) pages   |   |
|  | W2130Y HP 213Y Extra High Yield Black Original LaserJet Toner Cartridge (~18,000) pages                                  |   |
|  | W2131A HP 213A Cyan Original LaserJet Toner Cartridge (~3,000) pages   |   |
|  | W2131X HP 213X High Yield Cyan Original LaserJet Toner Cartridge (~6,000) pages  |   |
|  | W2131Y HP 213Y Extra High Yield Cyan Original LaserJet Toner Cartridge (~12,000) pages                                   |   |
|  | W2132A HP 213A Yellow Original LaserJet Toner Cartridge (~3,000) pages   |   |
|  | W2132X HP 213X High Yield Yellow Original LaserJet Toner Cartridge (~6,000) pages  |   |
|  | W2132Y HP 213Y Extra High Yield Yellow Original LaserJet Toner Cartridge (~12,000) pages                                 |   |
|  | W2133A HP 213A Magenta Original LaserJet Toner Cartridge (~3,000) pages  |   |
|  | W2133X HP 213X High Yield Magenta Original LaserJet Toner Cartridge (~6,000) pages                                       |   |
|  | W2133Y HP 213Y Extra High Yield Magenta Original LaserJet Toner Cartridge (~12,000) pages                                |   |
|  | Accessories  | 1M0Q0A HP MFP Analog Fax 702 Accessory  |
|  |  | 1M0Q5A HP LaserJet Workflow Accelerator Card  |
|  |  | 2NR12A HP Removable Hard Drive Enclosure  |
|  |  | 2TD64A HP Accessibility Kit   |
| 35H11A HP HID Mobile Access Mifare DES Fire Keystroking Reader   |  |   |
| 3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory   |  |   |
| 478C2A HP Printing Voice Assistant   |  |   |
| 4QL32A HP Legic Secure USB Reader  |  |   |
| 4XN67A Internal USB Expansion Kit  |  |   |
| 616H2A HP LaserJet Workflow UK Keyboard  |  |   |
| 65A28A HP Color LaserJet Constellation Yellow 550 sheet Paper Tray   |  |   |
| 65A29A HP Color LaserJet Cosmic Green 550 sheet Paper Tray   |  |   |
| 65A30A HP Color LaserJet Aurora Purple 550 sheet Paper Tray  |  |   |
| 65A31A HP Color LaserJet Comet Red 550 sheet Paper Tray  |  |   |
| 65A32A HP Color LaserJet Lunar Gray 550 sheet Paper Tray   |  |   |
| 65A38A HP Color LaserJet Constellation Yellow Storage Stand  |  |   |
| 65A39A HP Color LaserJet Cosmic Green Storage Stand  |  |   |
| 65A40A HP Color LaserJet Aurora Purple Storage Stand   |  |   |
| 65A41A HP Color LaserJet Comet Red Storage Stand   |  |   |
| 65A42A HP Color LaserJet Lunar Gray Storage Stand  |  |   |
| 6QN54A HP Color LaserJet Stand   |  |   |
| 6QN55A HP Color LaserJet Storage Stand   |  |   |
| 6QN57A HP Color LaserJet 550-sheet Media Tray  |  |   |
| 8FP31A HP Jetdirect LAN Accessory  |  |   |
| 9EQ11A HP 500GB CCC, FIPS Hard Disk Drive  |  |   |
| A7W13A HP LaserJet Keyboard Overlay Kit-Danish/French-Switzerland/German-Switzerland                           |  |   |
| A7W14A HP LaserJet Swedish Overlay Keyboard  |  |   |
| B5L31A HP Foreign Interface Harness  |  |   |
| Q7432A HP Staple Cartridge Pack  |  |   |
| X3D03A HP USB Universal Card Reader  |  |   |
| Y7C05A HP HIP2 Keystroke Reader  |  |   |
| Service and Support  |  | U45Q5E HP 3 year Next Business Day Service with Defective Media Retention for Color LaserJet Ent MFP 580x |
|  |  | U45Q6E HP 4 year Next Business Day Service with Media Retention for Color LaserJet Ent MFP 580x           |
|  | U45Q7E HP 5 year Next Business Day Service with Media Retention for Color LaserJet Ent MFP 580x                          |   |
|  | U45Q6E HP 3 year Parts Only Service with Defective Media Retention for Color LaserJetEntMFP580x                          |   |
|  | U45QHE HP 4 year Parts Only Service with Defective Media Retention for LaserJetEntMFP580x                                |   |
|  | U45QJE HP 5 year Parts Only Service with Defective Media Retention for Color LaserJetEntMFP580x                          |   |
|  | U45QKPE HP 1 year Post Warranty Next Business Day Service with Defective Media Retention for Color LaserJet Ent MFP 580x |   |
| U45QSPE HP 1 year Post Warranty Parts Only Service with Defective Media Retention for Color LaserJetEntMFP580x |  |   |

## Technical specifications

|                                 |  |
|---------------------------------|--|
| Model                           | HP Color LaserJet Enterprise Flow MFP 5800zf Printer   |
| Product number                  | 58R10A   |
| Functions                       | Print, copy, scan, fax   |
| Control panel                   | 10.1 in (25.6 cm) touchscreen with colour graphics   |
| <b>Print</b>                    |  |
| Print technology                | Laser  |
| Print speed <sup>6</sup>        | <b>Black (A4, normal):</b> Up to 43 ppm <b>Colour (A4, normal):</b> Up to 43 ppm ; <b>Black (A4, duplex):</b> Up to 43 ipm <b>Colour (A4, duplex):</b> Up to 43 ipm  |
| First page out <sup>7</sup>     | <b>Black (A4, ready):</b> As fast as 6.8 sec <b>Colour (A4, ready):</b> As fast as 7.4 sec ; <b>Black (A4, sleep):</b> As fast as 11.0 sec <b>Colour (A4, sleep):</b> As fast as 11.0 sec  |
| Print resolution                | <b>Black (best):</b> Up to 1,200 x 1,200 dpi <b>Colour (best):</b> Up to 1200 x 1200 dpi ; <b>Technology:</b> HP ImageREt 3600, Enhanced (600x600 dpi), Fine Lines (1200x1200 dpi), Quickview (300x300 dpi)  |
| Monthly duty cycle              | Up to 80,000 pages A4; <b>Recommended monthly page volume:</b> 2000 to 10000   |
| Printer smart software features | Apple AirPrint™, Mopria-certified, printing, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off technology, Easy Access USB, Two-Sided Printing, Hardware Integration Pocket, Intuitive 10.1 in (25.6 cm) touchscreen control panel, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, print preview  |
| Standard print languages        | XPS, HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)   |
| Fonts and typefaces             | 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at <a href="http://www.hp.com/go/laserjetfonts">http://www.hp.com/go/laserjetfonts</a>  |
| Print area                      | <b>Print margins</b> Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area : 207.4 x 1191.4 mm  |
| Duplex printing                 | Automatic  |
| <b>Copy</b>                     |  |
| Copy speed                      | <b>Black (A4):</b> Up to 43 cpm; <b>Colour (A4):</b> Up to 43 cpm  |
| Copier specifications           | Book Copy; Booklet; Build Job; Collation; Content orientation; Copy preview; Darkness control; Default Original Size; Edge Erase; Edge-to-Edge; ID Copy; Image adjustment; Job build; N or Z-ordering; Number of Copies; N-up; Original Size; Original Type; Paper Size; Paper Source; Paper type; Photo; Save Current Settings; Staple; Text; Text/Photo; Tray Selection; Two-sided copy; Watermark; reduce/enlarge; Stamps; Image overlay; Image shift; Image preview; Paper selection; Scan to job storage; Automatically straighten; Automatically detect colour/monochrome; <b>Maximum number of copies:</b> Up to 9999 copies; <b>Reduce/Enlarge:</b> 25 to 400%   |
| <b>Scan</b>                     |  |
| Scan speed <sup>10</sup>        | <b>Normal (A4):</b> Up to 56 ppm/112 ipm (b&w), up to 56 ppm/112 ipm (colour) ; <b>Duplex (A4):</b> Up to 112 ipm (b&w), up to 112 ipm (colour)  |
| Scan file format <sup>11</sup>  | PDF; Hi-Compression PDF; PDF/A; TIFF; MTIFF; XPS; JPEG   |
| Scanner specifications          | <b>Scanner type</b> Flatbed ; ADF; <b>Scan technology:</b> Contact Image Sensor (CIS); <b>Scan input modes:</b> Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Open Extensibility Platform (OXP) applications; <b>Twain version:</b> Version 2.4; <b>Duplex ADF scanning:</b> Yes; <b>Optical scan resolution:</b> Up to 600 dpi   |
| Scanner advanced features       | Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets   |
| Scannable area                  | <b>Maximum media size (flatbed):</b> 216 x 356 mm ; <b>Minimum media size (ADF):</b> 68 x 127mm <b>Maximum media size (ADF):</b> 216 x 864 mm  |
| Bit depth/ Grey scale levels    | 24-bit / 256   |
| Digital sending                 | Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect colour/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimise text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten; embedded OCR; optimise text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing; auto paper colour removal; job separation (blank page, barcode); watermark; stamps |
| <b>Fax</b>                      |  |
| Fax <sup>4</sup>                | Yes, 33.6 kbps   |
| Fax specifications              | <b>Fax memory:</b> Up to 1000 pages; <b>Fax resolution:</b> Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; <b>Quick dialing:</b> Up to 1000 numbers   |
| Fax smart software features     | Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule   |
| Processor speed                 | 1.2 GHz  |
| <b>Connectivity</b>             |  |
| Standard                        | 1 Fax; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host)   |
| Optional                        | HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A  |
| Mobile printing capability      | Apple AirPrint™; Mopria™ Certified; NFC Touch-to-print (optional)  |
| Supported network protocols     | Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint™, Google Cloud Print; DISCOVERY: SLP, Bonjour, Web Services Discovery; IP CONFIG: IPv4 (BootP, DHCP, AutoIP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv3, SSL Cert Management, Firewall, ACL, 802.1x   |
| Network capabilities            | Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard); 802.11a/b/g/n wireless networking (optional)  |
| Hard disk                       | Standard, minimum 500 GB HDD; Optional, 256 GB SSD (via CTO)   |
| Memory                          | <b>Standard:</b> 6 GB ; <b>Maximum:</b> 6 GB   |
| <b>Media handling</b>           |  |
| Number of paper trays           | <b>Standard:</b> 2 ; <b>Maximum:</b> 5   |
| Media types                     | Paper (plain, light, intermediate, light bond, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), colour transparency, labels, letterhead, envelope, preprinted, prepunched, coloured, rough, opaque film, user-defined   |
| Media size                      | <b>Custom (metric):</b> Tray 1: 64 x 127 to 216 x 1200 mm; Tray 2, optional 1x550-sheet feeders: 101 x 148 to 216 x 356 mm <b>Supported (metric):</b> Tray 1: A4, A5, A6, RA4, B5, B6, 16k, 10 x 15 cm, Oficio, postcards (JIS single and double) envelopes (DL, C5, B5, C6); Tray 2, optional 1x550-sheet feeders: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16k, Dpostcard (JIS) <b>ADF:</b> Letter; legal; oficio; executive; statement; 16k; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS); DPostcard (JIS); 4 x 6 in.; 5 x 7 in.; 5 x 8 in   |
| Media handling                  | <b>Tray 1:</b> Paper: 100 sheets of 75 g/m <sup>2</sup> media; Envelopes: 10 <b>Tray 2:</b> Paper: 550 sheets <b>Maximum:</b> Up to 2300 sheets <b>ADF:</b> Standard, 100 sheets   |
| Media weight                    | Tray 1: 60 to 220 g/m <sup>2</sup> (plain), 120 to 220 g/m <sup>2</sup> (glossy); Tray 2: 60 to 220 g/m <sup>2</sup> (plain), 120 to 220 g/m <sup>2</sup> (glossy); optional 550-sheet input trays: 60 to 220 g/m <sup>2</sup> (plain), 120 to 220 g/m <sup>2</sup> (glossy)   |
| Input capacity                  | <b>Standard input:</b> 550-sheet input tray, 100-sheet multi-purpose tray <b>Standard output:</b> 250-sheet output bin; Convenience Stapler <b>Optional input:</b> optional 550-sheet input trays (up to 3)  |
| Output capacity                 | <b>Standard:</b> Up to 250 sheets <b>Maximum:</b> Up to 250 sheets   |

## Technical specifications

|  |  |
|--|--|
| <b>Model</b>                                       | HP Color LaserJet Enterprise Flow MFP 5800zf Printer   |
| <b>Product number</b>                              | 58R10A   |
| <b>Compatible operating systems</b>                | Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; SAP; Chrome OS; Linux   |
| <b>Compatible network operating systems</b>        | Windows Server; Novell; UNIX; Citrix; Linux  |
| <b>Minimum system requirements</b>                 | <b>Windows:</b> 2 GB available hard disk space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see microsoft.com;<br><b>Mac:</b> 2 GB available hard drive space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see apple.com;  |
| <b>Software included</b>                           | No software solutions are included in the Box only on <a href="http://hp.com">http://hp.com</a> <a href="http://123.hp.com">http://123.hp.com</a> ;  |
| <b>Security management</b>                         | Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory Shield™ with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs  |
| <b>Printer management</b>                          | HP Web JetAdmin; Embedded Web Server; HP Security Manager; HP Insights; HP Advance; HP Command Center; HP Smart Device Services (SDS)  |
| <b>Dimensions and weight</b>                       |  |
| <b>Printer dimensions (W x D x H)<sup>12</sup></b> | <b>Minimum</b> 547 x 460 x 583 mm; <b>Maximum:</b> 885 x 810 x 828 mm  |
| <b>Package dimensions (W x D x H)</b>              | 598 x 758 x 652 mm   |
| <b>Printer weight</b>                              | ~39.1 kg   |
| <b>Package weight</b>                              | ~43.99 kg  |
| <b>Operating environment</b>                       | <b>Temperature:</b> 10 to 32.5°C <b>Humidity:</b> 30 to 70% RH   |
| <b>Storage conditions</b>                          | <b>Temperature:</b> -20 to 40°C  |
| <b>Acoustics</b>                                   | <b>Acoustic power emissions:</b> 6.3 B(A) <b>Acoustic pressure emissions:</b> 52 dB(A)   |
| <b>Power</b>                                       | <b>Requirements:</b> Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 12 A; Input voltage: 220 V to 240V nominal, (+/-10%) 50 - 60Hz nominal (+/- 3Hz), 6 A;<br><b>Consumption:</b> 655 watts (Printing/Copying), 50.1 watts (Ready), 0.9 watts (Sleep), 0.09 watts (Manual Off);<br><b>Typical Electricity Consumption (TEC)<sup>9</sup>:</b> 0.552 kWh/week (Energy Star 3.0); 0.551 kWh/week (Blue Angel);<br><b>Power supply type:</b> Built in 110V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier)  |
| <b>Energy savings feature technology</b>           | HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy   |
| <b>Certifications</b>                              | UL/cUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China Compulsory Product Certification - CCC (China); Bureau of Indian Standards - BIS Registration (India); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries.<br><b>Electromagnetic emission standard:</b> CISPR 22:2008 (International) Class A, CISPR 32:2015 (International) Class A / EN 55032:2015 Class A + A1:2020, CISPR 35:2016 (International) / EN 55035:2017 + A1:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class A, ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries.<br>CECP; IT ECO Declaration; Blue Angel; EPEAT® Gold registered; SEPA; KOECO<br><b>Blue Angel compliant<sup>8</sup></b> Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies<br><b>Telecom compliance:</b> Telecom Wired: ES 203 021-1 v2.1.1; ES 203 021-2 v2.1.2; ES 203 021-3 v2.1.2; FCC Rules and Regulations 47 CFR Part 68. Other Telecom approvals as required by individual countries. |
| <b>Sustainable impact specifications</b>           | 5% post-consumer recycled plastic; ENERGY STAR® certified; EPEAT® registered   |
| <b>Country of origin</b>                           | Made in Czech Republic   |
| <b>What's in the box<sup>1</sup></b>               | 58R10A HP Color LaserJet Enterprise Flow MFP 5800zf Printer; HP Black Original LaserJet Toner Cartridge (~7,000 yield), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (~3,000 yield each) (toner cartridges installed); Documentation (Hardware Install Guide); Power cord  |
| <b>Warranty</b>                                    | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to <a href="http://hp.com/support">http://hp.com/support</a> to learn about HP award winning service and support options in your region.  |

### Footnotes

<sup>1</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. Measured using standards found at: [http://standards.iso.org/ittf/PubliclyAvailableStandards/SC28\\_Test\\_Pages/](http://standards.iso.org/ittf/PubliclyAvailableStandards/SC28_Test_Pages/) <sup>2</sup> Availability of Workflow accelerator card is expected Spring of 2023. <sup>3</sup> For compatible Workpath apps support, additional memory of 2GB (X500 Series) or 4GB (X600 Series) DIMM is required on single function devices only. Not all MFPs may be compatible with Workpath apps. To enable HP Workpath, some devices may require optional accessories or firmware to be upgraded. Not all apps may be available in all locations. A subscription may be required. Personalised content and integration functions are applicable to supported HP Workpath apps only. <sup>4</sup> HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2022 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: <http://hp.com/PrintersThatProtect> For more information, visit: <http://www.hp.com/go/printersecurityclaims> <sup>5</sup> Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: [https://www.commoncriteriaportal.org/files/epfiles/Certification\\_Report\\_-\\_HP\\_Intrusion\\_Detection.pdf](https://www.commoncriteriaportal.org/files/epfiles/Certification_Report_-_HP_Intrusion_Detection.pdf) <sup>6</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>7</sup> Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, for example, physical product characteristics limit the functionality of the new feature. <sup>8</sup> HP Web JetAdmin is available for download at no additional charge at [hp.com/go/wja](http://hp.com/go/wja) <sup>9</sup> To learn more about configure to order options, contact your HP or Partner Representative. <sup>10</sup> Contact your HP or your Partner Representative to learn more about Custom Color Manager. <sup>11</sup> This product comes with Atmosphere Blue (standard) panels. Panels in other colors (Constellation Yellow, Comet Red, Aurora Purple, Lunar Grey, Cosmic Green) are only available transactionally via HP Configure to Order, or contractually via Managed Print Services. Models offered in China have Lunar Grey (standard) instead of Atmosphere Blue. Please contact your HP or partner representative to learn more about customizable color panels.

### Technical specifications disclaimers

<sup>1</sup> For yield information on the cartridge(s) included with your printer, see <https://www.hp.com/go/toneryield>. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. <sup>2</sup> For yield information on the cartridge(s) included with your printer, see <http://www.hp.com/go/toneryield>. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. <sup>3</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See <https://www.epeat.net> for registration status by country. <sup>4</sup> Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory. <sup>5</sup> Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>6</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>7</sup> Measured using ISO/IEC 17629. For more information see <https://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>8</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Blue Angel value typically based on measurement of 230V device. <sup>9</sup> Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). <sup>10</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software. <sup>11</sup> For Scan software (included in the box) we support: Windows [JPG, RAW (BMP), PDF, TIFF, PNG, RTF] and Mac [JPG, JPEG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT] <sup>12</sup> Maximum dimensions means doors, paper trays, and ADF (if applicable) are fully open.

