



Powerfully productive. Extraordinarily efficient.

Transform your workflows with advanced capabilities in a compact footprint. Customizable configurations from print speeds to color panels⁸ meet the need of busy workgroups. All while protecting your business against evolving security threats.



This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds









Customizable and scalable solutions

- Expand device functionality and performance with upgradeable options through any point while in contract.
- Get the functionality you need with input options to help optimize your device to meet your business needs and your budget.
- Choose storage options to handle data and documents stored on the device.

Fast and seamless digitization

- Customize your print experience with cloud-connected HP Workpath apps. Access personalized content and integrate paper and digital workflows.¹
- Give your team the tools to succeed with the HP Open Extensibility Platform containing hundreds of HP and third-party solutions, and card reader support.
- Make color management simple with HP Custom Color Manager. Match color output of any
 document-device combination by simply pulling color profiles from the cloud. Get high-quality color
 profiles without the hassle of expensive color matching systems.⁹
- Targeted fusing technology² requires less energy and helps to reduce cooling requirements allowing for larger, faster color print jobs.

Everything you expect from an office printer


- Advanced workflow solutions makes this fully featured A4 printer the best choice for all your workgroup needs.
- \bullet Get everything done with fast print speeds up to 65 PPM. ³
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware⁴
- Get maximum productivity and increased print performance with HP's fast dual-core processor for printing at fast speeds.
- Take control of your printing environment with HP Web Jetadmin⁵ to help manage your fleet and build
 consistent print experiences.

Always on guard with HP Wolf Security

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Memory ShieldTM and expanded run-time intrusion detection protects memory and other applications. Common Criteria certified⁷ to continually monitor memory activity, detect and stop zeroday attacks in real time [known/unknown] and self-heal.
- Minimize exposure with whitelisting checks, firmware that is automatically checked during start-up to determine if it's authentic code – digitally signed by HP.

Product walkaround

- 1. Automatic 2-sided printing
- 2. Front door access to process cartridges
- 3. HP eMMC storage
- 4. Front door access to toner cartridges
- 5. 500-sheet output bin supports media sizes up to Legal (8.5x14 inch)
- 6. 4.3 inch color touchscreen display (10.9 cm)
- $7.\ Hardware\ Integration\ Pocket ^{1}\ (for\ connecting\ accessories\ and\ third-party\ devices)$
- 8. Easy-access USB port 2
- 9. Power button
- 10. Right door access to the print path
- 11. 100-sheet multipurpose tray 1 supports media sizes up to Legal (8.5x14 inch)
- 12. Tray 2 jam access door
- 13. 550-sheet tray 2 supports media sizes up to Legal (8.5x14 inch)
- 14. Slot for cable-type security lock $^{\!3}$
- 15. SuperSpeed USB 3.0 Host Port³
- 16. Hi-Speed USB 2.0 Host Port³
- 17. Gigabit Ethernet Port³
- 18. SuperSpeed 3.0 device port³
- 19. (Optional HP Print Quality Diagnostics accessory) 3



Series at a glance



Model	HP Color LaserJet Enterprise X654dn Printer	
Product number	6QQ00A	
Functions	Print	
Print speed	Up to 52 ppm (A4)	
Control panel	10.9 cm color touchscreen display	
RMPV	Up to 30,000 pages per month	
Input capacity	650/3,850 (std/max)	
Output capacity (standard)	500-sheets	
Processor	Dual-core 1.2 GHz	
Workpath enabled	Yes (with 4GB upgrade)	
Extensibility	HP FutureSmart 5, OXPd	

¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ² An administrator must enable the easy-access USB port before use. ³ Additional items included on the back of the printer in the Input/Output Plate.

Accessories, Supplies and Support

Accessories, 30	applies and support
Supplies	W9260MC HP Blk Managed Laser Jet Toner Crtq(~40,000 pages)
Заррисэ	W92501MCH on the Mailaged Laser let Timer Crtq(~30,000 pages) W9261MCH PC yn Managed Laser let Toner Crtq(~30,000 pages)
	W9262MC HP Ylw Managed LaserJet Toner Crtg(~30,000 pages)
	W9263MCHP Mgn Managed LaserJet Toner Crtg(~30,000 pages)
	W9280MC HP Blk Managed Laser Jet Imaging Drum(~150,000 pages) W9281MC HP Cyn Managed Laser Jet Imaging Drum(~150,000 pages)
	W9282MC HP Ylw Managed LaserJet Imaging Drum(~150,000 pages)
	W9283MC HP Mgn Managed LaserJet Imaging Drum(~150,000 pages)
	527G2A HP Laser Jet 110V Enhanced Fuser Kit 527G3A HP Laser Jet 220V Enhanced Fuser Kit
	527/34NC HP Laser Jet XV Eliminited Trust in It. 527/64NC HP Laser Jet W Eliminited Trust in It. 527/64NC HP Laser Jet W Ranaged 110V Enhanced Fuser Kit
	527G5MC HP LaserJet Managed 220V Enhanced Fuser Kit
	527H0MC HP Laser Jet Managed Image Transfer Belt Kit
	527H1MC HP LaserJet Managed Transfer Roller Kit 527H2A HP LaserJet Tray 2 Roller Kit
	SZ/MA NE LaserJet Tray Z Youer NI. 527H3A HP LaserJet MP Tray Roller Kit
	527F9A HP LaserJet Toner Collection Unit
Accessories	4XN67A HP Internal USB Expansion Kit
	8FP31A HP Jetdirect LAN Accessory
	CC543B HP SmartCard NIPRNet Solution for US Government F8B30A HP SmartCard SIPRNet Solution for US Government
	2NRT2A HP Removable Hard Drive Enclosure
	478C2A HP Printing Voice Assistant
	6QNS4A HP Color LaserJet Stand
	6QN55A HP Color LaserJet Storage Stand 6QN57A HP Color LaserJet 550 Sheet Paper Tray
	6QN58A HP Color LaserJet 2100 HCI Feeder and Stand
	61GG9A HP Laser Jet AS HCI Guide Kit
	616H0A HP LaserJet Statement HCI Guide Kit 1M8J0A HP 4GB DDR3Lx64 204-pin 933MHz DIMM
	X3003A HP USB Universal Card Reader
	Y7C05A HP HIP2 Keystroke Reader
	4QL32A HP Legic Secure USB Reader
	35H11A HP HID Mob Acc Mifare DES Fire ks Reader 9EQ11A HP 500GB CCC FIPS Hard Disk Drive
	3JN69A HP Jetdirect 3100w BLE/NFC/Wireless
	630B2A HP CLJ X654 Constellation Yellow Color Panel Kit
	630B3A HP CLI X654 Cosmic Green Color Panel Kit
	630B4A HP CLJ X654 Aurora Purple Color Panel Kit 630B5A HP CLJ X654 Comet Red Color Panel Kit
	G30B6A HP CLJ X654 Cunar Gray Color Panel Kit
	630C7A HP 550 Sheet Paper Tray Constellaiton Yellow Panel Kit
	G30CBA HP 550 Sheet Paper Tray Cosmic Green Panel Kit
	630C9A HP 550 Sheet Paper Tray Aurora Purple Panel Kit 630D0A HP 550 Sheet Paper Tray Comet Red Panel Kit
	G300TA HP 550 Sheet Paper Tray Lunar Gray Panel Kit
	630D2A HP HC Tray Constellation Yellow Panel Kit
	63003A HP HC Tray Cosmic Green Panel Kit
	630D4A HP HC Tray Aurora Purple Panel Kit 630D5A HP HC Tray Comet Red Panel Kit
	G3006 HP HC Tray Lunar Gray Panel Kit
	630D7A HP Storage Stand Constellation Yellow Panel Kit
	63008A HP Storage Stand Cosmic Green Panel Kit
	630D9A HP Storage Stand Aurora Purple Panel Kit 630F0A HP Storage Stand Comet Red Panel Kit
	G30F1A HP Storage Stand Lunar Gray Panel Kit
	65A28A HP Color Laser Jet Constellation Yellow 550 sheet Paper Tray
	65A29A HP Color Laser Jet Cosmic Green 550 sheet Paper Tray
	65A30A HP Color Laser Jet Aurora Purple 550 sheet Paper Tray 65A31A HP Color Laser Jet Comet Red 550 sheet Paper Tray
	65A32A HP Color Laser Jet Lunar Gray 550 sheet Paper Tray
	65A33A HP Color Laser Jet Constellation Yellow 2100 sheet High Capacity Paper Tray/Stand
	65A34A HP Color Laser Let Cosmic Green 2100 sheet High Capacity Paper Tray/Stand
	65A35A HP Color Laser Jet Aurora Purple 2100 sheet High Capacity Paper Tray/Stand 65A36A HP Color Laser Jet Comet Red 2100 sheet High Capacity Paper Tray/Stand
	65A37A HP Color Laser Jet Lunar Gray 2100 sheet High Capacity Paper Tray/Stand
	65A38A HP Color Laser Jet Constellation Yellow Storage Stand
	65A39A HP Color Laser Jet Cosmic Green Storage Stand 65A40A HP Color Laser Jet Aurora Purple Storage Stand
	БЭАЧИА HP Color Laser.Jet Comer Red Storage Stand 65A41A HP Color Laser.Jet Comer Red Storage Stand
	65A42A HP Color LaserJet Lunar Gray Storage Stand
	766R7A HP LaserJet 512 GB SED-TAÁ Solid Štate Drive
Service and Support	U45S6E HP 3 year Next Business Day with DMR Service for Color Laser Jet Enterprise X654xx
	U45S7E HP 4 year Next Business Day with DMR Service for Color Laser Jet Enterprise X654xx U45S8E HP 5 year Next Business Day with DMR Service for Color Laser Jet Enterprise X654xx
	U4558E HP 3 year NeXt Business Day with DMR Service for Color LaserJet Enterprise X654xx U4559E HP 3 year 4 hour 9x5 with DMR Service for Color LaserJet Enterprise X654xx
	U4SSBE HP 4 year 4 hour 9x5 with DMR Service for Color Laser let Enterprise X654xx
	U45SCE HP 5 year 4 hour 9x5 with DMR Service for Color Laser Jet Enterprise X654xx
	U4SSJE HP 3 year Channel Parts Exchange with DMR Service for Color LaserJet Enterprise X654xx
	U45SKE HP 4 year Channel Parts Exchange with DMR Service for Color LaserJet Enterprise X654xx U45SLE HP 5 year Channel Parts Exchange with DMR Service for Color LaserJet Enterprise X654xx
	U45SMPE HP 1 year Post Warranty Next Business Day with DMR Service for Color Laser Jet Enterprise X654xx
	U4SSQPE HP 1 year Post Warranty 4 hour 9x5 with DMR Service for Color Laser let Enterprise X654xx
	U45SVPE HP 1 year Post Warranty Channel Parts Exchange with DMR Service for Color Laser Jet Enterprise X654xx LMEVIE HD Maintenance Kit Proplantage for Color Lacer Jet Enterprise X70x Europ 110 Enhanced
	U45VJE HP Maintenance Kit Replacement Service for Color LaserJet Enterprise 670x Fuser 110 Enhanced U45VKE HP Maintenance Kit Replacement Service for Color LaserJet Enterprise 670x Fuser 220 Enhanced
	U45VLE HP Maintenance Kit Replacement Service for Color LaserJet Enterprise 670x ITB
	U45VME HP Maintenance Kit Replacement Service for Color LaserJet Enterprise 670x ITB Kit
	U45VNE HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise 670x X654xx TCU
	U45VQE HP Maintenance Kit Replacement Service for Color LaserJet Enterprise 670x X654xx MP Tray Roller U45VRE HP Maintenance Kit Replacement Service for Color LaserJet Enterprise 670x X654xx Tray 2 Roller
	U45VSE HP Maintenance Kit Replacement Service for Color LaserJet Enterprise X654xx Fuser 110 Enhanced
	U45VTE HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise X654xx Fuser 220 Enhanced
	U4SVVE HP Maintenance Kit Replacement Service for Color Laser let Enterprise X554xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Service for Color Laser let Enterprise X574xx TTB 1451VME LID Maintenance Kit Replacement Servic
	U45VWE HP Maintenance Kit Replacement Service for Color Laser Jet Enterprise X654xx Transfer Roller

Technical specifications

requirements Mac: 2 GB available hard drive space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see apple.com; Software included No software solutions are included in the Box only on http://hp.com http://123.hp.com; Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Dupports WIA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNBM/3: HTTPS: Certificates; Access Control List: Data: Storage Encryption: Encryption; Enc	Model	HP Color LaserJet Enterprise X654dn Printer	
Control posed As in 10.95 cm (of or Graphics Display (CSD) with tourborreer instanting (adjustable angle) display. Print section (CSD) CSD C	Product number	6QQ00A	
Piet started Sect (AA, normal) Up to \$2 pan (Stock (AA, normal)	Functions	Print	
First Institutions(s) - Section Color (An institution in Section	Control panel	4.3 in (10.9 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display;	
Piers years Buck (Aff., normal) Line 25 your Gallour (Mat. on the Section Control (Mat. on the Secti	Print		
Bick PAI, ready As to to a 6 sec ic fair to 3 over 1 count of 1 count of 2 sec ic fair to 3 sec ic fair to 4 sec ic fair to 3 sec ic fair to 4 sec ic fair to 3 sec ic fair to 4 sec ic fair to	Print technology	Laser	
Sex. As feet as 8.4 sex (suit) 450,054ABC (Calcut (A6, stept) A. 5 test as 3.5 sex, 6 set as 8.8 s. 9.6 sex (suit) 450,054ABC) (Calcut (A6, stept) A. 5 test as 8.8 s. 9 sex (stath 450,054ABC) (Fine Inter (1200+1200 dpi) (Dutkewer (300+200 dpi) (A6, stept) A. 5 test as 8.8 sex (sex (sex (sex (sex (sex (sex (sex	Print speed	Black (A4, normal): Up to 52 ppm Colour (A4, normal): Up to 52 ppm; Black (A4, duplex): Up to 52 ipm Colour (A4, duplex): Up to 52 ipm	
Meeting data goes Use to 18,0000 pages 46. Recommended monthly page volume 2,000 to 24,000	First page out		
Pertee smart software personal	Print resolution	Black (best): Up to 1200 x 1200 dpi Colour (best): Up to 1200 x 1200 dpi; Technology: HP ImageREt 4800, Fine Lines (1200x1200 dpi), Quickview (300x300 dpi)	
Printing Nardword Integration Pocket, Intitute 4.3 in (10.0 cm) to obstrace control panel, print multiple pages per sheet (2.4, 6, 9, 16), collation, watermarks, store print ploss, print provides. Sandard grid not languages In PPCL 6, IRPCL 5,	Monthly duty cycle	Up to 180,000 pages A4; Recommended monthly page volume: 3,000 to 24,000	
Total surface professional Trust per forms catables in PPCL, 29 internal Sociable forms in IPP personnel 3 mediation fluors symbol bullerich, in sternal trusted from Kndode Mono Voldsylegie, 2 internal Windows das B Fronts (Callin, Cambala, additional fort solutions available via third-party flush memory cards; PP Laser Jet Fronts and IPDS Emulation vollables of http://www.hp.com/go/laserigetonts Print area Print area Print area Print area Print area 1, 2 Giz Automatic 1, 2 Giz Processor speed 1, 2 Giz Processor speed 1, 2 Giz Standard 1, 5 spee Speed LSB 3, 0 (device): 1 spee Speed LSB 3, 0 (host), 1 H=Speed LSB 2, 0 (host), 1 Globalic Ethernel 10/100/1000T network; 1 Hardware Integration Psyclet 2nd generation (HEZ) Print area Print area 1, 5 spee Speed LSB 3, 0 (device): 1 spee Speed LSB 3, 0 (host), 1 H=Speed LSB 2, 0 (host), 1 Globalic Ethernel 10/100/1000T network; 1 Hardware Integration Psyclet 2nd generation (HEZ) Print area 1, 5 spee Speed LSB 3, 0 (device): 1 spee Speed LSB 3, 0 (host), 1 H=Speed LSB 2, 0 (host), 1 Globalic Ethernel 10/100/1000T network; 1 Hardware Integration Psyclet 2nd generation (HEZ) Print area 1, 5 spee Speed LSB 3, 0 (device): 1 spee Speed LSB 3, 0 (host), 1 H=Speed LSB 2, 0 (host), 1 Globalic Ethernel 10/100/1000T network; 1 Hardware Integration Psyclet 2nd generation (HEZ) Print area Print area Print area Print area Print area 1, 5 spee Speed LSB 3, 0 (device): 1 spee Speed LSB 3, 0 (host), 1 H=Speed LSB 2, 0 (host), 1 Globalic Ethernel 10/100/1000T network; 1 Hardware Integration Psyclet 2nd generation (HEZ) Print area Pri		Printing, Hardware Integration Pocket, Intuitive 4.3 in (10.9 cm) touchscreen control panel, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs,	
Forts and typedeces World Syped; 2 Internal Windows Vista B Forts (Calibri, Cambria), additional forts solutions available via third, party flash memory cards; HP Laser let Forts and IPOS Emulation available at http://www.hp.com/polices/epitrol/mp. Priots area Priot margins Top; 4,3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm,	Standard print languages	HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™	
Duplex printing Automatic Processor speed 1.2 GHz Connectivity Standard H1220 Standard H2220 H2	Fonts and typefaces	WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation	
Processor speed 1.2 GHz ConnectMity Standard 1 Super-Speed USB 3.0 (device): 1 Super-Speed USB 3.0 (host): 1 Hi-Speed USB 2.0 (host): 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware integration Pocket 2nd generation (HIP2) Optional HP Jeddiect 3100w BLE/NFC/Wireless Accessory 3 M5GA: HP Jeddiect LAN Accessory GFP31 NA Mobile printing capability Apple AirPhrit**, NFC touch-to-print (optional), Moprie** Certified Vab built-in networking solution: TCP/IPJ IPV4, IPV5, Print; TCP-IP port 91 00 Direct Mode, IPD Grav queue support only), Web Services Printing, IPP 2.0, Apple AirPhrit**, Google Clod Supported network protocols Fine Discovery: SLE Boroling Cookeyer, IPC Groing LAN Boroling Cookey, IPC Groing Land Boroling Cookey, IPC Groing Cookey, IPC Groing Land Boroling Cookey, IPC Groing Cookey, IPC Groing Land Boroling Cookey, IPC Groing Cookey, IPC	Print area	Print margins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, Right: 4.3 mm; Maximum print area: 207.4 x 1191.4 mm	
Connectivity Standard 1 Super-Speed USB 3.0 (device): 1 Super-Speed USB 3.0 (host): 1 Hi-Speed USB 2.0 (host): 1 Gagabit Ethernet 10/100/1000T network; 1 Handware integration Pocket 2nd generation (HP2) Optional HP Jeddred 3100W BLE/NET/Wireless Accessory 3 JN596/k HP Jeddred LAN Accessory 8FP31A Mobile printing capability Apple APPINITE/SEC VIOLEND-to-print optionals: Mopria** Certified Wobile printing capability Apple APPINITE/SEC VIOLEND-to-print optionals: Mopria** Certified Supported network protocols District Apple APPINITE/SEC VIOLEND-to-print optionals: Mopria** Certified Supported network protocols District APPINITE/SEC VIOLEND-TO-PRINTING APPINITING APPINITE/SEC VIOLEND-TO-PRINTING APPINITE/SEC VIOLEND-TO-PRINTING APPINITING APPINITE/SEC VIOLEND-TO-PRINTING AP	Duplex printing	Automatic	
Standard 1. Super-Speed USB 3.0 (device); 1 Super-Speed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (nIP2) Ditional HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3/N69A; HP Jetdirect LAN Accessory 8FP31A Mobile printing capability Apple AlPhint** NFC touch-to-print (optional); Moprae* Certified Supported network protocols Ditional but this returned packbotter. TCDIP IP A. Mo. Pinit. TCTD pro 13 IOD Direct Mode. LDD Grav queue support only). Web Services Printing, IPP 2.0, Apple AiPhint** Coople Could Print Discovery; SIP Borgious, Web Services Biocovery; IPI Config Pro 13 IOD Direct Mode. LDD Grav queue support only). Web Services Printing, IPP 2.0, Apple AiPhint** Coople Could Print Discovery; SIP Borgious, Web Services Biocovery; IPI Borgious Meb Services Printing, IPP 2.0, Apple AiPhint** Coople Could Print Discovery; SIP Borgious, Web Services Biocovery; SIP Borgious, Web Services Biocovery; SIP Borgious, Web Services Biocovery; SIP Borgious, Web Services Printing, IPP 2.0, Apple AiPhint** Coople Could Print Discovery; SIP Borgious, Web Services Biocovery; SIP Borgious, Web Services Biocovery; SIP Borgious, Web Services Biocovery; SIP Borgious, Coople Could Print Biocovery; SIP Borgious, Services Printing, IPP 2.0, Apple AiPhint** Coople Could Print Biocovery; SIP Borgious, Services Printing, IPP 2.0, Apple AiPhint** Coople Could Print Biocovery; SIP Borgious, Services Printing, IPP 2.0, Apple AiPhint** Coople Could Print Biocovery; SIP Borgious, Services Printing, IPP 2.0, Apple AiPhint** Coople Could Print Biocovery; SIP Borgious, Services Printing, IPP 2.0, Apple AiPhint** Coople Could Print Biocovery; SIP Borgious, Services Printing, IPP 2.0, Apple AiPhint** Coople Could Print Biocovery; SIP Borgious, Services Printing, IPP 2.0, Apple AiPhint** Coople Could Print Biocovery; SIP Borgious, Services Biocovery; SIP Borgious, Services Biocovery; SIP Borgious, Services Biocovery; SIP Borgious, Services Biocovery; SIP B	Processor speed	1.2 GHz	
Compatibility Content	Connectivity		
Mobile printing capability Apple AirPrint**, NFC touch-to-print (optional), Mopria** Certified Via built-in-networking solution: TCP/IB [Pv4, IPv6, Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint**, Google Cloud DIFLOYGE, Management: SMMPA/N3, HTTP/HTTPs, Telnet, TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint**, Google Cloud DIFLOYGE, Management: SMMPA/N3, HTTP/HTTPs, Telnet, TCPI Config, IPV4 (Bootl), DMC Autority Manual, TCTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DIFLOYGE, Management: SMMPA/N3, HTTP/HTTPs, Telnet, TCPI Config, IPV4 (Bootl), DMC Autority Manual, TCTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DIFLOYGE, Management: SMMPA/N3, SML (Let Management, Firewall, ACL, 802.1 x Network capabilities Yes via HP Letiferted Ethernet embedded print server schandard which supports: 108ase-T, 1008ase-Ts, 1000Base-Ts, 802.3 az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard): Bootle All Config. SML (Bootle), DMC (SML (Bootle), DMC (Bootl	Standard	1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host); 1 Hi-Speed USB 2.0 (host); 1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2)	
Supported network protocols Via bullt-in networking solution; TCP/IP, IP-46, IP-66, Print; TCP-IP port 9100 Direct Mode, LPD (raw queue support only). Web Services Printing, IP-92, Apple Air-Print***, Google Cloud Print; Discovery St. IP Bonings, Web Services Discovery; IP Config IP-44 (BootP, DHC Patrolip Manual, TFI PC config. IP-44 (BootP, DHC PATRO), PW-64 (BootP	Optional	HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A; HP Jetdirect LAN Accessory 8FP31A	
Supported network protocols Print; Discovery; SLP, Bonjour, Web Services Discovery; IP Config; IPA4 (BonQH, DHCP, AutoIP, Manual, TFP) Config. ARP-Ping), IPA6 (Stateless Link-Local and via Router, Statefull via Methods (PhCP6); Management; SMMP2A/SL, HTPAH TDR, Fineth, IPTP Config. 17 FPV Download, Syslog; Security; SMMP2A, SSL Cett Management, Frieval, ALC, 1802.1x Network capabilities Yes, via HP Jetthrect Ethernet embedded print server (standard) which supports: 108ase-T, 100Base-Tx, 100DBase-Tx, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11 tal/Byfin writeless networking (optional). Hard disk Standard; 1 G G B eMMC; Optional, 2 S G G eMMC; Optional, 2 G G eMMC; Optional, 256 GB SSD (via CTO) Standard; 2 GB; Maximum: Up to G Media handling Number of paper trays Standard; 2 Maximum: Up to 6 Paper (plain, light, intermediate, light bond, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterlead, envelope, preprinted, prepunched, colored, rough, opaque filin, user-defined Gustom (metric): Tray: 1-64 x 127 to 12 fo x 1200 mm; Tray 2, optional 1550-5heet feeders, 140, 140 to 12 fo x 356 mm; optional 2,100-sheet high-capacity feeder: custom sizes not supported in this tray Supported (metric): Tray 1-64 x 120 tray 1-74, A5, A6, RA4, B5, B6, 16k; 10 x 15 cm, Officio, 16k; 10 x 14 cm, Officio, 16k; 10 x 15 cm	Mobile printing capability		
Istandard; 80.2.1 a/b/g/n wireless networking (optional). Hard disk Standard; 16.68 eMMC; Optional, 32.68 eMMC; Optional, minimum 500 GB HDD; Optional, 256 GB SSD (via CTO) Standard; 2.68; Maximum: Up to 6 Media handling	Supported network protocols	Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutolP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via	
Memory Standard: 2 GB; Maximum: 6 GB Media handling Number of paper trays Standard: 2; Maximum: Up to 6 Media types Paper (pain, light, intermediate, light bond, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined Media stypes Custom (metric): Tray 1; 64 x 127 to 2 16 x 1200 mm; Tray 2, optional 1x550-sheet feeders: 101 x 148 to 216 x 356 mm; optional 2,100-sheet high-capacity feeder; custom sizes on tsupported in this tray Supported (metric): Tray 1: 4A, 45, A6, RA4, 85, 68, RA4, 85, 68, RA4, 85, 68, 68, RA4,	Network capabilities		
Media handling Number of paper trays Standard: 2, Maximum: Up to 6 Apaer (plain, light, intermediate, light bond, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined Custom (metric): Tray 1: 64 x 127 to 216 x 1200 mm; Tray 2, optional 1x550-sheet feeders: 101 x 148 to 216 x 356 mm; optional 2,100-sheet high-capacity feeder; custom sizes not supported in this tray Supported (metric): Tray 1: 44, 45, 46, RA4, 85, 86, RA4, 86	Hard disk	Standard, 16 GB eMMC; Optional, 32 GB eMMC; Optional, minimum 500 GB HDD; Optional, 256 GB SSD (via CTO)	
Number of paper trays Standard: 2; Maximum: Up to 6 Media types Paper (plain, light, intermediate, light bond, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined Custom (metric): Tray 1: 84 x 127 to 216 x 1200 mm; Tray 2, poptional 1x550-sheet feeders: 101 x 148 to 216 x 356 mm; optional 2,100-sheet high-capacity feeder: custom sizes not supported in this tray Supported (metric): Tray 1: A4, A5, A6, RA4, B5, B6, 16k, 10 x 15 cm, Oficio, postcards (IJS; angle and double) envelopes (DL, C5, B5, C6); Tray 2, optional 1x550-sheet feeders: 1A4, A5, A6, RA4, B5, B6, 10 x 15 cm, Oficio, 16k, Dpostcard (IJS; optional 2,100-sheet high-capacity feeder: A4; A5 (with optional accessory) Media handling Tray 1: Boper: 100 sheets of 75 g/m2 media; Envelopes: 10 Tray 2: Paper: 505 sheets Maximum: up to 3,850 sheets Media weight Tray 1: 60 to 220 g/m² (glossy); optional 2,100-sheet high-capacity input: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); optional 550-sheet input trays: 60 to 220 g/m² (plain), 120 to 220 g/m² (plain) Input capacity Standard input: 550-sheet input tray, 100-sheet multi-purpose tray Optional input: optional 550-sheet input tray (up to 4), optional 2,100-sheet high capacity input Output capacity Standard: Up to 500 sheets Maximum: Up to 500 sheets Compatible operating systems Windows 11; Windows 10; Windows Server; Windows Client 05; Android; i05; Mobile 05; mac05 10.15 Catalina; mac05 11 Big Sur; mac05 12 Monterey; Linux; Citrix; Chrome 05; optional envolve by the systems UNIX; Novell; SAP Windows 10; Windows 10; Windows Server; Windows Client 05; Android; i05; Mobile 05; mac05 10.15 Catalina; mac05 11 Big Sur; mac05 12 Monterey; Linux; Citrix; Chrome 05; optional envolve by the systems Windows 11; Windows 10; Windows Server; Windows Client 05; Android; i05; Mobile 05; mac05 10.15 Catalina; mac05	Memory	Standard: 2 GB; Maximum: 6 GB	
Paper (plain, light, intermediate, light bond, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined Custom (metric): Tray 1: 64 x 127 to 216 x 1220 mm; Tray 2, optional 1x550-sheet feeders: 101 x 148 to 216 x 356 mm; optional 2,100-sheet high-capacity feeder: custom sizes not supported in this tray Supported (metric): Tray 1: 4A, 4S, 46, RA4, BS, B6, 16k, 10 x 15 cm, 0ficio, postcards (IIS single and double) envelopes (DL, CS, BS, C6); Tray 2, optional 1x550-sheet feeders: A4, AS, 46, RA4, BS, B6, 10x 15 cm, 0ficio, postcard (IIS) optional 2,100-sheet high-capacity feeder: A4; AS (with optional accessory) Media handling Tray 1: Paper: 100 sheets of 75 g/m2 media; Envelopes: 10 Tray 2: Paper: 550 sheets Maximum: up to 3,850 sheets Media weight Tray 1: 60 to 220 g/m² (plain), 120 to 220 g/m² (plain), 120 to 220 g/m² (glossy); optional 550-sheet input trays: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); optional 550-sheet input trays: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); optional 550-sheet input trays: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); optional 550-sheet input trays: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); optional 550-sheet input trays: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); optional 550-sheet input tray (up to 4), optional 2,100-sheet high-capacity input: 60 to 220 g/m² (plain) Standard: Up to 500 sheets Maximum: Up to 500 sheets Compatible operating systems Unix; Novelt; SAP Compatible network operating systems Unix; Novelt; SAP Compatible network operating systems Unix; Novelt; SAP Compatible network operating systems Windows 11; Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; Unix; Novelt; SAP Unix; Novelt; SAP Compatible network operating systems	Media handling		
transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined Custom (metric): Tray 1: 64 x 127 to 216 x 1200 mm; Tray 2, optional 1x550-sheet feeders: 101 x 148 to 216 x 356 mm; optional 2,100-sheet high-capacity feeder: custom sizes not supported in this tray Supported (metric): Tray 1: A4, A5, A6, RA4, B5, B6, 16k, 10 x 15 cm, officio, postcards (JIS single and double) envelopes (DL, C5, B5, C6); Tray 2, optional 1x550-sheet feeders: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, officio, 16k, Doostcard (JIS); optional 2,100-sheet high-capacity feeder: A4; A5 (with optional accessory) Media handling Tray 1: Paper: 100 sheets of 75 g/m2 media; Envelopes: 10 Tray 2: Paper: 550 sheets Maximum: up to 3,850 sheets Media weight Tray 1: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); Tray 2: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); optional 550-sheet input trays: 60 to 220 g/m² (plain), 120 to 220 g/m² (plai	Number of paper trays	Standard: 2 ; Maximum: Up to 6	
not supported in this tray Supported (metric) : Tray 1: A4, ÁS, A6, RA4, B5, B6, 16k, 10 x 15 cm, 0ficio, postcards (JIS single and double) envelopes (DL, C5, B5, C6); Tray 2, optional 1x550-sheet feeders: A4, A5, A6, RA4, B5, B6, 10 x 15 cm, 0ficio, 16k, Dpostcard (JIS); optional 2,100-sheet high-capacity feeder: A4; A5 (with optional accessory) Tray 1: Paper: 100 sheets of 75 g/m2 media; Envelopes: 10 Tray 2: Paper: 550 sheets Maximum : up to 3,850 sheets Media weight Tray 1: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); Tray 2: Paper: 550 sheets Maximum : up to 3,850 sheets Media weight Standard input: 550-sheet high-capacity input: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); optional 550-sheet input trays: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); optional 550-sheet input tray (up to 4), optional 2,100-sheet high capacity input: Output capacity Standard input: 550-sheet input tray, 100-sheet multi-purpose tray Optional input: optional 550-sheet input tray (up to 4), optional 2,100-sheet high capacity input Output capacity Standard: Up to 500 sheets Maximum : Up to 500 sheets Windows 11; Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; UNIX; Novell; SAP Windows 11; Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; UNIX; Novell; SAP Windows 11; Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; UNIX; Novell; SAP Windows 11; Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; UNIX; Novell; SAP Windows 12; Marcos 14; Windows 15; Windows 16; Windows 1	Media types	Paper (plain, light, intermediate, light bond, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, opaque film, user-defined	
Tray 1: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); optional 550-sheet input trays: 60 to 220 g/m² (plain), 120 to 220 g/m² (glossy); optional 2,100-sheet high-capacity input: 60 to 220 g/m² (plain) Standard input: 550-sheet input tray, 100-sheet multi-purpose tray Optional input: optional 550-sheet input tray (up to 4), optional 2,100-sheet high capacity input Output capacity Standard: Up to 500 sheets Maximum: Up to 500 sheets Compatible operating systems UniX; Novell; SAP Compatible network operating systems UniX; Novell; SAP Windows 11; Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; UNIX; Novell; SAP Windows 11; Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; UNIX; Novell; SAP Windows 11; Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; UNIX; Novell; SAP Windows 11; Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; UNIX; Novell; SAP Windows 11; Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; UNIX; Novell; SAP Windows 11; Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; UNIX; Novell; SAP Windows 11; Windows 10; Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; UNIX; Novell; SAP Windows 12; Windows 12; Windows 13; Windows 13; Windows 14; Windows 14; Windows 14; Windows 14	Media size	not supported in this tray Supported (metric): Tray 1: A4, A5, A6, RA4, B5, B6, 16k, 10 x 15 cm, Oficio, postcards (JIS single and double) envelopes (DL, C5, B5, C6); Tray 2, optional	
Input capacity Standard input: 550-sheet input tray, 100-sheet multi-purpose tray Optional input: optional 550-sheet input tray (up to 4), optional 2,100-sheet high capacity input Output capacity Standard: Up to 500 sheets Maximum: Up to 500 sheets Compatible operating systems Windows 11; Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; UNIX; Novell; SAP Windows 11; Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; UNIX; Novell; SAP Windows 11; Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; UNIX; Novell; SAP Windows 2 GB available hard disk space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard drive space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see apple.com; Software included No software solutions are included in the Box only on http://hp.com http://123.hp.com; Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPA3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory-based Memory-based Memory-based Memory-based Memory-based Memory-based Memory-based Memory-based Memory-base	Media handling	Tray 1: Paper: 100 sheets of 75 g/m2 media; Envelopes: 10 Tray 2: Paper: 550 sheets Maximum: up to 3,850 sheets	
Output capacity Standard: Up to 500 sheets Maximum: Up to 500 sheets Compatible operating systems UNIX; Novelt; SAP Compatible network operating systems Windows 11; Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; UNIX; Novelt; SAP Windows 11; Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; UNIX; Novelt; SAP Windows: 2 GB available hard disk space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see apple.com; Software included No software solutions are included in the Box only on http://hp.com http://123.hp.com; Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WIA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory ShieldTM with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs	Media weight		
Compatible operating systems Compatible network operating systems Windows 11; Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; UNIX; Novell; SAP Windows 11; Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; UNIX; Novell; SAP Windows: 2 GB available hard disk space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see apple.com; Software included No software solutions are included in the Box only on http://hp.com http://123.hp.com; Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WIA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory ShieldTM with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs	Input capacity	Standard input: 550-sheet input tray, 100-sheet multi-purpose tray Optional input: optional 550-sheet input tray (up to 4), optional 2,100-sheet high capacity input	
UNIX; Novell; SAP Compatible network operating systems Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; UNIX; Novell; SAP Windows: 2 GB available hard disk space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; mac: 2 GB available hard drive space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see apple.com; Software included No software solutions are included in the Box only on http://hp.com http://123.hp.com; Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WIA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory ShieldTM with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs	Output capacity	Standard: Up to 500 sheets Maximum: Up to 500 sheets	
Operating systems UNIX; Novell; SAP Windows: 2 GB available hard disk space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see apple.com; Software included No software solutions are included in the Box only on http://hp.com http://123.hp.com; Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WIA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory ShieldTM with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs			
requirements Mac: 2 GB available hard drive space; Internet connection; or USB port; Internet browser. For additional OS hardware requirements see apple.com; Software included No software solutions are included in the Box only on http://hp.com http://123.hp.com; Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WIA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory ShieldTM with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs	•		
Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory ShieldTM with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs	Minimum system requirements		
Netwof:: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPV3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory ShieldTM with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Security management: Compatible with Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs	Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com;	
Printer management HP Web JetAdmin; Embedded Web Server; HP Security Manager; HP Insights; HP Advance; HP Command Center; HP Smart Device Services (SDS)	Security management	Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (ÉAP-PÉAP; EAP-TLS); SNMPV3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Bernail (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Frase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware integration pocket for security solutions; Hardware-based Memory ShieldTM with Control Flow Integrity (IFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good	
	Printer management	HP Web JetAdmin; Embedded Web Server; HP Security Manager; HP Insights; HP Advance; HP Command Center; HP Smart Device Services (SDS)	

Technical specifications

Model	HP Color Laser Jet Enterprise X654dn Printer	
Product number	6QQ00A	
Dimensions and weight		
Printer dimensions (W \times D \times H) ⁶	Minimum 500 x 460 x 535mm; Maximum : 860 x 770 x 590mm	
Package dimensions (W x D x H)	500 x 460 x 655 mm	
Printer weight	39.21 kg	
Package weight	43.4 kg	
Operating environment	Temperature: 10 to 32.5°C Humidity: 30 to 70% RH	
Storage conditions	Temperature: -20 to 40°C	
Acoustics	Acoustic power emissions: 6.7 B(A)	
Power	Requirements: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 12 A; Input voltage: 220V to 240V nominal (+/-10%), 50 - 60Hz nominal (+/- 3Hz), 6 A; Consumption: 780 watts (Printing/Copying), 47.3 watts (Ready), 1.23 watts (Sleep), 0.08 watts (Auto Off/Manual On), 0.08 watts (Manual Off); Typical Electricity Consumption (TEC) ³ : 0.847 kWh/week (Energy Star 3.0); 0.811 kWh/week (Blue Angel); Power supply type: Built in 110V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier)	
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Low-power sleep mode; Power save	
Certifications ¹	UL/cUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China Compulsory Product Certification - CCC (China); Bureau of Indian Standards - BIS Registration (India); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries. Electromagnetic emission standard: CISPR 22:2008 (International) - Class A, CISPR 32:2015 (International) - Class A, FN 55032:2015+A11:2020 (EU) - Class A, CISPR 35:2016 (International), EN 55035:2017+A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019+A2:2021, FCC CFR 47 Part 15 Class A, ICES-003 Issue 7 Class A. Other EMC approvals as required by individual countries. Blue Angel; CECP; IT ECO Declaration; EPEAT® Gold registered; SEPA; KOECO Blue Angel compliant ⁴ Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies	
Sustainable impact specifications	5% post-consumer recycled plastic; ENERGY STAR® certified; EPEAT® registered	
Country of origin	Made in Japan	
What's in the box ²	6QQ00A HP Color LaserJet Single-function Printer; HP Black Managed Original LaserJet Toner Cartridge (~9,000 yield), HP Cyan, Magenta and Yellow Managed Original LaserJet Toner Cartridges (~5,000 yield each) (toner cartridges installed); HP Black, Cyan, Magenta and Yellow Managed Original LaserJet Imaging Drums (~150,000 pages Documentation (Hardware Install Guide); Power cord; Tray Lock Kit (Paper-size cassette locks, paper tray interface screws, P-cartridge door access control screws)	
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://hp.com/support to learn about HP award winning service and support options in your region.	

Footnotes

- 1 Not all MFPs may be compatible with Workpath apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Not all apps may be available in all locations. Subscription may be
- required. Personalized content and integration functions are applicable to supported HP Workpath apps only.

 Targeted fusing technology comes standard on the 6000/X600 series bundles and is offered as an optional service part on the 5000/X500 series.
- ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.
- ⁵ HP Web Jetadmin is available for download at no additional charge at hp.com/go/wja
- 6 HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2022 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/qo/PrintersThatProtect. For more information, visit: http://www.hp.com/qo/printersecurityclaims.
- ⁷ Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification Report - HP Intrusion Detection.pdf

 8 This product comes with Atmosphere Blue (standard) panels. Panels in other colors (Constellation Yellow, Comet Red, Aurora Purple, Lunar Grey, Cosmic Green) are only available transactionally via HP Configure to Order, or
- contractually via Managed Print Services. Models offered in China have Lunar Grey (standard) instead of Atmosphere Blue. Please contact your HP or partner representative to learn more about customizable color panels. ⁹ Contact your HP or your Partner Representative to learn more about Custom Color Manager.

Technical specifications disclaimers

- 1 EPEAT® registered where applicable. EPEAT registration varies by country. See https://www.epeat.net for registration status by country.
- ² For yield information on the cartridge(s) included with your printer, see https://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.
- ³ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115 V device.
- ⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel.
- ⁵ Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see https://www.hp.com/go/toneryield
- $^{\rm 6}$ Maximum dimensions means doors, paper trays, and ADF (if applicable) are fully open.













