HP Z8 Fury G5 Workstation Desktop PC

Extreme performance. Infinite possibilities



Unlock your potential with the most powerful Z AI workstation. The Z8 Fury delivers performance with up to 60 cores in a single CPU to also unleash the power of 4 high-end GPUs. Now you can breeze through even the most complex machine learning and data science projects, virtual production, and VFX.

Extreme performance. Infinite possibilities.

Transformative single socket technology delivers extreme performance with up to 60 cores in a single CPU, to also unleash the power of up to 4 high-end GPUs. Now you can breeze through even the most complex deep learning, virtual production, and VFX. Unlock your potential with the most powerful Z AI workstation. The Z8 Fury delivers performance with up to 60 cores in a single CPU to also unleash the power of 4 high-end GPUs. Now you can breeze through even the most complex machine learning and data science projects, virtual production, and VFX.

Relentless power. Extraordinary expandability.

Tackle the most complex workflows with up to a 60 core Intel® Xeon® W CPU¹, up to 4 high-end GPUs, 2TB DDR5 RAM, 120TB storage and 2,250W of power.² Easily expand as work evolves with tool-less access, 8 PCIe slots, and 4 front accessible NVMe bays³.

Engineered to stay cool and quiet

Push your desktop workstation without disruptive noise. Smart fan control keeps the system whisper-quiet by tuning fan speeds in real-time using over 20 temperature sensors. Precisely placed vents and ducts streamline airflow and heat removal.

Your AI powerhouse, in-house.

Accelerate AI development and inferencing with the Z8 Fury AI workstation with up to 4 NVIDIA RTX™ 6000 Ada Generation GPUs⁴ delivering up to 5,828 AI TOPS for advanced AI. Process proprietary data securely on a local workstation for fast insights.

Designed with the planet in mind.

At HP, we care about the impact our products have on our people, communities, and planet. That's why Z8 Fury contains 40% recycled plastics, 10% recycled metal, 80% sustainably sourced outer box packaging, and is EPEAT® Gold Climate+ registered.

HP Z8 Fury G5 Workstation Desktop PC







Operating Systems

Support your unique user needs with a choice of Windows 11 Pro, WSL2 or Linux® operating systems.9

Intel® Xeon® W Processors

Power extreme professional workloads with a transformative single socket Intel® Xeon® W CPU (up to 60 cores⁹), Intel vPro®¹⁰ manageability and security, and ECC Memory¹¹ for reliability.

Professional Grade Graphics

A first for Z desktop PCs - tackle complex renderings, simulations and datasets with up to 4 NVIDIA RTX $^{\text{TM}}$ 6000 or 2 AMD Radeon $^{\text{TM}}$ Pro W6800 GPUs. 12

Ultra Fast Memory Configurations

Accelerate workflows. Power through memory-intensive workloads with up to 2 TB DDR5 memory for fast rendering, simulation, film and video editing, and deep learning performance.

Storage

Get up to 120TB of storage across a variety of devices, including 4 front-accessible, hot-swappable NVMe devices with status information via external LED and email notifications.¹³

Redundant/Aggregate Power Supply

Use redundant power to stay up and running during critical workflow. Or switch to aggregate power to combine two power supplies for 2,250W power when you need it.¹⁴

Fast Data Transfer and Network Connectivity

ThunderboltTM 4 technology¹⁵ for fast data transfers, two optional USB3.2 SuperSpeed Type-C® connectors for transfer rates up to 20Gbps, and two ports of 10 GbE network connection.

HP Anyware

Access the power of your Z from any device with HP Anyware 16—remote access software delivering fast responsiveness and image quality, even in film editing and data visualizations.

Reliability You Can Trust

Get peace of mind with a PC that's built to endure. The Z8 Fury undergoes 360K hours of rigorous testing and military-standard testing. 17

Z by HP Data Science Stack Manager

Z by HP Data Science Stack Manager provides easy access to popular data science tools and updates them automatically, to help you customize your environment on Windows or Ubuntu.¹⁸

ISV Certified

Work with confidence knowing your desktop is certified with leading software applications to ensure peak performance even with complex projects.

World Class Design & Acoustics

Keep quiet, cool and focused even at peak performance. Smart fan control keeps the system whisper-quiet by tuning fan speeds in real-time using 20 temperature sensors.

HP Z8 Fury G5 Workstation Desktop PC

Specifications Table

Intel® Xeon® Gold 5416S (2.0 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W9-3595X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 97.5 MB L3 cache, 60 cores, 120 threads) Intel® Xeon® W9-3575X (2.2 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 97.5 MB L3 cache, 44 cores, 88 threads) Intel® Xeon® W9-3565X (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 82.5 MB L3 cache, 22 cores, 64 threads) Intel® Xeon® W7-3565 (2.7 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 78 MB L3 cache, 22 cores, 64 threads) Intel® Xeon® W7-3545 (2.7 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 24 cores, 48 threads) Intel® Xeon® W5-3535X (2.9 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 52.5 MB L3 cache, 24 cores, 40 threads) Intel® Xeon® W5-3535X (2.9 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 52.5 MB L3 cache, 20 cores, 40 threads) Intel® Xeon® W7-90 Chipset Intel® W790 2 TB DDR5-4800 ECC SDRAM ¹¹ Transfer rates up to 4800 MT/s. Memory slots 1 TB up to 12 TB 7200 rpm SATA Enterprise HDD ^{8,40} 512 GB up to 2 TB HP Z Turbo Drive NVMe [™] M.2 SSD ⁸ 512 GB up to 4 TB HP Z Turbo Drive PCle® SSD M.2 8 512 GB up to 4 TB HP Z Turbo Drive PCle® SSD Dyla 2 M.2 SSD ⁸ 512 GB up to 4 TB HP Z Turbo Drive PCle® SSD Dyla 2 M.2 SSD ⁸ 512 GB up to 4 TB HP Z Turbo Drive Drive Quad Pro PCle® SSD ^{5,41}		High-End: NVIDIA RTX™ 4500 Ada Generation (24 GB GDDR6 dedicated) NVIDIA RTX™ 4500 (20 GB GDDR6 dedicated) NVIDIA RTX™ 4000 Ada Generation (20 GB GDDR6 dedicated) NVIDIA RTX™ 4000 Ada Generation (20 GB GDDR6 dedicated) NVIDIA RTX™ 40000 (16 GB GDDR6 dedicated) NVIDIA® 40000E (16 GB GDDR6 dedicated)
Intel® Xeon® W9-3475X (2.2 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 78 MB L3 cache, 26 cores, 72 threads) Intel® Xeon® W7-3465X (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 26 cores, 56 threads) Intel® Xeon® W7-3465 (2.6 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 20 cores, 40 threads) Intel® Xeon® W7-3445 (2.6 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 10 cores, 32 threads) Intel® Xeon® W5-3433 (2.0 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W5-3433 (2.0 GHz base frequency, up to 4.6 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W5-3423 (2.1 GHz base frequency, up to 4.6 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W5-3423 (2.1 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W5-3435 (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 40 cores, 32 threads) Intel® Xeon® W9-3595X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 40 cores, 32 threads) Intel® Xeon® W9-3575X (2.2 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 40 cores, 40 threads) Intel® Xeon® W7-3555 (2.7 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 26 cores, 56 threads) Intel® Xeon® W7-3555 (2.7 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 26 cores, 56 threads) Intel® Xeon® W5-355X (2.9 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 26 cores, 56 threads) Intel® Xeon® W5-355X (2.9 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 26 cores, 56 threads) Intel® Xeon® W5-355X (2.9 GHz		NVIDIA RTX™ 6000 Ada Generation (48 GB GDDR6 dedicated) NVIDIA RTX™ A6000 (48 GB GDDR6 dedicated) NVIDIA RTX™ 5000 Ada Generation (32 GB GDDR6 dedicated) NVIDIA RTX™ 5000 (24 GB GDDR6 dedicated) AMD Radeon™ Pro W7900 (48 GB GDDR6 dedicated) AMD Radeon™ Pro W6800 (32 GB GDDR6 dedicated) NVIDIA® A800 (40 GB GDDR6 dedicated)
Intel® Xeon® W7-3455X (2.2 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 82.5 MB L3 cache, 36 cores, 72 threads) Intel® Xeon® W7-3465X (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 24 cores, 48 threads) Intel® Xeon® W7-3455X (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 24 cores, 48 threads) Intel® Xeon® W7-3445X (2.6 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W5-3433X (3.1 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W5-3433 (2.0 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W5-3423 (2.1 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W5-3423 (2.1 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W9-3595X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W9-3555X (2.2 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 62 cores, 64 threads) Intel® Xeon® W7-3556X (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 42 cores, 88 threads) Intel® Xeon® W7-3556X (2.7 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 24 cores, 64 threads) Intel® Xeon® W7-3556X (2.7 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 24 cores, 64 threads) Intel® Xeon® W7-3555X (2.9 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 24 cores, 40 threads) Intel® Xeon® W5-3553X (2.9 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 24 cores, 40 threads) Intel® Xeon® W	Optical drive	HP Slim DVD-ROM; HP Slim Blu-ray Writer; HP Slim DVD-Writer ^{9,10}
Intel® Xeon® W9-3475X (2.2 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 82.5 MB L3 cache, 28 cores, 56 threads) Intel® Xeon® W7-3455 (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 28 cores, 56 threads) Intel® Xeon® W7-34545 (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 20 cores, 48 threads) Intel® Xeon® W7-3445 (2.6 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 57.5 MB L3 cache, 20 cores, 40 threads) Intel® Xeon® W5-3433 (2.0 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W5-3433 (2.0 GHz base frequency, up to 4.6 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W5-3423 (2.1 GHz base frequency, up to 4.6 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W5-3423 (2.1 GHz base frequency, up to 4.6 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W5-3423 (2.1 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W9-3595X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 40 cores, 32 threads) Intel® Xeon® W9-3595X (2.1 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 97.5 MB L3 cache, 40 cores, 88 threads) Intel® Xeon® W7-3565X (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 97.5 MB L3 cache, 24 cores, 84 threads) Intel® Xeon® W7-3565X (2.7 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75.5 MB L3 cache, 24 cores, 48 threads) Intel® Xeon® W5-3555X (2.9 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75.5 MB L3 cache, 24 cores, 48 threads) Intel® Xeon® W5-3555X (2.9 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75.5 MB L3 cache, 24 cores, 36 threads) Intel® Xeon®		512 GB up to 4 TB HP Z Turbo Drive Dual Pro PCIe® SSD ⁸
Intel® Xeon® W9-3475X (2.2 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 82.5 MB L3 cache, 36 cores, 72 threads) Intel® Xeon® W7-3465X (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 28 cores, 56 threads) Intel® Xeon® W7-3445 (2.6 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 57.5 MB L3 cache, 24 cores, 48 threads) Intel® Xeon® W7-3445 (2.6 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 57.5 MB L3 cache, 24 cores, 48 threads) Intel® Xeon® W5-3435X (3.1 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W5-3433 (2.0 GHz base frequency, up to 4.6 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W5-3425 (2.1 GHz base frequency, up to 4.6 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W5-3425 (2.1 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W9-3595X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 31 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W9-3595X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 97.5 MB L3 cache, 40 cores, 120 threads) Intel® Xeon® W9-3595X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 97.5 MB L3 cache, 40 cores, 82 threads) Intel® Xeon® W9-3595X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 57.5 MB L3 cache, 40 cores, 82 threads) Intel® Xeon® W9-3595X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 57.5 MB L3 cache, 24 cores, 48 threads) Intel® Xeon® W9-3595X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 57.5 MB L3 cache, 24 cores, 48 threads) Intel® Xeon® W9-3595X (2.9 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 57.5 MB L3 cache, 20 cores, 40 threads) Intel	Internal storage	512 GB up to 2 TB HP Z Turbo Drive NVMe™ M.2 SSD ⁸ 512 GB up to 4 TB HP Z Turbo Drive PCle® SSD M.2 ⁸
Intel® Xeon® W9-3475X (2.2 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 82.5 MB L3 cache, 36 cores, 72 threads) Intel® Xeon® W7-3455 (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 24 cores, 56 threads) Intel® Xeon® W7-3455 (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 24 cores, 48 threads) Intel® Xeon® W7-3445 (2.6 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 57.5 MB L3 cache, 20 cores, 40 threads) Intel® Xeon® W7-3445 (2.6 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W5-3433 (2.0 GHz base frequency, up to 4.6 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W5-3425 (3.2 GHz base frequency, up to 4.6 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W5-3425 (3.2 GHz base frequency, up to 4.6 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W5-3455 (2.0 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 32 threads) Intel® Xeon® W9-3595X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 40 cores, 32 threads) Intel® Xeon® W9-3595X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 97.5 MB L3 cache, 44 cores, 88 threads) Intel® Xeon® W7-3565X (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 42 cores, 64 threads) Intel® Xeon® W7-3565X (2.7 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 26 cores, 56 threads) Intel® Xeon® W7-3555 (2.7 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 20 cores, 40 threads) Intel® Xeon® W7-3555 (2.7 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 82.5 MB L3 cache, 20 cores, 40 threads) Intel® Xeon® W7-3	Memory slots	
Intel® Xeon® W9-3475X (2.2 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 82.5 MB L3 cache, 28 cores, 56 threads) Intel® Xeon® W7-3455 (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 28 cores, 56 threads) Intel® Xeon® W7-3445 (2.6 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 24 cores, 48 threads) Intel® Xeon® W7-3445 (2.6 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 20 cores, 40 threads) Intel® Xeon® W5-3435 (2.0 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W5-3435 (2.0 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W5-3425 (3.2 GHz base frequency, up to 4.6 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W5-3423 (2.1 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W5-3423 (2.0 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W9-3595X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 60 cores, 120 threads) Intel® Xeon® W9-3575X (2.2 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 32 cores, 64 threads) Intel® Xeon® W9-3575X (2.2 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 32 cores, 64 threads) Intel® Xeon® W7-3565X (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 32 cores, 64 threads) Intel® Xeon® W7-3555 (2.7 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 24 cores, 48 threads) Intel® Xeon® W7-3555 (2.7 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 52.5 MB L3 cache, 24 cores, 48 threads) Intel® Xeon® W5-3555X	Maximum memory	
Intel® Xeon® W9-3475X (2.2 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 52.5 MB L3 cache, 28 cores, 72 threads) Intel® Xeon® W7-3465X (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 28 cores, 56 threads) Intel® Xeon® W7-3455 (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 24 cores, 48 threads) Intel® Xeon® W7-3445 (2.6 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 52.5 MB L3 cache, 20 cores, 40 threads) Intel® Xeon® W5-3435X (3.1 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W5-3433 (2.0 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W5-3425 (3.2 GHz base frequency, up to 4.6 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W5-3423 (2.1 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W9-3595X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W9-3595X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 97.5 MB L3 cache, 42 cores, 88 threads) Intel® Xeon® W9-3575X (2.2 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 97.5 MB L3 cache, 42 cores, 88 threads) Intel® Xeon® W7-3555 (2.7 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 82.5 MB L3 cache, 23 cores, 64 threads) Intel® Xeon® W7-3555 (2.7 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 24 cores, 56 threads) Intel® Xeon® W7-3555 (2.7 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 24 cores, 56 threads) Intel® Xeon® W7-3555 (2.7 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 20 cores, 40 threads) Intel® Xeo	Form factor	Tower
Intel® Xeon® W9-3475X (2.2 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 82.5 MB L3 cache, 28 cores, 72 threads) Intel® Xeon® W7-3465X (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 28 cores, 56 threads) Intel® Xeon® W7-3445 (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 24 cores, 48 threads) Intel® Xeon® W7-3445 (2.6 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 52.5 MB L3 cache, 24 cores, 48 threads) Intel® Xeon® W7-3445 (2.6 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W5-3435X (3.1 GHz base frequency, up to 4.6 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 24 threads) Intel® Xeon® W5-3425 (3.2 GHz base frequency, up to 4.6 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W5-3423 (2.1 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W5-3458X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W9-3595X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W9-3595X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 112.5 MB L3 cache, 60 cores, 120 threads) Intel® Xeon® W9-3595X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 97.5 MB L3 cache, 88 threads) Intel® Xeon® W9-3595X (2.7 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 24 cores, 88 threads) Intel® Xeon® W7-3545 (2.7 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 24 cores, 84 threads) Intel® Xeon® W7-3545 (2.7 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 24 cores, 84 threads) Intel® Xeon® W7-3545 (2.	Chipset	Intel® W790
Einux® Ready® Red Hat® Enterprise Linux®5 Processor family Intel® Xeon® processor	Processor family Available Processors ⁷	Intel® Xeon® processor Intel® Xeon® w9-3495X (1.9 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 105 MB L3 cache, 56 cores, 112 threads) Intel® Xeon® w9-3475X (2.2 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 82.5 MB L3 cache, 36 cores, 72 threads) Intel® Xeon® W7-3465X (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 28 cores, 56 threads) Intel® Xeon® W7-3455 (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 24 cores, 48 threads) Intel® Xeon® W7-3445 (2.6 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 52.5 MB L3 cache, 20 cores, 40 threads) Intel® Xeon® W5-3435X (3.1 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W5-3433X (2.0 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W5-3423 (2.1 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W5-3423 (2.1 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® Gold 54165 (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® W9-3595X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 97.5 MB L3 cache, 60 cores, 120 threads) Intel® Xeon® W9-3595X (2.0 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 97.5 MB L3 cache, 40 cores, 88 threads) Intel® Xeon® W7-3565X (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 97.5 MB L3 cache, 40 cores, 88 threads) Intel® Xeon® W7-3565X (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75.5 MB L3 cache, 20 cores, 64 threads) Intel® Xeon® W7-3565X (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75.5 MB L3 cache, 20

HP Z8 Fury G5 Workstation Desktop

Specifications Table

Keyboard	HP USB Business Slim SmartCard CCID Keyboard; HP USB 320K Keyboard; HP 125 Black Wired Keyboard ¹³
Mouse	HP Wired Desktop 320M mouse; HP wired desktop 128 laser mouse ¹³
Communications	LAN: Intel® Ethernet Network Adapter I225-T1; Integrated Intel® I219-LM PCIe® GbE, vPro®; Integrated Intel® I210-AT PCIe® GbE, non-vPro®; HP dual-port 10GBase-T NIC; Intel® S550-T2 dual-port 10GbE NIC; NVIDIA® Mellanox ConnectX-6 DX Dual Port 10/25GbE SFP28 NIC; Allied Telesis AT-2911T/2-901 dual-port 1GbE NIC; Allied Telesis AT-2914SX/LC PCIe Fiber NIC; HP dual-port 10 GBASE-T NIC (PCIe slot not required); HP 10 GbE SFP+ SR LC Fiber transceiver; HP 25 GbE SFP28 LC Fiber transceiver; WLAN: Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna;
Drive Bays	External: Four NVMe™ M.2 SSD; Two 3.5" HDD; Two 9.5 mm ODD; Internal: Six PCle® M.2 SSD; Six 3.5" HDD
Software	HP PC Hardware Diagnostics UEFI HP Performance Advisor HP Support Assistant HP PC Hardware Diagnostics Windows HP Image Assistant HP Manageability Integration Kit HP Anyware HP Services Scan HP Data Science Stack Manager ^{17,18,19,32,33}
Security management	Full volume encryption; HP Secure Erase; Kensington lock slot; Secure authentication; TPM 2.0 certified; HP BIOSphere; HP Sure Run; HP Sure Click; HP Sure Sense; HP Sure Admin; HP Platform Certificate; HP Sure Start; HP Sure Recover; Self-Encrypted Drives ^{20,21,22,23,24,25,26,27}
Security Software Licenses	HP Wolf Pro Security Edition ²⁸
Management features	HP Driver Packs; HP System Software Manager (download); HP BIOS Configuration Utility (download); HP Smart Support
Power	2250 W aggregate internal power supply, up to 90% efficiency, active PFC; 1450 W internal power supply, up to 90% efficiency, active PFC; 1450 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC; 1125 W redundant internal power supply, up to 90% efficiency, active PFC
Dimensions	21.59 x 55.12 x 44.45 cm; 33.2 x 73.4 x 63.6 cm (Package)
Weight	Starting at 22 kg; Starting at 27.95 kg (Package) ; (Exact weights depend upon configuration (System weight only))
Ecolabels	EPEAT® registered configurations available; TCO Certified configurations available ^{14,15}
Energy star certified	ENERGY STAR® certified (configurations available)
Sustainable impact specifications	Low Halogen; 40% post-consumer recycled plastic; 25% ITE-derived closed loop plastic; Bulk packaging available; External power supply 90% efficiency; Plastic cushion inserts contain 80% recycled content; Ocean-bound plastic in system fan; 10% post-industrial recycled metal ¹⁶
Compatible displays	All HP Z Displays and HP DreamColor Displays are supported. For more information see http://www.hp.com/go/zdisplays
Warranty	1 year (1/1/1) limited warranty includes 1 year of parts, labor and on-site repair. Terms and conditions vary by country. Certain restrictions and exclusions apply.

HP Z8 Fury G5 Workstation Desktop

Messaging Footnotes

- 1 Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily • Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.
 2 Optional, configurable features. Configuration for 120TB requires separate additional purchase. For storage drives, GB = 1 billion bytes.
 TB = 1 trillion bytes. Actual formatted capacity is less. Up to 35GB is reserved for system recovery software.
 3 Optional, configurable features. Two front accessible NVMe bays require a 5.25 bay carrier.
 4 Graphics are sold separately or as an optional feature.
 9 Applies to HP PCs, Workstations, and Displays manufactured after January 2019. Based on most Gold and Silver (including Climate+)
 EPEP478 (restrations. S-Stats varies by courter). Visit www. energh art for more information.

- EPEAT® registrations. Status varies by country. Visit www.epeat.net for more information
- 6 Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT standard.
- 7 Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit www.epeat.net for more
- Based on US EPEATO registrations and a second registration of the process of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.
- requires Windows 10 Pro 64 bit or higher, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN and/or Wi-Fi 6E WLAN and TPM 2.0. Some functionality requires additional 3rd party software in order to run. Features of vPro® Essentials and
- 11 Error Correction Code (ECC) memory enables enhanced data reliability. ECC memory is only available on Intel® Xe
- 13 Optional, configurable features. Configuration for 120TB requires separate additional purchase. For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 35GB is reserved for system recovery software
- ⁴ Redundant and aggregate power requires configuring two 1125W power supplies at hardware purchase. ⁵ SuperSpeed USB 20Gbps is not available with Thunderbolt™ 4.
- ¹³ SuperSpeed USB 20Gbps is not available with Thunderbolt™ 4.
 ¹⁴ SuperSpeed USB 20Gbps is not available with Thunderbolt™ 4.
 ¹⁵ Network access required. HP Anyware software and licensing are available through a 1- or 3-year subscription. Renewal is required after the subscription term. HP Anyware subscriptions are based on the number of concurrent PCoIP connections used (pay for the number of host connections, not the software) with a minimum order quantity of 5. For a limited time, an HP Anyware Professional subscription also includes access and support for ZCentral Remote Boost and ZCentral Connect and is available for purchase through an HP reseller or contact sales at hp.com/Anyware. ZCentral Remote Boost Sender requires Windows 10 and 11, RHEU/CentOS (7 or 8), or UBUNTU 18.04 or 20.04 LTS operating systems. macOS (10.14 or newer) operating system and ThinPro 7.2 are only supported on the property of the property operating system and ThinPro 7.2 are only supported on the property of the propert receiver side. ZCentral Connect requires Windows (10 or 11) or Windows Server (2016 or 2019) operating system, Microsoft Active Directory and Intel Active Management Technology for select features. For system requirements and to install HP Anyware and Anyware
- Manager, refer to the Admin Guides at: https://docs.teradici.com/find/product/hp-anyware .

 17 MIL STD testing is not intended to demonstrate fitness for U.S. Department of Defense contract requirements or for military use. Test results are not a guarantee of future performance under these test conditions. Accidental Damage or damage under these test conditions. requires an optional HP Accidental Damage Protection Care Pack.

 18 Z by HP Data Science Stack Manager requires Windows 10 vers
- nce Stack Manager requires Windows 10 version 21H2 (Build 19044) and higher or 64-bit Ubuntu 20.04 and is

Technical Specifications Footnotes

- ¹ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com
- Windows 11 Pro for Workstations can be preinstalled. You may only use one version of the Windows software at a time. Switching between versions will require you to uninstall one version and install the other version. You must back up all data (files, photos, etc.) before uninstalling and installing operating systems to avoid loss of your data.
- s 8 operating systems are not supported on this product. No Windows 7 or Windows 8 drivers will be
- Note: windows / and windows a operating systems are not supported on this product. No windows / or windows a privers windows provided on the lift/iwww.support.hp.com .
 § Note: For detailed Linux® OS/hardware support information, see: http://www.hp.com/support/linux_hardware_matrix .
 § Note: For detailed Linux® OS/hardware support information, see: http://www.hp.com/support/linux_hardware_matrix .
 I ntel vPro® requires Windows 10 Pro 64 bit or higher, a vPro supported processor, vPro enabled chipset, vPro enabled wired L and/or Wi-Fi EE WLAN and TPM 2.0. Some functionality requires additional 3rd party software in order to run. Features of vPro® Essentials and Enterprise vary. See http://intel.com/vpro .
- ⁸ For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 35GB (for Windows) is reserved for
- system recovery software.

 9 Duplication of copyrighted material is strictly prohibited. Actual speeds may vary. Double Layer media compatibility will widely vary with some home DVD players and DVD-ROM drives. No support for DVD RAM.

- 10 With Blu-Ray, certain disc, digital connection, compatibility and/or performance issues may arise, and do not constitute defects in the With Blu-Ray, certain disc, digital connection, compatibility and/or performance issues may arise, and do not constitute defects in the product. Flawless playback on all systems is not guaranteed. In order for some Bur-ray titles to play, they may require a DVI or HDMI digital connection and your display may require HDCP support. HD-DVD movies cannot be played on this Desktop PC.
 ¹¹ The ZTB memory configuration requires 128GB DIMMs which is planned to be available in the first half of 2023.
 ¹² Wirrless access point and Internet service required and sold separately. Availability of public wireless access points limited. Wi-Fi 6 (802.11.ax) is backwards compatible with prior 802.11 specs.

- ¹⁴ Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit www.epeat.net for more 15 TCO Certified configurations available when ENERGY STAR configurations are selected with a USB Type-C® connector, ENERGY
- STAR available with a combination of high-performance CPUs, high-performance CPUs and select memory configurations.

 External power supplies, power cords, cables and peripherals are not low halogen. Service parts obtained after purchase may not be
- low halogen. ¹⁷ HP Performance Advisor Software HP Performance Advisor is ready and waiting to help you get the most out of your HP Workstation from day one—and every day after. Learn more or download at: https://www8.hp.com/us/en/workstations/performand ¹⁸ HP Support Assistant requires Windows and Internet access.
- HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html
- ²⁰ HP Sure Click requires Windows 11 Pro or Enterprise. See https://bit.ly/2PrLT6A_SureClick for complete details 21 HP Sure Start Gen7 is available on select HP PCs and Workstations. See product specifications for availability
- ²² HP Sure Recover Gen4 is available on select HP PCs and requires an open network connection. You must back up important files
- The Source Recovers Germ's available of inserts for Each Privace and requires an open network connection. To unlost back up important nies, data, photos, videos, etc. before using HP Sure Recover to avoid loss of data.

 23 HP Sure Sense requires Windows 11 Pro or Enterprise and supports Microsoft Internet Explorer, Google Chrome™, and Chromium™ Supported attachments include Microsoft Office (Word, Excel, PowerPoint) and PDF files in read only mode, when Microsoft Office or
- HP Sure Run Gen5 is available on select HP PCs and requires Windows 10 and higher
- ²⁵ HP Sure Admin requires Windows 10 or higher, HP BIOS, HP Manageability Integration Kit from http://www.hp.com/go/clientmanagement and HP Sure Admin Local Access Authenticator smartphone app from the Android or Apple
- ²⁶ HP Secure Erase for the methods outlined in the National Institute of Standards and Technology Special Publication 800-88
- 27 HP BIOSphere Genf features may vary depending on the platform and configurations.
 28 HP BIOSphere Genf features may vary depending on the platform and configurations.
 29 HP Wolf Pro Security Edition is available preloaded on select SKUs, and, depending on the HP product purchased, includes a license with a term length communicated to you at purchase and in your order confirmation email. The HP Wolf Pro Security Edition software is licensed under the license terms of the HP Wolf Security Software End-User license Agreement (EULA) that can be found at: https://support.hp.com/us-en/document/ish_3875769-3873014-16 as that EULA is modified by the following: 7. Term. Unless otherwise terminated earlier pursuant to the terms contained in this EULA, the license for the HP Wolf Pro Security Edition is effective upon 4 months after the date the HP Product was shipped by HP and will continue for the term communicated to you at purchase and in you order confirmation email ("Initial Term"). At the end of the Initial Term you may either (a) purchase a renewal license for the HP Wolf Pro Security Edition from HP.com, HP Sales or an HP Channel Partner, or (b) continue using the standard versions of HP Sure Click and HP Security Edition from HP.com, HP Sales or an HP Channel Partner, or (b) continue using the standard versions of HP Sure Click and HI Sure Sense at no additional cost with no future software updates or HP Support. Notwithstanding the foregoing, the license shall expire no later than one year after the fixed term of the subject license ends.

 ²⁹ Front entry contain: 1 headset connector; 4 SuperSpeed USB Type-A SGbps signaling rate. Front Entry and Front Premium offer Battery Charging 1.2 through one of the USB Type-A ports.

 ³⁰ NVIDIA graphics cards denoting a letter "E" refer to long-life variants of the card.

- ¹ Wi-Fi 6E requires a Wi-Fi 6E router, sold separately, to function in the 6GHz band. Availability of public wireless access points limited.
- Wi-Fi 6E is backwards compatible with prior 802.11 specs. And available in countries where Wi-Fi 6E is supported.

 Here is backwards compatible with prior 802.11 specs. And available in countries where Wi-Fi 6E is supported.

 Here is backwards compatible with Windows Update on select products and will check entitlement on each hardware device to determine if an HP TechPulse-enabled service has been purchased, and will download applicable software automatically. HP TechPulse is a telemetry and analytics platform that provides critical data around devices and applications. For full system requirements or to disable
- is a teerinery and anaphysis planorm that provides critical that a down devices and applications. For this system requirements of obsault its feature, please visit http://www.hpdaas.com/requirements. Not applicable in China.

 33 HP Performance Advisor is ready and waiting to help you get the most out of your HP Workstation from day one—and every day after. Learn more or download at: https://www.hp.com/us-en/workstations/performanceadvisor.html.

 34 Percentage of ocean-bound plastic contained in each component varies by product.
- Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard
 - 5 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers
- 37 Fiber cushions made from 100% recycled wood fiber and organic materials
- 39 The NVIDIA® Mellanox ConnectX-6 DX Dual Port 10/25GbE SFP28 NIC requires a transceiver in order to connect to a network

Sign up for updates hp.com/go/getupdated

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Intel, Core are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. AMD and Radeon are trademarks of Advanced Micro Devices, Inc. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license. NVIDIA is trademark and/or registered trademarks of NVIDIA Corporation in the U.S. and other countries. USB Type-0 is registered trademarks of USB Implementers Forum. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. All other trademarks are the property of their