

# ThinkStation P3 Tower

Business professionals can enhance their work experience and performance with this 27-liter tower, powered by up to 13th Gen Intel Core i9 Processor. Optional Wi-Fi 6E enables faster connection speeds even in densely congested areas, while the optional Thunderbolt 4 port allows for high-speed display connectivity and file sharing. The tower also includes a slew of security features, such as a discrete TPM 2.0 chipset, power-on password, and UEFI secure boot, that keep data well-protected.



With up to 128GB DDR5 memory configuration, this device provides exceptional portable power, allowing users to easily multitask on compute-intensive workflows. Additionally, EPEAT Gold and ENERGY STAR 8.0 certification means the laptop is energy-efficient and built to last longer.

Business specialists can easily view and compare detailed spreadsheets by connecting multiple independent displays through onboard video ports and discrete graphics.

EPEAT Gold and ENERGY STAR 8.0 certification means it is an energy efficient device.

**Professional machines for  
advanced users**

## Lenovo services

Lenovo delivers tailored sustainability services, devices, and infrastructure solutions from our broad portfolio, working closely with you to support your target outcomes across the IT lifecycle..



### On-site Service

If a problem can't be fixed remotely, we will visit your location  
Normally next business day service  
Agreed appointment times

## Accessories

### Lenovo Go Wired Speakerphone

Microsoft Teams certified, omni-directional far-field 2x microphones array  
Portable plug-and-play capabilities and effortless PC UC support  
Comes with intuitive control with volume wheel, tactile keys, and readable LEDs



PN: 4XD1C82055, GXD1C82051

### Lenovo Pro Stereo Wired VOIP Headset

USB or 3.5mm analog connection with integrated call controls  
Skype for Business and Microsoft Teams certified  
HD noise-cancelling microphone



PN: 4XD0S92991



# ThinkStation P3 Tower

## Key Specifications

<b>Processor</b> Up to one 13th Gen Intel Core i3 / i5 / i7 / i9
<b>Operating System</b> Windows 11 Pro, Windows 11 DG Windows 10 Pro 64, Windows 11 Home, Ubuntu Linux LTS, Red Hat Enterprise Linux (certified only)
<b>Max Graphics</b> Supports up to one NVIDIA RTX A5500 or two NVIDIA RTX A2000
<b>Memory</b> Up to 128GB, four DDR5 DIMM slots
<b>Max Storage Drives</b> Up to 5 drives (4x HDD + 1x M.2 SSD) or 6 drives (3x HDD + 3x M.2 SSD) <ul style="list-style-type: none"><li>• 3.5" HDD up to 6TB each</li><li>• 2.5" HDD up to 1TB each</li><li>• M.2 SSD up to 4TB or 2TB each</li><li>• RAID 0/1/10/5 supported for HDD</li><li>• RAID 0/1 supported for M.2 SSD</li></ul>
<b>Storage Types Supported</b> Up to 5 drives (4x HDD + 1x M.2 SSD) or 6 drives (3x HDD + 3x M.2 SSD) <ul style="list-style-type: none"><li>• 3.5" HDD up to 6TB each</li><li>• 2.5" HDD up to 1TB each</li><li>• M.2 SSD up to 4TB or 2TB each</li><li>• RAID 0/1/10/5 supported for HDD</li><li>• RAID 0/1 supported for M.2 SSD</li></ul>
<b>Storage Controllers</b> Onboard Intel RSTe SATA RAID Integrated NVMe Controller
<b>Power Supply</b> <i>One of the following</i> 1100W Platinum Fixed   500W Platinum Fixed   750W Platinum Fixed
<b>Dimensions</b> 180 x 415 x 370 mm (7.09 x 16.34 x 14.57 inches)
<b>Weight</b> 13.6 kg (29.9 lbs, maximum configuration)

## Green Certifications

EPEAT Gold, ENERGY STAR 8.0, ErP Lot 3, TCO Certified 9.0, RoHS compliant

## Connectivity

<b>Front I/O</b> 2x USB 3.2 Gen 1, 2x USB 3.2 Gen 2, 1x USB-C 3.2 Gen 2, 1x headphone / microphone combo jack (3.5mm), 1x microphone (3.5mm)
<b>Rear I/O</b> 1x HDMI 2.1 TMDS, 2x DisplayPort 1.4, 4x USB 3.2 Gen 1 (one supports Smart Power On), 1x Ethernet (RJ-45), 1x line-out (3.5mm), Optional 1x HDMI 2.1 TMDS (Flex IO), Optional 1x VGA (Flex IO), Optional 1x USB-C 3.2 Gen 1 with DisplayPort function (Flex IO), Optional 1x DP 1.2 (Flex IO), Optional 1x USB-C 3.2 Gen 2x2, Optional 2x USB 2.0, Optional 2x USB 3.2 Gen 1, Optional 1x Thunderbolt 4 via additional PCIe adapter, Optional 1x serial, Optional 4x serial (via 4-port serial expansion card, PCIe x1), Optional 1x parallel. Optional 2x PS/2
<b>Optional Rear Ports</b> <i>One of the following</i> 1x DP (Flex IO)   1x HDMI (Flex IO)   1x Parallel   1x Serial   1x Serial + 1x USB-C 3.2 Gen 1 (Supports DP, Flex IO) + 2x USB 2.0   1x Thunderbolt 4   1x Thunderbolt 4 + 1x Serial   1x USB-C 3.2 Gen 1 (Supports DP, Flex IO)   1x USB-C 3.2 Gen 2x2   1x USB-C 3.2 Gen 2x2 + 1x HDMI (Flex IO)   1x USB-C 3.2 Gen 2x2 + 1x USB-C 3.2 Gen 1 (Supports DP, Flex IO)   1x VGA (Flex IO)   2x PS/2   2x PS/2 + 1x Serial   2x USB 2.0   2x USB 2.0 + 1x DP (Flex IO) + 1x USB-C 3.2 Gen 2x2 + 1x Serial   2x USB 3.2 Gen 1 + 1x Thunderbolt 4 + 2x USB 2.0   4x Serial
<b>WLAN + Bluetooth</b> Intel Wi-Fi 6E AX211, 11ax 2x2 + BT5.1, vPro

## Security & Privacy

Chassis Intrusion Switch
Cable Lock
E-Lock
Discrete TPM 2.0, TCG certified
Optional Cable lock
Optional E-lock
Kensington Security Slot, 3 x 7 mm
Padlock Loop
Optional Chassis intrusion switch

## Manageability

Intel vPro Enterprise with Intel AMT16
Non-vPro