

مقدمه
به دنبالی محصولات Philips خوش آمدید! به شما برای خرید این محصول تبریک می‌گوییم!
برای استفاده بهینه از خدمات پس از فروش Philips، سستگاه خود را در سایت www.philips.com/welcome ثبت کنید.

برو شور جدگانه اطلاعات مهم و این راهنمای کاربر را قبل از استفاده از این سیلی به دقت
طالعه کنید. هر دو فترچه را برای مرتعجه بعدی نگذاری کنید.
این سستگاه فقط برای استفاده خانگی ساخته شده است. سازنده در حال هر گونه استفاده
تجاری، استفاده نامناسب یا عدم رعایت مستور العمل، مسئولیتی نمی‌پذیرد و ضمانت برای
آن قابل اجرا نخواهد بود.

خطر

- اتو را در آب قرار نهید.

شکار

- قبل از اتصال سستگاه به پریز برق بررسی کنید که ولتاژ مشخص شده روی بلاک
شناختی باشد. هر دو فترچه را برای مرتعجه بعدی نگذاری کنید.
اگر موشکهای سیم برق با خود سستگاه انسیب دیده و خراب است، یا سستگاه به هر طریق
غیر عادی عمل کند، سستگاه که می‌کند یا نشستی دارد، از آن استفاده نکنید.
در صورتی که سیم برق انسیب دیده است برای جلوگیری از بروز خطر، آن را زند
نماینده‌گاهی های Philips، مرکز خدمات محجاز Philips با انتخاب منحصراً تعویض
کنید.

. هنگامی که سستگاه را برای روشن یا در بال خنک شدن است، سستگاه و سیم آن را دور از سیمترس
کوکدان ۸ سال به بالا و افرادی که از توانایی جسمی، حسی و ذهنی کافی برخوردار
نیستند یا تجربه و آگاهی ندارند می‌توانند با نظرات بزرگترها با موختن استفاده این از
سستگاه و اگاهی از خطرات ممکن، از سستگاه استفاده نکنند.
به کوکدان اجازه ندادید سیم برای سستگاه بازی کنند.

. هنگامی که اتو روشن یا در بال خنک شدن است، سستگاه و سیم آن را دور از سیمترس
کوکدان ۸ سال قرار دهید.

. کوکدان ۸ سال و باز هم فقط اجازه دارند با نظرات شما سستگاه را تمیز کنند.

. اجازه ندادید سیم برای تماس با کتف اتو قرار گیرد.

. همینه شیوه اتو را روی یک سطح خوب نصب کنید.

. همینه شیوه اتو را روی یک سطح تابی، صاف و افقی قرار دهید.

احتیاط

- سستگاه را فقط به پریزی که به زمین اتصال دارد وصل کنید و از ادیپتور استفاده نکنید.
دوشاخه سستگاه را فقط به پریز برق که مشخصات فی مورد نظر داشته باشد بزنید.
سیم برق را به طور منظم از نظر انسیب دیدگی احتمال بررسی کنید.
از سستگاه در یک سطح صاف، ثابت و مقاوم در برای حرارت استفاده کنید و قرار
دهید. وقتی اتو را روی یا چاک گاهش قرار می‌دهید مطمئن شوید سطح مواد نظر
ثابت باشد.

. قبل از زدن دوشاخه به پریز، به طور کامل سیم را باز کنید.

. کفت اتو پیش از دوشاخه به پریز، به طور کامل سیم را باز کنید.


. پس از اتوکشی، هنگام تمیز کردن سستگاه و وقتی اتو را حتی برای مدت کوتاه رها
می‌کنید، اتو را روی پایه ایشان بگذارد و دوشاخه برق را از پریز بکشید.

. این سستگاه فقط برای مصارف خانگی طراحی شده است.

میدان الکترومغناطیسی (EMF)

این سستگاه Philips با لایل قوانین و استانداردهای کاربر پذیر در معرض میدان های
الکترومغناطیسی مطابقت دارد.

شرح کلی (شکل ۱)



قبل از اولین استفاده

- ۱ هر گونه برجسب و پوشش حفاظتی را از کف اتو جدا کنید.
- ۲ بگاروید تا اتو تا حد اکثر درجه حرارت تنظیم شده داغ شود و آن را چند بار روی یک تکه بارچه ندار
بکشید تا هر گونه مو باقیمانده از صفحه اتو پاک شود.

استفاده از سستگاه

تنظیم کردن درجه حرارت

- ۱ اتو را روی پاشنه قرار دهید.

- ۲ برای تنظیم درجه حرارت لازم برای اتو کردن، دکمه درجه حرارت در وضعیت دلخواه بچرخانید
(شکل ۲).

برای درج حرارت مناسب اتو کشی برسی سنتشی لایس را بازیگردانید:

- ۳ بارچه های مصنوعی (مانند اکریلیک، پیسکون، پلی آمید، پلی استر)

- ۴ ابریشم

- ۵ بشم

- ۶ پنبه، نعن

چنانچه نمی‌توانید که بارچه ای چه جنسی ساخته شده اند، درجه حرارت را اتو کردن قسمتی از بارچه
که در هنگام پوشیدن با استفاده از آن دیده نمی شود، تعیین کنید.

بارچه های ابریشمی، پشمی و پارچه مصنوعی، برای جلوگیری از برق زدن بارچه، پشت آن را توکنید.
آتو کردن را باز چه هایی به کمترین نیاز باردار شود که این ایاف
مصنوعی ساخته شده اند.

۷ دو شاخه را به پریزی که دارای اتصال زینت می‌باشد وصل کنید.

اتو کشی

توجه: هنگامی که اتو برای اتو اولین بار استفاده می‌کنید ممکن است کمی مود از آن بلند شود. این مود
بعد از مدت کوتاهی به بایان خواهد رسید.

- ۱ اتو را روی پاشنه قرار دهید.

- ۲ دو شاخه را به پریزی که دارای اتصال زینت می‌باشد وصل کنید.

- ۳ درجه حرارت را روی حرارت اتو کشی توصیه شده تنظیم کنید (به بخش "تنظیم درجه حرارت"
در بالا رجوع کنید) (شکل ۲).

۴ بگاروید تا اتو تا حد اکثر دلخواه برش شدن و روشن شدن مجدد درج حرارت داغ شود (شکل ۳).

توجه: جریان دارج درجه حرارت هر از چند گاهی در طول اتوکشی روشن و خاموش می شود.

- ۵ اتو کشی را شروع کنید.

نکته: اتوکشی در صورتی که ایندا بارچه موردنظر نمود ساده تر خواهد بود.

تمیز کردن

- ۱ اتو را روی پاشنه قرار دهید.

۲ دو شاخه برق را از پریز خارج کنید و بگذاری تا اتو حداقل برای ۳۰ دقیقه سرد شود.

- ۳ صفحه اتو را با یک بارچه ندار و ماده تمیز کننده غیر سایشی (ماع) تعییر کنید.

برای صفحه اتو کشی اشتنک صفحه اتو از نیاس مخم صفحه یا اشیاء فلزی جلوگیری بعمل آورید.

هر کز از سیم غلف شویی سرمه با مواد شیمیایی دیگر برای تمیز کردن صفحه اتو استفاده نکنید.

- ۴ قسمت بالای اتو را با یک تکه بارچه ندار تمیز کنید.

نگهداری

- ۱ اتو را روی پاشنه قرار دهید.

۲ دو شاخه برق را از پریز خارج کنید و بگذاری تا اتو حداقل برای ۳۰ دقیقه سرد شود.

- ۳ سیم بر قریب را دور قسمت خودخواه سیم بتایند (شکل ۴).

۴ اتو را روی پاشنه گذاشت و آن را در محل مطمئن خشک کنید (شکل ۵).

پایان

- پس از یابان عمر سستگاه، آن را همراه با زیله های معمولی خانگی دور نیازدازد بلکه

این کار را طبق قوانین جمع آوری و بازیافت محلي خود انجام دهد.

حقیقت به حفظ محیط زیست خود کمک اید.

- در این خصوص بر طبق قوانین کشور خود نسبت به جمع آوری محصولات الکتریکی و
الکترونیکی اقدام نمایید. دور انداختن صحیح، از تاثیرات منفی بر روی محیط زیست و
سلامت انسان جلوگیری می‌کنید.

پشتیبانی و ضمانت

برای اطلاعات یا پشتیبانی، از www.philips.com/support بازدید نمایید یا برگ

ضمانته نهاده جهانی را مطالعه کنید.

عبد بایی

این فصل مکملات معمول که هنگام استفاده از سستگاه با آن موافق می‌گردید را بطور خلاصه تشییع می‌کند.
کند اگر با استفاده از اطلاعات ارایه شده قادر به رفع میکل نیستید، با مرکز حمایت مصرف کننده در

کشور خود تماس بگیرید.

دروچه کنترل درجه حرارت روی MLIIN تنظیم شده است.

برای مراجعه کنید.

مشکل

مشکل احتمالی

مشکل احتمالی به حل آن دار.

است اما صفحه اتو.

سرد است.

دروچه کنترل درجه حرارت روی MLIIN

دکمه کنترل درجه حرارت روی MLIIN

ENGLISH

Introduction

Congratulations on your purchase and welcome to Philips! To fully benefit from the support that Philips offers, register your product at www.philips.com/welcome.

Important

Read the separate important information leaflet and the user manual carefully before you use the appliance. Save both documents for future reference.

This appliance has been designed for domestic use only. Any commercial use, inappropriate use or failure to comply with the instructions, the manufacturer accepts no responsibility and the guarantee will not apply.

Danger

- Do not immerse the iron in water.

Warning

- Check if the voltage indicated on the type plate corresponds to the local mains voltage before you connect the appliance.
- Do not use the appliance if the plug, the mains cord or the appliance itself shows visible damage, or if the appliance functions abnormally in any way, or if the appliance has been dropped or leaks.
- If the mains cord is damaged, you must have it replaced by Philips, a service center authorized by Philips or similarly qualified persons in order to avoid a hazard.
- Never leave the appliance unattended when it is connected to the mains.
- This appliance can be used by children aged 8 or above and by persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given instructions in safe use of the appliance or supervision to establish safe use and if they have been made aware of the hazards involved.
- Do not allow children to play with the appliance.
- Keep the iron and its mains cord out of the reach of children aged 8 or under when the appliance is switched on or cooling down.
- Older Children aged 8 and above are only allowed to clean the appliance under supervision.
- Do not let the mains cord come into contact with the hot soleplate of the iron.
- Always unplug the appliance from the socket outlet before you fill the water reservoir.
- Always use the iron on a stable, level and horizontal surface.

Caution

- Only connect the appliance to an earthed wall socket and do not use adaptors.
- The plug must only be connected to a socket with the same technical characteristics as plug.
- Check the mains cord regularly for possible damage.
- The appliance must be used and placed on a flat, stable, heat-resistant surface. When you place the iron on its heel or its stand, make sure that the surface on which you place it is stable.
- Fully unwind the mains cord before you plug it in the wall socket.
- The soleplate of the iron can become extremely hot and may cause burns if touched.
- When you have finished ironing when you clean the appliance, when you leave the iron even for a short while: put the iron on its heel and remove the mains plug from the wall socket.
- This appliance is intended for household use only.

Electromagnetic fields (EMF)

This Philips appliance complies with all applicable standards and regulations regarding exposure to electromagnetic fields.

General description (Fig. 1)

- A Temperature dial
- B Temperature light
- C Mains cord
- D Heel
- E Type plate
- F Soleplate

Before first use

- 1 Remove any sticker or protective foil from the soleplate.
- 2 Let the iron heat up to maximum temperature and pass the iron over a piece of damp cloth for several minutes to remove any residues from the soleplate.

Using the appliance

Setting the temperature

- 1 Put the iron on its heel.
- 2 To set the required ironing temperature, turn the temperature dial to the appropriate position (Fig. 2).

- Check the laundry care label for the required ironing temperature:

- ● Synthetic fabrics (e.g. acrylic, viscose, polyamide, polyester)
- ● Silk
- ●● Wool
- ●●● Cotton, linen

If you do not know what kind or kinds of fabric an article is made of, determine the right ironing temperature by ironing a part that is not visible when you wear or use the article.

Silk, woolen and synthetic materials: iron the reverse side of the fabric to prevent shiny patches.

Start ironing the articles that require the lowest ironing temperature, such as those made of synthetic fibres.

- 3 Put the mains plug in an earthed wall socket.

Ironing

Note: The iron may give off some smoke when you use it for the first time. This stops after a short while.

- 1 Put the iron on its heel.

- 2 Put the mains plug in an earthed wall socket.

- 3 Set the recommended ironing temperature (see section 'Setting the temperature' above) (Fig. 2).

- 4 Let the iron heat up until the temperature light first goes out and then goes on again (Fig. 3).

Note: The temperature light goes on from time to time during ironing.

- 5 Start ironing.

Tip: Ironing is easier and takes less time if you moisten the article first.

Cleaning

- 1 Put the iron on its heel.

- 2 Remove the mains plug from the wall socket and let the iron cool down for at least 30 minutes.

- 3 Wipe the soleplate with a damp cloth and a non-abrasive (liquid) cleaning agent.

To keep the soleplate smooth, avoid hard contact with metal objects. Never use a scouring pad, vinegar or other chemicals to clean the soleplate.

- 4 Clean the upper part of the iron with a damp cloth.

Storage

- 1 Put the iron on its heel.

- 2 Remove the mains plug from the wall socket and let the iron cool down for at least 30 minutes.

- 3 Wind the mains cord round the cord storage facility (Fig. 4).

- 4 Store the iron on its heel in a safe and dry place (Fig. 5).

Recycling

- Do not throw away the product with the normal household waste at the end of its life, but hand it in at an official collection point for recycling. By doing this, you help to preserve the environment.

- Follow your country's rules for the separate collection of electrical and electronic products. Correct disposal helps prevent negative consequences for the environment and human health.

Guarantee and support

If you need information or support, please visit www.philips.com/support or read the separate worldwide guarantee leaflet.

Troubleshooting

This chapter summarises the most common problems you could encounter with the appliance. If you are unable to solve the problem with the information below, contact the Consumer Care Centre in your country.

Problem

Possible cause

Solution

Problem	Possible cause	Solution
The iron is plugged in but the soleplate is cold.	There is a connection problem.	Check the mains cord, the plug and the wall socket.

Problem	Cause possible	Solution
The iron is plugged in but the soleplate is cold.	The temperature dial is set to MIN.	Set the temperature dial to the required position (see section 'Setting the temperature' in chapter 'Using the appliance').

Problem	Cause possible	Solution
The iron is plugged in but the soleplate is cold.	The temperature dial is set to MIN.	Set the temperature dial to the required position (see section 'Setting the temperature' in chapter 'Using the appliance').

Problem	Cause possible	Solution
The iron is plugged in but the soleplate is cold.	The temperature dial is set to MIN.	Set the temperature dial to the required position (see section 'Setting the temperature' in chapter 'Using the appliance').

Problem	Cause possible	Solution
The iron is plugged in but the soleplate is cold.	The temperature dial is set to MIN.	Set the temperature dial to the required position (see section 'Setting the temperature' in chapter 'Using the appliance').

Problem	Cause possible	Solution
The iron is plugged in but the soleplate is cold.	The temperature dial is set to MIN.	Set the temperature dial to the required position (see section 'Setting the temperature' in chapter 'Using the appliance').

Problem	Cause possible	Solution
The iron is plugged in but the soleplate is cold.	The temperature dial is set to MIN.	Set the temperature dial to the required position (see section 'Setting the temperature' in chapter 'Using the appliance').

Problem	Cause possible	Solution
The iron is plugged in but the soleplate is cold.	The temperature dial is set to MIN.	Set the temperature dial to the required position (see section 'Setting the temperature' in chapter 'Using the appliance').

Problem	Cause possible	Solution
The iron is plugged in but the soleplate is cold.	The temperature dial is set to MIN.	Set the temperature dial to the required position (see section 'Setting the temperature' in chapter 'Using the appliance').

Problem	Cause possible	Solution
The iron is plugged in but the soleplate is cold.	The temperature dial is set to MIN.	Set the temperature dial to the required position (see section 'Setting the temperature' in chapter 'Using the appliance').

Problem	Cause possible	Solution
The iron is plugged in but the soleplate is cold.	The temperature dial is set to MIN.	Set the temperature dial to the required position (see section 'Setting the temperature' in chapter 'Using the appliance').

Problem	Cause possible	Solution
The iron is plugged in but the soleplate is cold.	The temperature dial is set to MIN.	Set the temperature dial to the required position (see section 'Setting the temperature' in chapter 'Using the appliance').

Problem	Cause possible	Solution
The iron is plugged in but the soleplate is cold.	The temperature dial is set to MIN.	Set the temperature dial to the required position (see section 'Setting the temperature' in chapter 'Using the appliance').

Problem	Cause possible	Solution
The iron is plugged in but the soleplate is cold.	The temperature dial is set to MIN.	Set the temperature dial to the required position (see section 'Setting the temperature' in chapter 'Using the appliance').

Problem	Cause possible	Solution
The iron is plugged in but the soleplate is cold.	The temperature dial is set to MIN.	Set the temperature dial to the required position (see section 'Setting the temperature' in chapter 'Using the appliance').

Problem	Cause possible	Solution
The iron is plugged in but the soleplate is cold.	The temperature dial is set to MIN.	Set the temperature dial to the required position (see section 'Setting the temperature' in chapter 'Using the appliance').

Problem	Cause possible	Solution
The iron is plugged in but the soleplate is cold.	The temperature dial is set to MIN.	Set the temperature dial to the required position (see section 'Setting the temperature' in chapter 'Using the appliance').

Problem	Cause possible	Solution
The iron is plugged in but the soleplate is cold.	The temperature dial is set to MIN.	Set the temperature dial to the required position (see section 'Setting the temperature' in chapter 'Using the appliance').

Problem	Cause possible	Solution
The iron is plugged in but the soleplate is cold.	The temperature	