Unleash extreme graphics performance



Accelerate your most graphics-intensive projects—from machine learning and simulation to advanced visual effects. The Z6 desktop workstation is redesigned with new, powerful single socket technology and now fits up to 3x more GPUs than the previous gen while also providing plenty of room to expand.

Remarkable performance. Whisper-quiet acoustics

Tackle graphics-intensive workflows with up to 3 high-end GPUs¹, an Intel® Xeon® W CPU with up to 36 cores², and 1 TB DDR5 RAM³—all while running whisper quiet. With a world class acoustic design, push your system to the max without disruptive noise.

Upgrade. Expand. Evolve

Need to upgrade your device? Go for it. Easily expand and add components as your work evolves with room for up to 3 high-end graphics cards¹, 1 TB memory, 104 TB storage, 4 front accessible NVMe bays, 6 PCle slots (up to Gen 5), and tool-less access.⁵

Comprehensive security. Reliability you can trust

Get peace of mind with a PC that's built to endure. The Z6 undergoes 360K hours of rigorous testing, military-standard testing⁶ and is certified for pro apps. And with HP Wolf Security for Business⁷, it's protected below, in and above the OS.

Maximize your IT lifecycle

Designed for simpler IT management, the Z6 is built for longevity with a 3 year lifecycle—longer than entry workstations. Plan for the future and avoid re-qualifying devices every year, saving you serious time and money.







Operating Systems

Support your unique user needs with a choice of Windows 11 Pro, WSL2 or Linux® operating systems.8

Intel® Xeon® W Processors

Power demanding professional workloads with a transformative new single socket Intel® Xeon® W CPU (up to 36 cores⁹), Intel vPro®¹⁰ enhanced security, and ECC Memory¹¹ for data reliability.

Professional Grade Graphics

Tackle 4K visual effects, advanced simulation, and machine learning projects with up to 3 NVIDIA RTX™ 6000 Ada Generation GPUs or 2 AMD Radeon™ Pro W6800 GPUs. 1,12

Ultra Fast Memory Configurations

Accelerate your workflow. Power through memory-intensive workloads with up to 1 TB DDR5 memory³ for fast machine learning, visual effects, and simulation performance.

Storage

Get up to 104 TB of storage across a variety of devices, including 4 front-accessible, hot-swappable NVMe devices with status information via external LED.¹³

Integrated Wi-Fi® Enablement

Untether your device from network cables and enjoy the flexibility to work from almost anywhere with new integrated Wi-Fi 6 without taking up a PCIe slot. 14

Fast Data Transfer and Network Connectivity

Thunderbolt[™] 4 technology¹⁵ for fast data transfers, two optional USB3.2 SuperSpeed Type-C® connectors for data transfer rates up to 20Gbps, and two ports of 10 GbE network connection.

HP Anyware

Access the power of your Z from any device with HP Anyware ¹⁶—remote access software delivering fast responsiveness and image quality, even in film editing and data visualizations.

Smart Support with HP TechPulse

Get enhanced support and reduce downtime. HP Smart Support* provides support agents, secure access to device health insights, and configuration data for faster troubleshooting.¹⁷

Z by HP Data Science Stack Manager

Z by HP Data Science Stack Manager provides easy access to popular data science tools and updates them automatically, to help you customize your environment on Windows or Ubuntu.¹⁸

World Class Design & Acoustics

Keep quiet, cool and focused even at peak performance. Smart fan control keeps the system whisper-quiet by tuning fan speeds in real-time using over 20 temperature sensors.

ISV Certified

Work with confidence knowing your desktop is certified with leading software applications to ensure peak performance even with complex projects.

Specifications Table

	Windows 11 Dra for Workstations 23
Available Operating Systems	Windows 11 Pro for Workstations ^{2,3} Ubuntu 22.04 LTS
	Linux® Ready ⁵ Red Hat® Enterprise Linux®
Processor family	Intel® Xeon® processor
	Intel® Xeon® W9-3475X (2.2 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 82.5 MB L3 cache, 36 cores, 72 threads)
	Intel® Xeon® W7-3465X (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 75 MB L3 cache, 28 cores, 56 threads) Intel® Xeon® W7-3455 (2.5 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 67.5 MB L3 cache, 24 cores, 48 threads)
Available Processors ⁷	Intel® Xeon® W7-3445 (2.6 GHz base frequency, up to 4.8 GHz with Intel® Turbo Boost Technology, 52.5 MB L3 cache, 20 cores, 40 threads) Intel® Xeon® W5-3435X (3.1 GHz base frequency, up to 4.7 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 32 threads)
	Intel® Xeon® W5-3433 (2.0 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® W5-3425 (3.2 GHz base frequency, up to 4.6 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads)
	Intel® Xeon® W5-3423 (2.1 GHz base frequency, up to 4.2 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 24 threads)
Chipset	Intel® W790
Form factor	Tower
Maximum memory	1 TB DDR5-4800 ECC SDRAM ^{11,39} Transfer rates up to 4800 MT/s.
	1 TB up to 12 TB 7200 rpm SATA Enterprise HDD ^{8,40}
Internal storage	512 GB up to 2 TB HP Z Turbo Drive NVMe™ M.2 SSD ^{8,39} 512 GB up to 4 TB HP Z Turbo Drive PCle® SSD M.2 ⁸
internal Storage	512 GB up to 4 TB HP Z Turbo Drive PCIe® SED Opal 2 M.2 SSD ⁸ 512 GB up to 4 TB HP Z Turbo Drive Dual Pro PCIe® SSD ⁸
	512 GB up to 4 TB FIP 2 Turbo Drive Quad Pro PCIe® SSD ^{5,41}
Optical drive	HP Slim DVD-ROM; HP Slim Blu-ray Writer; HP Slim DVD-Writer ^{9,10}
-	Ultra High-End:
	NVIDIA RTX™ A6000 (48 GB GDDR6 dedicated) NVIDIA RTX™ A5000 (24 GB GDDR6 dedicated)
	AMD Radeon Pro W6800 (32 GB GDDR6 dedicated)
	NVIDIA RTX™ 6000 Ada Generation (48 GB GDDR6 dedicated) AMD Radeon™ Pro W7900 (48 GB GDDR6 dedicated)
	NVIDIA RTX** 5000 Ada Generation (32 GB GDDR6 dedicated)
	NVIDIA® A800 (40 GB GDDR6 dedicated) High-End:
	NVIDIA RTX ^{IM} A4500 (20 GB GDDR6 dedicated)
Available Graphics	NVIDIA RTX™ A4000 (16 GB GDDR6 dedicated) NVIDIA® A4000E (16 GB GDDR6 dedicated)
	NVIDIA RTX® A2000 (12 GB GDDR6 dedicated)
	AMD Radeon™ RX 6700 XT (12 GB GDDR6 dedicated) NVIDIA RTX™ 4000 Ada Generation (20 GB GDDR6 dedicated)
	AMD Radeon™ Pro W7500 (8 GB GDDR6 dedicated) AMD Radeon™ Pro W7600 (8 GB GDDR6 dedicated)
	AWID RAIZE™ 1500 (G GB GDDRG declicated) NVIDIA RTX™ 4500 Ada Generation (24 GB GDDR6 declicated)
	Mid-Range: NVIDIA® T1000 (8 GB GDDR6 dedicated)
	AMD Radeon™ Pro W6600 (8 GB GDDR6 dedicated)
	Intel® Arc™ Pro A40 (6 GB GDDR6 dedicated) Entry:
	NVIĎIA® T1000 (4 GB GDDR6 dedicated)
	NVIDIA® T400 (4 GB GDDR6 dedicated) AMD Radeon™ RX 6400 (4 GB GDDR6 dedicated)
	Intel® Arc™ Pro A40 (6 GB GDDR6 dedicated)
Audio	Realtek ALC3205-CG
Expansion slots	2 PCIe 4 x4; 2 PCIe 4 x16; 1 PCIe 3 x16; 1 PCIe 5 x16 (Rear bulkhead access can be achieved through all slots but 2 PCIe 4 x8 are internal access only for M.2.)
Memory card device	1 SD card reader (optional)
	Front (Premium version): 2 SuperSpeed USB Type-C® 20Gbps signaling rate (USB Power Delivery); 2 SuperSpeed USB Type-A 5Gbps signaling rate; 1 headphone/microphone combo ²⁹ ;
Ports and connectors	Front (Entry version): 4 USB Type-A 5Gbps signaling rate; 1 headphone/microphone combo; Optional Ports: Flex IO port – choose one of the following options: 2 SuperSpeed USB Type-A 5Gbps signaling rate, 1 SuperSpeed USB Type-C® 10Gbps signaling rate, 1 serial; 2 Thunderbolt™ 4 with USB Type-C® 40Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4)

Specifications Table

He wired disables 128 laser mouse; HP Wired 320M Mouse ¹³ LAX Intel® Etherne Network Adapter 1225-11; Integrated finale 1229-LM PCIe® GBE, VPTRI; HP dual-port 10GBase-T NIC; Intel® X550-T2 dual-port 10GBa	-	
Likhtreits Etherne Network Adopter 1525-T1. Interpreted Install 123-B.M. PCMB (Call., Option): Phi data-per STERGIBLES T. NC. Interpreted Interpreted No. 152-152-152-152-152-152-152-152-152-152-	Keyboard	HP 125 Wired Keyboard; HP USB 320K Keyboard; HP USB Business Slim Wired SmartCard CCID Keyboard ¹³
Mollanox Connects DX Dual Port 10/25GbE SP28 NIC. Allied Telesis AT-2914TX7-901 dual-port 10/5Eb NIC. Allied Telesis AT-2914TX7-901 dual-port 10/5Eb NIC. Allied Telesis AT-2914TX7-901 dual-port 10/5Eb SPF-S NIC (Fiber Inscisor). The Pick VO Lo Be single port NIC. IP E3 GBE First (D port IP 10 GBE SPF-S NIC C Fiber transcents—IP 23 GBE First (D port IP 10 GBE SPF-S NIC C Fiber transcents—IP 23 GBE First (D port IP 10 GBE SPF-S NIC C Fiber transcents—IP 23 GBE SPF-S NIC C Fiber transcents—IP 23 GBE SPF-S NIC C Fiber transcents—IP 23 GBE SPF-S NIC C Fiber ATT 10 GBE C Fiber ATT 1	Mouse	HP wired desktop 128 laser mouse; HP Wired 320M Mouse ¹³
Internal: Four PCIS® M.Z. SSD; Four 3.5* HDD 39 ##P Pchardware Diagnostics VIEFI HP Performance Advisory HP Support Assistant HP SUpport Assistant HP Support Assistant HP Brain assist	Communications	Mellanox ConnectX-6 DX Dual Port 10/25GbE SFP28 NIC; Allied Telesis AT-2911T/2-901 dual-port 1GbE NIC; Allied Telesis AT-2914SX/LC PCIe Fiber NIC; HP 1 GbE LC Fiber Flex IO port; HP 10 GBESE-T Flex IO port; HP Flex IO 1 GbE single-port NIC; HP 2.5 GbE Flex IO port; HP 10 GbESFP+ SR LC Fiber transceiver; HP 25 GbESFP28 LC Fiber transceiver ¹² ; WLAN:Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna; Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna; Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna; Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna; Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna; Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna; Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna; Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna; Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna; Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna; Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna; Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna; Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna; Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna; Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna; Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna; Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna; Intel® Wi-Fi 6E AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with ext
HP Performance Advisor HP Support Assistant HP PC Hardware Diagnostics Windows HP Intege Assistant HP Manageability Integration Kit HP Services Scan HP Data Science Stack Manager 6.17.18.19 Full volume encryption HP Data Science Stack Manager 6.17.18.19 Full volume encryption HP Data Science Stack Manager 6.17.18.19 Full volume encryption HP Sure Click HP Sure Brins HP Sure Brins HP Sure Click HP Sure Run HP Sure Click HP Sure Run HP Sure Sense HP Sure Admin HP Platform Certificate HP Sure Sense HP Sure Admin HP Platform Certificate HP Sure Sense HP Sure HP Sure HP Sure HP Sure HP Sure Run HP Sure Sense HP Sure Admin HP Platform Certificate HP Sure Sense HP Wolf Pro Security Edition ²⁰ 1125 W Internal power supply, up to 90% efficiency, active PFC; 1450 W Internal power supply, up to 90% efficiency, active PFC; 775 W Internal power supply, up to 90% efficiency, active PFC; 775 W Internal power supply, up to 90% efficiency, active PFC; 775 W Internal power supply, up to 90% efficiency, active PFC; 775 W Internal power supply, up to 90% efficiency, active PFC; 775 W Internal power supply, up to 90% efficiency, active PFC; 775 W Internal power supply, up to 90% efficiency, active PFC; 775 W Internal power supply, up to 90% efficiency, active PFC; 775 W Internal power supply, up to 90% efficiency, active PFC; 775 W Internal power supply, up to 90% efficiency, active PFC; 775 W Internal power supply, up to 90% efficiency, active PFC; 775 W Internal power supply, up to 90% efficiency, active PFC; 775 W Internal power supply, up to 90% efficiency, active PFC; 775 W Internal power supply, up to 90% efficiency, active PFC; 775 W Internal power supply, up to 90% efficiency, active PFC; 775 W Internal power supply, up to 90% efficiency, active PFC; 775 W Internal power supply, up to 90% efficiency, active PFC; 775 W Internal power supply, up to 90% efficiency, active PFC; 775 W Internal power supply 90% efficiency, active PFC; 775 W Internal power supply 90% efficiency, PFC; 775 W Internal power supply 90% efficiency	Drive Bays	
HP Secure Erase Kensington lock slot Security management HP Sure Run HP Sure Click HP Sure Surn HP Wolf Pro Security Edition ²⁸ HP Wolf Pro Security Edition ²⁸ HP Wolf Pro Security Edition ²⁸ HP Driver Packs; HP System Software Manager (download); HP BIOS Configuration Utility (download); HP Smart Support Power H125 W Internal power supply, up to 90% efficiency, active PFC; 1450 W internal power supply, up to 90% efficiency, active PFC Hinding, Add HP Add HP Surn HP H	Software	HP Performance Advisor HP Support Assistant HP PC Hardware Diagnostics Windows HP Image Assistant HP Manageability Integration Kit HP Anyware HP Services Scan
Management features HP Driver Packs; HP System Software Manager (download); HP BIOS Configuration Utility (download); HP Smart Support Power 1125 W internal power supply, up to 90% efficiency, active PFC; 1450 W internal power supply, up to 90% efficiency, active PFC; 775 W intern	Security management	HP Secure Erase Kensington lock slot Secure authentication TPM 2.0 certified HP BIOSphere HP Sure Run HP Sure Click HP Sure Sense HP Sure Sense HP Sure Sense HP Sure Start HP Sure Start HP Sure Start
Power 1125 W internal power supply, up to 90% efficiency, active PFC; 1450 W internal power supply, up to 90% efficiency, active PFC; 775 W internal power supply, up to 90% efficiency, active PFC; 775 W internal power supply, up to 90% efficiency, active PFC; 775 W internal power supply, up to 90% efficiency, active PFC; 775 W internal power supply, up to 90% efficiency, active PFC; 775 W internal power supply, up to 90% efficiency, active PFC; 775 W internal power supply, up to 90% efficiency, active PFC; 775 W internal power supply, up to 90% efficiency, active PFC; 775 W internal power supply, up to 90% efficiency, active PFC; 775 W internal power supply, up to 90% efficiency, active PFC; 775 W internal power supply, up to 90% efficiency, place and respect place and respec	Security Software Licenses	HP Wolf Pro Security Edition ²⁸
efficiency, active PFC Dimensions 16.89 x 46.48 x 44.45 cm; 31.3 x 61.0 x 59.3 cm (Package) Weight Starting at 12.8 kg; (Exact weights depend upon configuration (System weight only)) Ecolabels EPEAT® registered configurations available; TCO Certified configurations available ^{14,15} Energy star certified ENERGY STAR® certified (configurations available) Sustainable impact specifications Low Halogen; 40% post-consumer recycled plastic; 25% ITE-derived closed loop plastic; Bulk packaging available; External power supply 90% efficiency; Plastic cushion inserts contain 80% recycled content; Ocean-bound plastic in system fan; 10% post-industrial recycled metal; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable 16.35.36.37.38 All HP Z Displays and HP DreamColor Displays are supported. For more information see http://www.hp.com/go/zdisplays	Management features	HP Driver Packs; HP System Software Manager (download); HP BIOS Configuration Utility (download); HP Smart Support
31.3 x 61.0 x 59.3 cm (Package) Weight Starting at 12.8 kg; (Exact weights depend upon configuration (System weight only)) Ecolabels EPEAT® registered configurations available; TCO Certified configurations available ^{14,15} Energy star certified ENERGY STAR® certified (configurations available) Sustainable impact specifications Low Halogen; 40% post-consumer recycled plastic; 25% ITE-derived closed loop plastic; Bulk packaging available; External power supply 90% efficiency; Plastic cushion inserts contain 80% recycled content; Ocean-bound plastic in system fan; 10% post-industrial recycled metal; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable ^{16,35,36,37,38} Compatible displays All HP Z Displays and HP DreamColor Displays are supported. For more information see http://www.hp.com/go/zdisplays	Power	
(Exact weights depend upon configuration (System weight only)) Ecolabels EPEAT® registered configurations available; TCO Certified configurations available ^{14,15} Energy star certified ENERGY STAR® certified (configurations available) Sustainable impact specifications lower recycled plastic; 25% ITE-derived closed loop plastic; Bulk packaging available; External power supply 90% efficiency; Plastic cushion inserts contain 80% recycled content; Ocean-bound plastic in system fan; 10% post-industrial recycled metal; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable 16,35,36,37,38 Compatible displays All HP Z Displays and HP DreamColor Displays are supported. For more information see http://www.hp.com/go/zdisplays	Dimensions	
Energy star certified ENERGY STAR® certified (configurations available) Sustainable impact specifications Low Halogen; 40% post-consumer recycled plastic; 25% ITE-derived closed loop plastic; Bulk packaging available; External power supply 90% efficiency; Plastic cushion inserts contain 80% recycled content; Ocean-bound plastic in system fan; 10% post-industrial recycled metal; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable 16.35.36.37.38 Compatible displays All HP Z Displays and HP DreamColor Displays are supported. For more information see http://www.hp.com/go/zdisplays	Weight	
Sustainable impact specifications Low Halogen; 40% post-consumer recycled plastic; 25% ITE-derived closed loop plastic; Bulk packaging available; External power supply 90% efficiency; Plastic cushion inserts contain 80% recycled content; Ocean-bound plastic in system fan; 10% post-industrial recycled metal; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable 16,35,36,37,38 Compatible displays All HP Z Displays and HP DreamColor Displays are supported. For more information see http://www.hp.com/go/zdisplays	Ecolabels	EPEAT® registered configurations available; TCO Certified configurations available ^{14,15}
inserts contain 80% recycled content; Ocean-bound plastic in system fan; 10% post-industrial recycled metal; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable ^{16,35,36,37,38} Compatible displays All HP Z Displays and HP DreamColor Displays are supported. For more information see http://www.hp.com/go/zdisplays	Energy star certified	ENERGY STAR® certified (configurations available)
	Sustainable impact specifications	inserts contain 80% recycled content; Ocean-bound plastic in system fan; 10% post-industrial recycled metal; Molded paper pulp cushion inside box is 100% sustainably
Warranty 1 year (1/1/1) limited warranty includes 1 year of parts, labor and on-site repair. Terms and conditions vary by country. Certain restrictions and exclusions apply.	Compatible displays	All HP Z Displays and HP DreamColor Displays are supported. For more information see http://www.hp.com/go/zdisplays
	Warranty	1 year (1/1/1) limited warranty includes 1 year of parts, labor and on-site repair. Terms and conditions vary by country. Certain restrictions and exclusions apply.

Messaging Footnotes

- Graphics are sold separately or as an optional feature. 3 NVIDIA RTX™ A6000 GPUs are only configurable on the 1450W power supply (in 200V countries, which does not include USA).
 Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily
- benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and
- software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

 3 Optional, configurable features. Configuration for 1 TB DDR5 memory is planned to be available in the first half of 2023.
- Optional, configurable features. Configuration for 104 TB requires separate additional purchase including a Z Turbo Quad Pro storage carrier planned to be available in the second half of 2023. Four front accessible NVMe SSDs require a 5.25" bay carrier. For storage GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 35GB (for Windows) is reserved for system
- results are not a guarantee of future performance under these test conditions. Accidental damage requires an optional HP Accidenta Damage Protection Care Pack.
- HP Wolf Security for Business requires Windows 10 or 11 Pro or higher, includes various HP security features and is available on HP
- Pro, Elite and Workstation products. See product details for included security features.

 8 Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased
- *Not an leatures are available in all entitors or versions of windows. Systems may require upgraced annor separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.

 9 Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

 10 Intel vPro® Enterprise technologies are available only on Intel® Xeon® W-3400 and Intel® Xeon® W-2400 processors, Intel vPro®
- requires Windows 10 Pro 64 bit or higher, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN and/or Wi-Fi 6E WLAN and TPM 2.0. Some functionality requires additional 3rd party software in order to run. Features of vPro® Essentials and
- Enterprise vary. See http://intel.com/vpro .

 11 Error Correction Code (ECC) Memory enables enhanced data reliability. ECC memory is only available on Intel® Xi
- include USA). ¹³ Optional, configurable features. Configuration for 104 TB requires separate additional purchase including a Z Turbo Quad Pro storage carrier planned to be available in the second half of 2023. Four front accessible NVMe SSDs require a 5.25" bay carrier. For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 35GB (for Windows) is reserved for system
- recovery software.

 14 Enabled through a flex I/O port. Wireless access point and Internet service required and sold separately. Availability of public wireless
- access points limited. Wi-Fi 6 (802.11ax) is backwards compatible with prior 802.11 specs.

 The ports of 10 GbE network connection is planned to be available in the first half of 2023. SuperSpeed USB 20Gbps is not available with Thunderbolt¹⁴ 4.

 Network access required. HP Anyware software and licensing are available through a 1- or 3-year subscription. Renewal is required.
- with Thunderboft** 4.

 The Network access required. HP Anyware software and licensing are available through a 1- or 3-year subscription. Renewal is required after the subscription term. HP Anyware subscriptions are based on the number of concurrent PCoIP connections used (pay for the number of host connections, not the software) with a minimum order quantity of 5. For a limited time, an HP Anyware Professional subscription also includes access and support for ZCentral Remote Boost and ZCentral Connect and is available for purchase through an HP reseller or contact sales at hp.com/Anyware. ZCentral Remote Boost Sender requires Windows 10 and 11, RHEL/CentOS (7 or 8), or HP reseller or contact sales at hp.com/Anyware. ZCentral Remote Boost Sender requires Windows 10 and 11, RHEL/CentOS (7 or 8), or UBUNTU 18.04 or 20.04 LTS operating systems, macOS (0.1.4 or newer) operating system and ThinPro 7.2 in end by supported on the receiver side. ZCentral Connect requires Windows (10 or 11) or Windows Server (2016 or 2019) operating system, Microsoft Active Directory and Intel Active Management Technology for select features. For system requirements and to install HP Anyware and Anyware Manager, refer to the Admin Guides at: https://docs.teradic.com/fins/product/Php-anyware.

 17 HP Smart Support automatically collects the telemetry necessary upon initial boot of the product to deliver device-level configuration data and health insights and is available preinstalled on select products, or it can be downloaded. For more information about how to enable HP Smart Support or to download, please visit http://www.hp.com/smart-support.

 18 Z by HP Data Science Stack Manager requires Windows 10 version 21H2 (Build 19044) and higher or 64-bit Ubuntu 20.04 and is available on select of workers.

Technical Specifications Footnotes

- 1 Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality, Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for
- before uninstalling and installing operating systems to avoid loss of your data.

 Note: Windows 7 and Windows 8 operating systems are not supported on this product. No Windows 7 or Windows 8 drivers will be
- $provided on \ http://www.support.hp.com. \\ 5 \ Note: For \ detailed \ Linux @ OS/hardware \ support \ information, see: \ http://www.hp.com/support/linux_hardware_matrix.$

- ⁶ HP Services Scan is provided with Windows Update on select products and will check entitlement on each hardware device to determine if an HP TechPulse-enabled service has been purchased, and will download applicable software automatically. HP TechPulse is a telemetry and analytics platform that provides critical data around devices and applications. For full system requirements or to disable this feature, please visit http://www.hpdaas.com/requirements . Not applicable in China.
- 7 Intel vPro® requires Windows 10 Pro 64 bit or higher, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN and/or Wi-Fi 6E WLAN and TPM 2.0. Some functionality requires additional 3rd party software in order to run. Features of vPro® Essentials and Enterprise vary. See http://intel.com/vpro
- B For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 35GB (for Windows) is reserved for
- System recovery software.

 Displication of copyrighted material is strictly prohibited. Actual speeds may vary. Double Layer media compatibility will widely some home DVD players and DVD-ROM drives. No support for DVD RAM.

 With Blu-Ray, certain disc, digital connection, compatibility and/or performance issues may arise, and do not constitute defe product. Flawless playback on all systems is not guaranteed. In order for some Blu-ray titles to play, they may require a DVI or HDMI digital connection and your display may require HDCP support. HD-DVD movies cannot be played on this Desktop PC.
- ¹¹ The 2TB memory configuration requires 128GB DIMMs which is planned to be available in the first half of 2023.
 ¹² 12 The NVIDIA® Mellanox ConnectX-6 DX Dual Port 10/25GbE SFP28 NIC requires a transceiver in order to connect to a network.
- Transceivers sold separately
- ¹⁴ Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit www.epeat.net for more
- information.

 15 TCO Certified configurations available when ENERGY STAR configurations are selected with a USB Type-C® connector. ENERGY

 15 TCO Certified configurations available when ENERGY STAR configurations are selected with a USB Type-C® connector. ENERGY

 15 TCO Certified configurations available when ENERGY STAR configurations are selected with a USB Type-C® connector. ENERGY

 15 TCO Certified configurations available when ENERGY STAR configurations are selected with a USB Type-C® connector. ENERGY
- STAR available with a combination of high-performance CPU's, high-performance GPU's and select memory configurations.

 ¹⁶ External power supplies, power cords, cables and peripherals are not low halogen. Service parts obtained after purchase may not be
- HP Performance Advisor Software HP Performance Advisor is ready and waiting to help you get the most out of your HP Workstation HP Performance Advisor Software - HP Performance Advisor is ready and waiting to help you get the most out of your HP Workstat from day one—and every day after. Learn more or download at https://www8.hp.com/us/en/workstations/performance-advisor.html .
 HP Support Assistant requires Windows and Internet access.
 HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html .
 HP Sure Click requires Windows 11 Pro or Enterprise. See https://bit.ly/2Prt.T6A_SureClick for complete details.
 HP Sure Start Gen7 is available on select HP PCs and Workstations. See product specifications for availability.
 HP Sure Recover Gen4 is available on select HP PCs and requires an open network connection. You must back up important files,

- data, photos, videos, etc. before using HP Sure Recover to avoid loss of data.
- ²³ HP Sure Sense requires Windows 11 Pro or Enterprise and supports Microsoft Internet Explorer. Google Chrome™ and Chromium™ Supported attachments include Microsoft Office (Word, Excel, PowerPoint) and PDF files in read only mode, when Microsoft Office or
- Supported attachments include watchest of the Carter, Power Forming and PDP lines in read unity mode, when watchest of Adobe Acroba are installed.

 Adobe Acroba are installed.

 By Sure Run Gen5 is available on select HP PCs and requires Windows 10 and higher.

 HO Sure Admin requires Windows 10 or higher, HP BIOS, HP Manageability Integration Kit from http://www.hp.com/goldientmanagement and HP Sure Admin Local Access Authenticator smartphone app from the Android or Apple
- 7 HP BIOSphere Gen6 features may vary depending on the platform and configurations. 4' HP BIOSphere Geno reatures may vary depending on the patient and compared to compare the compared to the patient of the
- depending on the HP product purchased, includes a paid 1-year or 3-year license. The HP Wolf Pro Security Edition software is licensed under the license terms of the HP Wolf Security Software End-User license Agreement (EULA) that can be found at: under the license terms of the HP Wolf Security Software - End-User license Agreement (EULA) that can be found at: https://support.pb.com/us-end/ocument/sh_3875769-3873014-16 as that EULA is modified by the following: "7. Term. Unless otherwise terminated earlier pursuant to the terms contained in this EULA, the license for the HP Wolf Pro Security Edition (HP Sure Sense Pro and HP Sure Click Pro) is effective upon activation and will continue for either a welve (12) month or thirty-six (36) month license term ('Initial Term'). At the end of the Initial Term you may either (a) purchase a renewal license for the HP Wolf Pro Security Edition from HP-com, HP Sales or an HP Channel Partner, or (b) continue using the standard versions of HP Sure Click and HP Sure Sense at no additional cost with the future of https://doi.org/10.1001/sh.1001/
- with no future software updates or HP Support. ²⁹ Front entry contain: 1 headset connector; 4 SuperSpeed USB Type-A 5Gbps signaling rate. Front Entry and Front Premium offer Battery Charging 1.2 through one of the USB Type-A ports.
- Battery Charging 1.2 through one of the USB Type-A ports.

 3º W-Fi EE requires a W-Fi EE router, sold separately, to function in the 6GHz band. Availability of public wireless access points limited.
 W-Fi EE is backwards compatible with prior 802.11 specs. And available in countries where Wi-Fi EE is supported.

 3º W-Fi E is an optional feature that must be configured at the time of purchase. Wireless access point and internet service required and sold separately. Availability of public wireless access points limited. W-Fi E (802.11ax) is backwards compatible with prior 802.11 specs.

 5º Percentage of ocean-bound plastic contained in each component varies by product.
- Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.

 Outside box and corrugated cushions are 100% sustainably sourced and recyclable 100% outer box packaging and corrugated
- cushions made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic materials
- 39 Some components may not be available until summer 2023
- ⁴⁰ Starting November 1, 2023, HP PCs with Windows require Windows to be installed on SSD. HDD can only be configured as additional

Sign up for updates hp.com/go/getupdated

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Intel, Core are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. AMD and Radeon are trademarks of Advanced Micro Devices, Inc. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license. NVIDIA is trademark and/or registered trademarks of NVIDIA Corporation in the U.S. and other countries. USB Type-0 is registered trademarks of USB Implementers Forum. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. All other trademarks are the property of their