HP ProOne 440 23.8 inch G9 All-in-One Desktop PC

Enterprise-class performance. All-in-One design

Keep productive with a versatile PC featuring built-in collaboration, manageability, and security. The AiO design allows efficient use of your workspace, while easy deployment and secondary use as a stand-alone display make this a smart investment.

Enhanced meeting experience

Capture all the details and bring exceptional definition to virtual collaboration in varied environments with the 5MP camera³ featuring temporal noise reduction for highquality images in low light conditions.

Tools to amplify productivity

Accomplish your daily activities with the features that help you fulfill the needs of your business. The latest Intel® processors², along with essential graphics, memory, and storage options, allow you to match your PC to your computing needs.

Protected by HP Wolf Security

HP Wolf Security for Business creates a hardware-enforced, alwayson, resilient defense. From the BIOS to the browser, above, in, and below the OS, these constantly evolving solutions help protect your PC from modern threats.⁴



*Product image may differ from actual product

Sustainability in action

Outer box packaging 100% sustainably sourced⁶

The EPEAT® registered⁵ and ENERGY STAR® certified HP ProOne 440 uses 100 percent sustainably sourced and recyclable outer box packaging⁶ and the speaker enclosure contains ocean-bound plastics.⁷



HP ProOne 440 23.8 inch G9 All-in-One Desktop PC

Featuring

HP Recommends Windows 11 Pro for Business

Work anywhere without compromising on performance with Windows 11 and HP collaboration, security, and connectivity technology.¹

Latest Intel® multi-core processor

Configure your All-in-One's CPU for the perfect combination of power, performance, and value. The latest Intel® processor handles multiple work tasks smoothly and reliably with multiple processing cores to divide up the work.²

Designed for ease of use

Stay focused and energized with an All-in-One that's TÜV certified for low blue light and low noise. Adjust your PC height to your preference with a height adjustable stand.⁸

A self-healing solution

Firmware attacks can completely devastate your PC. Stay protected with HP Sure Start, the self-healing BIOS that automatically recovers itself from attacks or corruption.⁹

Help keep it safe

Stop unwanted changes to security settings and help limit the spread of malware with HP Sure Run which identifies, quarantines, and provides reporting on attackers trying to kill processes¹⁰

Simplified OS recovery

Advanced malware attacks can destroy your OS and disrupt your business. HP Sure Recover with Embedded Reimaging ensures fast, secure, and automated recovery—anywhere, anytime—and is now corporate image ready for fleet deployment.¹¹

Massive storage and performance options

With up to 2 TB HDD, up to 512GB self-encrypted SSD, or up to 4 TB SSD, and up to 64 GB DDR5 memory, ensure you have plenty of storage for all your data and the latest memory to run all your apps–whether for work or leisure time.³¹²

Multiple stand options

Choose from a variety of deployment options for your All-in-One. Get the flexibility of a stand with adjustability for height or one that comes with a tilt option. Or, choose a VESA mount for mounting to a VESA-compatible structure.¹³

Browse confidently

Help protect your PC from websites and read-only Microsoft Office and PDF attachments with malware, ransomware, or viruses with hardwareenforced security from HP Sure Click.¹⁴

Help stop attacks on your PC

Malware is evolving rapidly, and traditional antivirus can't always recognize new attacks. Protect your PC against never-before-seen attacks with HP Sure Sense, which uses deep learning AI and machine learning to provide exceptional protection.¹⁵



HP ProOne 440 23.8 inch G9 All-in-One Desktop PC

Technical specifications

Available Operating Systems	Windows 11 Pro ¹ Windows 11 Pro Education ¹ Windows 11 Home - HP recommends Windows 11 Pro for business ¹ Windows 11 Home Single Language - HP recommends Windows 11 Pro for business ¹ FreeDOS
Processor family	Intel [®] Pentium [®] processor Intel [®] Celeron [®] processor 13th Generation Intel [®] Core [®] I processor 13th Generation Intel [®] Core [®] I processor 13th Generation Intel [®] Core [®] I processor 12th Generation Intel [®] Core [®] I processor 12th Generation Intel [®] Core [®] I processor 12th Generation Intel [®] Core [®] I processor Intel [®] Core [®] 13 4th generation processor Intel [®] Core [®] 71 4th generation processor Intel [®] Core [®] 71 4th generation processor Intel [®] Core [®] 300 processor Intel [®] Core [®] 300 processor
Available Processors ^{63,434}	Intel® Com [®] IS 2001 this line" (HD Graphics IS 0 HP Access base frequency, up 64 20 HP Access Max Tubo frequency, 18 MB IS acche, 6 P Access, 8 Hreads) Intel® Com [®] IS 2001 this line" (HD Graphics IS 20 HP Access base frequency, up 64 20 HP Access Max Tubo frequency, 12 MB IS acche, 6 P Access, 8 Hreads) Intel® Com [®] IS 2001 this line" (HD Graphics IS 20 HP Access base frequency, up 64 20 HP Access Max Tubo frequency, 12 MB IS acche, 6 P Access, 8 Hreads) Intel® Com [®] IS 2001 this line" (HD Graphics IS 20 HP Access base frequency, up 64 20 HP Access Max Tubo frequency, 12 MB IS acche, 6 P Access, 8 Hreads) Intel® Com [®] IS 2001 this line" (HD Graphics IS 30 HP Access base frequency, up 64 20 HP Access Max Tubo frequency, 12 MB IS acche, 6 P Access, 8 Hreads) Intel® Com [®] IS 2001 this line" (HD Graphics IS 30 HP Access base frequency, up 64 30 HP Access Max Tubo frequency, 18 MB IS acche, 6 P Access, 8 Hreads) Intel® Com [®] IS 2001 this line" (HD Graphics IS 30 HP Access base frequency, up 64 30 HP Access Max Tubo frequency, 18 MB IS acche, 6 P Access, 8 Hreads) Intel® Com [®] IS 2001 this line" (HD Graphics IS 30 HP Access base frequency, up 64 30 HP Access Max Tubo frequency, 18 MB IS acche, 6 P Access, 8 Hreads) Intel® Com [®] IS 2001 this line" (HD Graphics IS 30 HP Access base frequency, up 64 30 HP Access Max Tubo frequency, up 64 30 HP Access Max Tubo frequency, up 64 30 HP Access, 8 Hreads) Intel® Com [®] IS 2001 this line" (HD Graphics IS 30 HP Access base frequency, up 64 30 HP Access, 8 Hreads) Intel® Com [®] IS 2001 this line" (HD Graphics IS 30 HP Access base frequency, up 64 30 HP Access, 8 Hreads) Intel® Com [®] IS 2001 this line" (HD Graphics IS 30 HP Access base frequency, up 64 30 HP Access, 8 Hreads) Intel® Com [®] IS 3001 this line" (HD Graphics IS 30 HP Access base frequency, up 64 30 HP Access, 8 Hreads) Intel® Com [®] IS 3000 HB Access base frequency, 20 HP Access base frequency, up 64 30 HP Access Max Tubo frequency, up 64 30 HP Access Max Tubo frequency, up 64 30 HP Access Max Tubo freque
Other and	
Chipset ²	Intel [®] Q670
Product colour	Intel [®] Q670 Jack black
Product colour	Jack black
Product colour Form factor	Jack black AlFin-one 64 GB DDR4-3200 SDRAM; 64 GB DDR5-4800 SDRAM; ⁵⁰⁷
Product colour Form factor Maximum memory	Jack black All-in-one 64 GB DDR4-3200 SDRAM; 64 GB DDR5-4800 SDRAM; ⁵⁶⁷ fransfer rates up to 3200 MT/s; Transfer rates up to 4800 MT/s.
Product colour Form factor Maximum memory Memory slots	Jack black Al-lin-one 64 GB DDR4-3200 SDRAM; 64 GB DDR5-4800 SDRAM; ⁵⁴⁷ fransfer rates up to 3200 MT/s;, Transfer rates up to 4800 MT/s, 2 SODIMM 1TB up to 2TB SATA HDD ^{8.33} 256 GB up to 512 GB PCIe [®] NVM ^{®®} M2 SSD ^{8.33} 256 GB up to 512 GB PCIe [®] NVM ^{®®} M2 SSD ^{8.33}
Product colour Form factor Maximum memory Memory slots Internal storage	Jack black Alkin-one G4 GB DDR4-3200 SDRAM; 64 GB DDR5-4800 SDRAM; ^{50,7} Transfer rates up to 3200 MT/s; Transfer rates up to 4800 MT/s. SODIMM TB up to 2TB SATA HDD ³³³ 256 GB up to 2TB C26 PrOle ⁴ NVMe ^{4*} M2 SSD ⁵³³ 256 GB up to 2TB C26 PrOle ⁴ NVMe ^{4*} M2 SSD ⁵³³ 256 GB up to 512 GB PCle ⁴ NVMe ^{4*} XED Opal 2 TLC M2 SSD ⁵³³
Product colour Form factor Maximum memory Memory slots Internal storage Optical drive	Jack black Al-In-one Ad-GB DDR4-3200 SDRAM: 64 GB DDR5-4800 SDRAM, ⁵⁴⁷ Transfer rates up to 3200 MT/s; Transfer rates up to 4800 MT/s. SDDIMM SDDIMM TIDE to 2 TB SATA HDD ^{8.33} 286 GB up to 512 GB PCIe ⁴ NVMe ^{4*} TLC M2 SSD ^{8.33} 286 GB up to 512 CB PCie ⁴ NVMe ^{4*} TLC M2 SSD ^{8.33} 286 GB up to 512 CB PCie ⁴ NVMe ^{4*} TLC M2 SSD ^{8.33} 286 GB up to 512 CB PCie ⁴ NVMe ^{4*} TLC M2 SSD ^{8.33} 286 GB up to 512 CB PCie ⁴ NVMe ^{4*} TLC M2 SSD ^{8.33} 286 GB up to 512 CB PCie ⁴ NVMe ^{4*} TLC M2 SSD ^{8.33} 286 GB up to 512 CB PCie ⁴ NVMe ^{4*} TLC M2 SSD ^{8.33} 286 GB up to 512 CB PCie ⁴ NVMe ^{4*} TLC M2 SSD ^{8.33}
Product colour Form factor Maximum memory Memory slots Internal storage Optical drive Display ³⁰ Available Graphics Audio	Jack black Alin one f4 GB DDR4 3200 SDRAM, 64 GP DDR5 4800 SDRAM, ^{56,77} Transfer rates up to 3200 MT/s:, Transfer rates up to 4800 MT/s. 2 SDDIM 2 SDDIM 1 TB up to 2 TB SATA HDD ^{8,37} 286 GB up to 2 TB PCIe ⁴ NVMe ⁻¹¹ , L2 SSD ^{8,33} 286 GB up to 5 12 GP PCIe ⁴ NVMe ⁻¹¹ , L2 SSD ^{8,33} 286 GB up to 2 13 PCIe ⁴ NVMe ⁻¹¹ , LC M2 SSD ^{8,13} 286 GB up to 2 13 PCIe ⁴ NVMe ⁻¹¹ , LC M2 SSD ^{8,13} 286 GB up to 2 13 PCIe ⁴ NVMe ⁻¹¹ , LC M2 SSD ^{8,13} 286 GB up to 2 13 PCIe ⁴ NVMe ⁻¹¹ , LC M2 SSD ^{8,13} 286 GB up to 2 13 PCIe ⁴ NVM ¹¹ , LC M2 SSD ^{8,13} 286 GB up to 2 13 PCIe ⁴ NVM ¹¹ , LC M2 SSD ¹¹ , LC
Product colour Form factor Maximum memory Memory slots Internal storage Optical drive Display ³⁰ Available Graphics	Jock black Alkin one 64 GB DDR5-4800 SDRAM, 64 GB DDR5-4800 SDRAM, 647 Transfer rates up to 3200 Mf/s. 'Tomsfer rates up to 4800 Mf/s. 2 SODMM 2 SODMM 1 The top 27 B STAL HDP1533 256 GB up to 57 B STAL HDP1533 256 GB up to 57 CB FOLIEr NVMer* MAS SDR ^{33,3} 256 GB up to 57 CB FOLIEr NVMer* MAS SDR ^{33,3} 256 GB up to 57 CB FOLIEr NVMer* SED Opal 2 TLC M2 SSDR ^{33,3} 1 P4 9.5 mm Slim DVD-Writer, HP 9.5 mm Slim DVD-ROM ^{8,29} 0 0.5 cm (23.87) diagonal, FHD (1902 x 1080), optional touch, IPS, anti-glere, Low Blue Light, 250 nits, 72% NTSC Integrated: Intel® UHD Oraphics 730, Intel® UHD Oraphics 770, Intel® U
Product colour Form factor Maximum memory Memory slots Internal storage Optical drive Display ³⁰ Available Graphics Audio	Jack black Alin one f4 GB DDR4 3200 SDRAM, 64 GP DDR5 4800 SDRAM, ^{56,77} Transfer rates up to 3200 MT/s:, Transfer rates up to 4800 MT/s. 2 SDDIM 2 SDDIM 1 TB up to 2 TB SATA HDD ^{8,37} 286 GB up to 2 TB PCIe ⁴ NVMe ⁻¹¹ , L2 SSD ^{8,33} 286 GB up to 5 12 GP PCIe ⁴ NVMe ⁻¹¹ , L2 SSD ^{8,33} 286 GB up to 2 13 PCIe ⁴ NVMe ⁻¹¹ , LC M2 SSD ^{8,13} 286 GB up to 2 13 PCIe ⁴ NVMe ⁻¹¹ , LC M2 SSD ^{8,13} 286 GB up to 2 13 PCIe ⁴ NVMe ⁻¹¹ , LC M2 SSD ^{8,13} 286 GB up to 2 13 PCIe ⁴ NVMe ⁻¹¹ , LC M2 SSD ^{8,13} 286 GB up to 2 13 PCIe ⁴ NVM ¹¹ , LC M2 SSD ^{8,13} 286 GB up to 2 13 PCIe ⁴ NVM ¹¹ , LC M2 SSD ¹¹ , LC
Product colour Form factor Maximum memory Memory slots Internal storage Optical drive Display ³⁰ Available Graphics Audio Expansion slots	Jack black Jack black All-none Promber modes up 6 3000 MFX. Promber modes up 6 3000 MFX. Scott MA Scott MA Promber modes up 6 3000 MFX. Scott MA Scott Scott MA Scott Scot
Product colour Form factor Maximum memory Memory slots Internal storage Optical drive Display ³⁰ Available Graphics Audio Expansion slots Ports and connectors	Jack black Jack black Alin one
Product colour Form factor Maximum memory Memory slots Internal storage Optical drive Display ³⁰ Available Graphics Audio Expansion slots Ports and connectors Input devices	Jack black Jack black All-In one Ide DDR4: 5000 SDRAM: 60 GB DDR5: 4000 SDRAM: ⁶⁰⁷ Transfer rotes up to 3000 MT/s. Interfer rotes up to 4800 MT/s. SCODIM IDE DDR1: 5000 SDRAM: 60 GB DDR5: 4000 SDRAM: ⁶⁰⁷ Transfer rotes up to 3000 MT/s. Interfer rotes up to 4800 MT/s. SCODIM IDE DDR1: 5000 MT/s. IDE SAVA HDDR133 256 GB up to 512 GB PCHer NMAer' N2 SSDF33 256 GB up to 512 GB PCHer NMAer' N2 SSDF33 256 GB up to 512 GB PCHer NMAer' N2 SSDF33 256 GB up to 512 GB PCHer NMAer' N2 SSDF33 256 GB up to 512 GB PCHer NMAer' N2 SSDF33 256 GB up to 512 GB PCHer NMAer' N2 SSDF33 256 GB up to 512 GB PCHer NMAer' N2 SSDF33 256 GB up to 512 GB PCHer NMAer' N2 SSDF33 256 GB up to 512 GB PCHer NMAer' N2 SSDF33 256 GB up to 512 GB PCHer NMAer' N2 SSDF33 256 GB up to 512 GB PCHer NMAer' SED Opt 21 LD MZ SSDF33 256 GB up to 512 GB PCHer NMAer' SED Opt 21 LD MZ SSDF33 256 GB up to 512 GB PCHer NMAer' SED Opt 21 LD MZ SSDF33 256 GB up to 512 GB PCHer NMAer' SED Opt 21 LD MZ SSDF33 256 GB up to 512 GB PCHer NMAer' SED Opt 21 LD MZ SSDF33 256 GB up to 512 GB PCHer NMAer' SED Opt 21 LD MZ SSDF33 256 GB up to 512 GB PCHer NMAer' SED Opt 21 LD MZ SSDF33 256 GB up to 512 GB PCHer NMAE' N2 GB Upt 11 DC Opt 11 DC M2 NB Upt 12 DD Ints, 72% NTSC MAR THER THE TO DC VERT HD MER DE Opt 11 DC M2 DE Opt 11 DC
Product colour Form factor Maximum memory Memory slots Internal storage Optical drive Display ⁵⁰ Available Graphics Audio Expansion slots Ports and connectors Input devices Communications	Jack Hack Alk-none GEDDR4 3200 SDRAM4 64 GB DDR4 4800 MT/s. 2 SODMM 2 SODMM 1 Taru tor 2 TB SNA HDD ^{13.0} 2 SODMM 2 SODMM 1 Taru tor 2 TB SNA HDD ^{13.0} 2 SODMM 2 SODMM 1 Taru tor 2 TB SNA HDD ^{13.0} 2 SODMM 2 SODMM 1 Taru tor 2 TB SNA HDD ^{13.0} 2 SODMM 2 SODMM 1 Taru tor 2 TB SNA HDD ^{13.0} 2 SODMM 2 SODMM 1 Taru tor 2 TB SNA HDD ^{13.0} 2 SODMM 2 SODMM 1 Taru tor 2 TB SNA HDD ^{13.0} 2 SODMM 2 SODMM 1 Taru tor 2 TB SNA HDD ^{13.0} 2 SODMM 2 SODMM STAR DDCM MM ^{10.0} 2 SODMM STAR DDCM STAR DDM STA
Product colour Form factor Maximum memory Memory slots Internal storage Optical drive Display ³⁰ Available Graphics Audio Expansion slots Ports and connectors Input devices Communications Drive Bays	Jock black Aik houk Aik houk Aik houk State State State State State And State State And State Sta
Product colour Form factor Maximum memory Memory slots Internal storage Optical drive Display ³⁰ Available Graphics Audio Expansion slots Ports and connectors Input devices Communications Drive Bays Camera	Jock block Jock block Ai hone Strepsenderstelling to Stop Mitter, Envirent rotes up to Stop Mitter, Envind Stop M
Product colour Form factor Maximum memory Memory slots Internal storage Optical drive Display ³⁰ Available Graphics Audio Expansion slots Ports and connectors Input devices Input devices Communications Drive Bays Camera Environmental	Jusk black Altrane Greepport 4000 SDRAM, 64 ge DDR5-4000 SDRAM, 650 Interster rutes up to 3000 MFIx: Transfer metes up to 4000 MFIx. Streepport 4000 SDRAM, 64 ge DDR5-4000 SDRAM, 650 Streepport 1000 MFIx: Transfer metes up to 4000 MFIx. Streepport 1000 MFIX: Transfer metes up to 4000 MFIx. Streepport 1000 MFIX: Transfer metes up to 4000 MFIX. 1100 up 2100 MAI-MOPORT 1000 SCREEPPORT MWW MFIX SEX SPRAM 2000 MFIX. 1000 SCREEPPORT MWW MFIX SEX SPRAM 2000 MFIX. 1000 SCREEPPORT MWW MFIX SEX SPRAM 2000 MFIX. 1000 SCREEPPORT MWW MFIX SEX SPRAM 2000 SCREEPPORT MEDIX NUBL AND METER MEDIZEPONT METER MED



HP ProOne 440 23.8 inch G9 All-in-One Desktop PC

Technical specifications

Management features	HP BIOS Configuration Utility (download); HP Client Catalog (download); HP Image Assistant; HP Management Integration Kit for Microsoft System Center Configuration Management; HP System Software Manager (download); HP Cloud Recovery; HP Driver Packs; Ivanti Management Suite (download); HP Manageability Kit Gen 5 ^{15,16,17,18,38}
Memory card device	1 SD 3.0 card reader
Power	120 W external power adapter, up to 89% efficiency, active PFC; 150 W external power adapter, up to 89% efficiency; 180 W external power adapter, up to 89% efficiency, active PFC; 280 W external power adapter; 230 W external power supply, up to 89% efficiency, active PFC ²⁷
Dimensions	53.93 x 22.5 x 37.94 cm; (System dimensions may fluctuate due to configuration and manufacturing variances.); 66.0 x 24.0 x 46.2 cm (Package)
Weight	7.77 kg; (Exact weight depends on configuration.)
Ecolabels	EPEAT [®] registered ²⁸
Energy star certified	ENERGY STAR® certified
Warranty	1 year (1/1/0) limited warranty includes 1 year of parts and labor. No on-site repair. Terms and conditions vary by country. Certain restrictions and exclusions apply.



HP ProOne 440 23.8 inch G9 All-in-One Desktop PC

Footnotes

Messaging Footnotes

² Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

³ Optional feature that must be configured at the time of purchase.

⁴ HP Wolf Security for Business requires Windows 10 or 11 Pro or higher, includes various HP security features and is available on HP Pro, Elite, Workstation, and RPOS products. See product details for included security features

⁵ Based on US EPEAT[®] registration according to IEEE 16801-2018 EPEAT[®]. EPEAT[®] status varies by country. Visit http://www.epeat.net for more information.

⁶ 100 percent outer box packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100 percent recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic.

⁷ Speaker enclosure component contains 5 percent ocean-bound plastic by weight.

¹Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.

⁸ All-in-One stand and mount offerings include adjustable-height stand, fixed-height stand, or VESA mounting and must be configured at the time of purchase

⁹ HP Sure Start is available on select HP PCs and requires Windows 10 or higher.

¹⁰ HP Sure Run is available on select HP PCs and requires Windows 10 or higher.

¹¹ HP Sure Recover with Embedded Reimaging is an optional feature which requires Windows 10 or higher must be configured at purchase. You must back up important files, data, photos, videos, etc. before use to avoid loss of data. Network based recovery using Wi-Fi is only available on PC's with Intel Wi-Fi Module.

12 For hard drives and solid-state drives, GB=1billion bytes, TB = 1 trillion bytes. Actual formatted capacity is less. Up to 35GB of system disk is reserved for system recovery software.

¹³ All-in-One stand and mount offerings include adjustable-height stand, fixed-height stand, or VESA mounting and must be configured at the time of purchase

¹⁴ HP Sure Click requires Windows 10 or higher. See https://bit.ly/2PrLT6A_SureClick for complete details.

¹⁵ HP Sure Sense is available on select HP PCs with Windows 10 Pro, Windows 10 Enterprise, Windows 11 Pro, or Windows 11 Enterprise OS.

Specification Footnotes

¹ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com

² Intel vPro[®] requires Windows 10 Pro 64 bit or higher, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN and/or Wi-Fi 6E WLAN and TPM 2.0. Some functionality requires additional 3rd party software in order to run. Features of vPro* Essentials and Enterprise vary. See http://intel.com/vpro

³ Multi-core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance

⁴ Intel[®] Turbo Boost technology requires a PC with a processor with Intel Turbo Boost capability. Intel Turbo Boost performance varies depending on hardware, software and overall system configuration. See www.intel.com/technology/turboboost for more information. ⁵ For systems configured with more than 3 GB of memory and a 32-bit operating system, all memory may not be available due to system resource requirements. Addressing memory above 4 GB requires a 64-bit

operating system. Memory modules support data transfer rates up to 2666 MT/s; actual data rate is determined by the system's configured processor. See processor specifications for supported memory data rate. ⁶ All memory slots are customer accessible / upgradeable.

⁷ Actual data rate is determined by both the system's configured processor and memory module installed.

⁸ For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 36 GB (for Windows 10) of disk is reserved for system recovery software.

⁹ Must be configured at time of purchase.

¹⁰ The 2.5" SATA drive bay can be both HDD and SSD.

¹¹ Headphone/microphone combo OMTP and CTIA.

¹² Ports are optional, choice of DisplayPort™ 1.4, HDMI 2.0, or Serial, and must be configured at time of purchase.

13 Wireless access point and Internet service required and sold separately. Availability of public wireless access points limited. Wi-Fi 6 (802.11ax) is backwards compatible with prior 802.11 specs.

¹⁴ Availability may vary by country.

¹⁵ HP Driver Packs not preinstalled, however available for download at http://www.hp.com/go/clientmanagement .

¹⁶ Ivanti Management Suite: subscription required.

¹⁷ HP Management Integration Kit for Microsoft System Center Configuration Management Gen 2: can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html.

18 HP Cloud Recovery is available for HP Elite and Pro desktops and laptops PCs with Intel* or AMD processors and requires an open, wired network connection. Note: You must back up important files, data, photos, videos, etc. before use to avoid loss of data. Detail please refer to: https://support.hp.com/us-en/document/c05115630

¹⁹ Simply sign up and start using Xerox[®] DocuShare[®] Go. No credit card. No obligation. Data will become unavailable unless a subscription is entered before the end of the 90 day free trial period. See visit www.xerox.com/docusharego for details.

20 HP Smart Support requires HP TechPulse to be installed. For more information about how to enable or to download HP Smart Support, please visit http://www.hp.com/smart-support .

²¹ Requires Windows 10 and higher and set up of facial recognition through Windows Hello.

²² HP Sure Start Gen6 is available on select HP PCs and requires Windows 10 or higher.

23 HP Sure Recover is available on select HP PCs and requires Windows 10 or higher and an open network connection. You must back up important files, data, photos, videos, etc. before using HP Sure Recover to avoid loss of data. Network based recovery using Wi-Fi is only available on PCs with Intel Wi-Fi Module.

²⁴ HP Sure Run Gen5 is available on select HP PCs and requires Windows 10 or higher.

²⁵ HP Client Security Manager Gen7 requires Windows and is available on the select HP Elite and Pro PCs.

²⁶ HP Sure Click requires Windows 10 and higher. See https://bit.ly/2PrLT6A_SureClick for complete details.

²⁷ All power supplies are not available in every region.

²⁸ Based on US EPEAT* registration according to IEEE 1680.1-2018 EPEAT*. Status varies by country. Visit www.epeat.net for more information.

29 HD-DVD disks cannot be played on this drive. No support for DVD-RAM. Actual speeds may vary. Don't copy copyright-protected materials. Double Layer discs can store more data than single layer discs. Discs burned with this drive may not be compatible with many existing single-layer DVD drives and players. ³⁰ Actual brightness will be lower with HP Sure View and touch screen.

31 Wi-Fi 6E requires a Wi-Fi 6E router, sold separately, to function in the 6GHz band. Availability of public wireless access points limited. Wi-Fi 6E is backwards compatible with prior 802.11 specs. And available in

countries where Wi-Fi 6E is supported. ³³ Starting from November 1st 2023, all shipments will require Windows to be installed on SSD to provide users a better experience. HDD can only be configured as additional data drives and not the boot drive. ³⁴ Processor i5-13400 only available in APJ.

³⁵ HP Sure Click requires Windows 10 and higher. See https://bit.ly/2PrLT6A_SureClick for complete details.

³⁶ HP Sure Sense is available on select HP PCs and is not available with Windows10 Home.

³⁷ HP BIOSphere Gen6 requires Windows 10 or higher and is available on select HP Pro and Elite PCs. Features may vary depending on the platform and configurations.

³⁸ HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html

³⁹ Internal speaker is an optional feature, must be configured at time of purchase.

© Copyright 2025 HP Development Company L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and Subprise to the product of the Section Section (Section Age without notice in the only wall of the Section Section Section (Section Age without notice in the only wall of the Section Section Section (Section Age without notice in the only wall of the Section Section Section Age without notice in the only wall of the Section Section (Section Age without notice in the Section Age without notice in the Section Age without not section Age without notice in the Section Age without n July 2025

