All the essentials for your growing business needs

Get commercial-grade performance and remain confident in the security of your data with an HP Pro Tower 400. This PC can be expanded to meet the needs of your business—making it a smart investment.

Commercial-grade performance

Power through your day with the essential computing power to maintain productivity. Get the latest Intel® Core™ processor² and choose from graphics, storage, and memory options to meet the needs of your growing business.

Boost your productivity

Increase productivity with support for up to seven displays⁴, while featuring the performance to tackle a range of workflows with up to 64 GB³ DDR5 memory and optional graphics− NVIDIA® Quadro T400, NVIDIA® GeForce RTX™ 3050, Intel® Arc™ A380, or AMD Radeon™ RX 6300.³

Protected by HP Wolf Security

HP Wolf Security for Business⁵ creates a hardware-enforced, always-on, resilient defense. From the BIOS to the browser, above, in, and below the OS, these constantly evolving solutions help protect your PC from modern threats.



*Product image may differ from actual product

Sustainability in action

Help protect our shared future

Support a commitment to create and use more sustainable products on the EPEAT® registered HP Pro Tower 400. The high-efficiency power supply, use of ocean-bound plastics in the speaker box and molded-pulp packaging help reduce the impact on the environment.



Featuring

HP Recommends Windows 11 Pro for Business

Work anywhere without compromising on performance with Windows 11 and HP collaboration, security, and connectivity technology.¹

Latest Intel® processor

Configure your desktop's CPU for the perfect combination of performance, power consumption, and value. With the latest Intel® processor, handle multiple work tasks smoothly and reliably with multiple processing cores to divide up the work.²

Built for reliability

Rest easy with a PC that undergoes MIL-STD 810 testing and 120,000 hours of the HP Total Test Process. Reduce airborne particulate intake with an optional dust filter that helps extend the life of your PC. 10.11.12

Powerhouse memory

Experience the speed and performance to run resource-intensive apps with minimal lag with up to 64 GB DDR5 memory options. Prepare for the future and ensure your system is ready for upcoming software demands with advanced DDR5 technology.³

Integrated graphics' options

Boost your desktop's performance with integrated graphics. Enable fast execution for your computing and multimedia graphics workloads.³

Convenient, configurable port options

Choose the perfect solution to connect your additional devices with either an SD card reader or a dual USB flex I/O port. Easily access your chosen port practically placed on the front bezel of your HP Pro Tower.³

BIOS management over the network

HP Sure Admin, a modern BIOS management tool, eliminates the need for a password or BIOS configuration utility in the OS by creating a digital signature that allows IT administrators to securely manage BIOS settings over a network. 13

Browse confidently

Help protect your PC from websites and read-only Microsoft Office and PDF attachments with malware, ransomware, or viruses with hardware-enforced security from HP Sure Click.¹⁴

A self-healing solution

Firmware attacks can completely devastate your PC. Stay protected with HP Sure Start, the self-healing BIOS that automatically recovers itself from attacks or corruption. 15

Easy-access USB Type-C* port

 $Effort lessly\ transfer\ large\ files\ or\ videos\ and\ connect\ peripherals\ with\ a\ convenient\ USB\ Type-C^{\circ}\ port\ on\ the\ front\ panel\ of\ your\ PC.$

HP desktop and display-better together

Choose Full HD resolution or higher with full compatibility and support for HP displays, featuring offerings from supreme value to premium, and everything in between. 16,17



Technical specifications

| Available Operating Systems | Windows 11 Pro I Windows 11 Pro Education I Windows 11 Home - HP recommends Windows 11 Pro for business I Windows 11 Home Single Language - HP recommends Windows 11 Pro for business I FreeDOS |
|---|---|
| Processor family ⁴ | Intel® Pentium® processor Intel® Celeron® processor 13th Generation Intel® Core® 19 processor 13th Generation Intel® Core® 17 processor 13th Generation Intel® Core® 18 processor 13th Generation Intel® Core® 19 processor 13th Generation Intel® Core® 19 processor 12th Generation Intel® Core® 19 processor 12th Generation Intel® Core® 19 processor 12th Generation Intel® Core® 15 processor Intel® Core® 15 14th generation processor Intel® Core® 17 14th generation processor Intel® Core® 17 14th generation processor |
| Available Processors ^{25,26,28,29} | Intel® Pentium® Gold G7400 with Intel® UHD Graphics (3.7 GHz P-core base frequency, 6 MB L3 cache, 2 P-cores, 2 threads) Intel® Coleron® (68900 with Intel® UHD Graphics (3.4 GHz P-core base frequency, 4 MB L3 cache, 2 P-cores, 2 threads) Intel® Core® "172700 (1.6 GHz E-core base frequency, 2 GHz P-core base frequency, up to 3.6 GHz E-core Max Turb frequency, up to 4.8 GHz P-core Max Turb frequency, up to 4.9 GHz with Intel® UHD Graphics, supports and 4 E-cores, 20 threads) Intel® Core® "15-12500 (3.3 GHz P-core base frequency, up to 4.8 GHz P-core Max Turb frequency, 18 MB L3 cache, 6 P-cores, 12 threads) with Intel® UHD Graphics, supports Intel® vPro® Technology Intel® Core® "15-12500 (3.0 GHz P-core base frequency, up to 4.6 GHz P-core Max Turb frequency, 18 MB L3 cache, 6 P-cores, 12 threads) with Intel® UHD Graphics, supports Intel® vPro® Technology Intel® Core® "15-12400 (2.5 GHz P-core base frequency, up to 4.4 GHz P-core Max Turb frequency, 18 MB L3 cache, 6 P-cores, 12 threads) with Intel® UHD Graphics, supports Intel® vPro® Technology Intel® Core® "15-12400 (2.5 GHz P-core base frequency, up to 4.4 GHz P-core Max Turb frequency, 18 MB L3 cache, 6 P-cores, 12 threads) with Intel® UHD Graphics Intel® Core® "16-12400 (2.5 GHz P-core base frequency, up to 4.7 GHz P-core Max Turb frequency, 18 MB L3 cache, 6 P-cores, 8 threads) with Intel® UHD Graphics Intel® Core® "16-12400 (3.3 GHz P-core base frequency, up to 4.7 GHz P-core Max Turb frequency, 12 MB L3 cache, 4 P-cores, 8 threads) with Intel® UHD Graphics (3.9 GHz P-core base frequency, 24 MB L3 cache, 4 P-cores, 8 threads) Intel® Core® "16-14600 with Intel UHD Graphics (2.0 GHz P-core base frequency, 2.7 GHz P-core base frequency, up to 3.7 GHz P-core Max Turb frequency, up to 5.2 GHz P-core Max Turb frequency, 24 MB L3 cache, 6 P-cores and 8 E-cores, 20 threads) Intel® Core® "16-14600 with Intel UHD Graphics (1.9 GHz P-core base frequency, 2.5 GHz P-core base frequency, up to 3.7 GHz E-core Max Turb frequency, up to 5.0 GHz P-core Max Turb frequency, 2 |
| Chipset ²⁸ | Intel® Q670 |
| Product colour | Jack black |
| Form factor | Tower |
| | |
| Maximum memory | 64 GB DDR4-3200 SDRAM; 64 GB DDR5-5600 SDRAM; ^{6,7} Transfer rates up to 3200 MT/s; Transfer rates up to 5600 MT/s. |
| Maximum memory Memory slots | |
| | Transfer rates up to 3200 MT/s; Transfer rates up to 5600 MT/s. |
| Memory slots | Transfer rates up to 3200 MT/s; Transfer rates up to 5600 MT/s. 2 DIMM 11B up to 2 TB SATA HDD ^{3,32} 256 GB up to 1 TB PCle* NVMe* M2 SSD ^{3,32} 256 GB up to 2 TB PCle* NVMe* TLC M2 SSD ^{3,32} 256 GB up to 512 CB PCle* NVMe* SED Opal 2 TLC M2 SSD ^{3,32} |
| Memory slots Internal storage | Transfer rates up to 3200 MT/s; Transfer rates up to 5600 MT/s. 2 DIMM 11B up to 2 TB SATA HDD ^{3,32} 256 GB up to 11B PCle* NVMe* M.2 SSD ^{3,32} 256 GB up to 2 TB PCle* NVMe* TLC M.2 SSD ^{3,32} 256 GB up to 512 GB PCle* NVMe* SED Opal 2 TLC M.2 SSD ^{3,32} 256 GB up to 512 GB PCle* NVMe* SED Opal 2 TLC M.2 SSD ^{3,32} 256 GB up to 512 GB PCle* NVMe* SED Opal 2 TLC M.2 SSD ^{3,32} |
| Memory slots Internal storage Optical drive | Transfer rates up to 3200 MT/s; Transfer rates up to 5600 MT/s. 2 DIMM 11B up to 2 TB SATA HDD ^{3,32} 256 GB up to 17B PCle* NVMe* M2 SSD ^{3,32} 256 GB up to 17B PCle* NVMe* TLC M2 SSD ^{3,32} 256 GB up to 512 CB PCle* NVMe* SED Opal 2 TLC M2 SSD ^{3,32} 256 GB up to 512 CB PCle* NVMe* SED Opal 2 TLC M2 SSD ^{3,32} HP 9.5 mm Slim DVD-Writer; HP 9.5 mm Slim DVD-ROM Integrated: Intel* UHD Graphics 730; Intel* UHD Graphics 770 |
| Memory slots Internal storage Optical drive Available Graphics | Transfer rates up to 3200 MT/s; Transfer rates up to 5600 MT/s. 2 DIMM 1TB up to 2 TB SATA HDD ^{3,32} 256 GB up to 1TB PCIe* NVMe* M2 SSD ^{3,32} 256 GB up to 1TB PCIe* NVMe* TLC M2 SSD ^{3,32} 256 GB up to 512 GB PCIe* NVMe* SED Opal 2 TLC M2 SSD ^{3,32} 256 GB up to 512 GB PCIe* NVMe* SED Opal 2 TLC M2 SSD ^{3,32} 256 GB up to 512 GB PCIe* NVMe* SED Opal 2 TLC M2 SSD ^{3,32} 256 GB up to 512 GB PCIe* NVMe* SED Opal 2 M2 SSD ^{3,32} 256 GB up to 512 GB PCIe* NVMe* SED Opal 2 M2 SSD ^{3,32} 256 GB up to 512 GB PCIe* NVMe* SED Opal 2 M2 SSD ^{3,32} HP 9.5 mm Slim DVD-Writer; HP 9.5 mm Slim DVD-ROM Integrated: Intel* UHD Graphics 730; Intel* UHD Graphics 770 Discrete: NVIDIA* T400 4 GB; NVIDIA* GeForce RTX** 3050 (8 GB GDDR6 dedicated); Intel* Arc** A380 Graphics (6 GB GDDR6 dedicated); AMD Radeon** RX 6300 Graphics (2 GB GDDR6 dedicated) ²⁰ |
| Memory slots Internal storage Optical drive Available Graphics Audio | Transfer rates up to 3200 MT/s; Transfer rates up to 5600 MT/s. 2 DIMM 11B up to 2 TB SATA HDD ^{3,32} 256 GB up to 17B PCle* NVMe" M2 SSD ^{3,32} 256 GB up to 17B PCle* NVMe" TLC M2 SSD ^{3,32} 256 GB up to 512 GB PCle* NVMe" SED Opal 2 TLC M2 SSD ^{3,32} 256 GB up to 512 GB PCle* NVMe" SED Opal 2 TLC M2 SSD ^{3,32} 256 GB up to 512 GB PCle* NVMe" SED Opal 2 M2 SSD ^{3,32} 256 GB up to 512 GB PCle* NVMe" SED Opal 2 M2 SSD ^{3,32} HP 9.5 mm Slim DVD-Writer; HP 9.5 mm Slim DVD-ROM Integrated: Intel* UHD Graphics 730; Intel* UHD Graphics 770 Discrete: NVIDIA* T400 4 GB; NVIDIA* GeForce RTX** 3050 (8 GB GDDR6 dedicated); Intel* Arc** A380 Graphics (6 GB GDDR6 dedicated); AMD Radeon** RX 6300 Graphics (2 GB GDDR6 dedicated) ²⁰ Realtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support |
| Memory slots Internal storage Optical drive Available Graphics Audio Expansion slots | 2 DIMM 11B up to 2 TB SATA HDD ^{3,22} 256 GB up to 17B PCIe* NVMe" M2 SSD ^{3,32} 256 GB up to 2TB PCIe* NVMe" TLC M2 SSD ^{3,32} 256 GB up to 512 GB PCIe* NVMe" TLC M2 SSD ^{3,32} 256 GB up to 512 GB PCIe* NVMe" SED Opal 2 TLC M2 SSD ^{3,32} 256 GB up to 512 GB PCIe* NVMe" SED Opal 2 TLC M2 SSD ^{3,32} 256 GB up to 512 GB PCIe* NVMe" SED Opal 2 M2 SSD ^{3,32} 256 GB up to 512 GB PCIe* NVMe" SED Opal 2 M2 SSD ^{3,32} 256 GB up to 512 GB PCIe* NVMe" SED Opal 2 M2 SSD ^{3,32} 256 GB up to 512 GB PCIe* NVMe" SED Opal 2 M2 SSD ^{3,32} HP 9.5 mm Slim DVD-Writer; HP 9.5 mm Slim DVD-ROM Integrated: Intel* UHD Graphics 730; Intel* UHD Graphics 770 Discrete: NVIDIA* T400 4 GB; NVIDIA* GeForce RTX** 3050 (8 GB GDDR6 dedicated); Intel* Arc** A380 Graphics (6 GB GDDR6 dedicated); AMD Radeon** RX 6300 Graphics (2 GB GDDR6 dedicated) ²⁰ Realtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support 1M2 2230; 1 M.2 2280; 1 PCIe x1; 1 PCI; 1 PCIe 4 x16 ¹⁰ (1 M.2 2230 slot for WLAN and 1 M.2 2280 slot for storage.) Front: 1 headphone/microphone combo; 1 SuperSpeed USB Type-C* 10Gbps signaling rate; 3 SuperSpeed USB Type-A 10Gbps signaling rate; Rear: 1 audio-out; 1 power connector; 1 RJ-45; 1 HDM1 1.4; 3 SuperSpeed USB Type-A 5 Gbps signaling rate; 1 DisplayPort** 1.4; 2 USB Type-A 480Mbps signaling rate; Optional Ports: Add-on card – choose one of the following options: 1 DisplayPort** 1.4; 1 VGA, 1 HDM1 2.0; 1 serial, 1 SuperSpeed USB Type-C* 10Gbps signaling rate (alternate mode DisplayPort**) 1 Lout SuperSpeed USB Type-A 5 Gbps signaling rate; Flex IO front port – 1 DisplayPort*** 1.4; 1 VGA, 1 HDM1 2.0; 1 serial, 1 SuperSpeed USB Type-C** 10Gbps signaling rate rooted DisplayPort**, 1 Ly USA 1 HDM1 2.0; 1 serial, 1 SuperSpeed USB Type-C** 10Gbps signaling rate rooted DisplayPort**, 1 Ly USA 1 Ly |
| Memory slots Internal storage Optical drive Available Graphics Audio Expansion slots Ports and connectors | Transfer rates up to 3200 MT/s; Transfer rates up to 5600 MT/s. 2 DIMM 1TB up to 2 TB SATA HDD ^{3,22} 256 GB up to 1 TB PCle* NVMe* M.2 SSD ^{3,32} 256 GB up to 1 TB PCle* NVMe* M.2 SSD ^{3,32} 256 GB up to 2 TB PCle* NVMe* SED Opol 2 TLC M.2 SSD ^{3,32} 256 GB up to 512 GB PCle* NVMe* SED Opol 2 TLC M.2 SSD ^{3,32} 256 GB up to 512 GB PCle* NVMe* SED Opol 2 TLC M.2 SSD ^{3,32} 256 GB up to 512 GB PCle* NVMe* SED Opol 2 TLC M.2 SSD ^{3,32} 256 GB up to 512 GB PCle* NVMe* SED Opol 2 TLC M.2 SSD ^{3,32} 256 GB up to 512 GB PCle* NVMe* SED Opol 2 TLC M.2 SSD ^{3,32} 256 GB up to 512 GB PCle* NVMe* SED Opol 2 TLC M.2 SSD ^{3,32} HP 9.5 mm Slim DVD-Writer; HP 9.5 mm Slim DVD-ROM Integrated: Intel* UHD Graphics 730; Intel* UHD Graphics 770 Discrete: NVIDIA* T400 4 GB, NVIDIA* GeForce RTX* 3050 (8 GB GDDR6 dedicated); Intel* Arc* A380 Graphics (6 GB GDDR6 dedicated); AMD Radeon* RX 6300 Graphics (2 GB GDDR6 dedicated)* Realtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support 1M.2 2230; 1M.2 2280; 1PCle x1; 1PCl; 1PCle 4 x16 ¹⁰ (1 M.2 2230 slot for WLAN and 1 M.2 2280 slot for storage.) Front: 1 headphone/microphone combo: 1 Super-Speed USB Type-C* 10Gbps signaling rate; 1 DisplayPort* 14; 2 USB Type-A 480Mbps signaling rate; Rea: 1 audio-out; 1 power connector; 1 RJ-45; 1 HDM1 14; 3 Super-Speed USB Type-A 5Gbps signaling rate; 1 DisplayPort* 14; 2 USB Type-A 480Mbps signaling rate; Optional Ports: Add-on card - choose one of the following options: 1 DisplayPort* 14; 1 VGA, 1 HDMI 20b, 1 serial, 1 Super-Speed USB Type-A 5Gbps signaling rate (alternate mode DisplayPort*), 1 Dual Super-Speed USB Type-A 5Gbps signaling rate; Flex IO front port -1 Dual Super-Speed USB Type-A 5Gbps signaling rate; Flex IO front port -1 Dual Super-Speed USB Type-A 5Gbps signaling rate; Flex IO front port -1 Dual Super-Speed USB Type-A 5Gbps signaling rate; Flex IO front port -1 Dual Super-Speed USB Type-A 5Gbps signaling rate; Flex IO front port -1 Dual Super-Speed USB Type-A 5Gbps signaling rate; Flex IO front port -1 Dual Super |
| Memory slots Internal storage Optical drive Available Graphics Audio Expansion slots Ports and connectors Input devices | Transfer rates up to 3200 MT/s: Transfer rates up to 5600 MT/s. 2 DIMM 11B up to 2 TB SATA HDD ^{3.22} 256 6B up to 11B PCIe ⁸ NVMe ^m M2 SSD ^{3.32} 256 6B up to 11B PCIe ⁸ NVMe ^m M2 SSD ^{3.32} 256 6B up to 12B PCIe ⁸ NVMe ^m M2 SSD ^{3.32} 256 6B up to 151 PCIe ⁸ NVMe ^m SED Opal 2 TLC M2 SSD ^{3.32} 256 6B up to 151 CB PCIe ⁸ NVMe ^m SED Opal 2 TLC M2 SSD ^{3.32} 256 6B up to 151 CB PCIe ⁸ NVMe ^m SED Opal 2 TLC M2 SSD ^{3.32} 256 6B up to 151 CB PCIe ⁸ NVMe ^m SED Opal 2 M2 SSD ^{3.32} 256 GB up to 151 CB PCIe ⁸ NVMe ^m SED Opal 2 M2 SSD ^{3.} |
| Memory slots Internal storage Optical drive Available Graphics Audio Expansion slots Ports and connectors Input devices Communications | Transfer rates up to 3200 MT/s; Transfer rates up to 5600 MT/s 2 DIMM 11B up to 2 TB SATA HDD ^{3,32} 256 GB up to 1 TB PCle* NVMe** M2 SSD ^{3,32} 256 GB up to 1 TB PCle* NVMe** SED poil 2 TLC M2 SSD ^{3,32} 256 GB up to 156 PCle* NVMe** SED poil 2 VLM2 SSD ^{3,32} 256 GB up to 156 GB PCle* NVMe** SED poil 2 VLM2 SSD ^{3,32} 256 GB up to 157 GB PCle* NVMe** SED poil 2 VLM2 SSD ^{3,32} 256 GB up to 157 GB PCle* NVMe** SED poil 2 VLM2 SSD ^{3,32} 256 GB up to 157 GB PCle* NVMe** SED poil 2 VLM2 SSD ^{3,32} 256 GB up to 157 GB PCle* NVMe** SED poil 2 VLM2 SSD ^{3,32} 256 GB up to 157 GB PCle* NVMe** SED poil 2 VLM2 SSD ^{3,32} 256 GB up to 157 GB PCle* NVMe** SED poil 2 VLM2 SSD ^{3,32} 256 GB up to 157 GB PCle* NVMe** SED poil 2 VLM2 SSD ^{3,32} 256 GB up to 157 GB PCle* NVMe** SED poil 2 VLM2 SSD ^{3,32} 256 GB up to 15 |
| Memory slots Internal storage Optical drive Available Graphics Audio Expansion slots Ports and connectors Input devices Communications Drive Bays | Tronsfer rates up to 3200 MT/s; Transfer rates up to 5600 MT/s. 2 DIMM 1TB up to 2 TB SATA HDD ^{3,22} 256 GB up to 1 TB PCIe* NVMe* M2 SSD ^{3,32} 256 GB up to 1 TB PCIe* NVMe* SSD D0el 2 TLC M2 SSD ^{3,32} 256 GB up to 12 B PCIe* NVMe* SSD D0el 2 TLC M2 SSD ^{3,32} 256 GB up to 12 GB PCIe* NVMe* SSD D0el 2 TLC M2 SSD ^{3,32} 256 GB up to 12 GB PCIe* NVMe* SSD D0el 2 TLC M2 SSD ^{3,32} 256 GB up to 12 GB PCIe* NVMe* SSD D0el 2 TLC M2 SSD ^{3,32} 256 GB up to 12 GB PCIe* NVMe* SSD D0el 2 TLC SSD ^{3,32} 256 GB up to 12 GB PCIe* NVMe* SSD D0el |
| Memory slots Internal storage Optical drive Available Graphics Audio Expansion slots Ports and connectors Input devices Communications Drive Bays Environmental | 2 DIMM ITB up to 2TB SATA HDD ^{3,32} 256 GB up to 1TB PCIe* WMe* NL2 SSD ^{3,32} 256 GB up to 1TB PCIe* WMe* NL2 SSD ^{3,32} 256 GB up to 1TB PCIe* WMe* NL2 SSD ^{3,32} 256 GB up to 1TB PCIe* WMe* NL2 SSD ^{3,32} 256 GB up to 1TB PCIe* WMe* NL2 SSD ^{3,32} 256 GB up to 1TB PCIe* WMe* NL2 SSD ^{3,32} 256 GB up to 1TB PCIe* WMe* SED Opal 2 M.2 SSD ^{3,32} 256 GB up to 156 GB PCIe* NMWe* SED Opal 2 M.2 SSD ^{3,32} 256 GB up to 156 GB PCIe* NMWe* SED Opal 2 M.2 SSD ^{3,32} 257 GB up to 157 GB PCIe* NMWe* SED Opal 2 M.2 SSD ^{3,32} 257 GB up to 157 GB PCIe* NMWe* SED Opal 2 M.2 SSD ^{3,32} 258 GB up to 157 GB PCIe* NMWe* SED Opal 2 M.2 SSD ^{3,32} 259 GB up to 157 GB PCIe* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIe* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIe* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIe* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIe* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIe* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIe* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIe* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIe* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIe* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIe* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIE* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIE* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIE* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIE* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIE* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIE* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIE* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIE* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIE* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIE* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIE* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIE* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIE* NMWe* SED Opal 2 M.2 SSD ^{3,32} 250 GB up to 157 GB PCIE* NMWe* SED Opal 2 M.2 SSD |
| Memory slots Internal storage Optical drive Available Graphics Audio Expansion slots Ports and connectors Input devices Communications Drive Bays Environmental Software | 2 DIMM 175 up to 2 TB SATA HDD ³²⁸ 256 GB up to 175 PCIe* NVMe* TLC M2 SSD ³³² 256 GB up to 2 TB PCIe* NVMe* TLC M2 SSD ³³² 256 GB up to 2 TB PCIe* NVMe* SED Opd 2 TLC M2 SSD ³³² 256 GB up to 2 TB PCIe* NVMe* SED Opd 2 TLC M2 SSD ³³² 256 GB up to 2 TB PCIe* NVMe* SED Opd 2 TLC M2 SSD ³³² 256 GB up to 5 TB PCIe* NVMe* SED Opd 2 TLC M2 SSD ³³² 256 GB up to 5 TB PCIe* NVMe* SED Opd 2 TLC M2 SSD ³³² 256 GB up to 5 TB PCIe* NVMe* SED Opd 2 TLC M2 SSD ³³² 256 GB up to 5 TB PCIe* NVMe* SED Opd 2 TLC M2 SSD ³³² 256 GB up to 5 TLC GB PCIe* NVMe* SED Opd 2 TLC M2 SSD ³³² 256 GB up to 5 TLC GB PCIe* NVMe* SED Opd 2 TLC M2 SSD ³³² 256 GB up to 5 TLC GB PCIe* NVMe* SED Opd 2 TLC M2 SSD ³³² 256 GB up to 5 TLC GB PCIe* NVMe* SED Opd 2 TLC M2 SSD ³³² 256 GB up to 5 TLC GB PCIe* NVMe* SED Opd 2 TLC M2 SSD ³³² 256 GB up to 5 TLC GB PCIe* NVMe* SED Opd 2 TLC M2 SSD ³³² 256 GB up to 5 TLC GB PCIE* NVMe* TLC M2 SSD ³³² 256 GB up to 5 TLC GB PCIE* NVMe* TLC M2 SSD ³³² 256 GB up to 5 TLC GB PCIE* NVMe* TLC M2 SSD ³³² 256 GB up to 5 TLC GB PCIE* NVMe* TLC M2 SSD ³³² 256 GB up to 5 TLC GB PCIE* NVMe* TLC M2 SSD ³³² 256 GB up to 5 TLC GB PCIE* NVMe* TLC M2 SSD ³³² 256 GB up to 5 TLC GB PCIE* NVMe* TLC M2 SSD ³³² 256 GB up to 5 TLC GB PCIE* NVMe* TLC GB PCIE* SSD ³³² 256 GB up to 5 TLC GB PCIE* NVMe* TLC |



Security Software Licenses

HP Wolf Pro Security Edition⁵⁶

Technical specifications

| Management features | HP Client Catalog (download); HP Driver Packs (download); HP Cloud Recovery; HP Image Assistant Gen 5 (download); HP Client Management Script Library (download); HP Manageability Integration Kit (download); HP Patch Assistant (download); HP Connect ²⁴ |
|---------------------|--|
| Memory card device | 1SD 4.0 card reader |
| Power | 180 W internal power supply, up to 90% efficiency, active PFC; 400 W internal power supply, up to 92% efficiency, active PFC; 260 W internal power adapter, up to 92% efficiency, active PFC |
| Dimensions | 15.5 x 30.8 x 33.7 cm; 40 x 28.7 x 49.9 cm (Package) |
| Weight | 5.31 kg; (Weight will vary by configuration) |
| Ecolabels | EPEAT registered with Climate+ ⁵ |



Footnotes

Messaging Footnotes

- ² Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance
- ³ Optional feature that must be configured at the time of purchase.
- ⁴ Two standard video ports included with an optional third flex port configurable at the time of purchase. Up to 6 displays supported when config with NVIDIA® Quadro T400 (2 native +1 optional flex +3 on GFX), up to 5 displays supported when config with AMD Radeon™ RX6300 (2 native +1 optional flex +2 on GFX), up to 7 displays supported when config with NVIDIA® GeForce RTX™ 3050 & Intel® Arc™ A380 GFX (2 native +1 optional flex +2 on GFX), up to 7 displays supported when config with NVIDIA® GeForce RTX™ 3050 & Intel® Arc™ A380 GFX (2 native +1 optional flex +2 on GFX). 4 on GFX).
- ⁵ HP Wolf Security for Business requires Windows 10 or 11 Pro or higher, includes various HP security features and is available on HP Pro, Elite, Workstation, and RPOS products. See product details for included security
- ⁶ EPEAT* registered where applicable. EPEAT* registration varies by country. See http://www.epeat.net for registration status in your country.
- ⁷ Speaker enclosure component contains 5% ocean-bound plastic by weight.
- ⁸ Molded Pulp cushions made from 100% recycled wood fiber and organic materials.
- 9 Support for three displays requires the two included video ports and configuration at purchase with optional flex port.
- Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply one time for updates. See this //www.windows.com.

 10 MIL STD testing is not intended to demonstrate fitness for U.S. Department of Defense contract requirements or for military use. Test results are not a guarantee of future performance under these test conditions.
- Accidental damage requires an optional HP Accidental Damage Protection Care Pack.
- 19 HP Total Test Process testing is not a guarantee of future performance under these test conditions. Accidental damage requires an optional HP Accidental Damage Protection Care Pack.
- 13 HP Sure Admin requires Windows 10 or higher, HP BIOS, HP Manageability Integration Kit from http://www.hp.com/go/clientmanagement and HP Sure Admin Local Access Authenticator smartphone app from the Android
- or Apple store. $^{15}\,\rm HP$ Sure Start is available on select HP PCs and requires Windows 10 or higher.
- ¹⁶ Full high-definition (FHD) images require FHD content
- ¹⁷ HP displays sold separately.
- ¹⁴ HP Sure Click requires Windows 10 or higher. See https://bit.ly/2PrLT6A_SureClick for complete details.

Specification Footnotes

- 1 Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.

 This system is preinstalled with Windows 10 Pro software and also comes with a license for Windows 11 Pro software and provision for recovery software. You may only use one version of the Windows software at a time.
- Switching between versions will require you to uninstall one version and install the other version. You must back up all data (files, photos, etc.) before uninstalling and installing operating systems to avoid loss of your data. ³ For hard drives and solid state drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 36 GB (for Windows) of system disk is reserved for the system recovery software
- 4 Your product does not support Windows 7 operating system on products configured with Intel® and AMD 7th generation and forward processors or provide any Windows 8 or Windows 7 drivers on http://www.support.hp.com
- ⁵ Based on US EPEAT° registration according to IEEE 1680.1-2018 EPEAT°. Status varies by country. Visit www.epeat.net for more information.
- ⁶ For DDR5 Memory: memory modules support data transfer rates up to 5600/MTs requires selected i5, i7 or i9 CPUs. Memory configuration without selected CPUs support data transfer rates up to 4800 MT/s. Actual data rate is determined by the system's configured processor. See processor specifications for supported memory data rate. All memory slots are customer accessible / upgradeable.
- ⁷ All memory slots are customer accessible / upgradeable.
- 8 HP Smart Support automatically collects the telemetry necessary upon initial boot of the product to deliver device-level configuration data and health insights and is available preinstalled on select products, thru HP Factory Configuration Services; or it can be downloaded. For more information about how to enable HP Smart Support or for download, please visit http://www.hp.com/smart-support ⁹ Availability may vary by country(Antimicrobial China only).
- 10 SD 4.0 with 5-in-1 Interface (Supports SD, SDXC, SDHC, UHS-I, UHS-II). Sold separately or as an optional feature.
- 11 Intel® I225-T1 PCIe® 2.5 GbE: Sold separately or as an optional feature.
- ¹² Wireless access point and internet service required.
- $^{\rm 13}$ HP Sure Sense is available on select HP PCs and is not available with Windows10 Home.
- $^{14}\,\mathrm{HP}\,\mathrm{BIOSphere}\,\mathrm{Gen6}$ features may vary depending on the platform and configuration.
- 15 HP Secure Erase for the methods outlined in the National Institute of Standards and Technology Special Publication 800-88 "Clear" sanitation method. HP Secure Erase does not support platforms with Intel® Optane™.
- 16 HP Secure Erase for the methods outlined in the National Institute of Standards and Technology Special Publication 800-88 "Clear" sanitation method. HP Secure Erase does not support platforms with Intel® Optane™. ¹⁷ HP Sure Start Gen7 is available on select HP PCs.
- 18 HP Sure Admin requires Windows 10 or higher, HP BIOS, HP Manageability Integration Kit from http://www.hp.com/go/clientmanagement and HP Sure Admin Local Access Authenticator smartphone app from the Android or Apple store.

 19 Absolute firmware module is shipped turned off and can only be activated with the purchase a license subscription and full activation of the software agent. License subscriptions can be purchased for terms ranging
- multiple years. Service is limited, check with Absolute for availability outside the U.S. Certain conditions apply. For full details visit: https://www.absolute.com/about/legal/agreements/absolute/
- $^{\rm 20}\,{\rm Sold}$ separately or as an optional feature.
- ²² HP Support Assistant: Requires Windows and Internet access.
- ²⁴ HP Manageability Integration Kit can be downloaded from http://www.hp.com/go/clientmanagement.
- 25 Multi-Core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance. Intel's Turbo Boost performance varies depending on hardware, software and overall system configuration. See www.intel.com/technology/turboboost for more information.
- 27 Ports are optional. Max of one Flex Port (rear) can be configured. Max of one Add-On Card can be configured, Flex Port (Front) can only be configured when SD card reader is not selected, and must be configured at time
- of purchase.

 28 For full Intel® vPro® functionality, Windows 10 Pro 64 bit, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN and/or WLAN card and TPM 2.0 are required. Some functionality requires additional 3rd party software in order to run. See http://intel.com/vpro

 29 Some functionality of vPro, such as Intel Active Management Technology and Intel Virtualization technology, requires additional 3rd party software in order to run. Availability of future "virtual appliances" applications for
- Intel vPro technology is dependant on 3rd party software providers. Compatibility with future "virtual appliances" is yet to be determined.

 30 The HP 400 G9 TWR/SFF requires Intel * Core ** processor with DDR5 memory modules to support Wi-Fi 6E and requires a Wi-Fi 6E router, sold separately, to function in the 6GHz band. Availability of public wireless access points limited. Wi-Fi 6E is backwards compatible with prior 802.11 specs. Available in countries where Wi-Fi 6E is supported. Wi-Fi 6E is backwards compatible with prior 802.11 specs. And available in countries where Wi-Fi 6E is supported. For HP 400 G9 TWR/SFF without Intel * Core ** processors and DDR5 memory modules, the product does not support Wi-Fi 6E standard and does not operate under 6GHz band. The products are compatible with 6GHz and other routers, sold separately, which have capability to operate in 2.4GHz and 5GHz, in compliance with Wi-Fi 6 and prior 802.11 specs. The actual throughput depends on network condition and
- router configuration. Internet service required and public wireless access points are limited.

 31 Wireless access point and internet service required and sold separately. Availability of public wireless access points limited. Wi-Fi 6 is backwards compatible with prior 802.11 specs.
- 32 Starting November 1st, 2023, HP PCs with Windows require Windows to be installed on SSD. HDD can only be configured as additional data drives and not as the boot drive.
- 56 HP Wolf Pro Security Edition (including HP Sure Click Pro and HP Sure Sense Pro) is available preloaded on select SKUs and, depending on the HP product purchased, includes a paid 1-year or 3-year license. The HP Wolf Pro Security Edition software is licensed under the license terms of the HP Wolf Security Software - End-User license Agreement (EULA) that can be found at: https://support.hp.com/us-en/document/ish_3875769-3873014-16 as that EULA is modified by the following: "7. Term. Unless otherwise terminated earlier pursuant to the terms contained in this EULA, the license for the HP Wolf Pro Security Edition (HP Sure Sense Pro and HP Sure Click Pro) is effective upon activation and will continue for either a twelve (12) month or thirty-six (36) month license term ("Initial Term"). At the end of the Initial Term you may either (a) purchase a renewal license for the HP Wolf Pro Security Edition from HP.com, HP Sales or an HP Channel Partner, or (b) continue using the standard versions of HP Sure Click and HP Sure Sense at no additional cost with no future software updates or HP Support.



© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.