
HP PageWide XL 4250 40-in Printer with Top Stacker

Fast, efficient printing experience with the ultimate security¹



This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

Messaging Footnotes

¹Based on comparison of published security specifications commissioned by HP and performed by Sogeti in January, 2024. Comparison of the HP PageWide XL portfolio and competitors that represent the majority market share of LED and UV-gel printers worldwide as of 2023 according to IDC. Comparison matrix and further details available upon request. ² The HP PageWide XL 4250 Printer delivers 12 CAD output D/A1 prints in 1 minute. Number of pages will vary depending on the print mode and application printed. ³ Based on testing commissioned by HP and performed by Sogeti in September, 2020. Fine detail based on the number of line breaks found in 1.5 mm of line. On vertical 1 px C,M,Y,K lines. Printed on Oce 75 g plain paper

using equivalent fast/high-speed print modes. For output produced with an HP PageWide XL 8200 Printer and comparable printers from different manufacturers and that represent the majority market share of LED and

⁴ Calculation based on total cost of ownership comparison of comparable competitive printer, considering average printhead life. Results show maintenance costs reduced by 50% when printing technical drawings. Analysis period of 5 years and assuming a production of 1000 m²/month with a printing category distribution of: 80% lines, 20% high-density images. Testing commissioned by HP and performed by Sogeti in September, 2020

⁵ Based on tests performed internally by HP based on ISO 20690 and performed in September, 2020. Comparable printers using LED technology based on LED printers capable of printing 4-6 D/A1 pages per minute and which represent the majority market share of mid-volume LED printers in the US and Europe according to IDC as of October, 2020. ⁶ Based on 1-liter cartridge, figures might be slightly different for 500-ml cartridge. C02e reduction based on moving from plastic ink cartridge to cardboard HP Eco-Carton ink cartridge, with annual manufacturing savings

of 36 tons and transport savings of 1 ton. Equivalent to 147,755 km (91,811 miles) driven by an average passenger vehicle or 4,718,692 million smartphones charged. ⁷ Visit https://www.hp.com/recycle to see how to participate and for HP Planet Partners program availability; program may not be available in your jurisdiction. Where this program is not available, and for other

consumables not included in the program, consult your local waste authorities on appropriate disposal. ⁸ Based on comparison of published front panel specifications commissioned by HP and performed by Sogeti in September, 2020. Comparison of the HP PageWide XL portfolio and competitors that represent the majority market share of LED and UV-gel printers worldwide as of 2019 according to IDC.

For more information, please visit https://www.hp.com/go/pagewide-xl-4250



Technical specifications

Print		Memory	8 GB DDR4
Description	Large-format colour printer	Hard disk	500 GB HDD (AES-256 encrypted)
Technical documents (from roll)	Up to 650 A1 pages/hr, 12 A1 pages/min;	Native print languages	HP-GL/2, TIFF, JPEG
Warm-up time	No warm up	Print languages (optional)	Adobe PostScript 3, Adobe PDF 1.7 (with PostScript/PDF upgrade)
First page out	22 sec (from USB)	Remote management	HP Partner Link, HP Embedded Web Server, HP Web Jetadmin,
Print resolution	1200 x 1200 dpi	O a man a a th' dta a	PrintOS
Technology	HP PageWide Technology	Connectivity	
Ink types	Pigment-based (C, M, Y, K)	Interfaces	Gigabit Ethernet (1000Base-T), USB 2.0 host
Ink cartridges	4 (C, M, Y, K)	HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3),	HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple
Cartridge size	500 ml	.	AirPrint
Printheads	8 (C, M, Y, K)	Dimensions (W x D x H)	
Average printhead life	32 L	Product	1955 x 785 x 1414 mm;
Printhead warranty	12 months from the date of installation, or 10 L, or until the Warranty Ends date printed on the packaging, whichever comes first	Shipping	2257 x 1040 x 1578 mm;
		Weight	
Line accuracy	+0.1%1	Product	442 kg;
Minimum line width	0.02 mm (HP-GL/2 addressable);	Shipping	596 kg;
Media	0.02 mm (HP-GL/2 dddressable);	Environmental ranges	
Applications	Line drawings; Maps; Orthophotos; Posters	Operating temperature	5 to 40°C;
Media rolls	0	Operating humidity	20 to 80% RH, depending on media type
Roll size	2 rolls default with auto-switching, expandable to 4 rolls	Acoustics	
	279 to 1016 mm;	Sound pressure	Printing: ≤60 dB(A) (operating), ≤36 dB(A) (idle), ≤20 dB(A) (sleep)
Roll length	Up to 200 m;	Sound power	Printing: ≤7.8 B(A) (operating), ≤5.5 B(A) (idle), ≤3.5 B(A) (sleep)
Maximum roll diameter	Up to 177 mm;	Power	
Roll core diameter	7.6 cm;	Consumption	0.27 kW (typical); 0.7 kW (max printing); 95 W (ready); <16 W (sleep)
Media Weight Recommende	d 70 to 200 g/m ²	Requirements	Input voltage (auto ranging) 100-127/200-240 V (±10%), 50/60 Hz
Media weights by paper path	1 70 to 200 g/m²;		(±3 Hz), 7/3.5 A
Thickness	Up to 0.4 mm	Certification	
Media types	Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film	Safety	IEC 609501+A1+A2 and IEC 623681 2nd ed. compliant; USA and Canada (CSA listed); EU (LVD and EN 60950-1 and 62368-1 compliant); Russia, Belarus, and Kazakhstan (EAC); China (CCC)
Media output (standard)	Top stacker (up to 100-page capacity)	Electromagnetic	Compliant with Class A requirements, including: USA (FCC rules),
Media output (optional)	High-capacity stacker (up to 500-page capacity), online folder (only compatible in conjunction with the optional accessory upgrade kit)		Canada (ICES), EU (EMC Directive), Australia and New Zealand (RCM), Japan (VCCI), Korea (KC)
Embedded controller	apgrado na,	Environmental	ENERGY STAR, EPEAT Registered, CE marking (including RoHS, WEEE, REACH). In compliance with WW RoHS materials
User interface	15.6-inch (396-mm) TFT (LED blacklight) 16:9-format HD capacitive touchscreen		restriction requirements in China, Korea, India, Vietnam, Turkey, Serbia, and Ukraine
Processor	Intel Celeron	Warranty	90 days
11000000			

Ordering information

Product 86Z38A Accessories	HP PageWide XL 4250 40-in Printer with Top Stacker	1XA67A HP 865B 500-ml Magenta PageWide XL Ink Cartridge 1XA68A HP 865B 500-ml Yellow PageWide XL Ink Cartridge 1XA69A HP 865B 500-ml Cyan PageWide XL Ink Cartridge 1XA70A HP 864B 500-ml Black PageWide XL Ink Cartridge	
85802A 85803A 85807A 85807A 85807A 85808A 85F40A 85W00A 85W03A 85W03AAE	HP PageWide XL Drawer HP PageWide XL High-capacity Stacker HP PageWide XL 39x0/4x00 Accessory Upgrade Kit HP PageWide XL PostScript/PDF Upgrade Kit HP PageWide XL 4x00 Speed Upgrade Kit HP F40 Folder HP SmartStream USB Preflight Manager HP SmartStream Print Controller USB for HP PageWide XL 4000 Printer series HP SmartStream Print Controller for HP PageWide XL 4000 Printer series	3WW73A HP 874/876 PageWide XL Čleaning Container 3WW99A HP 841/874/876 PageWide XL Maintenance Cartridge C1019A HP 841/874 PageWide XL Printhead Use Original HP inks and printheads, and HP large format printing mate experience consistent high quality and reliable performance that enable downtime. These critical components are designed and engineered to optimized printing system, and Original HP inks are designed to maxim HP printheads. For the ct your HP printer investment by using Original HF HP warranty protection. For more information, visit https://hp.com/go/C Original HP large format printing materials	erials, to ble less gether as an ize the life of Pinks for full
8SW13A 8SW13AAE Original HP pri	HP SmartTracker USB for HP PageWide XL 4000 Printer series HP SmartTracker for HP PageWide XL 4000 Printer series nting supplies	HP Universal Bond Paper, 3-in Core (FSC [®] certified) ² (recyclable) ³ HP Production Matte Poster Paper, 3-in Core (FSC [®] certified) ² (recyclab HP Production Satin Poster Paper, 3-in Core (FSC [®] certified) ² (recyclab HP Universal Heavyweight Coated Paper, 3-in Core (FSC [®] certified) ² (re HP Matte Polypropylene, 3-in Core	le) ³

For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

HP Support Services offer installation and extended support services (e.g. 2, 3, 4, and 5 years). For more information, please visit http://www.hp.com/go/cpc

Specification Footnotes

¹ ±01% of the specified vector length or ±0.2 mm (whichever greater) at 23°C (73°F). 50-60% relative humidity, on A0/E printing material in Best or Normal mode with HP Matte Polypropylene and HP PageWide XL pigment ink. ² BMG trademark license code FSC*-C017543, see http://www.fsc.org. Not all FSC*-certified products are available in all regions. For information about HP large format printing materials, please visit http://www.HPLFMedia.com ³ Can be recycled through commonly available recycling programs.

The product ould differ from the images shown. © Copyright 2023 HP Development Company, LP. The Information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

May 2025 au-en

