

HP USB-C to DisplayPort Adapter G2

Simple, powerful, portable

Unlock 8K² with one connection. The HP USB-C to DisplayPort Adapter G2 supports stunning displays with an easy-to-use plug-and-play¹ design. Gain the power of broad compatibility for an unrestricted workflow, anywhere you go.



*Product image may differ from actual product



Plug-and-play. On-the-go.

Level up the way you work with an adapter that connects to 8K² displays. Featuring top-tier DisplayPort™ 1.4, simply plug in for high-performance connection up and downstream – no SW downloads or drivers needed¹.



The ultimate team player

Get ready to break brand barriers with the power of multi-OS support. Move between Windows®, Linux®, Chrome, MacOS, iPadOS, or Android, even non-HP devices, for an unstoppable workflow.



Ultra lightweight and ready to work

Choose travel-ready tech. The single-side USB-C® to DisplayPort™ 1.4 supports total connection from almost anywhere. Plus, it's ultra lightweight at just 32.5g, meaning you've got the gear for work on the go.

Sustainability in action

Built for a better tomorrow

The better choice for a brighter tomorrow, this adapter is made with at least 80% post-consumer recycled plastics⁴ and FSC®-certified packaging.



HP USB-C to DisplayPort Adapter G2

Specifications



| | |
|--------------------------------------|--|
| Product number | 8Y8Y1AA |
| Video connectors | 1 DisplayPort™ 1.4 |
| Resolution (maximum) | |
| Refresh rate (maximum) | 7680 x 4320 @ 60 Hz |
| Cable length | 12 cm |
| Product color | Black |
| Supported operating systems | Windows 10; Windows 11; macOS; Chrome OS™; iPadOS; Android™ |
| System Requirements, Minimum | USB Type-C® with Alt Mode DisplayPort™; Thunderbolt™ 4; Thunderbolt™ 3 |
| Warranty | HP standard one-year limited warranty |
| What's in the box | Dongle; Warranty card |
| Country of origin | Made in China |
| Dimensions (W x D x H) | 180 x 23.7 x 15.3 mm |
| Weight | 32.5 g |
| Package dimensions (W x D x H) | 160 x 140 x 17.6 mm |
| Package weight | 51 g |
| Master carton quantity | 80 |
| Master carton dimensions (W x D x H) | 50 x 33 x 22 cm |
| Master carton weight | 1.55 kg |
| Carton per layer | 7 |
| Pallet (layers) | 6 |
| Carton per pallet | 42 |
| Products per layer | 560 |
| Products per pallet | 3360 |
| Pallet weight | 62.53 kg |
| Sustainable Impact specifications | 80% post-consumer recycled plastic; Packaging is recyclable ^{1,2} |



HP USB-C to DisplayPort Adapter G2

Footnotes

Messaging Footnotes

- ¹ Host PC USB-C® port must support DP Alt mode.
- ² Supports up to 8K (7680x4320@60Hz) with Display Stream Compression.
- ³ Supports Windows 10, Windows 11, ChromeOS, Android, iPad®, MacOS®, Linux®.
- ⁴ Recycled plastic is expressed as a percentage of the total weight plastic. Post-consumer recycled is based on the definition set in the EPEAT® standard for computers, IEEE 1680.1-2018 standard.

Technical Specifications Footnotes

- ¹ Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.
- ² Outside Box and corrugated cushions are recyclable. Any plastic cushions are made from >90% recycled plastic. Recycling facilities not available everywhere.

