



Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		_
Contact information * e-mail address	Lenovo Environmental Social and Governance environment@lenovo.com		Lenovo
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	•	
Additional information	The latest version of this document can be found at:		_
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	conforms to the statements given in this declaration.				
Type of product *	Notebook Computer				
Commercial name *	ThinkPad T14 Gen 5 Intel				
Model number *	21ML,21MM				
Issue date *	2024-03-28				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	21ML,21MM	Logo	
Issue date *	2024-03-28		reuovo"

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	N/A
P1	Hazardous substances and preparations	<u> </u>		
P1.1*	Products comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (See legal reference) Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (See legal reference). Comment: Legal reference has no maximum concentration values			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (See legal reference)			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (See legal reference)	\boxtimes		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee (See legal reference) Comment: Max limit in legal reference when tested according to EN1811:2011-5	k 🖂		
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legareference)	ıl 🖂		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		\Box
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference			
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU https://www.lenovo.com/us/en/compliance/uk-doc for UK			
P3.2*	The product complies with the applicable Eco design requirements for energy-related products, (See legal reference)	\boxtimes		
	Required information is; Significantly given in item P15 or added to this document, Significantly available at (add URL): http://www.lenovo.com/ecodeclaration			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (See legal reference)	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (See legal reference) Comment: Legal reference has no maximum concentration values			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (https://lenovo.com/recycling).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	21ML,21MM	Logo	1 000 0000
Issue date *	2024-03-28		Lenovo

	ct environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design	Require	ement	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	N/A
P7	Design Disassembly, recycling		-	*
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating		\boxtimes	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4		$\overline{\Box}$	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools		$\overline{\Box}$	$\overline{\Box}$
P7.6*	Labels are easily separable (This requirement does not apply to safety/regulatory labels)		Ħ	Ħ
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	X	$\overline{\Box}$	$\overline{\Box}$
P7.9	Spare parts are available after end of production for: 5 years			一百
P7.10	Service is available after end of production for: 5 years			$\overline{}$
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS+15%talc	GF	N	
P7.12			<u> </u>	<u> </u>
P7.13	Insulation materials of internal electrical cables are PVC free			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content			
P7.15	Printed circuit boards, PCBs (without components) are low halogen as defined in IEC 61249-2-21. (See NOTE B2): Only PCBs > 25g or All PCBs			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according to ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other; chemical name:, CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according to ISO 1043-4: FR(40)			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: " Alt 2: Chemical experiments of flower retardants in plactic parts > 25 g according to ISO 1043 4:59(40)	\boxtimes		
P7.19	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according to ISO 1043-4: FR(40) In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; Confidential and Hazard statements: H411, H413 The source(s) for these classifications is/are found at (add URL(s)): (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	21ML,21MM	Logo	1
Issue date *	2024-03-28		Lenovo

Product 6	environme	ental attributes - Ma	rket requirem	ents (continu	ed)		Requi	reme	nt met
Item							Yes	No	N/A
	Material a	nd substance require	ments (continu	ed)					
P7.20*	If YES; at a) Of tot a per	mer recycled plastic made ast one of the two alternated all plastic parts' weight centage of total plastic veight of recycled mate	ernatives below s > 25 g, the posto by weight) is 22 .	shall be answere consumer recycle	d; `	36): al content (calculated as			
P7.21*	Biobased If YES; at a) Of tot total	plastic material content least one of the two alte	is used in the prernatives below so 25 g, the bioban.	shall be answere sed plastic mate	d; ,	ulated as a percentage of		\boxtimes	
P7.22*		ces are free from mercuis used specify: Numbe			mercury content	t per lamp: mg			
P7.23*	If product i	includes an integral disp	play, the total me					X	
P8	Batteries								
P8.1*	Battery ch	emical composition: Lit	hium ion						
P9	Energy co	onsumption (See NOT	E B8)						
P9.1		oduct the following pow		gy consumptions	are reported:				
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for modes and test method			
Peak (On-	Max)		65 W	65 W	65 W	Full Load			
Device Ca	tegory 2								
Short Idle	State - WO	OL Enabled (P _{short_idle})	7.51 W	8 W	7.58 W	ENERGY STAR Computers V8.0			
Long Idle	State – WC	L Enabled (Plong_idle)	1.19 W	1.18 W	1.15 W	ENERGY STAR Computers V8.0			
Sleep (S3)	- WOL En	abled (P _{Sleep})	1.19 W	1.18 W	1.15 W	ENERGY STAR Computers V8.0			
Off Mode	(S5) – WOL	Enabled (P _{off})	0.28 W	0.28 W	0.4 W	ENERGY STAR Compu	ıters V8	.0	
Device Ca	tegory Typ	ical Configuration							
Short Idle	State - WO	OL Enabled (P _{short_idle})	4.84 W	4.46 W	4.9 W	ENERGY STAR Compu	ıters V8	.0	
Long Idle	State – WC	L Enabled (Plong_idle)	0.62 W	0.69 W	0.74 W	ENERGY STAR Compu	ıters V8	.0	
Sleep (S3)	– WOL En	abled (P _{Sleep})	0.62 W	0.69 W	0.74 W	ENERGY STAR Compu	ıters V8	.0	
Off Mode	(S5) – WOL	Enabled (Poff)	0.24 W	0.24 W	0.28 W	ENERGY STAR Compu	iters V8	.0	
the wall ou product.)	ower supply	y / charger plugged in onnected from the	0.07 W	0.07 W	0.07 W				
ETEC *		Cat 1:	NA kWh/year	NA kWh/year	NA kWh/year	Mode Weighting			
Annual Ene Consumpti		Cat 2:	22.26 kWh/year	23.33 kWh/year	22.49 kWh/year	Full Capability			
		Typical:	13.93 kWh/year	13.33 kWh/year	14.58 kWh/year				
External Power Supply Efficiency Level (Inter		national Efficiend	cy Marking Proto	col) * : <i>VI</i>	International Efficiency Protocol (IEMP) for Ex Supplies				
Display resolution * : 2880*1800 megapixels									
Default tim	e to enter e	nergy save mode: 5 mi	nutes			ENERGY STAR Compu	ıters V8	.0	
P9.2*	Information	n about the energy save	e function is prov	vided with the pro	oduct				$\overline{\Box}$
P9.3 Energy efficiency class (monitors only):									

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	21ML,21MM	Logo	1
Issue date *	2024-03-28		Lenovo

Product	environmental	attributes - Mar	ket requirements (cor	tinued)		Require	ment	met
Item			-	-		Yes	No	N/A
P10	Emissions							
	Noise emission	 Declared accord 	ling to ISO 9296 (See NO	TE B9)				
P10.1	Mode	Mode description		Statistical upp	per limit A-weighted sound pov	ver level,		
	Idle	* Idle Mode		* 2.5				\Box
	Operation	* Operating (SSD	D/HDD)	* 3.6				_
		* Operating (CPL	<i>J</i>)	* 3.6				
	Other Mode		d sound pressure level (dB)		or position – idle)			
	Other mode	Declared A-weighted	d sound pressure level (dB)		or position – operating-HDD/SSI or position – operating-CPU))		
	Measured accor	ding to: X ISO 77	779 X ECMA-74 Oth	ner (only if r	not covered by ECMA-74)			
	Electromagneti			, ,	,			
P10.4	Computer displa			ectromagnetic field	ds of the following voluntary			
P12		r computing produ						
P12.1*			equirements of ISO 9241-	307 for visual displ	av technologies			$\overline{}$
P12.2*			e requirements of ISO 999			- -		∺
			e requirements of 150 998	5 and 150 9241-4	10			
P13		documentation						
P13.1*	Product packagi Product packagi Product packagi	ng material type(s) ng material type(s) ng material type(s)	: Paper - cardboard		1 fiber) weight (kg): 0.076	5		
		ng material type(s)	: Paper - molded pulp	weight (kg): 0.007	7			
		ng material type(s)						
P13.2*		orimary packaging i		,		\boxtimes		
P13.3*		nary corrugated fibe		the contained per	centage of minimum post-			
P13.4*	Specify media for	or user and product	documentation (tick box):					
	Electronic X, F	Paper 🔲, Other 🗌						
P13.5			aper documentation used			_		
			n paper media is chlorine-	free:		\boxtimes		
	If Yes, please sp							
	Totally chlorine-					\boxtimes		
	Elemental chlori					\boxtimes		
	Processed chlor	ine-free						
D44	Valuater							
P14 P14.1	Voluntary prog		ts of the following voluntar	u program(a):				
P 14.1	The product me	ets the requirement	is of the following voluntar	y program(s).				
	ENERGY STAR	® Crite	ria version: 8.0	Date: 2024/3/25	Product category: 2			
	Eco-label: EPEA	AT Criter 2018	ria version: IEEE 1680.1-	Date: 2024/4/15	Product category: Comput	ers and [Displa	ys
	Eco-label: TCO		ria version: 9.0	Date:	Product category: Noteboo) k		
P15	Additional info	rmation (See NOT	E B10)					
P9				of the tested prod	duct configuration: see E sta	ar report		
P7.7			ability (P7.7/P7.8), the fo					
P7.8	Processor	- 10	Upgradeable with sp	ecial tools	, 5			
	Memory		Upgradeable using					
	Cards		Upgradeable using o					
	Drives/Storage		Upgradeable using of					
	the information supplier's know	contained in this vledge available a	document. All informate the time of completion	on provided by s and supplier sha	rranties whether express or upplier in this document is p all have no obligation to upd	provided late such	based	on
		e information pro		te and provided f	or informational purposes o	nly. See	a Lend	ovo

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot26 Information Sheet - Network Equipment -

As required by_

- Commission Regulation (EC) No 1275/2008 of 17 December 2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off-mode electric power consumption of electrical and electronic household equipment (ErP Lot 6)
- Commission Regulation (EU) No 801/2013 of 22 August 2013 implementing
 Directive 2009/125/EC of the European Parliament and of the Council with regard to
 ecodesign requirements for (ErP Lot 26).

Products scope of this sheet:

Notebook/Tablet Computer < 6 W Idle

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad T14 Gen 5 Intel	Logo
Model Number	21ML, 21MM	
Product Type	Notebook Computer with Idle Power < 6 W	Lenovo
Issue Date	2024/2/24	
Additional information		

P7.1.1 Pi	roduct environmental attributes		
(1)	year of manufacture:		2024
	Product uses a low voltage external power supply. Only	Section (5) is completed.	
(2)	Network Standby Classification	LoNA Equipment	
	Off Mode Power (Watts)	0.4 Watts	
	Standby Mode	Watts ⊠Mode Not Applicable	
		minutes Default Delay Time	
	Description of how to enable Network Standby Mode	Network Standby Mode is enabled at Shipment	
	Description of how to manually enter Network Standby Mode	1) Press the Power Button once 2) Click on the F choose Sleep	ower Button and
	Default Delay time to Network Standby Mode	5.0 minutes	
	Reactivation Function from Network Standby Mode	Open Notebook, Press Keyboard or power button, a	ctivate USB

(4)	Network Port	Wired Ethernet	Wireless Ethernet	USB-A	USB-C	HDMI	BlueTooth	Other: USB- A		
	Present in Product									
	Activated at Shipment									
	Active in Network Standby Mode									
	Location of Network Port	Right	N/A	Left	Left	Left	N/A	Right		
	Network Port Maximum Performance	1.0 GB/s	0.1 GB/s	5.0 GB/s	40.0 GB/s	48.0 GB/s	0.0006 GB/s	5.0 GB/s		
	Network Protocol	IEEE 802.3	WiFi 6E; 802.11ax	USB 3.2 Gen 1	Thunderb olt™ 4	HDMI 2.1	BT5.2	USB 3.2 Gen 1		
	Network Standby Mode Power	0.9 Watts	0.9 Watts	Watts	Watts	Watts	Watts	Watts		
	Network Standby Power – All Connections									
	Test parameters for	Additional Information Instructions on activating and deactivating wireless network(s) is included in the User Manual Test parameters for measurements,								
	ambient temperature test voltage in V and frequency in Hz				25.3 degrees Celsius 230 V / 50 Hz					
	total harmonic distortion of the electricity supply system 2.00%									
		information and documentation on the instrumentation, set-up and circuits used for electrical testing			cquipment C Source Cower Analyzer	Chroma 6' YOKOGAN	Date 1601	Calibration		
					hermometer lygrometer					

(5) External power supply efficiency (if applicable)*:

Model	Output Voltage	Output Current	Output Power	Average Active Efficiency	10% Load Efficiency	No Load Power
ADLX45YDC3D	20 V	2.25 A	45 W	89.96%	85.10%	0.08 W
ADLX45YDC2D	20 V	2.25 A	45 W	89.88%	82.02%	0.08 W
ADLX45YLC3D	20 V	2.25 A	45 W	89.74%	81.92%	0.11 W
ADLX45YLC2D	20 V	2.25 A	45 W	90.01%	81.92%	0.11 W
ADLX45YAC3D	20 V	2.25 A	45 W	89.70%	83.39%	0.06 W
ADLX45YAC2D	20 V	2.25 A	45 W	89.69%	83.39%	0.06 W
ADLX45YCC3C	20 V	2.25 A	45 W	85.46%	85.24%	0.05 W
ADLX45YCC2G	20 V	2.25 A	45 W	85.46%	85.17%	0.05 W
ADLX65YDC3D	20 V	3.25 A	65 W	90.47%	87.99%	0.07 W
ADLX65YDC2D	20 V	3.25 A	65 W	91.11%	87.26%	0.06 W
ADLX65YLC3D	20 V	3.25 A	65 W	90.40%	81.31%	0.11 W
ADLX65YLC2D	20 V	3.25 A	65 W	90.59%	81.31%	0.12 W
ADLX65YCC3D	20 V	3.25 A	65 W	90.07%	87.01%	0.07 W
ADLX65YCC2D	20 V	3.25 A	65 W	90.03%	87.01%	0.07 W
ADLX65YAC3D	20 V	3.25 A	65 W	90.23%	84.14%	0.07 W
ADLX65YAC2D	20 V	3.25 A	65 W	90.21%	84.14%	0.07 W
ADLX65YSLC3A	20 V	3.25 A	65 W	91.29%	84.02%	0.06 W
ADLX65YSLC2A	20 V	3.25 A	65 W	91.30%	84.02%	0.06 W
ADLX65YSCC3A	20 V	3.25 A	65 W	90.57%	86.84%	0.03 W
ADLX65YSCC2A	20 V	3.25 A	65 W	90.42%	86.84%	0.03 W
ADLX65YSDC3A	20 V	3.25 A	65 W	90.24%	83.50%	0.07 W
ADLX65YSDC2A	20 V	3.25 A	65 W	90.11%	83.90%	0.06 W
	V	Α	W			W
	V	Α	W			W

^{*}Values are tested at 230V / 50Hz

(6) Measurement methodology used to determine information mentioned in points (5) – external PSU efficiency: *EN 50563:2011/A1:2013*

Additional information