A power user's PC

The HP Elite Tower 800 delivers the high-performance needed for power users whose workloads include handling complex programs, rendering, and demanding graphics content. Equipped with the latest Intel® processor², speedy storage, and memory, this is the right PC for your most demanding tasks.

Exhilarating performance

Quickly manage large projects across multiple applications simultaneously with dynamic performance from the latest Intel® processor², fast SSD storage, and DDR5 memory.

Connect multiple displays

Keep all your workstreams in view with the ability to connect up to eight monitors⁴ with optional flex video ports and NVIDIA® GeForce® RTX 4060 optional high-end graphics⁵ that are ready to take on your VR projects.

Protected by HP Wolf Security

HP Wolf Security for Business creates a hardware-enforced, always-on, resilient defense. From the BIOS to the browser, above, in, and below the OS, these constantly evolving solutions help protect your PC from modern threats.⁶



*Product image may differ from actual product

Sustainability in action

Help protect our shared future

At least 50 percent of all plastic used in this PC is post-consumer recycled plastic. The outer box packaging is 100 percent sustainably sourced. This PC is ENERGY STAR® certified and EPEAT® registered in 23 countries.



Featuring

Work hard without sounding like it

Focus on work while enjoying whisper quiet operation. The HP Elite 800 Tower utilizes HP Run Quiet Design that finely tunes the fans to keep systems running quiet and cool.

Help improve performance

Keep multiple applications running without system lag and optimize performance with Intel $^{\circ}$ Dynamic Tuning Technology that automatically and dynamically allocates power between and Intel $^{\circ}$ processor and an Intel $^{\circ}$ integrated graphics. 10

Handle data with agility

Quickly access and transfer data to keep up with today's changing business requirements with advanced PCle Gen 4 SSDs, USB Type-C*, and DDR5 memory.

Create and do more

Unleash creativity with an optional NVIDIA $^{\circ}$ GeForce $^{\circ}$ RTX 4060 graphics card to tap into the extraordinary visuals during video calls, while watching video presentations, and creating amazing content. 5

Fast and efficient wireless LAN

Get a fast and reliable connection in dense wireless environments with optional gigabit data rate Wi-Fi 7. 11,12

Reliable connections

Improve connectivity in crowded wireless environments while on Wi-Fi $^{\circ}$ with HP Extended Range Wireless LAN that allows greater distance from transmission point and fast data throughput at shorter ranges. 13

Built-in durability

Rest easy with a PC that undergoes 120,000 hours of HP's Total Test Process and MIL-STD 810 testing. Help extend protection with an optional removable dust filter. 5,14,15



Technical specifications

Technical specifications		
Available Operating Systems	Windows 11 Pro ¹ Windows 11 Pro Education ¹ Windows 11 Home -HP recommends Windows 11 Pro for business ¹ Windows 11 Home Single Language - HP recommends Windows 11 Pro for business ¹ Windows 11 Home Single Language - HP recommends Windows 11 Pro for business windows 11 Pro (Windows 11 Enterprise or Windows 10 Enterprise available with a Volume Licensing Agreement) ¹ FreeDOS	
Processor family	13th Generation Intel® Core® 19 processor 13th Generation Intel® Core® 15 processor 13th Generation Intel® Core® 15 processor 13th Generation Intel® Core® 15 processor 13th Generation Intel® Core® 19 processor 12th Generation Intel® Core® 19 processor 12th Generation Intel® Core® 10 processor 12th Generation Intel® Core® 15 processor Intel® Core® 13 14th generation processor Intel® Core® 15 14th generation processor Intel® Core® 16 14th generation processor Intel® Core® 16 14th generation processor Intel® Core® 19 14th generation processor	
Available Processors ^{4,5,6}	Intel® Core® 1512600 with Intel® UHD Graphics (3.3 GHz P-core base frequency, up to 4.8 GHz P-core Max Turbo frequency, 18 MB L3 cache, 6 P-cores, 12 threads), supports Intel® VPro® Technology Intel® Core® 1512800 with Intel® UHD Graphics (25 GHz P-core base frequency, up to 4.8 GHz P-core Max Turbo frequency, 18 MB L3 cache, 6 P-cores, 12 threads), supports Intel® VPro® Technology Intel® Core® 1512800 with Intel® UHD Graphics (25 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 6 P-cores, 8 threads) Intel® Core® 1312900 with Intel® UHD Graphics (3.3 GHz P-core base frequency, up to 4.3 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® Core® 1312900 with Intel® UHD Graphics (1.8 GHz E-core base frequency, 24 GHz P-core base frequency, up to 3.8 GHz E-core Max Turbo frequency, up to 5.0 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® Core® 1312900 with Intel® UHD Graphics (1.6 GHz E-core base frequency, 2.1 GHz P-core base frequency, up to 3.6 GHz E-core Max Turbo frequency, up to 4.8 GHz P-core Max Turbo frequency, up to 4.9 GHz with Intel® Turbo Boost Technology, 25 MB L3 cache, 8 P-cores and 4 E-cores, 20 threads), supports Intel® VPro® Technology Intel® Core® 131300 (1.5 GHz P-core base frequency, up to 3.4 GHz P-core base frequency, up to 3.6 GHz P-core so and 0 E-cores, 30 threads), supports Intel® VPro® Technology Intel® Core® 131300 (1.5 GHz P-core base frequency, up to 4.2 GHz P-core Max Turbo frequency, up to 5.2 GHz P-core Max Turbo frequency, 36 MB L3 cache, 8 P-cores and 16 E-cores, 20 threads), supports Intel® VPro® Technology Intel® Core® 131300 (1.5 GHz P-core base frequency, 20 GHz P-core base frequency, up to 4.2 GHz E-core Max Turbo frequency, up to 5.2 GHz P-core Max Turbo frequency, 20 MB L3 cache, 8 P-cores and 8 E-cores, 20 threads), supports Intel® VPro® Technology Intel® Core® 131400 (3.5 GHz P-core base frequency, 21 GHz P-core base frequency, 27 GHz P-core base frequency, up to 4.9 GHz P-core Ma	
Chipset	Intel® Q670 (vPro®)	
Form factor	Tower	
Manufacture are assessed	128 GB DDR5-4800 SDRAM; ^{7,8,9,42,43}	
Maximum memory	Transfer rates up to 4400 MT/s.	
Memory slots		
	Transfer rates up to 4400 MT/s.	
Memory slots	Transfer rates up to 4400 MT/s. 4 DIMM 11B up to 21B SATA HDD ¹⁰²¹ 256 GB up to 11B PCle® NVMe™ M.2 SSD ¹⁰²¹ 256 GB up to 17B PCle® NVMe™ ILC M.2 SSD ¹⁰²¹ 256 GB up to 51Z BP PCle® NVMe™ TLC M.2 SSD ¹⁰²¹ 256 GB up to 51Z BP PCle® NVMe™ TLC M.2 SSD ¹⁰²¹	
Memory slots Internal storage	Transfer rates up to 4400 MT/s. 4 DIMM 11B up to 2 TB SATA HDD ^{10,21} 256 GB up to 11B PCle* NVMe* M.2 SSD ^{10,21} 256 GB up to 2 TB PCle* NVMe* SED Opal 2 TLC M.2 SSD ^{10,21} 256 GB up to 512 GB PCle* NVMe* SED Opal 2 TLC M.2 SSD ^{10,21} 256 GB PCle* NVMe* OPAL 2 M.2 SSD ^{10,21}	
Memory slots Internal storage Optical drive	Transfer rates up to 4400 MT/s. 4 DIMM 1TB up to 2 TB SATA HDD ^{10,21} 256 GB up to 1TB PCIe* NVMe* M.2 SSD ^{10,21} 256 GB up to 1TB PCIe* NVMe* TLC M.2 SSD ^{10,21} 256 GB up to 2 TB PCIe* NVMe* SED Opal 2 TLC M.2 SSD ^{10,21} 256 GB up to 512 GB PCIe* NVMe* SED Opal 2 TLC M.2 SSD ^{10,21} 256 GB PCIe* NVMe* OPAL 2 M.2 SSD ^{10,21} 256 GB PCIe* NVMe* OPAL 2 M.2 SSD ^{10,21} HP 9.5 mm Slim DVD-Writer; HP 9.5 mm Slim DVD-ROM 3 Integrated: Intel* UHD Graphics 730; Intel* UHD Graphics 770 Discrete: NIDIA* GeForce RTX* 3050 (12 GB GDDR6 dedicated): NVIDIA* GeForce RTX* 3050 (8 GB GDDR6 dedicated): Intel* Arc* A380 Graphics (6 GB GDDR6 dedicated): AMD Radeon* RX 6300	
Memory slots Internal storage Optical drive Available Graphics	Transfer rates up to 4400 MT/s. 4 DIMM 11B up to 2 TB SATA HDD ^{10,21} 256 GB up to 1 TB PCle* NVMe" M.2 SSD ^{10,21} 256 GB up to 2 TB PCle* NVMe" SED Opal 2 TLC M.2 SSD ^{10,21} 256 GB up to 5 TB PCle* NVMe" SED Opal 2 TLC M.2 SSD ^{10,21} 256 GB PCle* NVMe" OPAL 2 M.2 SSD ^{10,21} 256 GB PCle* NVMe" OPAL 2 M.2 SSD ^{10,21} HP 9.5 mm Slim DVD-Writer; HP 9.5 mm Slim DVD-ROM ³ Integrated: Intel* UHD Graphics 730; Intel* UHD Graphics 770 Discrete: NVIDIA* GeForce RTX** 3060 (12 GB GDDR6 dedicated); NVIDIA* GeForce RTX** 3050 (8 GB GDDR6 dedicated); Intel* Arc** A380 Graphics (6 GB GDDR6 dedicated); AMD Radeon** RX 6300 Graphics (2 GB GDDR6 dedicated); NVIDIA* GeForce RTX** 4060 (8 GB GDDR6 dedicated) ^{1,318,43}	
Memory slots Internal storage Optical drive Available Graphics	Transfer rates up to 4400 MT/s. 4 DIMM 11B up to 2 TB SATA HDD ^{10,21} 256 GB up to 11B PCIe* NVMe* M.2 SSD ^{10,21} 256 GB up to 11B PCIe* NVMe* TLC M.2 SSD ^{10,21,46} 256 GB up to 12 TB PCIe* NVMe* SED Opal 2 TLC M.2 SSD ^{10,21,46} 256 GB up to 512 GB PCIe* NVMe* SED Opal 2 TLC M.2 SSD ^{10,21} 256 GB PCIe* NVMe* OPAL 2 M.2 SSD ^{10,21} 256 GB PCIe* NVMe* OPAL 2 M.2 SSD ^{10,21} HP 9.5 mm Slim DVD-Writer; HP 9.5 mm Slim DVD-ROM ³ Integrated: Intel* UHD Graphics 730; Intel* UHD Graphics 770 Discrete: NVIDIA* GeForce RTX* 3050 (12 GB GDDR6 dedicated); NVIDIA* GeForce RTX* 3050 (8 GB GDDR6 dedicated); Intel* Arc* A380 Graphics (6 GB GDDR6 dedicated); AMD Radeon* RX 6300 Graphics (2 GB GDDR6 dedicated); NVIDIA* GeForce RTX* 4060 (8 GB GDDR6 dedicated)) ^(3,18,4,4) Realtek ALC:3252 codec, universal audio jack with CTIA and OMTP headset support	
Memory slots Internal storage Optical drive Available Graphics Audio Expansion slots	Transfer rates up to 4400 MT/s. 4 DIMM 11B up to 2 TB SATA HDD ^{10,21} 256 GB up to 11B PCle* NVMe* M.2 SSD ^{10,21} 256 GB up to 17B PCle* NVMe* SED Opal 2 TLC M.2 SSD ^{10,21,46} 256 GB up to 512 GB PCle* NVMe* SED Opal 2 TLC M.2 SSD ^{10,21,46} 256 GB PCle* NVMe* OPAL 2 M.2 SSD ^{10,21,46} 256 GB PCle* NVMe* OPAL 2 M.2 SSD ^{10,21} 256 GB PCle* NVMe* SSD ^{10,21} 256 G	
Memory slots Internal storage Optical drive Available Graphics Audio Expansion slots Ports and connectors	Transfer rates up to 4400 MT/s. 4 DIMM 11B up to 2 TB SATA HDD ^{10,21} 256 GB up to 1 TB PCle* NVMe* M2 SSD ^{10,21} 256 GB up to 7 TB PCle* NVMe* SED pol 2 TLC M2 SSD ^{10,21} 256 GB up to 5 TB PCle* NVMe* SED pol 2 TLC M2 SSD ^{10,21} 256 GB up to 5 TB PCle* NVMe* SED pol 2 TLC M2 SSD ^{10,21} 256 GB PCle* NVMe* OPAL 2 M2 SSD ^{10,21} 256 GB PCle* NVMe* OPAL 2 M2 SSD ^{10,21} HP 9.5 mm Slim DVD-Writer; HP 9.5 mm Slim DVD-ROM 3 Integrated: Intel* UHD Graphics 730; Intel* UHD Graphics 770 Discrete: NVIDIA* GeForce RTX** 3060 (I2 GB GDDR6 dedicated); NVIDIA* GeForce RTX** 3050 (I8 GB GDDR6 dedicated); Intel* Arc** A380 Graphics (6 GB GDDR6 dedicated); AMD Radeon** RX 6300 Graphics (2 GB GDDR6 dedicated); NVIDIA* GeForce RTX** 4060 (8 GB GDDR6 dedicated); Intel* Arc** A380 Graphics (6 GB GDDR6 dedicated); AMD Radeon** RX 6300 Realtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support 1M2 2230; 2 PCle 3 xt; 1 PCle 3 xt6 (wired as x4); 2 M2 2280; 1 PCle 4 xt6 (I M2 2230 slot for WLAN and 2 M2 2280 slots for storage) Front: 1 headphone/microphone combo; 4 SuperSpeed USB Type-A 10Gbps signaling rate; 1 SuperSpeed USB Type-C* 10Gbps signaling rate; 1 HDMI 14; 1RJ-45; 1 audio line-in/line-out; 2 DisplayPort** 1.4c; 3 USB 2.0 Type-A; Optional Ports: Add-on card; 1 serial and PS/2 ports combination; Add-on port: 1 serial; Flex IO port -choose one of the following options: 1 DisplayPort** 1.4c, 1 HDMI 2.1, VGA, 1 serial, 1 Dual SuperSpeed USB Type-C* 10Gbps signaling rate (15W output, DisplayPort** 1.4l; 1 Thunderbolt** 3 (40Gbps signaling rate) with SuperSpeed USB Type-C* 10Gbps signaling rate PCle* card** 1 SuperSpeed USB Type-C* 10Gbps signaling rate (15W output, DisplayPort** 1.4l; 1 Thunderbolt** 3 (40Gbps signaling rate) with SuperSpeed USB Type-C* 10Gbps signaling rate PCle* card** 1 SuperSpeed USB Type-C* 10Gbps signaling rate (15W output, DisplayPort** 1.4l; 1 Thunderbolt** 3 (40Gbps signaling rate) with SuperSpeed USB Type-C* 10Gbps signaling rate	
Memory slots Internal storage Optical drive Available Graphics Audio Expansion slots Ports and connectors Input devices	Transfer rates up to 4400 MT/s. 4 DIMM 11TB up to 21B SATA HDD ¹⁰²¹ 256 GB up to 11B PCle* NVMe* M2 SSD ¹⁰²¹ 256 GB up to 11B PCle* NVMe* M2 SSD ¹⁰²¹ 256 GB up to 21 TB PCle* NVMe* TLC M2 SSD ¹⁰²¹ 256 GB up to 21 TB PCle* NVMe* TLC M2 SSD ¹⁰²¹ 256 GB up to 512 GB PCle* NVMe* TLC M2 SSD ¹⁰²¹ 256 GB up to 512 GB PCle* NVMe* TLC M2 SSD ¹⁰²¹ 256 GB up to 512 GB PCle* NVMe* TLC M2 SSD ¹⁰²¹ 256 GB up to 512 GB PCle* NVMe* TLC M2 SSD ¹⁰²¹ 256 GB up to 512 GB PCle* NVMe* TLC M2 SSD ¹⁰²¹ 256 GB up to 512 GB PCle* NVMe* TLC M2 SSD ¹⁰²¹ 256 GB up to 512 GB PCle* NVMe* TLC M2 SSD ¹⁰²¹ 257 GB Up to 512 GB SD NVMe* The TLC M2 SSD ¹⁰²¹ 258 GB Up to 512 GB SD NVMe* The TLC M2 SSD ¹⁰²¹ 259 GB GD NVMe* The TLC M2 SSD ¹⁰²¹ 250 GB GD NVMe* The	
Memory slots Internal storage Optical drive Available Graphics Audio Expansion slots Ports and connectors Input devices Communications	Transfer rates up to 4400 MT/s. 4 DIMM 11B up to 21B SATA HDD ^{TA21} 256 GB up to 11B PCIe* NVMe* TA2 SSD ^{TA21} 256 GB up to 11B PCIe* NVMe* TA2 SSD ^{TA21} 256 GB up to 21B PCIe* NVMe* TA2 SSD ^{TA21} 256 GB up to 21B PCIe* NVMe* TA2 SSD ^{TA21} 256 GB up to 512 GB PCIe* NVMe* TA2 SSD ^{TA21} 256 GB up to 512 GB PCIe* NVMe* TA2 SSD ^{TA21} 256 GB PCIe* NVMe* TA2 MA2 SSD ^{TA21} 257 GB PCIe* NVMe* TA2 MA2 SSD ^{TA21} 258 GB PCIe* NVMe* TA2 MA2 SSD ^{TA21} 258 GB PCIe* NVMe* TA2 MA2 SSD ^{TA21} 259 GB PCIe* NVMe* TA2 MA2 SSD ^{TA21} 259 GB PCIe* NVMe* TA2 MA2 SSD ^{TA21} 259 GB PCIe* NVMe* TA2 MA2 SSD ^{TA21} 250 GB PCIe* NVMe* TA2 MA2 SSD ^{TA22} 250 GB PCIe* ACA TA2 MA2 SSD ^{TA23} 250 GB PCIe* ACA TA2 MA2 SSD ^{TA24} 250 GB PCIe* ACA TA2 MA2 SSD ^{TA25} 250 GB PCIe* ACA TA2 MA2 TA2 MA2 SSD ^{TA25} 250 GB PCIe* ACA TA2 MA2 TA2 MA2 TA2 MA2 TA2 MA2 TA2 TA2 MA2 TA2 TA2 TA2 TA2 TA2 TA2 TA2 TA2 TA2 T	
Memory slots Internal storage Optical drive Available Graphics Audio Expansion slots Ports and connectors Input devices Communications Drive Bays	Transfer rates up to 4400 MT/s. 4 DIMM 11B up to 21B SATA HDD ^{10,21} 266 GB up to 11B PCIe* NVMe** NZ SSD ^{10,21} 266 GB up to 11B PCIe* NVMe** TLC MZ SSD ^{10,21} 266 GB up to 11B PCIe* NVMe** SED Dyal 21L0 M2 SSD ^{10,21} 266 GB Up to 15I PCIe* NVMe** SED Dyal 21L0 M2 SSD ^{10,21} 266 GB Up to 15I PCIe* NVMe** SED Dyal 21L0 M2 SSD ^{10,21} 266 GB Up to 15I PCIe* NVMe** SED Dyal 21L0 M2 SSD ^{10,21} 266 GB Up to 15I PCIe* NVMe** SED Dyal 21L0 M2 SSD ^{10,21} 266 GB Up to 15I PCIe* NVMe** SED Dyal 21L0 M2 SSD ^{10,21} 266 GB Up to 15I PCIe* NVMe** SED Dyal 21L0 M2 SSD ^{10,21} 266 GB Up to 15I PCIe* NVMe** ORL 2V SSD ^{10,21} Integrated: Intel** UHD Graphics 730: Intel** UHD Graphics 770 Discrete: NVIDIA** Geforce RIX** 3060 Id C86 GDDR6 dedicated; NVIDIA** Geforce RIX** 3060 IB GB GDDR6 dedicated; Intel** Arc** A380 Graphics (6 GB GDDR6 dedicated); AMD Radeon** RX 6300 Graphics (2 GB GDDR6 dedicated); NVIDIA** Geforce RIX** 4060 IB GB GDDR6 dedicated); Intel** Arc** A380 Graphics (6 GB GDDR6 dedicated); AMD Radeon** RX 6300 Graphics (2 GB GDDR6 dedicated); NVIDIA** Geforce RIX** 4060 IB GB GDDR6 dedicated); Intel** Arc** A380 Graphics (6 GB GDDR6 dedicated); AMD Radeon** RX 6300 Graphics (2 GB GDDR6 dedicated); NVIDIA** Geforce RIX** 4060 IB GB GDDR6 dedicated); Intel** Arc** A380 Graphics (6 GB GDDR6 dedicated); AMD Radeon** RX 6300 Graphics (2 GB GDDR6 dedicated); NVIDIA** Geforce RIX** 4060 IB GB GDDR6 dedicated); Intel** Arc** A380 Graphics (6 GB GDDR6 dedicated); AMD Radeon** RX 6300 Graphics (2 GB GDDR6 dedicated); NVIDIA** Geforce RIX** 4060 IB GB GDDR6 dedicated); Intel** Arc** A380 Graphics (6 GB GDDR6 dedicated); AMD Radeon** RX 6300 Graphics (2 GB GDDR6 dedicated); Intel** Arc** A380 Graphics (6 GB GDDR6 dedicated); AMD Radeon** RX 6300 Graphics (2 GB GDDR6 dedicated); Intel** Arc** A380 Graphics (6 GB GDDR6 de	
Memory slots Internal storage Optical drive Available Graphics Audio Expansion slots Ports and connectors Input devices Communications Drive Bays Environmental	Transfer rates up to 4400 MT/s. 4 DIMM 1 TB up to 2 TB SATA HDD ^{10,27} 256 GB up to 1 TB Pole* N/Me** TLC M2 SSD ^{10,21} 256 GB up to 1 TB Pole* N/Me** TLC M2 SSD ^{10,21} 256 GB up to 1 TB Pole* N/Me** TLC M2 SSD ^{10,21} 256 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 256 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 256 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 256 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 256 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 256 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 256 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 256 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 256 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 257 GB SDD W4 tree** OPAL 2 M2 SSD ^{10,21} 258 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 258 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 259 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 250 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 250 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 250 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 250 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 250 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 250 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 250 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 250 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 250 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 250 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 250 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 250 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 250 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 250 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 250 GB Pole* N/Me** OPAL 2 M2 SSD ^{10,21} 250 GB Pole** OPAL 2 M2 M	



Security Software Licenses

HP Wolf Pro Security Edition⁵⁶

Techni	أحما	enaci	ficat	ione
iecnn	icai :	speci	ncat	ions

Management features	HP Client Catalog (download); HP Driver Packs (download); HP Cloud Recovery; HP Image Assistant Gen 5 (download); HP Client Management Script Library (download); HP Connect for Microsoft Endpoint Manager; HP Manageability Integration Kit (download); HP Patch Assistant (download) ^{16,17;19,50}
Memory card device	15-in-1SD media card reader
Power	400 W external power adapter, up to 92% efficiency, active PFC; 260 W internal power adapter, up to 92% efficiency, active PFC; 550 W internal power adapter, up to 92% efficiency, active PFC
Dimensions	33.7 x 30.8 x 15.5 cm; 28.7 x 40 x 49.9 cm (Package)
Weight	6.15 kg; (Exact weight depends on configuration.)
Ecolabels	EPEAT registered with Climate+33
Energy star certified	ENERGY STAR® certified
Sustainable impact specifications	40% post-consumer recycled plastic; 10% ITE-derived closed loop plastic; Low Halogen; Bulk packaging available; 80 Plus® Platinum power supplies available; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Ocean-bound plastic in speaker enclosure and I/O strip ^{34,35,36,37,38,39}
Warranty	1 year (1/1/1) limited warranty includes 1 year of parts, labor and on-site repair. Terms and conditions vary by country. Certain restrictions and exclusions apply.



Footnotes

Messaging Footnotes

- 2 Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance
- ³ VR content requires optional NVIDIA® GeForce® RTX 4060 graphics card.
- 4 Eight monitors sold separately and connection to eight monitors only supported on PCs equipped with compatible flex I/O ports and an Intel* Arc** A380 Graphics card, NVIDIA* GeForce* RTX 3060 discrete graphics card, or NVIDIA* GeForce* RTX 4060 discrete graphics card.
- Optional feature that must be configured at the time of purchase
- 6 HP Wolf Security for Business requires Windows 10 or 11 Pro and higher, includes various HP security features and is available on HP Pro, Elite, Workstation, and RPOS products. See product details for included security features and OS requirements. Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.

 8 100% outer box packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic.

- 9 Based on US EPEAT* registration according to IEEE 1680.1-2018 EPEAT*. EPEAT* status varies by country. Visit www.epeat.net for more information.
 10 Requires Intel* Core** 17 or 19 processor and Intel* integrated graphics. Wireless access point and Internet service required and sold separately. Availability of public wireless access points limited. Wi-Fi 7 (802.11BE) functionality requires Windows 11 2024, Intel * Core ** 14th gen processors, and a Wi-Fi 7 router, sold separately. Wi-F17 is backwards compatible with prior 80211 specs. Available in countries where Wi-F17 is supported. The specification for 80211BE is a draft specification and is not final. If the final specification differs from the draft specification, it may affect the ability of the device to communicate with other 80211BE devices.

 12 Wi-F1* supporting gigabit data rate is achievable with Wi-F17 (80211BE) when transferring files between two devices connected to the same router. Requires a wireless router, sold separately, that supports 160MHz channels.

- 13 Based on internal testing of products with and without HP Extended Range Wireless LAN.

 14 HP Total Test Process testing is not a guarantee of future performance under these test conditions. Any accidental damage requires an optional HP Accidental Damage Protection Care Pack
- 15 MIL STD 810 testing is pending and is not intended to demonstrate fitness for U.S. Department of Defense contract requirements or for military use. Test results are not a guarantee of future performance under these test conditions. Any accidental damage requires an optional HP Accidental Damage Protection Care Pack.

Specification Footnotes

- Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.

 3 HD-DVD disks cannot be played on the DVD-ROM drive. No support for DVD-RAM. Actual speeds may vary. Don't copy copyright-protected materials. Double Layer discs can store more data than single layer discs. Discs burned with this drive may not be compatible with many existing single-layer DVD drives and players. Flawless playback on all systems is not guaranteed.

 4 For full Intel® vPro® functionality, Windows 11 Pro 64 bit, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN and/or WLAN card and TPM 2.0 are required. Some functionality requires additional 3rd party software in order to run.
- See http://intel.com/vpro

 Multi-core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload
- and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

 6 Intel* Turbo Boost technology requires a PC with a processor with Intel Turbo Boost capability. Intel Turbo Boost performance varies depending on hardware, software and overall system configuration. See www.intel.com/technology/turboboost for
- ⁷ Memory modules support data transfer rates up to 4800 MT/s; system speed up to 4400 MT/s, following Intel's design guideline. Actual data rate is determined by the system configuration.

 8 System architecture design is 2 DIMMS per channel and the population starts from the furthest memory slot from the processor.
- 9 Symmetric configurations are required for the 2 DIMMs within the same memory channel.
- 10 For hard drives and solid state drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 36 GB (for Windows) of system disk is reserved for the system recovery software.
- ¹¹ Availability varies by countries.
- ¹² PC can only be configured with one of these two available optional features: removable SATA HDD or M.2 SSD bay.

 ¹³ Sold separately or as an optional feature.
- 14 Thunderbolt™ 3.0 and Serial/PS/2 combo occupies a PCle slot.
- ¹⁵ Intel® Ethernet Network Adapter I225-T1: sold separately or as an optional feature
- 16 HP Connect for Microsoft Endpoint Manager is available from the Azure Market Place for HP Pro, Elite, Z and Point-of-Sale PCs managed with Microsoft Endpoint Manager. Subscription to Microsoft Endpoint Manager is available from the Azure Market Place for HP Pro, Elite, Z and Point-of-Sale PCs managed with Microsoft Endpoint Manager. Subscription to Microsoft Endpoint Manager. Network connection required.

 17 HP Patch Assistant available on select HP PCs with the HP Manageability Kit that are managed through Microsoft System Center Configuration Manager. HP Manageability Integration Kit can be downloaded from
- http://www8.hp.com/us/en/ads/clientmanagement/overview.html.

 18 NVIDIA* GeForce* GTX 3070 graphic card requires the 550W chassis. NVIDIA* GeForce* GTX 3060 graphic card is not available with the 260W chassis.
- ¹⁹ HP Manageability Integration Kit can be downloaded from http://www.hp.com/go/clientmanagement.
- 20 HP Easy Clean requires Windows 10 RS3 and will disable the keyboard, touchscreen, and clickpad only. Ports are not disabled. See user guide for cleaning instructions.
- 21 Starting from November 1st 2023, all shipments will require Windows to be installed on SSD to provide users a better experience. HDD can only be configured as additional data drives and not the boot drive. 22 HHP Smart Support requires HP TechPulse to be installed. For more information about how to enable or to download HP Smart Support, please visit http://www.hp.com/smart-support.
- ²³ HP Sure Sense 2 is available on select HP PCs with Windows 10 Pro, Windows 10 Enterprise, Windows 11 Pro, or Windows 11 Enterprise OS. ²⁶ HP Sure Run Gen5 is available on select HP PCs and requires Windows 10 or higher.
- ²⁷ HP Sure Click requires Windows 10 Pro or higher or Enterprise. See https://bit.ly/2PrLT6A_SureClick for complete details.
- Authorists requires windows of Foot integral of Littles principle. The foot control of complete details.

 28 HP Sure Start Gen7 is available on select HP PCs and requires Windows 10 and higher.

 30 HP Sure Recover Gen5 with Embedded Reimaging is an optional feature which requires Windows 10 and higher must be configured at purchase. You must back up important files, data, photos, videos, etc. before use to avoid loss of data. Network
- based recovery using Wi-Fi is only available on PCs with Intel Wi-Fi Module.

 31 HP Sure Admin requires Windows 10 or higher, HP BIOS, HP Manageability Integration Kit from http://www.hp.com/go/clientmanagement and HP Sure Admin Local Access Authenticator smartphone app from the Android or Apple store.
- 33 Based on US EPEAT* registration according to IEEE 1680.1-2018 EPEAT*. EPEAT* status varies by country. Visit www.epeat.net for more information

- A External power supplies, WWAN modules, power cords, cables and peripherals excluded. Service parts obtained after purchase may not be Low Halogen.
 Percentage of ocean-bound plastic contained in each component varies by product.
 Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.
 TE Derived Closed Loop Plastic percentage is based on the definition set in the IEEE 1680.1-2018 standard.
- 38 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.
- 39 Molded pulp cushions are made from 100% recycled wood fiber and organic materials.
- ⁴⁰ myHP requires Windows OS.
- 14 Wireless access point and internet service required and sold separately. Availability of public wireless access points limited. Wi-Fi 6 is backwards compatible with prior 80211 specs
- 42 To achieve optimal memory speed, HP strongly recommends to use identical memory modules (e.g., same capacity, same part number and from the same supplier) within the same me

- ** To achieve opuring interior y speed, it is adding productions.

 **All memory slots are customer accessible / upgradeable.

 **4 Wir-Fi is is designed to support gigabit data rate when transferring files between two devices connected to the same router. Requires a wireless router, sold separately, that supports 80MHz and higher channels.

 **4 Wir-Fi is designed to support gigabit data rate when transferring files between two devices connected to the same router. Requires a wireless router, sold separately, that supports 80MHz and higher channels.

 **5 Wireless access point and Internet service required and sold separately. Availability of public wireless access points limited. Wir-Fi 7 (802.11BE) functionality requires Windows 11 2024, Intel ** Core ** 14th gen processors, and a Wir-Fi 7 router, sold separately. Wireless access point and Internet service required and sold separately. Availability of public wireless access points limited. Wir-Fi 7 (802.11BE) functionality requires Windows 11 2024, Intel ** Core ** 14th gen processors, and a Wir-Fi 7 router, sold separately. Wireless access point and Internet service required and sold separately. Availability of public wireless access points limited. Wir-Fi 7 (802.11BE) is a draft specification and is not final. If the final specification differs from the draft specification of the same router. separately, Wi-Fi 7 is backwards compatible with prior 802.11 specs. Available in countries where Wi-Fi 7 is supported. The specification for 802.11BE is a draft specification and is not final. If the final specification differs from the draft specification, it may affect the ability of the device to communicate with other 802.11BE devices.
- ⁴⁶ 256 GB PCle^x NVMe™ TLC M.2 SSD is only available with the 12th generation processors.
 ⁴⁷ NVIDIA® GeForce® RTX 3050 Graphics card, Intel® ArcTM A380 Graphics card are only available with the 13th generation processors.
- 49 HP Services Scan is provided with Windows Update on select products and will check entitlement on each hardware device to determine if an HP TechPulse-enabled service has been purchased, and will download applicable software automatically. HP TechPulse is a telemetry and analytics platform that provides critical data around devices and applications and is not sold as a standalone service. HP TechPulse follows stringent GDPR privacy regulations and is ISO27001, ISO27017 and SOC2 Type2 certified for Information Security. Internet access with connection to TechPulse portal is required. For full system requirements or to disable this feature, please visit http://www.hpdaas.com/requirements. Not applicable in China.

 50 HP Cloud Recovery is available for Z by HP, HP Elite and Pro desktops and laptops PCs with Intel® or AMD processors and requires an open, wired network connection. Note: You must back up important files, data, photos, videos, etc. before use to avoid
- loss of data. Detail, please refer to: https://support.hp.com/us-en/document/c/05115630.

 56 HP Wolf Pro Security Edition (including HP Sure Click Pro and HP Sure Sense Pro) is available preloaded on select SKUs and, depending on the HP product purchased, includes a paid 1-year or 3-year license. The HP Wolf Pro Security Edition software is licensed under the license terms of the HP Wolf Security Software - End-User license Agreement (EULA) that can be found at: https://support.hp.com/us-en/document/ish_3875769-3873014-16 as that EULA is modified by the following: '7. Term. Unless otherwise terminated earlier pursuant to the terms contained in this EULA, the license for the HP Wolf Pro Security Edition (HP Sure Sense Pro and HP Sure Click Pro) is effective upon activation and will continue for either a twelve (12) month or thirty-six (36) month license term ("Initial Term"). At the end of the Initial Term you may either (a) purchase a renewal license for the HP Wolf Pro Security Edition from HP.com, HP Sales or an HP Channel Partner, or (b) continue using the standard versions of HP Sure
- Click and HP Sure Sense at no additional cost with no future software updates or HP Support.

 57 All HP G9 Minis and AiOs support Wi-Fi 6E. HP 600/800 G9 TWR/SFF desktops with Intel® 13th Gen CPUs support Wi-Fi 6E. HP 600/800 G9 TWR/SFF desktops do not support Wi-Fi 6E or operate under 6GHz band when configured with Intel 12th Gen CPUs. Wi-Fi 6E requires a Wi-Fi 6E router, sold separately, to function in the 6GHz band. Availability of public wireless access points limited. Wi-Fi 6E is backwards compatible with prior 802.11 specs. And available in countries where Wi-Fi 6E is supported.

© Copyright 2024 HP Development Company, LP. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Intel®, the Intel logo, Intel® Core®, Thunderbolt®, vpro®, and Core Inside are trademarks or registered trademarks of intel Corporation or its subsidiaries in the United States and other countries. Bluetooth is a trademark of its proprietor, used by HP Inc. under license. USB Type-C® and USB-C® are registered trademarks of USB implementers Forum. ENERGY STARs is a registered trademark in Vite USI. Environmental (Protection Agency, DisplayPort® and the DisplayPort® in USB C® or the USI. Environmental Protection Agency, DisplayPort® and the DisplayPort® on the USB C® or the Devices, Inc. All other trademarks are the property of their respective owners

