PIXMA TR4756i COMPACT MULTIFUNCTIONAL PRINTER: WITH PIXMA PRINT PLAN









PIXMA Print Plan



Canon

Wireless connectivity



Scan or copy 20 pages at a time



Paper saving



Borderless photo printing



Power saving





Never run low on ink again

Subscribe to the PIXMA Print Plan and get inks delivered automatically to your door before you run out, with different tariffs available to suit your usage.

Smart printer operation

Wi-Fi connectivity and the Canon PRINT app give you control of your printer functions from your smart devices. If you're away from Wi-Fi, just switch to Wireless Direct.

Stay in the cloud

Simplify scanning* and printing to and from cloud storage with Cloud Link via the Canon PRINT app.

Boost productivity

Enhance efficiency with automatic 2-sided printing and a 20-sheet ADF** for copying and scanning multiple page documents.

Ideal for home office

4-in-One capability in one compact printer, making it ideal for home office use.

PRODUCT RANGE







PIXMA TR7650

PIXMA TS7750i

PIXMA TS7450i SERIES



TECHNICAL SPECIFICATIONS

PIXMA TR4756i

Model	PIXMA TR 4755i Series	Copy Zoom	25 - 400%
Model Numbers	TR4756i (WH)		Fit to page
			A5 to A4, B5 to A4, A4 to A5 and A4 to B5
GENERAL SPECIFICATIONS		FAX SPECIFICA TIONS	
Functions	Wi-Fi, Print, Copy, Scan, Fax & Cloud	Fax Туре	Super G3 / Colour
			Mono: 8pels/mm x 3.85 lines/mm(Standard)
PRINTER SPECIFICATIONS		For Pecclution	8pels/m m x 7.7 lines/m m(Fine)
Print Resolution	Up to 4800 x 1200 dpi ^[1]	Fax Resolution	300 dpi x 300 dpi (Extra Fine)
Print Technology	2 FINE Cartridges (BK, CL)		Colour: 200 x 200 dpi
Mono Print Speed	Approx. 8.8 ipm ^[2]	Tran smission Speed	Mono: approx. 3 sec. ^[19] Colour: approx. 1 min. ^[19]
Colour Print Speed	Approx. 4.4 ipm ^[2]	Modem Speed	maximum 33.6 kbps (Automatic fall back)
Photo Print Speed	Borderless 4" x 6" (10x15cm): Approx. 65 seconds ^[2]	Print Size	A4, LTR , LGL
Borderless Printing	Yes (A4, LTR, 4" x 6" (10x15cm), 5" x 7" (13x18cm), 8" x	Fax Memory	Approx. 50 pages [20]
	10" (20x25cm))	Automatic Dialing	Coded Speed Dialing: Max. 20 locations
First Page Out Time (approx.)	Mono: 11 sec (ready/simplex) ^[2] Colour: 19 sec (ready/simplex) ^[2]	-	Group Dialing: Max. 19 locations
Two Sided Printing	Auto Duplex Print (A4, Letter - Plain Paper)	GENERAL	
		Display	Full dot LCD (Monochrom e)
CONSUMABLES AND INK		Disp lay Lan gu ages	32 Languages Selectable:
YIELDS InkSubscriptionCartridges	PG-575i (Black)		Japanese, English (mm & inch), German, French, Italian,
ink outsonplion outridges	CL-576i (Colour)		Spanish, Portuguese, Dutch, Danish, Norwegian, Swedish, Finnish, Russian, Ukrainian, Polish, Czech, Slovene,
Non-Ink Subscription	PG-575, PG-575XL (Black)		Hungarian, Slovakian, Croatian, Romanian, Bulgarian,
Compatible Cartridges Cartridge Yield (Plain paper) -	CL-576, CL-576XL (Colour) A4 colour docum ents printing		Turkish, Greek, Estonian, Latvian, Lithuanian, Simplified Chinese, Korean, Traditional Chinese, Indonesian,
Non-ink subscription cartrdiges	Black: 100 pages		Vietnamese
	Black XL: 400 pages Colour: 100 pages	Stan dard Interface	Hi-Speed USB (B Port) Wi-Fi: IEEE802.11 b/g/n/[^{7]}
	Colour XL: 300 pages		Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP,
PAPER SUPPORT			Administration password Wireless LAN Frequency Band: 2.4GHz
		Mobile Apps (iOS®/	Canon PRINT app
Paper Types	Plain Paper Photo Paper Pro Platinum (PT-101)	ANDROID [™])	Easy-PhotoPrint Editor app ^[9] Easy-PhotoPrint Editor Software ^[9]
	Photo Paper Pro Luster (LU-101)	Printer Features	Easy-PhotoPrint Editor Software Easy Layout Editor Software (Windows only)
	Photo Paper Plus Glossy II (PP-201) Matte Photo Paper (MP-101)		Canon Inkjet Smart Connect Software
	Glossy Photo Paper "Everyday Use" (GP-501)		Creative Park app Cloud Link ^[8]
	High Resolution Paper (HR-101N)		Canon Print Service Plugin (Android) [10]
	Envelope Photo Paper Plus Semi-gloss (SG-201),		Apple Air Print [12] Wireless Direct [12]
	Canon Red Label Superior (WOP111)		
	Canon Oce Office Colour Paper (SAT213)	Smart Assistant & Automation Support	Amazon Alexa [14] Google Assistant [14]
	Restickable Photo Paper (RP-101) Magnetic Photo Paper (MG-101)	OS Compatibility	Windows 11, Windows 10, Windows 8.1, Windows 7 SP1
	Greeting Card (manufactured by Avery and		Operation can only be guaranteed on a PC with pre-
Maximum Paper Input	RedRiverPaper)		installed Windows 7 or later.
Maximum raper input	Front Tray: Max. 100 sheets (plain paper) or 20 sheets (photo paper)		Display environment: XGA 1024 x 768 or more
	ADF: A4, LTR: 20 Sheets, LGL: 5 Sheets		Mac: OSX 10.15.7 ~ macOS14
	*Please refer to online manual for a detailed list of paper load limits, which will vary depending on media type and page size		Chrome OS
	selected.		
Paper Sizes	Front Tray: A4, A5, A6, B5, LTR, LGL, 4"x6" (10 x 15 cm),		Mobile Operating Systems: iOS®, iPadOS, Android ^{*** [15]}
	5"x7" (13 x 18 cm), 8"x10" (20 x 25 cm), Envelopes (DL, COM10)		*OS compatibility confirmed at time of launch, please check the
			Canon Download Centre for support of subsequently released OS's for this product.
	[Custom size] width 101.6 mm - 215.9 mm, length 152.4 mm - 676 mm	Min imum System Requirem ents	Windows: 1.5GB or more
			Note: for bundled software installation. The necessary amount of hard disk space required.
	ADF: A4, LTR, LGL	Software Included	Printer Driver
Paper Weight	Front Tray: Plain Paper: 64 g/m ² - 105 g/m ² or supported genuine Canon papers		IJ Printer Assistant Tool Easy-PhotoPrint Editor (download)
	Canon paper: Max. paper weight Approx. 300 g/m ²		
	(Photo Paper Pro Platinum PT-101)	PHYSICAL FEATURES	
		Weight	approx. 5.8 kg
SCANNER SPECIFICATIONS	Elethed (ADE / Distan) CIS colour accorder	Dimensions (W x D x H) With the	Approx. 435 x 295 x 189
Scanner Type Scanner Resolution (Optical)	Flatbed (ADF / Platen) CIS colour scanner 600 x 1,200 dpi ^[4]	trays retracted: Dimensions (W x D x H) With the	Approx. 435 x 592 x 438
Line Scanning Speed	Colour: 3.5 ms/line (300 dpi)	trays extended:	
	Greyscale: 1.5 ms/line (300 dpi)	Acoustic Noise Levels	approx. 56.5dB(A) ^[16]
Scanning Depth (Input / Output)	Colour: RGB each 16bit/8bit Greyscale: 16 bit / 8 bit	Operating Temperature	5-35°C
Maximum Document Size	Platen: A4/Letter (216 x 297 mm)	Operating Humidity	10-90%RH (no dew condensation)
	ADF: A4/Letter/Legal (216 x 356 mm)	Power Source	AC 100-240V, 50/60Hz
		Duty Cycle	Up to 1,200 pages/month
COPIER SPECIFIC ATIONS	ESAT/Simpley ADE (colour): Approx 2.7 mm ^[6]	Power Consumption	Off: Approx. 0.3W Standby (USB connection to PC): Approx. 0.8W
Copy Speed	ESAT/Simplex ADF (colour): Approx. 2.7 ipm ^[6] ESAT/Simplex ADF (black): Approx. 6.4 ipm ^[6]		Standby (all ports connected): Approx. 1.4W
Copy quality	3 positions (Draft, Standard, High)		Time to enter Standby mode: 10 minutes 6 sec Copying: Approx. 7W ^[17]
Intensity adjustment	9 levels (automatic adjustment available, AE copy)	Tunical Electric's Ormania d'	*The wait time for standby cannot be changed (Lot26) 0.21 kWh ^[18]
Multiple Copy	99 copies (max.)	Typical Electricity Consumption	U.21 KWM
Copy Functions	Document Copying, Two-Sided Copy, 2-on-1 and 4-on-1 copy, Collated Copy (AD F only), Frame erase copy		
	(Flatbed only), ID copy		



TECHNICAL SPECIFICATIONS

PIXMA TR4756i

FOOTNOTES

1 Ink droplets can be placed with a pitch of 1/4800 in ch at minimum.

A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.

Photo print speed is based on the default setting using ISO/JIS-SCID N2 on Photo Paper Plus Glossy II and does not take into a ccount data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode,

page coverage, type of paper used etc. Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.

- 4 Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included. 5
- 6

- 8
- The fastest speed in HI-Speed USB on Windows PC. Transfer time to compute ris not included. Copy speeds are the average of sFCOT and sESAT, ISO/EC 29183. Copy speeds (ADF) are ESAT of copy in sequence, ISO/EC 29183. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time. Wireless printing requires a working network with wireless 802.11b/g/n capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients. Requires an Internet connection and the Canon PINIT Inti/eSISE.IPH app, available for free on the App. Store and iGoogle Play. Compatible with Wireless 802.11b/g/n capability, apprating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients. Requires an Internet connection and the Canon PINIT Inti/eSISE.IPH app, available for free on the App. Store and iGoogle Play. Compatible with Wireless 802.11b /g/n/a capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply. The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bir32-bit; Microsoft Windows 8.1 (64-bir32-bit; Microsoft Windows 7.SP1 (64-bir32-bit) and Microsoft S I Claptian v10.11 and Mac OS X E I Capitan v10.10.5. Minimum Windows and macOS/Mac OS X Fequipments are: 2GB of RAM and a monitor with 102.4x78 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor mobile application requires an Internet and Android mobile devices running JOAT 5 KI and mac OS/Mac OS X Fequipments are: 2GB of RAM and a monitor with 1024.X78 resolution. The Easy-PhotoPrint Editor mobil
- Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for the at Google Play.
- for fee at Google Play. AltPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running IOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your IOS device. A printer connected to the USB port of your Mac, PC, AirPont Base station, or Time Capaule is not supported. Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wiredess network to complete cableless setup. 11
- 12
- Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compable PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.
- Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively cornected with permission to the Caron Inkjet Cloud Printing Center, and the required action(s), skills(), or applet(s) available/enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens. Only English, French and German supported. 5 Some functions may not be available with these Operating Systems. Please refer to the manual or website for
- Plain Paper(A4, BW). Acoustic Noise is measured based on ISO7779 standard.
- 17 Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sieper mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canno on their own accord using TEC measurement procedure regulated in hermational ENERGY STAR Program. Black& white document fax transmission speed is based on default setting using TU-TNo.1 chart. Color document fax transmission speed is based on default setting using Canon Color Fax Test Sheet Actual transmission speed may vary depending on document complexity, fax settings at receiving end, and line conditions etc. conditions et
- Page count is based on ITU-T No.1 chart or Can on FAX Standard Chart No.1.

Canon

STANDARD DISCLAIMERS

All specifications subject to change without notice

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For vield information see www.canon-europe.com/ink/vield

All b rand and product names a re trademarks of their respective companies

Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/orother countries.

> Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2024

COMPACT MULTIFUNCTIONAL PRINTER: WITH PIXMA PRINT PLAN

Ideal for home offices, this 4-In-One links connectivity with productivity and is compatible with PIXMA Print Plan.

Сапон

PIXMA TR4756i

Sales Start Date: September 2024

Product details

ProductName	Mercury Code	EAN Code	Recommended Retail Price		
PIXMA TR4756i	5074C046AA	4549292237382	<please fill="" in="" rrp=""></please>		

Consumables

ProductName	Mercury Code	EAN Code	Recommended Retail Price		
Standard size					
PG-575	5438C001AA	5438C001AA 4549292192629 <pleas< td=""></pleas<>			
CL-576	5442C001AA	4549292192650	<please fill="" in="" rrp=""></please>		
XL Size					
PG-575XL	5437C001AA 4549292192612 <please fill="" in="" rrf<="" td=""><td><please fill="" in="" rrp=""></please></td></please>		<please fill="" in="" rrp=""></please>		
CL-576XL	5441C001AA	4549292192643	<please fill="" in="" rrp=""></please>		



COMPACT MULTIFUNCTIONAL PRINTER: WITH PIXMA PRINT PLAN

PIXMA TR4756i

Ideal for home offices, this 4-In-One links connectivity with productivity and is compatible with PIXMA Print Plan.



Measurement / logistic information

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
PIXMA TR4756i	5074C046AA	EA	Individual	1	560	260	380	7.8	6.5
		СТ	Pallet (Upper)	24	1120	1050	1150	190	139.2
		EP	Pallet (Bottom)	24	1120	1050	1 150	188	139.2



COMPACT MULTIFUNCTIONAL PRINTER: WITH PIXMA PRINT PLAN

Ideal for home offices, this 4-In-One links connectivity with productivity and is compatible with PIXMA Print Plan.



PIXMA TR4756i

What's in the box

PIXMA TR4756i

- PIXMA TR4756i
- 4-In-One printer
- 2 FINE cartridges
- Power cord
- Set-up CD-ROM
- Manuals and other documents



