HP Smart Tank 7008 All-in-One



Full of features. Full of savings.



Printing is seamless from start to finish with a cartridge-free printer designed for the whole family. Create a variety of outstanding-quality colour documents at a low cost, with up to three years of Original HP ink included in the box.¹

Highlights

- Mobile setup
- Smart buttons
- Low-on-ink sensors
- Self-healing Wi-Fi
- HP Smart app w/ Smart Advance
- Spill-free ink refills
- HP Wolf Essential security







Seamless printing for home productivity

- Speed through multi-page documents with automatic two-sided printing.
- Get faster, more reliable connections using dual band Wi-Fi® with self-healing.⁴
- Print and scan from your phone with HP Smart app.² Enjoy advanced scanning for 12 months with HP Smart Tank.⁹
- Easily manage tasks with smart-guided buttons that illuminate and guide you through the printing process.

Fully loaded with savings

- Get up to 12,000 black or 8,000 colour pages of Original HP Ink included in the box. $^{\rm 6}$
- Print at high volumes at an extremely low cost-per-page with this cartridge-free system.⁵
- Replenishing ink is clean and easy with HP's innovative spill-free refill system.⁷

Environmentally-conscious printing

- This printer is made from recycled printers and other electronics more than 25% by weight of plastic.
- EPEAT Silver certified printer: an environmentally conscious choice.
- Count on easy cartridge recycling at no charge through HP Planet Partners.⁸

Technical specifications

Functions	Print, scan, copy, wireless	Input capacity	Standard: Up to 250 sheets Envelopes: Up to 30 envelopes Labels: Up to 20 sheets
Print technology	HP Thermal Inkjet		
Print speed ⁵	Black (A4, ISO): Up to 15 ppm; Colour (A4, ISO): Up to 9 ppm; Draft black (A4): Up to 23 ppm; Draft colour (A4): Up to 22 ppm:	Output capacity	Cards: Up to 30 cards Standard: Up to 100 sheets
First page out	Black (A4, ready): As fast as 14 sec; Colour (A4, ready): As fast as 16 sec		Envelopes: Up to 30 envelopes Labels: Up to 20 sheets
Print resolution	Black (best): Up to 1200 x 1200 rendered dpi; Colour (best): Up to 4800 x 1200 optimized dpi color when printing from a computer and 1200 input dpi	Compatible operating systems	Cards: Up to 30 cards Windows 11; Windows 10; Window macOS 11 Big Sur; macOS 12 Mon macOS 15 Sequoia
Monthly duty cycle	Up to 5,000 pages A4; Recommended monthly page volume: 400 to 800		
Printer smart software features	Duplex printing	Minimum system requirements	Windows: Windows 11, Windows
Standard print languages	HP PCL 3 GUI		Internet connection, Internet Expl Mac: macOS 10.15 Catalina; macO
Print area	Print margins: Top: 3.3 mm, Bottom: 3.3 mm, Left: 3.3 mm, Right: 3.3 mm; Maximum print area: 215.9 x 355.6 mm	Software included	Ventura; macOS 14 Sonoma; mac HP Printer Software, available onl
Borderless printing	Yes (up to 8.5 x 11 in, 210 x 297 mm)	Printer dimensions (W x D x H) ¹	Minimum: 42.75 x 36.40 x 19.86 (
Number of supplies	4 (1 each black bottle, set of 3 color bottles)		Maximum: 427.54 × 440.73 × 198
Multitasking supported	No	Package dimensions (W x D x H)	484x239x410 mm
Duplex printing	Automatic	Printer weight	6.38 kg
Copy speed ⁴	Black (A4, ISO): Up to 13 cpm; Colour (A4, ISO): Up to 6 cpm	Package weight	9.20 kg
Copier specifications	Copier settings: Number of Copies, Access copier settings of Resize, Quality, Lighter/Darker, Papersize, Papertype settings via HP Smart; Maximum number of	Operating environment	Temperature: 5 to 40°C Humidity: 20 to 80% RH
	copies: Up to 99 copies; Copy resolution: Up to 600 dpi; Reduce/Enlarge: 25 to 400%	Storage conditions	Temperature: -40 to 60°C Humidity: 5 to 90% RH (non-cond
Scan speed	Normal (A4): Up to 200 ipm;	Acoustics	Acoustic power emissions: 6.5 B(A
Scan file format	JPG; PDF; PNG; TIFF	Acoustics	Acoustic pressure emission: 59.4
Scanner specifications	Scanner type: Flatbed only; Scan input modes: Front Panel Copy; HP Software; EWS; Twain version: Version 2.1; Scan size maximum (flatbed): 216 x 297 mm; Optical scan resolution: Up to 1200 dpi	Power ²	Requirements: Input voltage: 100 Consumption: 0.10 Watts (Off Moo Typical Electricity Consumption (T
Scannable area	Maximum media size (flatbed): 216 x 297 mm		Power supply type: Internal
Bit depth/ Grey scale levels	24-bit / 256	Certifications	CISPR 32:2015/EN 55032:2015+ 55024:2010+A1:2015; EN55035: 2:2019; EN 61000-3-3:2013+A1: 7:2020; EN 301 489-1 V2.2.3; EN Conforms to ecolabel energy effic
Processor speed	800 MHz		
Connectivity	Standard: 1 Wi-Fi Direct; 2 Hi-Speed USB 2.0 (device)		
Wireless	Yes, 2.4/5G dual band Wi-Fi, Wi-Fi Direct		Blue Angel compliant: Yes, Blue Ar HP supplies
Mobile printing capability ³	Apple AirPrint; Mopria certified; HP Print Service Plugin (Android printing); HP Smart app; Wi-Fi Direct Printing	Sustainable impact specifications ^{10,11}	25% post-consumer recycled plas
Network capabilities	Yes, via built-in Wi-Fi	Country of origin	Made in China
Memory	Standard: 128 MB	Control panel	Power On/Off, ID copy, Color Copy,
Number of paper trays	Standard: 1	What's in the box	9B5C5A: HP Smart Tank 7008 All- Cyan Original Ink Bottle; HP 31 Ma
Media types	Plain Paper, HP Photo Papers, HP Matte Brochure or Professional Paper, HP Matte Presentation Paper, HP Glossy Brochure or Professional Paper, Other Photo Inkjet Papers, Other Matte Inkjet Papers, Other Glossy Inkjet Papers, Light/Recycled		Bottle; HP Black Printhead; HP Tri- Setup guide; Reference guide; Rec Power cord; Extended warranty fly http://www.hp.com/go/learnabou
Media size	Custom (metric): 88.9 × 127 mm to 215.9 × 355.6 mm Supported (metric): A4; A5; A6; B5 (JIS); Envelope (DL, C5, C6, Chou #3, Chou #4); Card (Hagaki, Ofuku Hagaki)	Supplies, After market or Supplies, replacement	1VU26AE HP 31 70-ml Cyan Origi 1VU27AE HP 31 70-ml Magenta C 1VU28AE HP 31 70-ml Yellow Orig 1VV24AE HP 32XL 135-ml Black (
Media weight, supported	Plain paper: 60 to 105 g/m²; Envelopes: 75 to 90 g/m²; Cards: up to 200 g/m²; Photo paper: up to 250 g/m²	3YP17AE HP 3ZAL 133-INU BIGU 3YP17AE HP Inktank Tri-Color P 6ZA17AE HP 6ZA17AE Black Pri	
		Constructed Construct	

	Cards: Up to 20 sneets	
Output capacity	Standard: Up to 100 sheets Envelopes: Up to 30 envelopes Labels: Up to 20 sheets Cards: Up to 30 cards	
Compatible operating systems	Windows 11; Windows 10; Windows 7; macOS 10.14 Mojave; macOS 10.15 Catalina; macOS 11 Big Sur, macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia	
Minimum system requirements	Windows: Windows 11, Windows 10, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Internet Explorer. Mac: macOS 10.15 Gatalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; 2 GB HD; Internet required.	
Software included	HP Printer Software, available online	
Printer dimensions (W x D x H) ¹	Minimum: 42.75 x 36.40 x 19.86 cm; Maximum: 427.54 x 440.73 x 198.55 mm	
Package dimensions (W x D x H)	484x239x410 mm	
Printer weight	6.38 kg	
Package weight	9.20 kg	
Operating environment	Temperature: 5 to 40°C Humidity: 20 to 80% RH	
Storage conditions	Temperature: -40 to 60°C Humidity: 5 to 90% RH (non-condensing)	
Acoustics	Acoustic power emissions: 6.5 B(A) (printing at 10ppm) Acoustic pressure emission: 59.4 dB(A) (printing at 10ppm)	
Power ²	Requirements: Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 0.10 Watts (0ff Mode), 2.00 Watts (Sleep mode); Typical Electricity Consumption (TEC): 0.30 kWh/Week; Power supply type: Internal	
Certifications	CISPR 32:2015/EN 55032:2015+A11:2020 Class B; CISPR24:2010+A1:2015/EN 55024:2010+A1:2015; EN55035:2017+A11:2020/CISPR35:2016; EN 61000-3- 2:2019; EN 61000-3-3:2013+A1:2019; FCC CFR 47 Part 15 Subpart B; ICES-003 Issue 7:2020; EN 301 489-1 V2.2; S; EN 301 489-17 V3.2.2 Conforms to ecolable lenergy efficiency limits Blue Angel compliant: Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies	
Sustainable impact specifications ^{10,11}	25% post-consumer recycled plastic; Recyclable through HP Planet Partners	
Country of origin	Made in China	
Control panel	Power On/Off, ID copy, Color Copy, Black Copy, WiFi, Info, Cancel and Resume button	
What's in the box	985C5A: HP Smart Tank 7008 All-in-One; 2 x HP 32XL Black Original Ink Bottle; HP 31 Cyan Original Ink Bottle; HP 31 Magenta Original Ink Bottle; HP 31 Yellow Original Ink Bottle; HP Black Printhead; HP Tri-color Printhead; Ink Raution flyer; Repacking flyer; Setup guide; Reference guide; Regulatory flyer; PT flyer; RoH-EAC Regulatory flyer; Power cord; Extended warranty flyer. For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies	
Supplies, After market or Supplies, replacement	1VU26AE HP 31 70-ml Cyan Original Ink Bottle (~8,000 pages) 1VU27AE HP 31 70-ml Wagenta Original Ink Bottle (~8,000 pages) 1VU28AE HP 31 70-ml Vellow Original Ink Bottle (~8,000 pages) 1VU24AE HP 32XL 135-ml Black Original Ink Bottle (~6,000 pages) 3YP17AE HP Inktank Tri-Color Printhead () 6ZA17AE HP 6ZA17AE Black Printhead ()	
Service and Support	UC3CTE HP 3 years Standard Exchange (available in All EMEA countries except Middle East, Adriatic, Africa, Russia, South Africa, Israel, Slovenia, Turkey) UASCOE HP 3 years Next Business Day exchange (available in Austria, Belgium, Czech Rep, Denmark, Finland, France, Germany, Greece, Ireland, Istdy, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Spain, Sweden, Switzerland, UK) UASC2E HP 3 years Return to Depot (available in Adriatic, Africa, CIS, EEM, Israel, Middle East, Romania, Russia, South Africa, Turkey)	
Warranty	Up to 3 years extended warranty upon registration at https://www.hp.com/go/SmartTank3yearswarranty . User replaceable parts have separate warranty periods.	

Messaging Footnotes

¹ Based upon 200 pages per month of HP Smart Tank customers' usage. Actual yield varies considerably based on content of printed pages and other factors. Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Some ink from included bottles is used to start up the printer. For details see https://www.hp.com/go/learnaboutsupplies ² Requires the HP Smart app download. For details on local printing requirements see https://www.hp.com/go/mobileprinting . Certain features/software are available in English language only and differ between desktop

² Requires the HP Smart app download. For details on local printing requirements see https://www.hp.com/go/mobileprinting . Certain features/software are available in English language only and differ between desktop and mobile applications. Subscription may be required; subscription may not be available in all countries. See details at https://www.hpsmart.com . Internet access required and must be purchased separately. HP account required for full functionality. List of supported operating systems available in app stores.

³ Based on internal HP testing. Average timing estimate based on: 1) downloaded HP Smart app on mobile or desktop device, 2) setting up Shortcuts, 3) scanning jobs which have more than 2-3 tasks associated with them (scan to email, save and rename, store to cloud, etc.). Average timing savings comparison based on using printer and desktop scan software to complete similar scanning tasks. Requires the HP Smart app download and supported HP printer. For details on local printing requirements see https://www.hp.com/go/mobileprinting

⁴ Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at https://www.hp.com/go/mobileprinting . Wi-Fi is a registered trademark of Wi-Fi Alliance®. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) vs 2.4 GHz band (up to 72.2 mbps).

⁵ HP ink bottles compared to HP ink cartridges. Cost per page based on expected black and composite (cyan/magenta/yellow) page yield results based on HP methodology and continuous printing of ISO/IEC 24712 test pages. Not based on ISO/IEC 24711 test process. Actual yield varies based on content of printed pages and other factors. Some ink from included bottles is used to start up the printer. For more information about fill and yield, see https://www.hp.com/go/learnaboutsupplies

⁶ Black and composite colour average per bottle (cyan/magenta/yellow) results based on HP methodology and continuous printing of ISO/IEC 24712 test pages. Not based on ISO/IEC 24711 test process. An additional black ink bottle is required to print 8,000 colour test pages. Actual yield varies based on content of printed pages and other factors. Some ink from included bottles is used to start up the printer. For more information about fill and yield, see https://www.hp.com/qo/learnaboutsupplies

⁷ When used in accordance with setup instructions.

⁸ Made with more than 25% recycled plastic by weight.
⁹ 12 months, monthly fee applies to continue advanced features with HP Smart Advance. HP Smart Advance is not available in all countries.

Technical Specifications Footnotes

¹ Dimensions vary as per configuration

² Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

³ Wireless performance is dependent upon physical environment and distance from the access point. Wireless operations are compatible with 2.4 and 5 GHz routers only, excludes wireless direct. Wireless direct may require driver or apps be installed and connected on wireless-enabled mobile device or PC. Wireless functionality may vary by computer and mobile operating systems, see https://hpconnected.com . Print times and connection speeds may vary. Apple, AirPrint, Mac, and macOS are trademarks of Apple Inc., registered in the U.S. and other countries. Use of the Works with Apple badge means that an accessory has been designed to work specifically with the technology identified in the badge and has been certified by the developer to meet Apple performance standards. Windows is a trademark of the Microsoft group of companies. Mopria®, the Mopria® Logo, and the Mopria Alliance[™] word mark and logo are registered and/or unregistered trademarks and service marks of Mopria Alliance, Inc. in the United States and other countries. Unauthorised use is strictly prohibited.

⁵ Either after first page or after first set of ISO test pages. For details see: https://hp.com/go/printerclaims

⁶ Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see https://hp.com/go/learnaboutsupplies

¹⁰ Program availability varies. For details, see https://www.hp.com/recycle

¹¹ Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.



© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. qb-en March 2025

