

PIXMA PRO-200S YOUR TRUE COLOURS, PRINTED TO PERFECTION



Focused on vibrant colour photo printing, versatility, and usability, PIXMA PRO-200S is the ideal choice for photo enthusiasts and aspiring photographers.



8 Individual Inks

8-colour dye-based ink system



Borderless Photo Printing

Borderless A3+ printing




High-speed printing

High-speed printing



Connectivity

Wireless connectivity



3-inch LCD monitor



Compact, lightweight frame





Impressive high-quality photographs

With a superior 8-colour dye-based ink system, you're guaranteed exceptional reproduction, richer colours, and vibrant professional printing, every time.



Pick paper that suits you

With versatile media handling and customisable printing sizes, you can enhance your photographs on a variety of paper including fine art, borderless and panoramic.




Quick and easy to use

The built-in 3-inch LCD display lets you check ink levels, perform printer maintenance, and access printer instructions at a glance – for excellent results with ease.



Perfect printing every time

With 3 paper feed options and auto paper skew correction function, you can bid farewell to misalignment and printing fails, no matter what paper you're using.



One seamless process

Canon's user-friendly PPL (Professional Print & Layout) software means you can shoot and send photos with ease from popular photography programs for a one-stop edit-to-print experience.

PRODUCT RANGE



**imagePROGRAF
PRO-1100**



**imagePROGRAF
PRO-300**



PIXMA PRO-200S

TECHNICAL SPECIFICATIONS

PIXMA PRO-200S

Class	-		
PRINT HEAD / INK Type	ChromaLife 100+		
Number of Nozzles	Total 6,144 nozzles (Y/M/C/PC/PM/Gy/Bk/LGY each 768 nozzles x 8)	Manual Feed	Matte Photo Paper (MP-101): 4"x6" (10x15cm) = 20 A4 /A3 = 10 A3+ = 1 Light Fabric Iron-on Transfers = 1 Dark Fabric Iron-on Transfers = 1 Photo Paper Pro Platinum (PT-101): A3/A4/LR/8"x10" (20 x 25cm) /10"x12" (25x30cm) /A3+ = 1 Photo Paper Plus Glossy II (PP-201): A4/A3/A3+ = 1 Photo Paper Pro Luster (LU-101): A4/A3/A3+ = 1 Photo Paper Plus Semi-gloss (SG-201): A4/A3/8"x10" (20 x 25cm) /10"x12" (25x30cm) /A3+ = 1 Matte Photo Paper (MP-101): A4/A3/A3+ = 1 Photo Paper Pro Premium Matte (PM-101): A4/A3/A3+ = 1 Premium Fine Art Rough (FA-RG1):A4/A3/A3+ = 1 Light Fabric Iron-on Transfers = 1 Dark Fabric Iron-on Transfers = 1 1 (Multi-purpose Tray) *For further details on paper load limits, please refer to the online manual
Ink Tank	CLI-65 (C/M/Y/BK/PC/GY/PM/LGY) All dye		
MAXIMUM PRINTING RESOLUTION		Multi-Purpose Tray	
Maximum Printing Resolution	4800 (horizontal) ¹ x 2400 (vertical) dpi		
PRINT SPEED		PAPER WEIGHT	
Print Speed	Photo (11"x14" image on A3+ with Border) ² Colour/PT-101: approx.1 m 30s Black/PT-101: approx.2 m 50s	Top Tray	Plain Paper : 64-105 g/m2 Canon Genuine paper (maximum) : approx. 380 g/m
MAXIMUM PRINTABLE PAPER SIZE		Cassette	-
Top Tray (width)	Top Tray : Up to 322.2 mm (12.7 inch, Borderless Printing : Up to 329 mm (A3+) (13 inch)	Manual Feed	Canon Genuine paper (maximum) : approx. 380 g/m, or Paper Thickness 0.1 ~0.6 mm or less
Manual Feed (width)	Manual Feed : Up to 323.4mm (12.7 inch, Borderless Printing : Up to 329 mm (13 inch)	CARTRIDGES AND YIELDS	
Custom (length)	990.60mm (bordered)	Page Yield (4x6" PT-101)	Number of 10x15cm photos Black (BK): 860 photos* Grey (GY): 595 photos* Light Grey (LG Y): 965 photos* Cyan (C): 482 photos* Photo Cyan (PC): 275 photos Magenta (M): 610 photos* Photo Magenta (PM): 320 photos Yellow (Y): 295 photos * Estimated Supplemental Yield
Printable Area		Page Yield (A3+ PT-101)	Number of A3+ photos Black (BK): 69 photos* Grey (GY): 96 photos* Light Grey (LG Y): 139 photos* Cyan (C): 51 photos Photo Cyan (PC): 59 photos* Magenta (M): 77 photos* Photo Magenta (PM): 54 photos Yellow (Y): 55 photos * Estimated Supplemental Yield
Borderless Printing	Top/Bottom/Right/Left margin: each 0 mm	CONNECTIVITY	
Bordered Printing	Top margin: 3 mm , Bottom margin: 5 mm / Left/Right margin: each 3.4 mm Recommended Top/Bottom/Right/Left margin for Fine Art Paper: each 25 mm	Interface	USB B Port - Hi-Speed USB Available Network type: SNMP/ HTTP/TCP/IP(IPv4/IPv6) Data rate: 10Mbps/100Mbps (Auto switching) Security: IEEE 802.1X(EAP-TLS/EAP-TTLS/PEAP)
SUPPORT MEDIA		Wired LAN	Available Network type: IEEE802.11n/IEEE 802.11g/IEEE802.11b/IEEE 802.11a Frequency Band: 2.4GHz Channel : EUR / EMBU Range: Indoor 50 m ※depends on the transmission speed and conditions Security: WPA-PSK(AES) WPA2-PSK(AES) WPA3-SAE(AES) WPA-EAP(AES)* WPA2-EAP(AES)* WPA3-EAP(AES)*
Top Tray	Plain Paper (64-105 g/m2) Photo Paper Pro Platinum (PT-101) Photo Paper Plus Glossy II (PP-201) Photo Paper Pro Luster (LU-101) Photo Paper Plus Semi-gloss (SG-201) Matte Photo Paper (MP-101) Hagaki/ Lightweight Photo Paper (BOX) Japanese Paper Washi (BOX)/ Canvas (BOX) Red Label Superior 80 g/m2 (WOP111) Canon Oce Office Colour Paper 80 g/m2(SAT213) Heavyweight Fine Art Paper(BOX)/ Inkjet Greeting Card/Cardstock/Photo Paper Plus Glossy II (PP-208), High Resolution Paper (HR-101N), Photo Paper Glossy (GP-501), Envelope, Light Fabric Iron Transfers(LF-101),Dark Fabric Iron Transfers (DF 101)	Wireless LAN	* IEEE802.1X(EAP-TLS/EAP-TTLS/PEAP) available
Manual Feed	Photo Paper Pro Platinum (PT-101) Photo Paper Plus Glossy II (PP-201) /Photo Paper Pro Luster (LU-101) Photo Paper Plus Semi-gloss (SG-201) Matte Photo Paper (MP-101) Photo Paper Pro Premium Matte (PM-101) / Premium Fine Art Rough (FA-RG1) Photo Paper Glossy (GP-501), Light Fabric Iron Transfers(LF-101), Dark Fabric Iron Transfers (DF 101)	SYSTEM REQUIREMENTS	
Multi-purpose Tray	Printable Nail Sticker (NL-101)/ Printable Disk	Supported Operating Systems	Windows 7 SP1, Windows 8.1, Windows 10, Windows 11 Windows Server 2008 R2 SP1, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022
PAPER SIZE		Supported Mobile Systems	Mac OS OS11.7.10 - OS15
Top Tray (Maximum Number)	A3+/A3/A4/A5/B4/B5/7"x10" (18x25cm) / 12"x12" (30x30cm) / 4"x6" (10x15cm) / 5"x7" (13x18cm) / 8"x10" (20 x 25cm) / 10"x12" (25x30cm) / Square 5" (127x127 mm) Custom size(width 89 mm - 329 mm, length 127 mm - 990.6 mm) Envelopes(DL, COM10)	SOFTWARE SUPPORT	Available
Manual Feed (Maximum Number)	A3+/A3/A4/B4/12"x12" (30x30cm) 8"x10" (20 x 25cm) /10"x12" (25x30cm) Custom size (width 203.2 mm - 330.2 mm, length 254 mm - 990.6 mm)		
Multi-purpose Tray	120x120 mm		
PAPER SIZE (BORDERLESS)			
Paper Size (Borderless)	A3+/A3/A4/7"x10" (18x25cm) / 12"x12" (30x30cm) / 4"x6" (10x15cm) / 5"x7" (13x18cm) / 8"x10" (20 x 25cm) / 10"x12" (25x30cm) / Square 5" (127x127 mm)		
PAPER HANDLING			
Top Tray	Plain Paper: A4/A5/B5 = 100 B4/A3= 50 Photo Paper Pro Platinum (PT-101): 4"x6" (10x15cm) = 20 A3/A4/ 8"x10" (20 x 25cm) = 10 10"x12" (25x30cm) /A3+ = 1 Photo Paper Plus Glossy II (PP-201): 4"x6" (10x15cm) / Square 5" (127 x127mm = 20 A3/ A4 / 8"x10" (20 x 25cm) = 10 5"x7" (13x18cm) = 10 A3+ = 1 Photo Paper Pro Luster (LU-101): A4 /A3 = 10 A3+ = 1 Photo Paper Plus Semi-gloss (SG-201):4"x6" (10x15cm) = 20 A4/A3/ 5"x7" (13x18cm) / 8"x10" (20 x 25cm) = 10 10"x12" (25x30cm) / A3+ = 1		

TECHNICAL SPECIFICATIONS

PIXMA PRO-200S

Adobe Photoshop / Lightroom	Supported via Canon PPL Plugin
PRINT APPLICATIONS & METHODS	
Canon PRINT Inkjet/SELPHY	Available
AirPrint	Available
Mopria	Available
Canon Print Service (for Android)	Available
PIXMA Cloud Link	Available
WiFi Pictbridge	Available
OPERATION PANEL	
Display	3.0 inch/7.5cm LCD(Display Panel, Color)
Language	33 Languages Selectable: Japanese / English (mm & inch) / German / French / Italian / Spanish / Dutch / Portuguese / Norwegian / Swedish / Danish / Finnish / Russian / Czech / Hungarian / Polish / Slovene / Turkish / Greek / Simplified Chinese / Traditional Chinese / Korean / Indonesian / Slovakian / Estonian / Latvian / Lithuanian / Ukrainian / Romanian / Bulgarian / Thai / Croatian / Vietnamese
ACOUSTIC NOISE (PC PRINT)	
Acoustic Noise	Plain Paper(A4, Color) = Approx. 42.5db Photo Paper Pro Platinum (PT-101) (4x6,Color, borderless) = Approx. 42.2db ³
Quiet Mode	-
POWER	
Power	AC 100 -240 V 50/60 Hz
POWER CONSUMPTION	
Standby USB Connection to PC	Approx 1.1W
Off	Approx. 0.05W
Printing / USB Connection to PC	Approx 17W
Standby All Ports Connected	Approx. 2.3W
Time To Enter Standby Mode	Approx. 3 min 3 sec <EU only - for ErP Lot 26 regulation>
DIMENSIONS (W x D x H)	
Factory Configuration	Approx. 639 x 379 x 200 mm
Output/ADF Trays Extended	Approx. 639 x 837 x 416 mm
WEIGHT	
Weight	Approx. 14.1kg

Footnotes: -

- ^[1] Ink droplets can be placed with a pitch of 1/4800 inch at minimum.
- ^[2] Photo print speed is based on the default setting using ISO/JIS-SCD N2 and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- ^[3] Acoustic Noise is measured based on ISO7779 standard with default setting.

**YOUR TRUE COLOURS,
PRINTED TO PERFECTION**

PIXMA PRO-200S

Focused on vibrant colour photo printing, versatility, and usability, PIXMA PRO-200S is the ideal choice for photo enthusiasts and aspiring photographers.

Sales Start Date: January 2025



Product details

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA PRO-200S EUM/EMB	6875C009AA	4549292240054	<Please fill in RRP>

Consumables

Product Name	Mercury Code	EAN Code	Recommended Retail Price
CLI-65 BK EUR/OCN	4215C001AA	4549292159226	<Please fill in RRP>
CLI-65 C EUR/OCN	4216C001AA	4549292159257	<Please fill in RRP>
CLI-65 M EUR/OCN	4217C001AA	4549292159288	<Please fill in RRP>
CLI-65 Y EUR/OCN	4218C001AA	4549292159318	<Please fill in RRP>
CLI-65 GY EUR/OCN	4219C001AA	4549292159349	<Please fill in RRP>
CLI-65 PC EUR/OCN	4220C001AA	4549292159370	<Please fill in RRP>
CLI-65 PME EUR/OCN	4221C001AA	4549292159417	<Please fill in RRP>
CLI-65 LGY EUR/OCN	4222C001AA	4549292159448	<Please fill in RRP>

**YOUR TRUE COLOURS,
PRINTED TO PERFECTION**

PIXMA PRO-200S

Focused on vibrant colour photo printing, versatility, and usability, PIXMA PRO-200S is the ideal choice for photo enthusiasts and aspiring photographers.



Measurement / logistic information

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (cm)	Width (cm)	Height (cm)	Gross Weight (kg)	Net Weight (kg)
PIXMA PRO-200S EUM/EMB	6875C009AA	EA	Each	1	730	470	350	19.5	14.8
		CT	Carton	6	730	940	1060	118.5	88
		EP	Euro Pallet	6	730	940	1060	118.5	88

**YOUR TRUE COLOURS,
PRINTED TO PERFECTION**

PIXMA PRO-200S

Focused on vibrant colour photo printing, versatility, and usability, PIXMA PRO-200S is the ideal choice for photo enthusiasts and aspiring photographers.



What's in the box

PIXMA PRO-200S

- PIXMA PRO-200S EUM/EMB
- Power cord UK type
- Power cord Pan-European type
- CD-Printing Tray
- Setup software & User's manual CD*

*only for Windows

- Users Guide (E-manual)
- European Warranty System (EWS) A3 Leaflet
- 8 individual ink tanks

