# HP Color LaserJet Enterprise MFP 8801 Printer series



## The ultimate workflow experience

Boost office productivity with blazing-fast print and scan speeds, and effortless management.







### Rely on exceptional performance

- Text editing has never been easier. Quickly scan and convert documents to Office formats with Editable OCR.<sup>2</sup>
- Stay productive and always ready for what's next with upgradeable HP FutureSmart features.<sup>3</sup>
- Save time with blazing-fast scan speeds up to 300 ipm<sup>4</sup>, and enjoy high-quality prints at speeds up to 60 ppm.<sup>5</sup>

## Secure what matters

- Your work is secure with HP Wolf Security, silently detecting and repairing your printer from cyber attacks.<sup>6</sup>
- Protect your network with the world's first quantum-resistant business printers.<sup>6</sup>
- Keep your data safe with the built-in HP Trusted Platform Module<sup>7</sup>. Secure passwords, keys, and more.

#### Simplify print management

- Receive an easy-to-install printer at your office. No third-party technician needed.
- Easily maintain on your own—or get assistance from HP Services when you need it.
- Simplify management with long-lasting consumables and parts that minimize intervention.

## Hit sustainability targets

- Our energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star and Blue Angel.<sup>8</sup>
- With HP Planet Partners, we offer a convenient way to recycle HP supplies after their use. 9
- With every page you print, HP invests in helping to protect, manage, and restore forests. 10

## Product walkaround

- 1. 300-sheet ADF(Flow models only)
- 2. Flatbed scanner handles sheets up to 11x17-inch (297x432mm)
- 3. Print, scan, copy, fax
- 4. 500-sheet output bin
- 5. 60 ppm
- 6. Automatic, 2-sided color printing
- 7. HP Wolf Enterprise Security
- 8. 10.1-inch color touchscreen
- 9. Power button
- 10. Full size keyboard (Flow models only)
- 11. Right door access to the print path
- 12. Hardware Integration Pocket (for connecting accessories and third-part devices)
- 13. Easy access USB port
- 14. 2,180-sheet input



## Series at a glance







Model	HP Color LaserJet Enterprise MFP 8801dn	HP Color LaserJet Enterprise Flow MFP 8801z	HP Color LaserJet Enterprise Flow MFP 8801z+	
Product number	9S184A	9S183A	AQ1E2A	
Functions	Print, copy, scan, fax(optional)	Print, copy, scan, fax		
Print speed		60 ppm		
Scan speed	Up to 180 ipm	Up to 300 ipm		
ADF capacity	200 sheets	200 sheets 300 sheets		
Input capacity		Maximum: 2,180 sheets		
Advance workflow features	N/A	Advanced Flow Technology		
Finisher	N	N/A		

# Accessories, Supplies and Support

Supplies	A91Z4A HP LaserJet Toner Collection Unit (Average cartridge yields 130,000 standard pages. Declared yield value in accordance with ISP/IEC 19798.)				
	<b>W2250A</b> HP 225A Black Original LaserJet Toner Cartridge (Average cartridge yields 45,000 standard pages. Declared yield value in accordance with ISP/IEC 19798.)				
	W2251A HP 225A Cyan Original Laser Jet Toner Cartridge (40,000 standard pages in accordance with ISO/IEC 19798)				
	W2252A HP 225A Yellow Original LaserJet Toner Cartridge (40,000 standard pages in accordance with ISO/IEC 19798)				
	W2253A HP 225A Magenta Original LaserJet Toner Cartridge (40,000 standard pages in accordance with ISO/IEC 19798)				
	W2256A HP 225A Laser Jet Black Original Imaging Drum (Average cartridge yields 300,000 standard pages. Declared yield value in accordance with ISP/IEC				
	19798.)				
	W2257A HP 225A LaserJet CYM Original Imaging Drum (240,000 standard pages in accordance with ISO/IEC 19798.)				
Accessories	2NR12A HP Removable Hard Drive Enclosure				
	3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory				
	478C2A HP Printing Voice Assistant				
	4QL32A HP Legic Secure USB Reader				
	7ZA08A HP MFP 800 Analog Single Fax				
	7ZA09A HP MFP 801 Analog Single Fax				
	8FP31A HP Jetdirect LAN Accessory				
	B5L31A HP Foreign Interface Harness				
	X3D03A HP USB Universal Card Reader				
	Y1G14A HP LaserJet Stapler/Stacker Finisher Staples				
	Y7C05A HP HIP2 Keystroke Reader				
Service and Support	UF8GOE HP 3 year Next Business Day Onsite with DMR Service for Color LaserJet Enterprise MFP 8801				
	UF8GTE HP 4 year Next Business Day Onsite with DMR Service for Color LaserJet Enterprise MFP 8801				
	UF8G2E HP 5 year Next Business Day Onsite with DMR Service for Color Laser Jet Enterprise MFP 8801				
	<b>UF8G3PE</b> HP 1 year Post Warranty NBD Onsite with DMR Service for Color LaserJet Enterprise MFP 8801 <b>UF8G8E</b> HP 3 year 4 hour Onsite with DMR Service for Color LaserJet Enterprise MFP 8801				
	UF869E HP 4 year 4 hour Onsite with DMR Service for Color Laser Jet Enterprise MFP 8801				
	UF8H0E HP 5 year 4 hour Onsite with DMR Service for Color Laser Jet Enterprise MFP 8801				
	UF8H1PE HP 1 year Post Warranty 4 hour Onsite with DMR Service for Color LaserJet Enterprise MFP 8801				
	UF8G4E HP 3 year Parts Exchange with DMR Service for Color LaserJet Enterprise MFP 8801				
	UF8GSE HP 4 year Parts Exchange with DMR Service for Color LaserJet Enterprise MFP 8801				
	UF8G6E HP 5 year Parts Exchange with DMR Service for Color Laser Jet Enterprise MFP 8801				
	UF8G7PE HP 1 year Post Warranty Parts Exchange with DMR Service for Color LaserJet Enterprise MFP 8801 U9JT3E HP Installation Service with network configuration for Department Printer (1 unit)				
	<b>UF8H2E</b> HP Maintenance Kit Replacement Service for ColorLaser Jet EnterpriseMFP8801 Developer(CMYK) Unit Kit				
	UF8H3E HP Maintenance Kit Replacement Service for ColorLaserJetEnterpriseMFP8801 Fuser Kit 100v for Japan				
	UF8H4E HP Maintenance Kit Replacement Service for ColorLaserJetEnterpriseMFP8801 Fuser Kit 110v				
	UF8H5E HP Maintenance Kit Replacement Service for ColorLaserJetEnterpriseMFP8801 Fuser Kit 220v				
Solutions	Workflow: HP Capture & Route; Upland Intelligent Capture; Upland Filebound				
	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights				
	Mobile and universal print: HP Universal Print Driver (UPD)				
	Management: Embedded Web Server				

## **Technical specifications**

recrimical specifica	3110115				
Model	HP Color LaserJet Enterprise MFP 8801dn	HP Color LaserJet Enterprise Flow MFP 8801z	HP Color LaserJet Enterprise Flow MFP 8801z+		
Product number	9S184A	9S183A	AQ1E2A		
Functions	Print, copy, scan, fax (optional)	Print, copy, scan, fax			
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker				
Print					
Print technology	Laser				
Print speed <sup>5</sup>	Black (A4, normal): Up to 60 ppm Colour (A4, normal): Up to 60 ppm Black (A4, duplex): Up to 60 ipm Colour (A4, duplex): Up to 60 ipm Black (A3, normal): Up to 60 ipm Black (A3, normal): Up to 30 ppm Colour (A3, normal): Up to 30 ppm				
First page out <sup>6</sup>	Black (A4, ready): As fast as 5.7 sec Colour (A4, ready): As fast as 6.5 sec Black (A4, sleep): As fast as 13.0 sec (15 min) Colour (A4, sleep): As fast as 13.1 sec (15 min)				
Print resolution	Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1,200 x 1,200 dpi; Color (normal): Up to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi;				
Print technology	Technology: 1,200 x 1,200 dpi (Fine lines); 600 x 600 dpi (Normal); 300 x 300 dpi (Quick view)				
Monthly duty cycle	Up to 250,000 pages (printer); up to 250,000 pages (copie	Up to 250,000 pages (printer); up to 250,000 pages (copier) A4; Recommended monthly page volume: Up to 60,000			
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB				
Standard print languages	HP PCL 5c, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible				
Fonts and typefaces	84 scalable TrueType fonts				
Print area	Print margins Top: 4.23 mm, Bottom: 4.23 mm, Left: 4.23 mm, Right: 4.23 mm; Maximum print area: 311.5 x 448.7 mm				
Duplex printing	Automatic	, , , , , , , , , , , , , , , , , , , ,			
Сору					
Copy speed <sup>2</sup>	Black (A4): Up to 60 cpm: Colour (A4): Up to 60 cpm: Black	(A4, duplex): Up to 60 ipm; Colour (A4, duplex): Up to 60 ip	nm		
	Black (A4): As fast as 3.2 sec	(VIII, daptex). Op to oo ipiii, cotour (VII, daptex). Op to oo ip	5111		
First copy out <sup>6</sup>	Colour (A4): As fast as 4.2 sec				
Copier specifications	Two-sided copying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); N-Up; No r Z-ordering; content orientation; collate; booklet; scan mode (book, 2-sided ID); watermark; stamps; image overlay; erase edges; job build; image preview; image shift; paper selection; blank page suppression; automatically straighten; scan to job storage Maximum number of copies. Un to 9999 copies; Reduce/Enlarge: 25 to 400%; Copy resolution, color text and graphics: Up to 600 x 600 dpi; Copy resolution, black text: Up to 600 x 600 dpi	Two-sided copying; automatically detect color/monochrome; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collate; booklet; scan mode (book, Z-sided ID); watermark; stamps; image overlay; erase edges; job build; image preview; image shift; paper selection; blank page suppression; automatically straighten; scan to job storage; optimized text/picture (auto); automatic tone; multi-feed detection; document editing; auto paper color removal Maximum number of copies: Up to 9999 copies; Reduce/Enlarge: 25 to 400%; Copy resolution, color text and graphics: Up to 600 x 600 dpi; Copy resolution, black text: Up to 600 x 600 dpi			
Scan	•	-			
Scan speed <sup>1</sup>	Normal (A4): Up to 90 ipm (B&W), Up to 90 ipm (Color);	Normal (A4): Up to 150 ipm (B&W), up to 150 ipm (Color)	): <b>Duplex (A4)</b> : Up to 300 ipm		
Scan file format <sup>4</sup>	Duplex (A4): Up to 180 ipm  JPEG; TIFF; MTIFF; XPS; PDF; PDF/A; High-Compression PDF; High-Compression PDF/A; Searchable PDF (OCR); Searchable PDF/A (OCR); High-Compression PDF (OCR); High-Compression PDF/A (OCR); High-Compression Searchable PDF (OCR); High-Compression Searchable PDF/A (OCR)	JPEG; TIFF; MTIFF; XPS; PDF; PDF/A; High-Compression PDF; High-Compression PDF/A; PDF (OCR); PDF/A (OCR); Searchable PDF (OCR); High-Compression PDF (OCR); High-Compression PDF/A (OCR); High-Compression Searchable PDF (OCR); High-Compression Searchable PDF/A (OCR); Compression			
Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Platen Scann	Scanner type: Flatbed, ADF; Scan technology: Platen Scanner CCD Digital-CIS; Scan input modes: Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP); Twain version: Version 2.4; Duplex ADF scanning: Yes, single pass duplex scanning; Optical scan resolution: Up to 600 x			
Scanner advanced features	Embedded OCR; Automatically straighten	Embedded OCR; automatically straighten; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps			
Scannable area	Maximum media size (flatbed): 297 x 432 mm; Minimum m	nedia size (ADF): 68 x 127 mm Maximum media size (ADF):	297 x 420 mm		
Bit depth/ Grey scale levels	24-bit / 256				
Digital sending	Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FIP; scan to FIP; scan to FIA; scan to FIP; scan to FIA; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness), optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; job build; image preview; blank page suppression; automatically straighten; embedded OCR;	to LAN fax; scan to Internet Fax; local address book; SMT compression PDF; image adjustments (darkness, contra- mixed, printed picture, photograph); content orientation; build; image preview, blank page suppression; automatic	USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan P over SSL; automatically detect color/monochrome; high st, background cleanup, sharpness); optimize text/picture (text, scan mode (book, 2-sided ID); erase edges; auto page crop; job cally straighten; embedded OCR; optimize text/picture (auto); on; multi-feed detection; reverse and retry; document editing; rcode); watermark; stamps		
Fax	Online 122 Charles and	V 22 5 1 has 16			
Fax	Optional, 33.6 kbps (fax modem max speed)	Yes, 33.6 kbps (fax modem max speed)	1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Fax specifications	Fax memory: Up to 500 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 1000 numbers (each with 210 destinations); Telecom compliance: Optional telecom kit (BOSIB-1814-00 / BOISB-1814-01); TIA-968-B-3; FCC Part 68 (USA); IC CS-03 Part I Issue 9, Amendment 5, March 2016 (CANADA); ETSI ES 203 021-1 V2.1.; ETSI ES 203 021-2 V2.1.2; ETSI ES 203 021-3 V2.1.2 (EU); TE-001 Issue 5 (South Africa); AS/CA S002"2010 (Australia); PTC 200:2006 (New Zealand), Other Telecom approvals as required by individual countries				
Processor speed	1.6 GHz (Quad Core), 1.4 GHz (Dual Core)				
Storage Standard	256 GB SSD				
Connectivity					
Standard	1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host)				
Optional	HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A				
Wireless	Optional, enabled with purchase of a hardware accessory				
Mobile printing capability	Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; PrinterOn Print				
Supported network protocols	Pv4/ Pv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), AirPrint, SNMPv1/v2c/v3, HTTP, HTTPS, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, LLMNR, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; HP Web Services				
Hard disk	None  Standard & CR: Mayleyum & CR				
Memory	Standard: 6 GB; Maximum: 6 GB				

Model	HP Color LaserJet Enterprise MFP 8801dn	HP Color LaserJet Enterprise Flow MFP 8801z	HP Color LaserJet Enterprise Flow MFP 8801z+		
Product number	9S184A	9S183A	AQ1E2A		
Media handling			1 -		
Number of paper trays	Standard: 5 ; Maximum: 5				
Media types	Plain, HP EcoEFICIENT, HP Matte 90 g, Light 60-74 g, Bond, Recycled, HP Matte 105 g, HP Matte 120 g, HP Soft Gloss 120 g, HP Glossy 120 g, Mid-Weight 96-110 g, Heavy 111-130 g, Mid-WtGlossy 96-110 g, Heavy Glossy 111-130 g, HP Matte 150 g, HP Glossy 150 g, Extra Heavy 131-175 g, XHvyGlossy 131-175 g, HP Matte 200 g, HP Glossy 200 g, Card-stoc 176-220 g, Card Glossy 176-220 g, Light Paperboard 221-255 g, Paperboard 256-300 g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored				
Media size	Custom (metric): Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 297 x 241.5 mm; Tray 3: 140 x 182 to 320 x 457.2 mm; Tray 4: 140 x 182 to 320 x 457.2 mm; Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10 x 15 cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope D1; Tray 2: A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Envelope B5, Envelope B5, Envelope B5, Envelope B6, Envelope B7, SA3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, BK, 16k; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, BK, 16k; Tray 3: A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, BK, 16k; Tray 5: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, BK, 16k; Tray 3: A4, A4R, A5, RA3, RA4, A5, RA3, RA4, B5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, BK, 16k; Tray 3: A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, BK, 16k; Tray 3: A4, A4R, A5, RA3, RA4, B5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, BK, 16k; Tray 3: A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, BK, 16k; Tray 3: A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, BK, 16k; Tray 3: A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, BK, 16k; Tray 3: A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, BK, 16k; Tray 3: A4, A4R, A5, RA3, RA4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, BK, 16k; Tray 3: A4, A4R, A5, RA3, RA4, A4R, A5, RA3, RA				
Media handling <sup>3</sup>	Standard input: 100-sheet multi-purpose tray, 4 x 520- sheet input tray Standard output: Up to 500 sheets ADF: Standard, 200 sheets	Standard input: 100-sheet multi-purpose tray, 4 x 520- sheet input tray Standard output: Up to 500 sheets ADF: Standard, 300 sheets	Standard input: 100-sheet multi-purpose tray, 4 x 520- sheet input tray Standard output: Up to 3,250 sheets ADF: Standard, 300 sheets		
Media weight	Tray 1, 2, 3: 60 to 325 g/m²; Tray 4, 5: 60 to 300 g/m²; ADF: 45 to 199 g/m²				
Input capacity	Standard: 100-sheet multi-purpose tray, 4 x 520-sheet input tray Up to 2,180 sheets (Tray 1: up to 100 sheets; Tray 2: up to 520 sheets; Tray 3: up to 520 sheets; Tray 4: up to 52 sheets; Tray 5: up to 520 sheets) Up to 50 envelopes; Maximum: Up to 2,180 sheets				
Output capacity	Standard: Up to 500 sheets Envelopes: Up to 40 envelopes Transparencies: Up to 100 sheets Maximum: Up to 500 sheets		Standard: Up to 3,250 sheets Envelopes: Up to 40 envelopes Transparencies: Up to 100 sheets Maximum: Up to 3,250 sheets		
Compatible operating systems	Windows 11; Windows 10; Windows Client OS; Android; iOS	5 12 Monterey; Windows 8.1			
Compatible network operating systems	Windows Server; Linux; Citrix				
Minimum system requirements	Windows: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;  Mac 2 GB available hard drive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com				
Software included	No software solutions are included in the Box only on http:/	//hp.com, https://support.hp.com/			
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HF Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMS				
Printer management	HP Web JetAdmin Software, HP Security Manager, HP SNMP Resource Kit for HP Universal Print Driver (Driver Configurat				
Dimensions and weight					
Printer dimensions (W x D x H)	<b>Minimum</b> 585 x 695 x 1158 mm; <b>Maximum</b> : 1083.5 x 1308.1 x 1486.7 mm	<b>Minimum</b> 585 x 695 x 1189 mm; <b>Maximum</b> : 1083.5 x 1308.1 x 1500.5 mm	<b>Minimum</b> 1293 x 695 x 1189 mm; <b>Maximum</b> : 1677.2 x 1308.1 x 1500.5 mm		
Package dimensions (W x D x H)	890 x 972 x 1364 mm	890 x 972 x 1394 mm	1,565 x 972 x 1,418 mm		
Printer weight <sup>9</sup>	127.61 kg	131.41 kg	171.63 kg		
Package weight	167.11 kg	170.91 kg	237.73 kg		
Operating environment	Temperature: 15 to 30°C; Humidity: 20 to 80% RH				
Storage conditions	Temperature: -10 to 40°C				
Acoustics <sup>8</sup>	Acoustic power emissions: 6.9 B(A) (printing color simplex A4 at 60 ppm); Acoustic pressure emissions: 54 dB(A) (printing color simplex A4 at 60 ppm)		Acoustic power emissions: 7.2 B(A) (printing color simplex A4 at 60 ppm); Acoustic pressure emissions: 57 dB(A) (printing color simplex A4 at 60 ppm)		
Power	Requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier);  Consumption: 1,013.14 watts (printing), 36.29 watts (ready), 0.74 watts (sleep), 0.12 watts (auto-off), 0.12 watts (manual-off);  Typical Electricity Consumption (TEC): 0.901 kWh/Week;  Power supply type: Internal (Built-in) power supply				
Energy savings feature technology	Power save				
Certifications	CISPR 22:2008 (International) - Class A, CISPR 32:2015 (International) - Class A, EN 55032: 2015 (EU) - Class A, CISPR 11:2016, EN 55011:2016, EN 61000-3-2: 2019, EN 61000-3-3: 2013+A1:2019, EN 55024: 2010+A1:2015, EN 55035:2017+A11:2020, EN60601-1-2:2015, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A / ICES-003, Issue 7:2020 Class A, Other EMC approvals as required by individual countries IT ECO Declaration; Blue Angel; EPEAT® registered; ENERGY STAR® certified Blue Angel compliant Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies				
Sustainable impact specifications	FSC Certified Packaging; 10% post-consumer recycled plastic				
Replacement cartridges <sup>7</sup>	HP 225A Black LJ Toner Cartridge W2250A (ISO Yield 45,000); HP 225A Cyan LJ Toner Cartridge W2251A (ISO Yield 40,000); HP 225A Yellow LJ Toner Cartridge W2252A (ISO Yield 40,000); HP 225A Magenta LJ Toner Cartridge W2253A (ISO Yield 40,000)				
What's in the box	Installation guide; regulatory flyer; power cords; keyboard/overlay for z/z+; manual				
Page yield (set-up/inbox cartridges)	HP 225A Black LJ Starter Toner Cartridge (ISO Yield 10,000) W2250AS, HP 225A Cyan LJ Starter Toner Cartridge (ISO Yield 9,000) W2251AS, HP 225A Yellow LJ Starter Toner Cartridge (ISO Yield 9,000) W2252AS, HP 225A Magenta LJ Starter Toner Cartridge (ISO Yield 9,000) W2253AS				
Warranty	One-year, onsite warranty. Warranty and support options va	ary by product, country and local legal requirements.			
	2 - 2 - 2 - 2 - 2 - 3				

### **Footnotes**

- <sup>1</sup> The HP LaserJet Enterprise 8801/8601/8501 printer series is the top-tier model in our HP Enterprise portfolio, featuring the highest print and scan speeds, along with advanced printing solutions for easy print management.
- <sup>2</sup> Only available on z, z+
- <sup>3</sup> Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.
- <sup>4</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- <sup>5</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>6</sup> HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details. HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2024 published features of competitive in-class printers. Only HP offers multiple security features that automatically detect, stop, and recover from attacks with a self-healing reboot in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: hp.com/go/PrinterSThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims. HP Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager. Post Quantum Cryptography (PQC): Based on HP's internal analysis of business Printers with preinstalled encryption, authentication, malware protection, and BIOS-level protection with automatic self-healing recovery finding that no other in-class Printers implement a quantum-resistant cryptographic scheme to protect the integrity of the BIOS as of 2025. PQC will be available in Fall'25 with Firmware 25.9.2.2+.
- <sup>7</sup> Use of the HP Trusted Platform Module may require a firmware upgrade.
- B HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. Based on US, Canada, India, and Australia EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. EPEAT® status varies by country. Visit www.epeat.net for more information. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.
- <sup>9</sup> Program availability varies. For more information, visit hp.com/hprecycle.
- 10 HP works collaboratively with our partners including WWF and Conservation International to manage, restore, and protect forests in many countries around the world. With HP, every print—regardless of paper brand—is addressed through HP's Forest Positive Framework to counteract risks of deforestation. To learn more visit hp.com/forestfirst.
- <sup>11</sup> HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin.
- 12 See hp.com/go/TonerRecycledContent for list. Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, and is expressed as percent of total weight of plastic.

### Technical specifications disclaimers

- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software
- <sup>2</sup> Based on HP internal evaluation measuring the time beginning from scan start to print page exit. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Additionally, for information of First Copy Out measured using ISO/IEC 29183, see http://www.hp.com/go/printerclaims.
- 3 ADF Capacity is defined based on 75 g/m² paper
- 4 For Scan software, we support PDF, PEG, PNG, BMP, TIF, Text(.txt), Rich Text(.rtf), Searchable PDF(.pdf), PDF/A(.pdf), Word(\*.doc), Word(\*.doc), Excel(.xls), Excel(.xls), Excel(.xls), CSV(.csv), XML(.xml)
- 5 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>6</sup> Based on HP internal evaluation measuring the time from print initiation to page exit. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Additionally, for information of First Page Out measured using ISO/IEC 17629, see hp.com/go/printer claims.

  Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.
- <sup>8</sup> Acoustic values are subject to change. For current information see http://www.hp.com/support
- <sup>9</sup> Including Starter toner cartridge weight

















