



# HP LaserJet Enterprise MFP 8601 Printer series

## The ultimate workflow experience

Boost office productivity with blazing-fast print and scan speeds, and effortless management.



### Rely on exceptional performance

- Text editing has never been easier. Quickly scan and convert documents to Office formats with Editable OCR.<sup>2</sup>
- Stay productive and always ready for what's next with upgradeable HP FutureSmart features.<sup>3</sup>
- Save time with blazing-fast scan speeds up to 300 ipm<sup>4</sup>, and enjoy high-quality prints at speeds up to 70 ppm.<sup>5</sup>

### Secure what matters

- Your work is secure with HP Wolf Security<sup>6</sup>, silently detecting and repairing your printer from cyber attacks.
- Protect your network with the world's first quantum-resistant business printers.<sup>6</sup>
- Keep your data safe with the built-in HP Trusted Platform Module<sup>7</sup>. Secure passwords, keys, and more.

### Simplify print management

- Receive an easy-to-install printer at your office. No third-party technician needed.
- Easily maintain on your own—or get assistance from HP Services when you need it.
- Simplify management with long-lasting consumables and parts that minimize intervention.

### Hit sustainability targets

- Our energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star and Blue Angel.<sup>8</sup>
- With HP Planet Partners, we offer a convenient way to recycle HP supplies after their use.<sup>9</sup>
- With every page you print, HP invests in helping to protect, manage, and restore forests.<sup>10</sup>

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: <http://www.hp.com/learn/ds>

Product walkaround

- 1. 300-sheet ADF (only for flow models)
- 2. Flatbed scanner handles sheets up to 11x17-inch (297x432mm)
- 3. Print, scan, copy, fax
- 4. 500-sheet output bin (only for dn/z models)
- 5. 70 ppm
- 6. Automatic, 2-sided color printing
- 7. HP Wolf Enterprise Security
- 8. 10.1-inch color touchscreen
- 9. Power button
- 10. Full size keyboard (Flow models only)
- 11. Right door access to the print path
- 12. Hardware Integration Pocket
- 13. Easy access USB port
- 14. 2,180-sheet input



Series at a glance



Model	HP LaserJet Ent MFP 8601dn Prntr	HP LaserJet Ent Flw MFP 8601z Prntr	HP LaserJet Ent Flw MFP 8601z+ Prntr
Product number	9S186A	9S185A	AQ1E3A
Functions	Print, copy, scan, fax(optional)	Print, copy, scan, fax	
Print speed	70 ppm		
Scan speed	Up to 180 ipm	Up to 300 ipm	
ADF capacity	200 sheets	300 sheets	
Input capacity	Maximum: 2,180 sheets		
Recommended Monthly Page Volume	60,000		
Advance workflow features	N/A	Advanced Flow Technology	
Finisher	N/A		Stapler/Stacker Finisher included

## Accessories, Supplies and Support

Supplies	9U1Q5A HP LaserJet Toner Collection Unit (Average cartridge yields 300,000 standard pages. Declared yield value in accordance with ISP/IEC 19752.)
	W1760A HP LaserJet Black Toner Crtg (Average cartridge yields 45,000 standard pages. Declared yield value in accordance with ISP/IEC 19752.)
	W1766A HP LaserJet Black Imaging Drum (Average cartridge yields 600,000 standard pages. Declared yield value in accordance with ISP/IEC 19752.)
Accessories	2NR12A HP Removable Hard Drive Enclosure
	3JN69A HP Jetdirect 3100w BLE/NFC/Wireless
	478C2A HP Printing Voice Assistant
	4QL32A HP Legic Secure USB Reader
	7ZA08A HP MFP Analog Single Fax 800 Accessory
	7ZA09A HP MFP Analog Single Fax 801 Accessory
	8FP31A HP Jetdirect LAN Accessory
	9R1U0A HP JetDirect 3200w Wifi 6 BLE/WL Accy
	B5L31A HP Foreign Interface Harness
	X3D03A HP Universal USB Proximity Card Reader
	Y1G14A HP LaserJet Stapler/Stacker Finisher Staples
	Y7C05A HP HIP2 Keystroke Reader
Service and Support	UF8H6E HP 3 year Next Business Day Onsite with DMR Service for LaserJet Enterprise MFP 8601
	UF8H7E HP 4 year Next Business Day Onsite with DMR Service for LaserJet Enterprise MFP 8601
	UF8H8E HP 5 year Next Business Day Onsite with DMR Service for LaserJet Enterprise MFP 8601
	UF8H9PE HP 1 year Post Warranty Next Business Day Onsite with DMR Service for LaserJet Enterprise MFP 8601
	UF8J4E HP 3 year 4 hour Onsite with DMR Service for LaserJet Enterprise MFP 8601
	UF8J5E HP 4 year 4 hour Onsite with DMR Service for LaserJet Enterprise MFP 8601
	UF8J6E HP 5 year 4 hour Onsite with DMR Service for LaserJet Enterprise MFP 8601
	UF8J7PE HP 1 year Post Warranty 4 hour Onsite with DMR Service for LaserJet Enterprise MFP 8601
	UF8J0E HP 3 year Parts Exchange with DMR Service for LaserJet Enterprise MFP 8601
	UF8J1E HP 4 year Parts Exchange with DMR Service for LaserJet Enterprise MFP 8601
	UF8J2E HP 5 year Parts Exchange with DMR Service for LaserJet Enterprise MFP 8601
	UF8J3PE HP 1 year Post Warranty Parts Exchange with DMR Service for LaserJet Enterprise MFP 8601
	U9JT3E HP Installation Service with network configuration for Department Printer (1 unit)
	UF8J8E HP Maintenance Kit Replacement Service for LaserJet Enterprise MFP 8601 Fuser Kit 100v for Japan
	UF8J9E HP Maintenance Kit Replacement Service for LaserJet Enterprise MFP 8601 Fuser Kit 110v
	UF8K0E HP Maintenance Kit Replacement Service for LaserJet Enterprise MFP 8601 Fuser Kit 220v
Solutions	Workflow: HP Capture & Route; Upland Intelligent Capture; Upland Filebound
	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights
	Mobile and universal print: HP Universal Print Driver (UPD)
	Management: Embedded Web Server

## Technical specifications

Model	HP LaserJet Ent MFP 8601dn Prntr		HP LaserJet Ent Flw MFP 8601z Prntr	HP LaserJet Ent Flw MFP 8601z+ Prntr
Product number	9S186A		9S185A	AQ1E3A
Functions	Print, copy, scan, fax (optional)		Print, copy, scan, fax	
Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker			
Print				
Print technology	Laser			
Print speed <sup>5</sup>	Black (A4, normal): Up to 70 ppm Black (A4, duplex): Up to 70 ipm Black (A3, normal): Up to 35 ppm			
First page out <sup>6</sup>	Black (A4, ready): As fast as 5.3 sec Black (A4, sleep): As fast as 12.9 sec (15 min)			
Print resolution	Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1,200 x 1,200 dpi;			
Print technology	Technology: 1,200 x 1,200 dpi (Fine lines); 600 x 600 dpi (Normal); 300 x 300 dpi (Quick view)			
Monthly duty cycle	Up to 250,000 pages (printer); up to 250,000 pages (copier) A4; Recommended monthly page volume: Up to 60,000			
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB			
Standard print languages	HP PCL 5e, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible			
Fonts and typefaces	84 scalable TrueType fonts			
Print area	Print margins Top: 4.23 mm, Bottom: 4.23 mm, Left: 4.23 mm, Right: 4.23 mm; Maximum print area: 311.5 x 448.7 mm			
Duplex printing	Automatic			
Copy				
Copy speed <sup>2</sup>	Black (A4): Up to 70 cpm ; Black (A4, duplex): Up to 70 ipm			
First copy out <sup>6</sup>	Black (A4): As fast as 2.7 sec			
Copier specifications	Two-sided copying; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collate; booklet; scan mode (book, 2-sided ID); watermark; stamps; image overlay; erase edges; job build; image preview; image shift; paper selection; blank page suppression; automatically straighten; scan to job storage Maximum number of copies: Up to 9999 copies; Reduce/Enlarge: 25 to 400%; Copy resolution, black text: Up to 600 x 600 dpi		Two-sided copying; reduce/enlarge; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; content orientation; collate; booklet; scan mode (book, 2-sided ID); watermark; stamps; image overlay; erase edges; job build; image preview; image shift; paper selection; blank page suppression; automatically straighten; scan to job storage; optimized text/picture (auto); automatic tone; multi-feed detection; document editing; auto paper color removal Maximum number of copies: Up to 9999 copies; Reduce/Enlarge: 25 to 400%; Copy resolution, black text: Up to 600 x 600 dpi	
Scan				
Scan speed <sup>1</sup>	Normal (A4): Up to 90 ipm; Duplex (A4): Up to 180 ipm		Normal (A4): Up to 150 ipm; Duplex (A4): Up to 300 ipm	
Scan file format <sup>4</sup>	JPEG; TIFF; MTIFF; XPS; PDF; PDF/A; High-Compression PDF; High-Compression PDF/A; Searchable PDF (OCR); Searchable PDF/A (OCR); High-Compression PDF (OCR); High-Compression PDF/A (OCR); High-Compression Searchable PDF (OCR); High-Compression Searchable PDF/A (OCR)		JPEG; TIFF; MTIFF; XPS; PDF; PDF/A; High-Compression PDF; High-Compression PDF/A; Searchable PDF (OCR); Searchable PDF/A (OCR); High-Compression PDF (OCR); High-Compression PDF/A (OCR); High-Compression Searchable PDF (OCR); High-Compression Searchable PDF/A (OCR); CSV (OCR); HTML (OCR); Open Office XML (.docx, .xlsx, .pptx); RTF (OCR); TEXT (OCR); Unicode TEXT (OCR)	
Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Platen Scanner CCD Digital-CIS; Scan input modes: Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP); Twain version: Version 2.4; Duplex ADF scanning: Yes, single pass duplex scanning; Optical scan resolution: Up to 600 x 600 dpi			
Scanner advanced features	Embedded OCR; Automatically straighten		Embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps	
Scannable area	Maximum media size (flatbed): 297 x 432 mm; Minimum media size (ADF): 68 x 127 mm Maximum media size (ADF): 297 x 420 mm			
Bit depth/ Grey scale levels	24-bit / 256			
Digital sending	Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; job build; image preview; blank page suppression; automatically straighten; embedded OCR;		Standard: Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to sFTP; scan to LAN fax; scan to Internet Fax; local address book; SMTP over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blank page suppression; automatically straighten; embedded OCR; optimize text/picture (auto); scan to multi-destination; automatic tone; auto orientation; multi-feed detection; reverse and retry; document editing; auto paper color removal; job separation (blank page, barcode); watermark; stamps	
Fax				
Fax	Optional, 33.6 kbps (fax modem max speed)		Yes, 33.6 kbps (fax modem max speed)	
Fax specifications	Fax memory: Up to 500 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 1000 numbers (each with 210 destinations); Telecom compliance: Optional telecom kit (BOSIB-1814-00 / BOISB-1814-01); TIA-968-B-3; FCC Part 68 (USA); IC CS-03 Part I Issue 9, Amendment 5, March 2016 (CANADA); ETSI ES 203 021-1 V2.1.1; ETSI ES 203 021-2 V2.1.2; ETSI ES 203 021-3 V2.1.2 (EU); TE-001 Issue 5 (South Africa); AS/CA 5002'2010 (Australia); PTC 200:2006 (New Zealand), Other Telecom approvals as required by individual countries			
Processor speed	1.6 GHz (Quad Core), 1.4 GHz (Dual Core)			
Storage Standard	256 GB SSD			

Model	HP LaserJet Ent MFP 8601dn Pntr		HP LaserJet Ent Flw MFP 8601z Pntr	HP LaserJet Ent Flw MFP 8601z+ Pntr
Product number	95186A		95185A	AQ1E3A
Connectivity				
Standard	1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host)			
Optional	HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A			
Wireless	Optional, enabled with purchase of a hardware accessory			
Mobile printing capability	Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; PrinterOn Print			
Supported network protocols	IPv4/IPv6: Apple Bonjour Compatible (Mac OS 10.2.4 or higher), AirPrint, SNMPv1/v2c/v3, HTTP, HTTPS, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, LLNMR, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print; HP Web Services			
Hard disk	None			
Memory	Standard: 6 GB; Maximum: 6 GB			
Media handling				
Number of paper trays	Standard: 5 ; Maximum: 5			
Media types	Plain, HP EcoEFFICIENT, HP Matte 90 g, Light 60-74 g, Bond, Recycled, HP Matte 105 g, HP Matte 120 g, HP Soft Gloss 120 g, HP Glossy 120 g, Mid-Weight 96-110 g, Heavy 111-130 g, Mid-WtGlossy 96-110 g, Heavy Glossy 111-130 g, HP Matte 150 g, HP Glossy 150 g, Extra Heavy 131-175 g, XHvyGlossy 131-175 g, HP Matte 200 g, HP Glossy 200 g, Card-stock 176-220 g, Card Glossy 176-220 g, Light Paperboard 221-255 g, Paperboard 256-300 g, Heavy Paperboard, Mono Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprinted, Pre-punched, Colored			
Media size	<b>Custom (metric):</b> Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 297 x 390 mm; Tray 3: 140 x 182 to 320 x 457.2 mm; Tray 4: 140 x 182 to 320 x 457.2 mm; Tray 5: 140 x 182 to 320 x 457.2 mm ; <b>Supported (metric):</b> Tray 1: A3, A4, A4R, A5, A5R, A6, RA3, SRA3, RA4, SRA4, B4 (JIS), B5 (JIS), B6 (JIS), 10x15cm, Oficio, 8K, 16k, Postcard (JIS), Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope DL; Tray 2: A4, A4R, A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6(JIS), Oficio, 8K, 16k, Envelope B5, Envelop C5, Envelope C6, Envelope DL; Tray 3: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k; Tray 4: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k; Tray 5: A3, A4, A4R, A5, RA3, RA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k ; <b>ADF:</b> Legal, oficio, executive, statement, ledger, A3, A4, A4R, A5, A6, B4, B5, B6, 16K, Dpostcard (JIS)			
Media handling <sup>3</sup>	<b>Standard input:</b> 100-sheet multi-purpose tray, 4 x 520-sheet input tray <b>Standard output:</b> Up to 500 sheets <b>ADF:</b> Standard, 200 sheets	<b>Standard input:</b> 100-sheet multi-purpose tray, 4 x 520-sheet input tray <b>Standard output:</b> Up to 500 sheets <b>ADF:</b> Standard, 300 sheets	<b>Standard input:</b> 100-sheet multi-purpose tray, 4 x 520-sheet input tray <b>Standard output:</b> Up to 3,250 sheets <b>ADF:</b> Standard, 300 sheets	
Media weight	Tray 1, 2, 3: 60 to 325 g/m²; Tray 4, 5: 60 to 300 g/m²; <b>ADF:</b> 45 to 199 g/m²		Tray 1, 2, 3: 60 to 325 g/m²; Tray 4, 5: 60 to 300 g/m²; <b>ADF:</b> 45 to 255 g/m²	
Input capacity	<b>Standard:</b> 100-sheet multi-purpose tray, 4 x 520-sheet input tray Up to 2,180 sheets (Tray 1: up to 100 sheets; Tray 2: up to 520 sheets; Tray 3: up to 520 sheets; Tray 4: up to 520 sheets; Tray 5: up to 520 sheets) Up to 50 envelopes ; <b>Maximum:</b> Up to 2,180 sheets			
Output capacity	<b>Standard:</b> Up to 500 sheets Envelopes: Up to 40 envelopes Transparencies: Up to 100 sheets <b>Maximum:</b> Up to 500 sheets			<b>Standard:</b> Up to 3,250 sheets Envelopes: Up to 40 envelopes Transparencies: Up to 100 sheets <b>Maximum:</b> Up to 3,250 sheets
Compatible operating systems	Windows 11; Windows 10; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 13 Ventura; MacOS v14 Sonoma; Windows 8.1			
Compatible network operating systems	Windows Server; Citrix; Linux			
Minimum system requirements	<b>Windows:</b> 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; <b>Mac:</b> 2 GB available hard drive space; Internet connection or USB port; Internet browser. For additional OS hardware requirements see apple.com			
Software included	No software solutions are included in the Box only on <a href="http://hp.com">http://hp.com</a> , <a href="https://support.hp.com/">https://support.hp.com/</a>			
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs			
Printer management	HP Web JetAdmin Software, HP Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration, Utility - Driver, Deployment Utility - Managed Printing Administrator)			
Dimensions and weight				
Printer dimensions (W x D x H)	<b>Minimum</b> 585 x 695 x 1158 mm; <b>Maximum:</b> 1083.5 x 1308.1 x 1486.7 mm		<b>Minimum</b> 585 x 695 x 1189 mm; <b>Maximum:</b> 1083.5 x 1308.1 x 1500.5 mm	<b>Minimum</b> 1293 x 695 x 1189 mm; <b>Maximum:</b> 1677.2 x 1308.1 x 1500.5 mm
Package dimensions (W x D x H)	890 x 972 x 1364 mm		890 x 972 x 1394 mm	
Printer weight <sup>9</sup>	107.42 kg		112.72 kg	
Package weight	146.92 kg		152.22 kg	
Operating environment	<b>Temperature:</b> 15 to 30°C; <b>Humidity:</b> 20 to 80% RH			
Storage conditions	<b>Temperature:</b> -10 to 40°C			
Acoustics <sup>8</sup>	<b>Acoustic power emissions:</b> 7.1 B(A) (printing mono simplex A4 at 70 ppm); <b>Acoustic pressure emissions:</b> 55 B(A) (printing mono simplex A4 at 70 ppm)			<b>Acoustic power emissions:</b> 7.4 B(A) (printing mono simplex A4 at 70 ppm); <b>Acoustic pressure emissions:</b> 58 B(A) (printing mono simplex A4 at 70 ppm)
Power	<b>Requirements:</b> Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 12.0 A 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 7.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier) ; <b>Consumption:</b> 1,088.16 watts (printing), 35.07 watts (ready), 0.74 watts (sleep), 0.13 watts (auto-off), 0.13 watts (manual-off) ; <b>Typical Electricity Consumption (TEC):</b> 1.032 kWh/Week ; <b>Power supply type:</b> Internal (Built-in) power supply			
Energy savings feature technology	Power save			
Certifications	CISPR 22:2008 (International) - Class A, CISPR 32:2015 (International) - Class A, EN 55032: 2015 (EU) - Class A, CISPR 11:2016, EN 55011:2016, EN 61000-3-2: 2019, EN 61000-3-3: 2013+A1:2019, EN 55024: 2010+A1:2015, EN 55035:2017+A11:2020, EN60601-1-2:2015, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A / ICES-003, Issue 7:2020 Class A, Other EMC approvals as required by individual countries IT ECO Declaration; Blue Angel; EPEAT® registered; ENERGY STAR® certified <b>Blue Angel compliant</b> Yes, Blue Angel DE-UZ 219—only ensured when using Original HP supplies			
Replacement cartridges <sup>7</sup>	HP 176A Black LJ Toner Cartridge W1760A (ISO Yield 45,000)			
What's in the box	Installation guide; regulatory flyer; power cords; keyboard/overlay for z/z+; manual			
Page yield (set-up/inbox cartridges)	HP 176A Black LJ Starter Toner Cartridge (ISO Yield 25,000) W1760AS			
Warranty	One-year, onsite warranty. Warranty and support options vary by product, country and local legal requirements.			

## Footnotes

- <sup>1</sup> The HP LaserJet Enterprise 8801/8601/8501 printer series is the top-tier model in our HP Enterprise portfolio, featuring the highest print and scan speeds, along with advanced printing solutions for easy print management.
- <sup>2</sup> Only available on z, z+.
- <sup>3</sup> Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.
- <sup>4</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- <sup>5</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>6</sup> HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details. HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2024 published features of competitive in-class printers. Only HP offers multiple security features that automatically detect, stop, and recover from attacks with a self-healing reboot in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit: [hp.com/go/PrintersThatProtect](http://hp.com/go/PrintersThatProtect). For more information, visit: [hp.com/go/PrinterSecurityClaims](http://hp.com/go/PrinterSecurityClaims). HP Security Manager must be purchased separately. To learn more, please visit [hp.com/go/securitymanager](http://hp.com/go/securitymanager). Post Quantum Cryptography (PQC): Based on HP's internal analysis of business Printers with preinstalled encryption, authentication, malware protection, and BIOS-level protection with automatic self-healing recovery finding that no other in-class Printers implement a quantum-resistant cryptographic scheme to protect the integrity of the BIOS as of 2025. PQC will be available in Fall'25 with Firmware 25.9.2.2+.
- <sup>7</sup> Use of the HP Trusted Platform Module may require a firmware upgrade.
- <sup>8</sup> HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. Based on US, Canada, India, and Australia EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. EPEAT® status varies by country. Visit [www.epeat.net](http://www.epeat.net) for more information. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.
- <sup>9</sup> Program availability varies. For more information, visit [hp.com/hprecycle](http://hp.com/hprecycle).
- <sup>10</sup> HP works collaboratively with our partners including WWF and Conservation International to manage, restore, and protect forests in many countries around the world. With HP, every print—regardless of paper brand—is addressed through HP's Forest Positive Framework to counteract risks of deforestation. To learn more visit [hp.com/forestfirst](http://hp.com/forestfirst).
- <sup>11</sup> HP Web Jetadmin is free and available for download at [hp.com/go/webjetadmin](http://hp.com/go/webjetadmin).
- <sup>12</sup> See [hp.com/go/TonerRecycledContent](http://hp.com/go/TonerRecycledContent) for list. Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, and is expressed as percent of total weight of plastic.

## Technical specifications disclaimers

- <sup>1</sup> Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- <sup>2</sup> Based on HP internal evaluation measuring the time beginning from scan start to print page exit. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Additionally, for information of First Copy Out measured using ISO/IEC 29183, see <http://www.hp.com/go/printerclaims>.
- <sup>3</sup> ADF Capacity is defined based on 75 g/m<sup>2</sup> paper.
- <sup>4</sup> For Scan software, we support: Windows (JPG, RAW(BMP), PDF, TIFF, PNG, RTF) and Mac (JPG, JPG-2000, TIFF, PNG, PDF, Searchable PDF, RTF, TXT).
- <sup>5</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>6</sup> Based on HP internal evaluation measuring the time from print initiation to page exit. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Additionally, for information of First Page Out measured using ISO/IEC 17629, see [hp.com/go/printerclaims](http://hp.com/go/printerclaims).
- <sup>7</sup> Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>.
- <sup>8</sup> Acoustic values are subject to change. For current information see <https://www.hp.com/support>.
- <sup>9</sup> Including Starter toner cartridge weight

