# HP Poly Studio A2 Audio Bridge w/ CAT6A and Mic Extension Cable and Mounting Plate

*Product image may differ from actual product

## Your bridge to the future of audio

Transform audio connectivity in conference rooms and leave complex setups behind. Expand coverage with a plug-and-play solution that offers seamless flexibility and scalability, ensuring your spaces are always ready for the future of collaboration.

### Easy connectivity. Simple scalability
Seamlessly streamline and scale your audio setup. Support up to 32 audio input channels with next-gen Poly video room devices[1] with ease.

### Effortless, Scalable Deployment
A simple, scalable, and cost-efficient solution that easily adapts to meet evolving needs of your organization.

### Hassle-free setup
Get optimal positioning with a magnetic mount, easy management with Poly Lens, and a discreet setup with a single standard Ethernet cable.

## Featuring

### Audio setup, streamlined
Seamlessly connect up to 32 audio input channels to achieve a natural audio experience while fully covering any room, no matter the size.

### Just plug and play
Zero hassle plug-and-play solution, you can get started today with next generation HP Poly video devices over HP Poly StudioNet.

### Deploy and scale with ease
An easy to deploy audio solution – connect your HP Poly Studio A2 audio bridge via Poly StudioNet for an effortless and seamless installation.

### Adapts as you evolve
Effortlessly adapt to changing business needs and room requirements. Reposition connected devices in no time.

### Quick, easy set-up
Ditch expensive and complicated cabling in conference rooms with a single and standard Ethernet cable.

### Place it anywhere
Discreet setup, ultimate flexibility, and optimum positioning anywhere in the room with a compact form factor, color coded ports and magnetic mount.

## Sustainability in action

### Designed with purpose
Containing at least 45% recycled plastics[3] and shipped in paper-based packaging[4], this audio bridge enables more impactful meetings with less impact on the environment.

# HP Poly Studio A2 Audio Bridge w/ CAT6A and Mic Extension Cable and Mounting Plate

*Product image may differ from actual product

## Specifications

### Compatibility
Compatible with Poly Studio G62, Poly Studio X72 and Poly Studio V72, Poly Studio X52 and Poly Studio V52, Poly Studio X32[1].

### Appearance
**Product colour:** Black
**Cable length:** 6 m

### Connectivity and communications
**External I/O ports:**
1 RJ-45 Ethernet port; 4 A2B bus ports

### Audio
**Audio standards:** A2B Audio Bus

### Other features
**Special features:** Poly StudioNet[1]

### Power specifications
**Power supply type:** External
**Operating voltage:** 56 V
**Power features:**Power over Ethernet (PoE+/++), compatible with IEEE 802.3at/bt Class 4, 5, 6, 8
100 - 240 V, 2 A, 50/60 Hz

### Environmental
**Operating altitude:** 3,048 m
**Operating humidity range:** 15 to 80%
**Non-operating humidity range:** 5 to 95%
**Operating temperature range:** 0 to 40°C
**Non-operating temperature:** -40 to 70 °C -40 to 158 °F
**Sustainable impact specifications:** Contains at least 45% recycled plastic content; Paper-based packaging[3,4]

# HP Poly Studio A2 Audio Bridge w/ CAT6A and Mic Extension Cable and Mounting Plate

## Specifications

### Management software
Poly Lens

### Security
Standard Kensington lock slot

### Network
**Network capabilities:** 1x 10/100/1G Ethernet

### Weight and dimensions
**Weight:** 330 g
**Product dimensions:** 147 x 103 x 24 mm
**Package weight:** 1800 g
**Package dimensions:** 327 x 213 x 89 mm

### Logistic information
**Master carton quantity:** 5
**Master carton dimension:** 47 x 23 x 35 cm
**Master carton weight:** 9.2 kg
**Cartons per layer:** 10
**Layers per pallet:** 4 (air); 5 (ocean)
**Cartons per pallet:** 40 (air); 50 (ocean)
**Products per layer:** 50
**Products per pallet:** 200 (air); 250 (ocean)
**Pallet weight:** 382.2 kg
**Pallet dimensions:** 120 x 100 x 154.5 cm (ocean); 120 x 100 x 190 cm (air)

### Additional information
**UPC number:** (AB1) 199642005488; (AC3) 198828502667
**Product number:** B22X2AA
**Product name:** HP Poly Studio A2 Audio Bridge w/ CAT6A and Mic Extension Cable and Mounting Plate

### Warranty
HP standard one-year limited warranty

### Country of origin
Taiwan(ABT, AC3); Thailand(ABT, AC3)

### What is in the box
Poly Studio A2 Audio Bridge
Mounting plate
CAT 6A cable (3.66 m)
Microphone extension cable (8 m)
Safety guide
Quick start guide
Warranty card

# HP Poly Studio A2 Audio Bridge w/ CAT6A and Mic Extension Cable and Mounting Plate

## Accessories and services (not included)

Poly 45W 2.5Gbps PoE++ Adapter w magnets /0.23M CAT6A Cable w Power Cord

Product number: A02F9AA

## Footnotes

### Messaging Footnotes

[1] HP Poly Studio A2 Audio Bridge is compatible with Poly Studio G62, V72, X72, V52, X52 and X32. HP Poly Studio A2 Audio Bridge is not backward compatible. HP Poly Studio X70/50/30, USB and Poly G7500 will continue to use the existing analogue and IP expansion microphones, respectively.
[2] HP Poly StudioNet connects multiple devices over Ethernet, using built-in code to enable direct communication with compatible Poly devices via approved switches and the video device's LLN port.
[3] Recycled plastic is expressed as a percentage of the total weight plastic. Post-consumer recycled is based on the definition set in the EPEAT standard for computers, IEEE 1680.1-2018 standard.
[4] Percent of paper-based packaging made from sustainably sourced, certified, and recycled fibers.

### Technical Specifications Footnotes

[1] HP Poly StudioNet connects multiple devices over Ethernet, using built-in code to enable direct communication with compatible Poly devices via approved switches and the video device's LLN port.
[2] Poly Lens Manages the Audio Bridge through the primary Poly video device.
[3] Recycled plastic is expressed as a percentage ofthe total weight plastic. Post-consumerrecycled is based on the definition setin the EPEAT standard for computers, IEEE 1680.1-2018 standard.
[4] Percent of paper-based packaging made from sustainably sourced, certified, and recycled fibers.

© Copyright 2026 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

September 2026
gb-en