

# User Guide

Lenovo  
**ThinkPad**



**Lenovo**

ThinkPad P14s Gen 7 and ThinkPad P16s Gen 5

## Read this first

This *User Guide* provides the essential hardware and setup information for your notebook computer. It includes product illustrations, specifications, instructions for basic configuration, and guidance on hardware replacement.

Before operating your notebook computer for the first time, read the safety-related documents listed below to understand important safety and regulatory information.

- [Safety and Warranty Guide](#)
- [Generic Safety and Compliance Notices](#)

For more supporting documents, go to [Lenovo Documentation Center](#) and search by the product name.

**First Edition (May 2026)**

© **Copyright Lenovo 2026.**

LIMITED AND RESTRICTED RIGHTS NOTICE: If data or software is delivered pursuant to a General Services Administration "GSA" contract, use, reproduction, or disclosure is subject to restrictions set forth in Contract No. GS-35F-05925.



# Contents

|                                                                                    |           |
|------------------------------------------------------------------------------------|-----------|
| Read this first.....                                                               | i         |
| Preface: Discover your Lenovo notebook.....                                        | iv        |
| <b>Chapter 1 Meet your computer.....</b>                                           | <b>1</b>  |
| Front view.....                                                                    | 1         |
| Left-side view.....                                                                | 5         |
| Right-side view.....                                                               | 7         |
| Bottom view.....                                                                   | 10        |
| Features and specifications.....                                                   | 12        |
| USB specifications.....                                                            | 13        |
| <b>Chapter 2 Get started with your computer.....</b>                               | <b>14</b> |
| Set up your computer.....                                                          | 14        |
| Turn on the computer.....                                                          | 14        |
| Complete the operating system setup.....                                           | 15        |
| Access networks.....                                                               | 16        |
| Connect to Wi-Fi networks.....                                                     | 16        |
| Connect to the wired Ethernet.....                                                 | 16        |
| Connect to a cellular network (for selected models).....                           | 16        |
| Turn on Airplane mode.....                                                         | 17        |
| Manage power.....                                                                  | 17        |
| Check the battery status.....                                                      | 17        |
| Charge the computer with ac power.....                                             | 17        |
| Maximize the life of the battery.....                                              | 18        |
| Use the computer-to-computer charging function.....                                | 18        |
| Change the power settings.....                                                     | 19        |
| Interact with your computer.....                                                   | 19        |
| Use the keyboard shortcuts.....                                                    | 19        |
| Connect to an external display.....                                                | 21        |
| Transfer data.....                                                                 | 22        |
| <b>Chapter 3 Secure your computer and information.....</b>                         | <b>25</b> |
| Lock the computer.....                                                             | 25        |
| Log in with fingerprint recognition.....                                           | 25        |
| Log in with facial recognition (for selected models).....                          | 26        |
| Protect data against power loss.....                                               | 26        |
| USB-C Restricted Mode.....                                                         | 27        |
| FIDO (Fast Identity Online) authentication.....                                    | 27        |
| Register FIDO2 USB device in ThinkShield Passwordless Power-On Device Manager..... | 27        |
| Log in to the System with Passwordless Power-On Authentication.....                | 28        |
| <b>Chapter 4 Help and support.....</b>                                             | <b>29</b> |
| Error messages.....                                                                | 29        |
| Battery-charge LED indicator diagnosis.....                                        | 30        |
| Diagnostics tool.....                                                              | 32        |
| Troubleshoot and diagnose at Lenovo Support Web site.....                          | 33        |
| Hardware scan.....                                                                 | 33        |
| UEFI Diagnostics tool.....                                                         | 33        |
| Lenovo Memory Self Repair (for Intel models only).....                             | 34        |
| Detect memory retraining (for Intel models only).....                              | 34        |
| Windows label.....                                                                 | 35        |
| Call Lenovo.....                                                                   | 35        |

|                                                                    |           |
|--------------------------------------------------------------------|-----------|
| Before you contact Lenovo.....                                     | 35        |
| Find your service QR code and serial number.....                   | 35        |
| Lenovo Customer Support Center.....                                | 36        |
| <b>Chapter 5 CRU replacement.....</b>                              | <b>38</b> |
| What are CRUs.....                                                 | 38        |
| CRU list.....                                                      | 38        |
| Before you replace any CRU.....                                    | 39        |
| Disable Fast Startup.....                                          | 39        |
| Disable the built-in battery.....                                  | 39        |
| Replace a CRU.....                                                 | 40        |
| Base cover assembly.....                                           | 40        |
| Built-in battery.....                                              | 42        |
| Coin-cell battery.....                                             | 45        |
| CAMM2 top cover.....                                               | 46        |
| CAMM2 memory module.....                                           | 50        |
| CAMM2 connector.....                                               | 51        |
| Keyboard.....                                                      | 53        |
| M.2 solid-state drive and its bracket.....                         | 59        |
| Wireless WAN module and its bracket (for selected models).....     | 61        |
| Replaceable USB-C module and replaceable USB-C module bracket..... | 63        |
| Thermal fan kit.....                                               | 65        |
| Dummy fan (for selected models).....                               | 66        |
| <b>Appendix A Compliance information.....</b>                      | <b>68</b> |
| Certification-related information.....                             | 68        |
| Locate the UltraConnect wireless antennas.....                     | 69        |
| Operating environment.....                                         | 71        |
| <b>Appendix B Important notice for Quebec consumers.....</b>       | <b>72</b> |
| <b>Appendix C Accessibility features.....</b>                      | <b>73</b> |
| <b>Appendix D Notice for USB connector name update.....</b>        | <b>74</b> |
| <b>Appendix E Notices and trademarks.....</b>                      | <b>75</b> |

## Discover your Lenovo notebook

**Thank you for choosing a Lenovo® notebook! We are dedicated to delivering the best solution to you.**

Before starting your tour, please read the following information:

- Illustrations in this documentation might look different from your product.
- Depending on the model, some optional accessories, features, software programs, and user interface instructions might not be applicable to your computer.
- Documentation content is subject to change without notice. To get the latest documentation, go to <https://pcsupport.lenovo.com>.

### **HEVC Standard**

This product may support digital video coding under certain versions of HEVC (High Efficiency Video Coding) standard and, if so, may be covered by patents at <https://accessadvance.com/advance-patent-lists/>.



# Chapter 1 Meet your computer

This chapter introduces the appearance, features and specifications of your computer.

## Front view

Have a quick glance at the front view of your computer.

### ThinkPad P14s Gen 7



## ThinkPad P16s Gen 5



### **Microphone**

Turn on the microphone to capture sound and voice when it is used with an application program capable of handling audio.

### **Infrared camera / RGB camera**

Use the camera to take pictures, shoot videos or scan barcodes in Camera or other application programs that provide features such as photographing, video capturing, and video conferences.

### **Webcam privacy shutter**

Slide the webcam privacy shutter to cover or uncover the camera lens. It is designed to protect your privacy.

### **Touch screen\***

Interact with your computer through intuitive controls like tapping, swiping, pinching, and zooming.





## **Power button with fingerprint reader**

The power button on your computer performs following functions depending on how you press it:

- Power on: Press the power button to turn on the computer and log in with your fingerprint. For more information about fingerprints enrollment, see [Log in with fingerprint recognition](#) on page 25.
- Enter sleep mode: Press the power button for one second to enter sleep mode.
- Force a shutdown: If the computer becomes unresponsive, press and hold the power button for at least 10 seconds to force a shutdown.



### **Note:**

Performing a forced shutdown might cause unsaved data loss or file corruption. Perform this operation with caution.



## **TrackPoint pointing stick**

Use your finger to apply pressure to the pointing-stick nonslip cap in any direction parallel to the keyboard. The pointer on the screen moves accordingly.



## **NFC (near field communication) label\***

Simply tap and connect your computer and another NFC-enabled device over a few centimeters or inches. To set up an NFC connection, see [Set up an NFC connection \(for selected models\)](#) on page 23.



## **Trackpad**

Experience all the pointing, clicking, and scrolling functions of a traditional mouse through Trackpad.




## **TrackPoint Three Buttons**

The TrackPoint left button and TrackPoint right button correspond to the left and right buttons of a traditional mouse. Press and hold the TrackPoint center button while using your finger to applying pressure to the pointing stick in the vertical or horizontal direction. Then, you can scroll through the document, Web site, or apps.

\* for selected models

## **Important information**

Your computer contains magnets. Keep a safe distance away from devices and objects that might be affected by magnets, such as credit cards.



## Left-side view

Have a quick glance at the left side of your computer.



### **HDMI HDMI™ connector**

Connect your computer to external displays, projectors, or HDTVs through the HDMI connector. For more information about the external display connection, see [Connect to an external display](#) on page 21

### **USB-C® power connector (Thunderbolt™ 4)**

Experience ultra-high-speed data transfer, power delivery, or multi-device support through USB-C power connector. For more information about USB specifications, see [USB specifications](#) on page 13. For more information about power charging, see [Manage power](#) on page 17.

### **USB-A connector (USB 5Gbps, Always On USB)**

Charge smart phones, tablets, or other USB devices even when your computer is turned off, in sleep mode, or hibernating through the USB-A connector.

### **Audio connector**

Connect wired headphones, headsets, external speakers, or microphones for audio playback and recording through the audio connector.

\* for selected models

**Statement on USB transfer rate**

Depending on many factors such as the processing capability of the host and peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and will be slower than the data rate listed in the connector name or below for each corresponding device.

| USB device    | Data rate (Gbps) |
|---------------|------------------|
| Thunderbolt 3 | 40               |
| Thunderbolt 4 | 40               |

## Right-side view

Have a quick glance at the right side of your computer.

### ThinkPad P14s Gen 7



#### **Smart-card slot\***

Insert an smart card to transfer data. To install or remove a smart card, see [Use a smart card \(for selected models\)](#) on page 24.

#### **Nano-SIM-card tray\***

Insert a Nano-SIM card to establish a cellular connection. For details, see [Establish a cellular connection](#) on page 17.

#### USB-A **USB-A® connector (USB 5Gbps)**

The USB-A connector enables standard data transfer and peripheral connectivity, while also providing power output for compatible devices. For more information about USB specifications, see [USB specifications](#) on page 13.


#### **Ethernet connector**

Connect your computer to a local network with an Ethernet cable. For details, see [Connect to the wired Ethernet](#) on page 16.

## **Security slot**

Lock your computer to a desk, table, or other fixtures through a compatible security cable lock. For more information about the security slot, see [Lock the computer](#) on page 25.

## **ThinkPad P16s Gen 5**



## **Smart-card slot\***

Insert an smart card to transfer data. To install or remove a smart card, see [Use a smart card \(for selected models\)](#) on page 24.

## **SD card reader\***

Insert an SD card to transfer data. To install or remove a SD card, see [Use an SD card \(for selected models\)](#) on page 24.

## **Nano-SIM-card tray\***

Insert a Nano-SIM card to establish a cellular connection. For details, see [Establish a cellular connection](#) on page 17.

## USB-A **USB-A® connector (USB 5Gbps)**

The USB-A connector enables standard data transfer and peripheral connectivity, while also providing power output for compatible devices. For more information about USB specifications, see [USB specifications](#) on page 13.

## Ethernet connector

Connect your computer to a local network with an Ethernet cable. For details, see [Connect to the wired Ethernet](#) on page 16.

## Security slot

Lock your computer to a desk, table, or other fixtures through a compatible security cable lock. For more information about the security slot, see [Lock the computer](#) on page 25.

\* for selected models

### Note:

For more information about the USB connector name update, see [Notice for USB connector name update](#) on page 74.

## Statement on USB transfer rate


Depending on many factors such as the processing capability of the host and peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and will be slower than the data rate listed in the connector name or below for each corresponding device.

| USB device    | Data rate (Gbps) |
|---------------|------------------|
| Thunderbolt 3 | 40               |
| Thunderbolt 4 | 40               |


## Bottom view

Have a quick glance at the bottom part of your computer.

### ThinkPad P14s Gen 7



### ThinkPad P16s Gen 5



#### **Speaker**

The built-in dual stereo speakers deliver clear, balanced audio for everyday tasks from streaming movies to video calls.

#### **Emergency-reset hole**



Emergency-reset hole can help you to recover computer when the computer stops responding and you cannot turn it off by pressing the power button. Do the following to perform a hard reset:

1. Disconnect your computer from ac power.
2. Insert a straightened paper clip into the hole to cut off power supply temporarily.
3. Connect your computer to ac power and then turn on your computer.

 **Note:**

If your computer still does not respond, you can call Lenovo Customer Support Center to get further help.

 **CAUTION:**

**When the computer is operating, it should be placed on a hard and flat surface with its bottom area not in contact with user's bare skin. Under normal operating conditions, the temperature of the bottom surface will remain within an acceptable range as defined in IEC 62368-1, but such temperatures can still be high enough to cause discomfort or harm to the user if directly touched for over ten seconds at a time. As such, it is recommended that users avoid prolonged direct contact with the bottom of the computer.**

## Features and specifications

Get to know more hardware and software details of your computer.

| Specification     | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Memory            | One socket, Low Power Double Data Rate 5X (LPDDR5X) Compression Attached Memory Module (CAMM2), up to 96 GB                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Storage device    | One slot, 2280 M.2 solid-state drive, up to 2 TB (certain customized models support up to 4 TB)                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Audio             | <ul style="list-style-type: none"><li>• Dolby Atmos®</li><li>• Dolby Voice®</li></ul>                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Display           | <ul style="list-style-type: none"><li>• Color display with In-Plane Switching (IPS) or Organic Light-Emitting Diode (OLED) technology</li><li>• Display ratio: 16:10</li><li>• Display resolution:<ul style="list-style-type: none"><li>- ThinkPad P14s Gen 7: 1920 x 1200 pixels or 3072 x 1920 pixels</li><li>- ThinkPad P16s Gen 5: 1920 x 1200 pixels or 2880 x 1800 pixels</li></ul></li><li>• Multi-touch technology*</li></ul>                                                                                               |
| Security features | <ul style="list-style-type: none"><li>• Face authentication*</li><li>• Presence Sensing*</li><li>• Fingerprint reader (integrated in power button)</li><li>• Discrete Trusted Platform Module (dTPM)*</li></ul>                                                                                                                                                                                                                                                                                                                     |
| Wireless features | <ul style="list-style-type: none"><li>• Bluetooth</li><li>• NFC*</li><li>• GPS (on wireless WAN model)*</li><li>• Wireless LAN</li><li>• 5G Wireless WAN*</li></ul> <div> <b>Note:</b><br/>The 5G cellular service is provided by authorized mobile service carriers in some countries or regions. You must have a cellular plan from a service carrier to connect to the cellular network. The cellular data plan might vary by location.</div> |

| Specification        | Description                                |
|----------------------|--------------------------------------------|
| <b>Wired network</b> | Ethernet LAN (10Mbps / 100Mbps / 1000Mbps) |



\* for selected models

## USB specifications

Get to know more USB specifications.

### **Note:**

Depending on the model, some USB connectors might not be available on your computer.

| Connector name                                                                                                                                                                                                                                                                                                                                                                             | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <ul style="list-style-type: none"> <li>• USB-A connector (Hi-Speed USB)</li> <li>• USB-A connector (USB 5Gbps)</li> <li>• USB-A connector (USB 10Gbps)</li> </ul>                                                                                                                                        | <p>Connect USB-compatible devices, such as a USB keyboard, USB mouse, USB storage device, or USB printer.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|  <ul style="list-style-type: none"> <li>• USB-C connector (USB 5Gbps)</li> <li>• USB-C connector (USB 10Gbps)</li> <li>• USB-C connector (Thunderbolt 3)</li> <li>• USB-C connector (Thunderbolt 4)</li> <li>• USB-C connector (USB4 40Gbps)</li> <li>• USB-C connector (DP Alt mode DP 2.1)</li> </ul> | <ul style="list-style-type: none"> <li>• Charge USB-C compatible devices with the output voltage and current of 5 V and 3 A.</li> <li>• Connect to an external display: <ul style="list-style-type: none"> <li>- USB-C to VGA: up to 1920 x 1200 pixels, 60 Hz</li> <li>- USB-C to DP: up to 7680 x 4320 pixels, 60 Hz</li> </ul> </li> <li>• Connect to USB-C accessories to help expand your computer functionality. To purchase USB-C accessories, go to <a href="https://www.lenovo.com/accessories">https://www.lenovo.com/accessories</a>.</li> </ul> |

## Chapter 2 Get started with your computer

This chapter introduces the instructions of setting up your computer, various ways to connect to networks, and to interact with your computer.

### Set up your computer

This section helps you to set up your computer and get it ready for use.

#### Turn on the computer

Follow the instructions to turn on your computer.

1. Connect the power cord to the ac power adapter.
2. Connect the power adapter to your computer.
3. Plug the power cord into the ac power.
4. Press the power button to turn on your computer.

##### ThinkPad P14s Gen 7



##### ThinkPad P16s Gen 5



**Note:**

- The appearance varies depending on the computer model.
- Some models might not ship with ac adapters or power cords. Use only the certified adapters and power cords that comply with the requirements of relevant national standards (such as UL/EN/IEC 62368-1) to charge the product. It is recommended to use the Lenovo qualified adapters. Unqualified adapters may cause hazards. You can refer to <https://www.lenovo.com/us/en/compliance/eu-doc>.
- It is recommended to fully charge the computer when using it for the first time. Click the battery status icon at the bottom right of your desktop to check the battery status.

**Related topics**

- [Check the battery status](#) on page 17
- [Charge the computer with ac power](#) on page 17

## Complete the operating system setup

Before exploring your computer, you need to complete the operating system setup. The setup includes but is not limited to:

- Select the country or region.
- Connect to an available network.
- Accept the license agreement.
- Create a Microsoft account or log in with your Microsoft account.
- Set up your password, fingerprint, or facial recognition as preferred.
- Customize your experience.

**Note:**

- Depending on the model, some settings might not be available on your computer.
- Do not turn off your computer and ensure it is connected to the ac power during the whole process.

Follow the instructions to set up the operating system.

1. Connect the computer to the ac power and turn it on.
2. Follow the on-screen instructions to complete the operating system setup.

#### Related topics

- [Log in with your fingerprint](#) on page 25
- [Log in with facial recognition \(for selected models\)](#) on page 26

## Access networks

This section helps you connect to a wireless or wired network.

### Connect to Wi-Fi networks


Click the network icon  on the bottom right of your display to connect to an available network. Provide required information, if needed.

#### Note:

The wireless LAN module on your computer might support different standards. For some countries or regions, use of 802.11ax/be and/or 6 GHz frequency band might be disabled according to local regulations.

### Connect to the wired Ethernet

Connect your computer to a local network through the Ethernet connector on your computer with an Ethernet cable.



### Connect to a cellular network (for selected models)

This section introduces how to establish a cellular connection.

To connect a 4G or 5G cellular data network, you must have a wireless wide area network (WWAN) module and a nano-SIM card installed. The nano-SIM card might come with your computer by countries or regions. If no nano-SIM card is shipped, you will need to purchase one from authorized service carriers.


#### Note:

- Depending on the model, your computer might have no WWAN module installed.
- The 4G or 5G cellular service is provided by authorized mobile service carriers in some countries or regions. You must have a cellular plan from a service carrier to connect to the cellular network. The cellular data plan might vary by location.
- Network connection speeds might also vary by location, environment, network conditions and other factors.

## Establish a cellular connection

This section introduces how to establish a cellular connection.

1. Turn off the computer.
2. Insert a straightened paper clip into the hole in the nano-SIM-card tray. The tray ejects. Install a nano-SIM card as shown and insert the tray into the nano-SIM-card slot. Note the orientation of the card and ensure that it is seated correctly.



3. Turn on the computer.
4. Click the network icon, and then select the cellular network icon  from the list. Provide required information, if needed.

## Turn on Airplane mode

You might need to turn on Airplane mode if you board an airplane. When Airplane mode is on, all wireless features are turned off automatically. Click the network icon  on the bottom right of your display to turn on Airplane mode.



### Note:

You can enable Wi-Fi networks in this mode according to your actual needs.

## Manage power

Use the information in this section to achieve the best balance between performance and power efficiency.

### Check the battery status

Check the battery status to help use computer properly.

Go to **Settings > System** to check the battery status. For more details about your battery, refer to the Vantage app.

### Charge the computer with ac power

Power source of the ac power adapter (ThinkPad P14s Gen 7):

- Power: 100 W
- Sine-wave input at 50 Hz to 60 Hz
- Input rating of the ac power adapter: 100 V to 240 V ac, 50 Hz to 60 Hz
- Output rating of the ac power adapter: 20 V dc, 5 A

Power source of the ac power adapter (ThinkPad P16s Gen 5):

- Power: 100 W or 140 W

- Sine-wave input at 50 Hz to 60 Hz
- Input rating of the ac power adapter: 100 V to 240 V ac, 50 Hz to 60 Hz
- Output rating of the ac power adapter: 20 V dc or 28 V dc , 5 A


When the battery power is low, charge your battery by connecting your computer to ac power with the supplied power adapter. The 100 W ac power adapter supports the rapid charge function, the battery is 80% charged in about one hour when the computer is turned off. The actual charging time depends on the battery size, the physical environment, and whether you are using the computer.

Battery charging is also affected by its temperature. The recommended temperature range for charging the battery is between 10°C (50°F) and 35°C (95°F).



**Note:**

Some models might not ship with ac adapters or power cords. Use only the certified adapters and power cords that comply with the requirements of relevant national standards (such as UL/EN/IEC 62368-1) to charge the product. It is recommended to use the Lenovo qualified adapters. Unqualified adapters may cause hazards. You can refer to <https://www.lenovo.com/us/en/compliance/eu-doc>.



## Maximize the life of the battery

Follow the instructions to maximize the life of the battery.

- Use the battery until the charge is depleted and recharge the battery completely before using it. Once the battery is fully charged, it must discharge to 94% or lower before it will be allowed to recharge again.
- Keep the battery from full charge when it is not in heavy use. For more information, refer to the **Battery settings** tab in the **Power** section of the Vantage app.
- The battery might optimize its full charge capacity based on your usage. After prolonged periods of limited use, full battery capacity might not be available until you discharge to as low as 20% and recharge completely. For more information, refer to the **Battery settings** tab in the **Power** section of the Vantage app.

## Use the computer-to-computer charging function

Your computer supports charging between two Lenovo computers. Before using this function, ensure the following requirements are met:


- Use a USB-C to USB-C charging cable. The data-transfer cable will not deliver power.
- The USB-C connectors must support charging function.
- Both computers must be Lenovo computers and support the computer-to-computer charging function.

To use this function, do the following:

1. Connect the power adapter to either of the computers (computer A).



2. Use a USB-C to USB-C charging cable to connect computer A and computer B via their USB-C connectors.



**Note:**

The charging speed might vary depending on many factors, such as the battery level of both computers, the wattage of the ac power adapter, and whether the computers are in use during charging.

## Change the power settings

Follow the instructions to change the power settings of your preference.

For ENERGY STAR® compliant computers, the following power plan takes effect by default when your computer is on ac power and has been idle for a specified duration:

- Turn off the display: After 5 minutes
- Put the computer to sleep:
  - Intel models: After 5 minutes
  - AMD models: After 5 minutes

To change the power plan, the power button function and other settings, do the following:

1. Open the **Start** menu, and then click **Settings > System > Power & Battery > Screen, sleep, & hibernate timeouts**.
2. Change the settings as you prefer.

## Interact with your computer

Explore various ways to interact with your computer.

### Use the keyboard shortcuts

Keyboard shortcuts are keys or combinations of keys that provide a quick way to perform particular functions. They help you work more efficiently.

The following tables introduce the functions of keyboard shortcuts.

#### Fn lock and function keys

| Key / Key combination | Function description                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| fn+fn lock            | <p>Switch between the special and standard functions of the function keys (F1–F12).</p> <p>Function keys provide two sets of functions: special function and standard function. Icons on the keys denote the special function, such as  and . Characters on the keys denote the standard function, such as F1 and F2.</p> |

| Key / Key combination                                                               | Function description                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                     | <p>LED indicator on esc key indicates which function of the function keys is enabled:</p> <ul style="list-style-type: none"> <li>• When the indicator is off, the special function is enabled.</li> <li>• When the indicator is on, the standard function is enabled.</li> </ul> |
|    | Mute / Unmute (Speakers).                                                                                                                                                                                                                                                        |
|    | Decrease volume.                                                                                                                                                                                                                                                                 |
|    | Increase volume.                                                                                                                                                                                                                                                                 |
|    | Enable / Disable the microphone.                                                                                                                                                                                                                                                 |
|    | Decrease screen brightness.                                                                                                                                                                                                                                                      |
|    | Increase screen brightness.                                                                                                                                                                                                                                                      |
|  | Select and set up display devices.                                                                                                                                                                                                                                               |
| mode                                                                                | Launch and hide the Smart Modes widget.                                                                                                                                                                                                                                          |
| prt sc                                                                              | Print screen.                                                                                                                                                                                                                                                                    |
|  | Open Snipping Tool.                                                                                                                                                                                                                                                              |
|  | Launch the Smart Connect app.                                                                                                                                                                                                                                                    |
|  | Customize the function of this key in the Vantage app.                                                                                                                                                                                                                           |

#### Other general keyboard shortcuts

| Key / key combination                                                               | Function description                                                                                             |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
|  | <ul style="list-style-type: none"> <li>• Launch Copilot in Windows.</li> <li>• Launch Windows Search.</li> </ul> |

| Key / key combination                                                                 | Function description                                                                             |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
|                                                                                       | <p><b>Note:</b></p> <p>The function varies by countries or regions.</p>                          |
| fn+  | Open the Calculator (for ThinkPad P16s Gen 5).                                                   |
| fn+  | Open the context menu of the current active app.                                                 |
| fn+  | Adjust the keyboard backlight.                                                                   |
| fn+  | Go to beginning.                                                                                 |
| fn+  | Go to end.                                                                                       |
| fn+tab                                                                                | <p>Open Magnifier.</p> <p><b>Note:</b></p> <p>Press the Windows logo key+esc to turn it off.</p> |
| fn+4                                                                                  | Enter sleep mode.                                                                                |
| fn+B                                                                                  | Break operation.                                                                                 |
| fn+K                                                                                  | Scroll lock.                                                                                     |
| fn+P                                                                                  | Pause operation.                                                                                 |
| fn+S                                                                                  | Send system request.                                                                             |
| fn+N                                                                                  | Open system information Window.                                                                  |

You can customize keyboard settings in the Vantage app. To customize detailed settings, open the Vantage app, and then click **Device settings** > **Input**.

For more keyboard shortcuts, go to <https://support.lenovo.com/solutions/windows-support>.


## Connect to an external display

Connect your computer to a projector or a monitor to give presentations or expand your workspace.

### Connect to a wired display

You can connect a wired display with your computer through the USB-C connector and / or HDMI connector.

If your computer cannot detect the external display, right-click a blank area on the desktop and select **Display settings**. Then follow the on-screen instructions to detect the external display.



### Supported resolution

The following table lists the supported maximum resolution of the external display.

| Connect the external display to | Supported resolution |
|---------------------------------|----------------------|
| USB-C connector (Thunderbolt 4) | Up to 8K / 60 Hz     |
| HDMI connector                  | Up to 4K / 60 Hz     |

#### **Note:**

The refresh rate higher than 60 Hz can also be supported. If you set the refresh rate higher than 60 Hz, the maximum resolution might be limited.

### Connect to a wireless display

To use a wireless display, ensure that both your computer and the external display support the Miracast® feature.

Press Windows logo key+K and then select a wireless display to connect with.

### Set the display mode

Press  or fn key+  and then select a display mode of your preference.

### Change display settings

You can change the settings for both the computer display and the external display, such as the main or the secondary display, brightness, resolution, and orientation.

To change the settings, do the following:

1. Right-click a blank area on the desktop and select **Display settings**.
2. Select the display that you want to configure and change display settings of your preference.

### Transfer data

Quickly share your files using the built-in Bluetooth among devices with the same features. You also can insert a microSD card or smart card to transfer data.

## Connect to a Bluetooth device

You can connect all types of Bluetooth-enabled devices to your computer, such as a keyboard, a mouse, a smartphone, or speakers. To ensure successful connection, place the devices at most 10 meters (33 feet) from the computer.

### Conventional pair

This topic helps you connect to a Bluetooth device by conventional pair.

1. Type **Bluetooth** in the Windows search box and then press Enter.
2. Turn on both the Bluetooth on your computer and the Bluetooth device. Make sure the device is discoverable.
3. Select the device when it is displayed on the **Add device** list, and then follow the on-screen instructions.

### Swift pair

This topic helps you connect to a Bluetooth device by swift pair.

If your Bluetooth device supports swift pair, do the following:

1. Enable swift pair notification on Bluetooth settings page.
2. Turn on both the Bluetooth on your computer and the Bluetooth device. Make sure the device is discoverable.
3. Click **Connect** when a swift pair notification appears on your computer.

## Set up an NFC connection (for selected models)

Near Field Communication (NFC) is a short-range wireless communication technology used for identity recognition on your computer. It works with supported access cards and employee badges to assist with user authentication and system sign-in, helping improve security and convenience.

If your computer supports NFC, you will see an NFC mark or label  around the Trackpad area.

To turn on NFC:

1. Type **Airplane mode** in the Windows search box and then press Enter.
2. Ensure that Airplane mode is off and turn on the NFC function.


To use an NFC card, place the card near your computer within a few centimeters or inches as below.



### Use an SD card (for selected models)

You can insert an SD card to transfer data. SD card support is available on selected models only.

#### Install or remove a card



1. Click the triangular icon in the Windows notification area to show hidden icons.
2. Right-click the icon prompting you to safely remove hardware and eject media.
3. Select the corresponding item to eject the card from the Windows operating system.
4. Press the card and remove it from your computer. Store the card safely for future use.

### Use a smart card (for selected models)

You can insert a smart card to transfer data.

Supported smart card specifications: 85.60 mm (3.37 inches) x 53.98 mm (2.13 inches)



#### Attention:

Smart cards with slits are not supported. Do not insert such a smart card into the smart-card slot of your computer. Otherwise, the reader might get damaged.



## Chapter 3 Secure your computer and information


Your computer can safeguard your privacy and information through some privacy protection functions.

### Lock the computer

Lock your computer to a desk, table, or other fixtures through a compatible security cable lock.

#### **Note:**

The slot supports cable locks that conform to the Kensington NanoSaver® lock standards using Cleat™ locking technology. You are responsible for evaluating, selecting, and implementing the locking device and security feature. Lenovo is not responsible for the locking device and security feature. You can purchase the cable locks at <https://smartfind.lenovo.com>.



### Log in with fingerprint recognition

The fingerprint reader is integrated with the power button. You can power on and log in to the computer with your fingerprint. It eliminates the need to enter complex passwords, saving your time and boosting your productivity.

To enroll your fingerprints, do the following:


1. Type **Sign-in options** in the Windows search box and then press Enter.
2. Select **Fingerprint recognition (Windows Hello)** and then follow the on-screen instruction to enroll your fingerprint.

#### **Note:**


It is recommended that you put your finger at the center of the power button during enrollment and enroll more than one fingerprint in case of any injuries to your fingers. After the enrollment, the fingerprints are associated with the Windows password automatically.

3. Log in with your fingerprint. When the fingerprint reader indicator is solid green, tap your finger on the fingerprint reader for authentication.

**ThinkPad P14s Gen 7**



### ThinkPad P16s Gen 5



#### **Note:**

You can associate your fingerprints with your power-on password and NVMe password.

#### **Maintenance tips:**

- Do not scratch the surface of the reader with anything hard or sharp.
- Do not use or touch the reader with a wet, dirty, wrinkled, or injured finger.

## Log in with facial recognition (for selected models)

You can log in to the computer with your facial recognition. It provides precise and secure authentication.

For models come with a webcam privacy shutter, slide the webcam privacy shutter to uncover the camera lens before using the Windows Hello face recognition.

Set up facial recognition and unlock your computer by scanning your face:

1. Type **Sign-in options** in the Windows search box and then press Enter.
2. Select **Facial recognition (Windows Hello)** and then follow the on-screen instruction to enroll your facial ID.

## Protect data against power loss

NVMe (Non-Volatile Memory express) M.2 solid-state drive features the Lenovo-unique PLP (Power Loss Protection) function to avoid data loss or damage.

If your computer is not responding and you might have to shut down your computer by pressing and holding the power button for several seconds. In this case, the PLP function enables your computer data to be saved timely. However, there is no guarantee that all data is saved in any situation.

To check the type of your M.2 solid-state drive:

1. Restart the computer. When the logo screen is displayed, press F10 to enter the Lenovo diagnostics window.
2. On the TOOLS tab, select **SYSTEM INFORMATION > STORAGE** using the arrow keys.
3. Locate the **Device Type** section to check the information.



## USB-C Restricted Mode

USB-C Restricted Mode is a security feature that allows you to disable data transfer through USB-C connectors while the charge function of the USB-C connectors is kept. It helps prevent data from being copied from the computer to USB storage devices connected to the computer. By enabling this feature, you can use public USB charging stations, such as those found in cafes and hotel lobbies, without worrying about data leakage from the USB-C connector.

### **Note:**

- Before using this feature, ensure that the remaining battery power is not less than 5%. Otherwise, this feature can not be enabled.
- This feature can be enabled or disabled by key combinations only when the computer is turned on.

To enable or disable this feature, press Fn+U, and then press Fn+S.

After this feature is enabled, the LED indicator blinks briefly when a USB device is connected.



## FIDO (Fast Identity Online) authentication

Your computer supports FIDO (Fast Identity Online) authentication feature. This feature works as an alternative to password-based authentication to achieve passwordless authentication.

This feature only works when a power-on password is set in UEFI BIOS and the FIDO2 USB device is registered in ThinkShield™ Passwordless Power-On Device Manager. With this feature, you can input the power-on password or use the registered FIDO2 USB device to power on your computer.

### Register FIDO2 USB device in ThinkShield Passwordless Power-On Device Manager

Follow the instructions to register FIDO2 USB device in ThinkShield Passwordless Power-On Device Manager.

1. Turn on the computer.
2. Press F12 during the power-on process.
3. If you set a power-on password, you are prompted to enter the correct password.
4. Select **App Menu > ThinkShield Passwordless Power-On Device Manager** and press Enter
5. Insert the FIDO2 USB device to register the device by following steps:
  - a. Select the available FIDO2 USB device that you want to register in the **Discovered Devices** field.
  - b. Click **Yes** in the displayed window to confirm the device you selected
  - c. If you set a power-on password, you are prompted to enter the correct password.
  - d. The **User operation request** window is displayed. You are prompted to press the button on the connected FIDO2 USB device, and then follow the on-screen instructions to close the window.
  - e. Press Esc to exit and restart your computer.

**i Note:**

- If you want to unregister your devices, click the available FIDO2 USB device that you want to unregister in the **My Device** field and enter the correct power-on password for verification.
- If you use more than one FIDO2 USB device with a common identifier for registration, only one device is available.

## **Log in to the System with Passwordless Power-On Authentication**

Follow the instructions to log in to the System with Passwordless Power-On Authentication.

1. Restart the computer.
2. **ThinkShield Passwordless Power-On Authentication** window is displayed.
3. Insert your registered FIDO2 USB device for detection.
4. Then follow the on-screen instructions to press the button on your FIDO2 USB device for verification.
5. After your device is verified, the power-on process continues.

**i Note:**

You should insert the FIDO2 USB device or enter the power-on password within 60 seconds. Otherwise, your computer will shut down automatically.

## Chapter 4 Help and support

This chapter provides solutions to some hardware and software issues.

### Error messages

An error message is displayed for each error detected in POST or system operation. Refer to the error messages in the table below to solve your computer problems.


If you see a message that is not included in the following table, record the error message first, then shut down the computer and call Lenovo for help. See [Lenovo Customer Support Center](#) on page 36.

| Message                                                              | Solution                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0190: Critical low-battery error                                     | The computer turned off because the battery power is low. Connect the ac power adapter to the computer and charge the batteries.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 0191: System Security - Invalid remote change requested              | The system configuration change has failed. Confirm the operation and try again.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 0199: System Security - Security password retry count exceeded.      | This message is displayed when you enter a wrong supervisor password more than three times. Confirm the supervisor password and try again.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 0271: Check Date and Time settings.                                  | The date or the time is not set in the computer. Enter the UEFI BIOS menu and set the date and time.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 210x/211x: Detection/Read error on HDDx/SSDx                         | The storage drive is not working. Reinstall the storage drive. If the problem still exists, replace the storage drive.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Error: The non-volatile system UEFI variable storage is nearly full. | <div> <b>Note:</b><br/>This error indicates that the operating system or programs cannot create, modify, or delete data in the non-volatile system UEFI variable storage due to insufficient storage space after POST.<br/><br/>The non-volatile system UEFI variable storage is used by the UEFI BIOS and by the operating system or programs. This error occurs when the operating system or programs store large amounts of data in the variable storage. All data needed for POST, such as UEFI BIOS setup settings, chipset, or platform configuration data, are stored in a separate UEFI variable storage.</div> |

| Message | Solution                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|         | <p>Press F1 after the error message is displayed to enter the UEFI BIOS menu. A dialog asks for confirmation to clean up the storage. If you select "Yes", all data that were created by the operating system or programs will be deleted except global variables defined by the Unified Extensible Firmware Interface Specification. If you select "No", all data will be kept, but the operating system or programs will not be able to create, modify, or delete data in the storage.</p> <p>If this error happens at a service center, Lenovo-authorized service personnel will clean up the non-volatile system UEFI variable storage using the preceding solution.</p> |

## Battery-charge LED indicator diagnosis

The battery-charge LED indicator (hereafter referred to as LED indicator) blinks to help you diagnose and solve some computer problems.



### Indicator blinking patterns

The LED indicator blinks amber first and then white continually, consisting of different blinking patterns. Each blinking pattern corresponds to an error code. For example, when the LED indicator blinks amber once ● and then blinks white twice ○○, the blinking pattern ●○○ corresponds to error code 0001.

#### **Note:**

- The LED indicator blinks automatically only when the error in the following table occurs.
- The LED indicator blinks continually until the computer turns off. If you need to interrupt the process, press power button for a few seconds.
- We recommend that you speak to our Customer Support Center before attempting to service the computer yourself so that you can be directed to the correct documentation and repair information. It might be recommended to have a Lenovo-authorized service provider repair your computer depending on the complexity of the error or fault.

Refer to the blinking patterns and error codes in the table below to solve your computer problems.

| Blinking patterns | Error codes                                        | Solutions                                    |
|-------------------|----------------------------------------------------|----------------------------------------------|
| ●○○               | 0001: Reset error (platform reset not de-asserted) | 1. Do the following to perform a hard reset: |

| Blinking patterns | Error codes                                                                                 | Solutions                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------|---------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                                                                             | <ol style="list-style-type: none"> <li>Disconnect your computer from ac power.</li> <li>Insert a straightened paper clip into the hole to cut off power supply temporarily.</li> <li>Restart the computer with ac power connected.</li> </ol> <ol style="list-style-type: none"> <li>If step 1 does not work, replace the system board (service provider only).</li> </ol> |
| ● ○ ○ ○           | 0002: Internal bus error                                                                    | Replace the system board (service provider only).                                                                                                                                                                                                                                                                                                                          |
| ● ○ ○ ○ ○         | 0003: Non-Volatile Memory programming error in system power circuit                         | Replace the system board (service provider only).                                                                                                                                                                                                                                                                                                                          |
| ● ● ○             | 0282: Memory module error                                                                   | <ol style="list-style-type: none"> <li>Reinstall or replace the memory module.</li> <li>If step 1 does not work, replace the system board (service provider only).</li> </ol>                                                                                                                                                                                              |
| ● ● ○ ○           | 0283: PCI resource error                                                                    | <ol style="list-style-type: none"> <li>Remove PCIe devices (the M.2 card, PCIe card, and so on) (service provider only).</li> <li>If step 1 does not work, replace the system board (service provider only).</li> </ol>                                                                                                                                                    |
| ● ● ○ ○ ○         | 0284: TCG-compliant functionality-related error (might be the BIOS code validation failure) | Replace the system board (service provider only).                                                                                                                                                                                                                                                                                                                          |
| ● ● ○ ○ ○ ○       | 0285: TCG-compliant functionality-related error (might be the TPM initialization failure)   | Replace the system board (service provider only).                                                                                                                                                                                                                                                                                                                          |
| ● ● ● ○           | 0286: Integrated graphics error                                                             | Replace the system board (service provider only).                                                                                                                                                                                                                                                                                                                          |
| ● ● ● ○ ○         | 0287: Discrete graphics error                                                               | <ol style="list-style-type: none"> <li>Reinstall or replace the discrete graphics card (service provider only).</li> </ol>                                                                                                                                                                                                                                                 |

| Blinking patterns | Error codes                             | Solutions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   |                                         | 2. If step 1 does not work, replace the system board (service provider only).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| ●●●○○○            | 0288: Computer display error            | <ol style="list-style-type: none"> <li>1. Reconnect the display cable on both the system board side and the computer display side (service provider only) and check the display panel.</li> <li>2. If step 1 does not work, connect an external display to your computer and check the status (customer or service provider). <ul style="list-style-type: none"> <li>● If the external display works, replace the display panel (service provider only).</li> <li>● If the external display does not work, replace the system board (service provider only).</li> </ul> </li> </ol> |
| ●●●●○             | 0281: General embedded controller error | Replace the system board (service provider only).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

## Diagnostics tool

This section provides introduction to a set of diagnostics and troubleshooting tools at Lenovo Support Web site, the Vantage app, and in your computer. They can help you diagnose common software and hardware issues.

The following table lists these diagnostics tools and the recommended conditions for each tool.

| Diagnostics tool                                     | Recommended scenario                                                                                                                                                               |
|------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Troubleshoot and diagnose at Lenovo Support Web site | You want to have an online troubleshooting or scan of hardware and drivers on your computer.                                                                                       |
| Hardware scan                                        | <ul style="list-style-type: none"> <li>● Your computer is installed with the Vantage app.</li> <li>● You want to perform basic examinations of the hardware components.</li> </ul> |
| UEFI Diagnostics tool                                | <ul style="list-style-type: none"> <li>● You cannot log in to the operating system.</li> <li>● Your computer cannot connect to the network.</li> </ul>                             |

## Troubleshoot and diagnose at Lenovo Support Web site

Lenovo provides two different diagnosing options to help you identify and resolve problems on your computer.

1. Go to <https://www.pcsupport.lenovo.com/> and enter your product name in the search box.
2. Click **Troubleshoot & Diagnose** and select from the following two options depending on your needs.
  - If you are unsure of the problem with your computer, it is recommended that you select **Easy** and follow on-screen instructions to get your firmware updated and obtain the hardware status.
  - If you have identified the problem on your computer, you can select **Custom** and follow on-screen instructions to resolve the problem.

### **Note:**

- Before launching any automatic diagnosing process, a pop-up window will prompt you to install Lenovo Service Bridge. Lenovo Service Bridge helps to connect your computer with Lenovo diagnosing tools.
- Lenovo Support Web site makes periodic updates of the sections to keep improving your experience with your computer. The Web site interface and descriptions of sections might be different from that on your actual interface.

If solutions cannot resolve problems on your computer, you can follow on-screen instructions to submit an e-ticket or contact Lenovo for professional assistance.

## Hardware scan

Hardware scan is an effective hardware testing tool to help you identify existing hardware issues.

To run the Hardware scan:

1. Launch the Lenovo Commercial Vantage app.
2. Select **Device diagnostics** from the expanded menu on the left.
3. Choose one of the following ways to run the hardware scan:
  - Select **Hardware scan > Quick scan > Scan** to test all detected components.
  - Select **Hardware scan > Quick scan > Custom** to choose one or more components to test.
  - Select **Hardware scan > Manual tests > Continue > Scan** to choose one or more components to test.
4. For any detected issues, the required action varies depending on the product's warranty status and your geographic location. Follow the on-screen instructions to resolve the issue.

### **Note:**

Lenovo Commercial Vantage makes periodic updates to keep improving your experience. The setting path might be different from that on your actual interface.

## UEFI Diagnostics tool

UEFI Diagnostics tool enables you to view system information and identify hardware issues when you cannot log in to the operating system, or the computer cannot connect to the network.

To use the UEFI Diagnostics tool:

1. Connect your computer to ac power.
2. Turn on your computer, and press F10 immediately to enter the UEFI Diagnostics tool.
3. Follow the on-screen instructions to run the test.

4. Press Esc to exit the tool. Your computer will restart immediately.
5. If any hardware failure is detected and you are unable to locate and resolve the problem, you can call Lenovo Customer Support Center. See [Call Lenovo](#) on page 35.

## Lenovo Memory Self Repair (for Intel models only)

Lenovo Memory Self Repair (hereafter referred to as repair tool) enables you to repair memory single-bit or single-row failure with internal redundant resources.

It is recommended that you use the repair tool in the following situations:

- The operating system is unstable, such as having blue screen error or system crash.
- Any application operates abnormally, such as crashing or quitting unexpectedly.
- Any test result indicates memory-related errors.

### **Note:**

The repair tool can be used only when your computer can be turned on normally.

1. Restart the computer.
  2. When the logo screen is displayed, trigger the repair tool by one of the following methods:
    - Press F4.
    - Press Enter to enter **Startup Interrupt Menu**, and then press F4.
    - Press F12 to enter **App Menu**, and then select **Lenovo Memory Self Repair**.
  3. Read through the important information in the displayed window and click **Yes** to run the tool.
  4. Check the repair result on the pop-up dialog box. There are three types of results.
    - **Memory Repaired**: it means that the memory failure is detected and repaired.
    - **Memory failure detected but repair was unsuccessful**: it means that the memory failure is detected but cannot be repaired.
    - **No failure detected**: it means that no memory failure is detected.
- If the issue persists, you can try again or contact Lenovo for additional support.
5. Click **Continue** to turn on the computer.

### **Related topics**

[Call Lenovo](#) on page 35

## Detect memory retraining (for Intel models only)

Memory retraining is a process to initialize the memory module and run diagnostic tests for the memory module in your computer.

The memory retraining might occur during POST if any of the following situations is detected:

- Memory module replacement
- Total Memory Encryption setting change in the UEFI BIOS
- Memory Reference Code (MRC) change when the UEFI BIOS updates

When memory retraining occurs, the screen might be blank. You might see the LED indicators on Esc, F1, and F4 blinking sequentially to indicate the progress. Do not press the power button to interrupt the process. Wait a few minutes until the logo screen is displayed.



## Windows label

Windows Genuine Microsoft label indicates the edition of Windows preinstalled on your computer and whether the device is preinstalled with or licensed for genuine Windows.

Your computer might have a Windows Genuine Microsoft label affixed to its cover depending on the following factors:

- Your geographic location
- Edition of Windows that is preinstalled

Go to <https://www.microsoft.com/howtotell/Hardware.aspx> for illustrations of the various types of Genuine Microsoft labels.

- In the People's Republic of China, the Genuine Microsoft label is required on all computer models preinstalled with any edition of the Windows operating system.
- In other countries and regions, the Genuine Microsoft label is required only on computer models licensed for Windows Pro editions.

The absence of a Genuine Microsoft label does not indicate that the preinstalled Windows version is not genuine. For details on how to tell whether your preinstalled Windows product is genuine, refer to the information provided by Microsoft at <https://www.microsoft.com/howtotell/default.aspx>.

There are no external, visual indicators of the Product ID or Windows version for which the computer is licensed. Instead, the Product ID is recorded in the computer firmware. Whenever a Windows product is installed, the installation program checks the computer firmware for a valid, matching Product ID to complete the activation.

In some cases, an earlier Windows version might be preinstalled under the terms of the Windows Pro edition license downgrade rights.

## Call Lenovo

If you have tried to correct the problem yourself and still need help, you can call Lenovo Customer Support Center.

### Before you contact Lenovo

Prepare the needed information before you contact Lenovo.

#### 1. Record the problem symptoms and details:

- What is the problem? Is it continuous or intermittent?
- Any error message or error code?
- What operating system are you using? Which version?
- Which software applications were running at the time of the problem?
- Can the problem be reproduced? If so, how?

#### 2. Record the system information:

- Product name.
- Machine type and [serial number](#) on page 35.

### Find your service QR code and serial number

This topic helps you find service QR code and serial number.


Scan the QR code on the base cover assembly to view the following information:

- Your product information and warranty status

- The latest Lenovo-verified drivers and software
- Troubleshooting and diagnosing solutions when hardware or software issue is encountered
- Customer support center and e-ticket entry for professional support

You can find your serial number via:

- **Dashboard** or **Device** in the **Vantage** app
- Serial-number label of your computer (shown as below illustration)



## Lenovo Customer Support Center

During the warranty period, you can call Lenovo Customer Support Center for help.

### Telephone numbers

For a list of the Lenovo Support phone numbers for your country or region, go to <https://pcsupport.lenovo.com/supportphonenumberlist> for the latest phone numbers.



#### Note:

Phone numbers are subject to change without notice. If the number for your country or region is not provided, contact your Lenovo reseller or Lenovo marketing representative.

### Services available during the warranty period

- Problem determination - Trained personnel are available to assist you with determining if you have a hardware problem and deciding what action is necessary to fix the problem.
- Lenovo hardware repair - If the problem is determined to be caused by Lenovo hardware under warranty, trained service personnel are available to provide the applicable level of service.
- Engineering change management - Occasionally, there might be changes that are required after a product has been sold. Lenovo or your reseller, if authorized by Lenovo, will make selected Engineering Changes (ECs) that apply to your hardware available.

**Services not covered**

- Replacement or use of parts not manufactured for or by Lenovo or nonwarranted parts
- Identification of software problem sources
- Configuration of UEFI BIOS as part of an installation or upgrade
- Changes, modifications, or upgrades to device drivers
- Installation and maintenance of network operating systems (NOS)
- Installation and maintenance of programs

For the terms and conditions of the Lenovo Limited Warranty that apply to your Lenovo hardware product, go to:

- [https://www.lenovo.com/warranty/llw\\_02](https://www.lenovo.com/warranty/llw_02)
- <https://pcsupport.lenovo.com/warrantylookup>

# Chapter 5 CRU replacement

This section provides instructions on how to replace Customer Replaceable Units (CRUs).

## What are CRUs

Customer Replaceable Units (CRUs) are parts that can be replaced by the customer. The computers contain the following types of CRUs:

- **Self-service CRUs:** Refer to parts that can be replaced easily by customer themselves or by trained service technicians at an additional cost.
- **Optional-service CRUs:** Refer to parts that can be replaced by customers with a greater skill level. Trained service technicians can also provide service to replace the parts under the type of warranty designated for the customer's machine.

If you intend on installing a CRU, Lenovo will ship the CRU to you. CRU information and replacement instructions are shipped with your product and are available from Lenovo at any time upon request. You might be required to return the defective part that is replaced by the CRU. When return is required: (1) return instructions, a prepaid shipping label, and a container will be included with the replacement CRU; and (2) you might be charged for the replacement CRU if Lenovo does not receive the defective CRU within thirty (30) days of your receipt of the replacement CRU. For full details, see the Lenovo Limited Warranty documentation at [https://www.lenovo.com/warranty/llw\\_02](https://www.lenovo.com/warranty/llw_02).

## CRU list

This topic provides the CRU list of your computer.

### Self-service CRUs

- ac power adapter\*
- Base cover assembly
- M.2 solid-state drive
- M.2 solid-state drive bracket
- Nano-SIM-card tray\*
- Power cord\*

### Optional-service CRUs

- Built-in battery
- Coin-cell battery
- CAMM2 top cover
- CAMM2 memory module
- CAMM2 connector
- Keyboard
- Replaceable USB-C module
- Replaceable USB-C bracket
- Thermal fan
- Dummy fan (for ThinkPad P16s Gen 5 AMD)\*

- Wireless WAN module\*
- Wireless WAN module bracket\*

\* for selected models

**Note:**

Replacement of any parts not listed above should be done by a qualified repair technician or by ensuring that you carefully follow all instructions provided by Lenovo. You can also find Lenovo-authorized repair facilities by going to <https://support.lenovo.com/partnerlocator> for more information.

## Before you replace any CRU

Before replacing any CRU, ensure that you disable Fast Startup first and then disable the built-in battery.

### Disable Fast Startup

Follow the instructions to disable Fast Startup.

1. Go to **Control Panel** and view by Large icons or Small icons.
2. Click **Power Options**, and then click **Choose what the power buttons do** on the left pane.
3. Click **Change settings that are currently unavailable** at the top.
4. If prompted by User Account Control (UAC), click **Yes**.
5. Clear the **Turn on fast startup** check box, and then click **Save changes**.

### Disable the built-in battery

Follow the instructions to disable the built-in battery.

1. Restart your computer. When the logo screen is displayed, immediately press F1 to enter the UEFI BIOS menu.
2. Select **Config > Power**. The **Power** submenu is displayed.
3. Select **Disable Built-in Battery** and press Enter.
4. Select **Yes** in the Setup Confirmation window.

The built-in battery is disabled and the computer turns off automatically.

Wait three to five minutes to let the computer cool.

**Note:**

If your computer cannot enter the UEFI BIOS menu, you cannot disable the built-in battery. To ensure safety when you replace a CRU, it is recommended to do the following:

- For the built-in battery connected to the system board with cables: Disconnect the battery cables.
- For the CRUable built-in battery connected to the system board with comb connectors: Remove the battery. For the removal procedure, refer to the built-in battery replacement instructions in this documentation.
- For the non-CRUable built-in battery connected to the system board with comb connectors: Call Lenovo Customer Support Center for help.

To check whether the built-in battery on your computer is a CRU, see the CRU list in [CRU replacement](#) on page 38.

## Replace a CRU

Follow the instructions to replace a CRU.

### Base cover assembly

Follow the instructions to replace the base cover assembly.

Before you start, read [Generic Safety and Compliance Notices](#).

#### **Note:**

Do not remove the base cover assembly in the following situations. Otherwise, there might be a risk of short circuits.

- When your computer has the removable battery installed
- When your computer is connected to ac power


**Tool needed:** Phillips head screwdriver

For access, do the following:


1. Disable Fast Startup and the built-in battery. See [Before you replace any CRU](#) on page 39.
2. Turn off the computer and disconnect the computer from ac power and all connected cables.
3. Close the computer display.
4. Remove the nano-SIM-card tray if your computer comes with one. See [Establish a cellular connection](#) on page 17.
5. Turn over the computer.

1. Remove the base cover assembly as shown below.

#### **ThinkPad P14s Gen 7**



#### **ThinkPad P16s Gen 5**




**Note:**


If the base cover assembly cannot be opened by hand, use a pry tool to assist.

2. Install the base cover assembly as shown below.

**ThinkPad P14s Gen 7**



**ThinkPad P16s Gen 5**



If the computer does not start up after you reinstall the base cover assembly, disconnect the ac power adapter and then reconnect it to the computer.

## Built-in battery

Follow the instructions to replace the built-in battery.

Before you start, read [Generic Safety and Compliance Notices](#).



### CAUTION:

**Use only the Lenovo-authorized battery specified for the computer. Any other battery could ignite or explode.**

**Batteries supplied by Lenovo for use with your product have been tested for compatibility and should only be replaced with approved parts. A battery other than the one specified by Lenovo, or a disassembled or modified battery may not be covered by warranty.**

**Battery abuse or mishandling can cause overheating, liquid leakage, or an explosion. To avoid possible injury:**

- Do not open, disassemble or service any battery unless you are competent to do so and ensure that you carefully follow all instructions provided by Lenovo.
- Do not crush or puncture the battery.
- Do not short-circuit the battery, or expose it to water or other liquids.
- Keep the battery away from children.
- Keep the battery away from fire.
- Stop using the battery if it is damaged, or if you notice any discharge or the buildup of foreign materials on the battery leads.
- Store the rechargeable batteries or products containing the rechargeable batteries at room temperature, charged to approximately 30 to 50% of capacity. We recommend that the batteries be charged about once per year to prevent overdischarge.
- Do not put the battery in trash that is disposed of in landfills. When disposing of the battery, comply with local ordinances or regulations.
- If the battery is incorrectly replaced, there is danger of an explosion. The battery contains a small amount of harmful substances.



Lenovo recommends you use a qualified repair technician or ensure that you carefully follow all instructions provided by Lenovo. The Lenovo-authorized repair facilities or technicians recycle Lenovo batteries according to local laws and regulations. Please do not dispose of your battery with your household waste. For recycling information go to <https://www.lenovo.com/recycling>.



**Attention:**

Lenovo has no responsibility for the performance or safety of unauthorized batteries, and provides no warranties for failures or damage arising out of their use.

The Vantage app provides an automatic battery diagnostic test that determines if the built-in battery is defective. A built-in battery should not be replaced unless this diagnostic test shows that the battery is defective. The only exception to this is if the built-in battery is physically damaged or a customer is reporting a possible safety issue.


If the Vantage app is not installed on the computer, the customer should download and install the program to diagnose the built-in battery, before replacing a non-physically damaged built-in battery. Note that the replacement of a physically damaged built-in battery is not covered by the warranty.


For access, do the following:

1. Disable Fast Startup and the built-in battery. See [Before you replace any CRU](#) on page 39.
2. Turn off the computer and disconnect the computer from ac power and all connected cables.
3. Close the computer display and turn over the computer.
4. Remove the base cover assembly. See [Base cover assembly](#) on page 40.


**Tool needed:** Phillips head screwdriver


1. Remove the built-in battery as shown below.






2. Before installing the built-in battery, thoroughly check the battery compartment and ensure that there are no foreign or sharp objects that could cause damage to the built-in battery.
3. Install the built-in battery as shown below.





#### When installing:

- Ensure that the connector is attached firmly.
- Ensure that the Wireless WAN antenna cable is routed properly and does not block the battery screw holes.



- Ensure that the base cover assembly is secured in place. Otherwise, the battery connection might fail.

## Coin-cell battery




#### **DANGER:**

**Use only the Lenovo-authorized battery specified for the computer. Any other battery could ignite or explode.**

For access, remove these FRUs in order:

- [Base cover assembly](#) on page 40
- [Built-in battery](#) on page 42

1. Remove the coin-cell battery as shown below.



## 2. When installing:

- Ensure that the connector is attached firmly.
- Reset the system date and time in the BIOS menu.

## CAMM2 top cover


Follow the instructions to replace the CAMM2 top cover.

Before you start, read [Generic Safety and Compliance Notices](#) and print the following instructions.

For access, do the following:


1. Disable Fast Start up and the built-in battery. See [Before you replace any CRU](#) on page 39.
2. Turn off the computer and disconnect the computer from ac power and all connected cables.
3. Close the computer display and turn over the computer.
4. Remove the base cover assembly. See [Base cover assembly](#) on page 40.

You can scan the QR code on the CAMM2 top cover to view the replacement video.



**Tool needed:** Phillips head screwdriver


1. Remove the CAMM2 top cover as shown below. Ensure you loosen screws in alphabetical order.



| Step     | Thread (mm) | Length (mm) | Torque                                                                                   | Quantity |
|----------|-------------|-------------|------------------------------------------------------------------------------------------|----------|
| <b>1</b> | M2          | 5.0         | $0.18 \pm 0.015 \text{ N}\cdot\text{m}$<br>( $1.85 \pm 0.15 \text{ kgf}\cdot\text{cm}$ ) | 3        |

**Note:**

When removing the CAMM2 top cover, ensure you lift it vertically as shown below.




2. Install the CAMM2 top cover as shown below.


**Note:**

Before installing, ensure the memory module compartment is free of dust or contaminants.

a. Place the top cover on the CAMM2 memory module.




- b. Tighten the three captive screws twice in the order as shown below. To prevent screws from loosening, ensure you tighten screws twice.



**i Note:**

When tightening the screws:

- Use the correct type of Phillips-head screwdriver (#PH1).
- Press down the screwdriver with your palm to prevent the screwdriver from coming off. Otherwise, it might cause screw stripping.



## Troubleshooting

- Memory module replacement might cause memory retraining. For details, see [Detect memory retraining \(for Intel models only\)](#) on page 34.
- If the computer does not start up after replacement, check whether the three captive screws of the top cover are tightened firmly. If not, tighten screws firmly. Boot failure might not occur immediately after the replacement if screws are not tightened correctly.

## CAMM2 memory module


Follow the instructions to replace the CAMM2 memory module.

Before you start, read [Generic Safety and Compliance Notices](#) and print the following instructions.




### Attention:

Do not touch the contact area of the memory module. Touch only the edge of the memory module.



For access, do the following:

1. Disable Fast Start up and the built-in battery. See [Before you replace any CRU](#) on page 39.
  2. Turn off the computer and disconnect the computer from ac power and all connected cables.
  3. Close the computer display and turn over the computer.
  4. Remove the base cover assembly. See [Base cover assembly](#) on page 40.
  5. Remove the CAMM2 top cover. See [CAMM2 top cover](#) on page 46.
1. Remove the memory module as shown below.






2. Install the memory module as shown below.

**Note:**

Before installing, ensure the memory module compartment is free of dust or contaminants.



### Troubleshooting

- Memory module replacement might cause memory retraining. For details, see [Detect memory retraining \(for Intel models only\)](#) on page 34.
- If the computer does not start up after replacement, check whether the three captive screws of the top cover are tightened firmly. If not, tighten screws firmly. Boot failure might not occur immediately after the replacement if screws are not tightened correctly.


### CAMM2 connector

Follow the instructions to replace the CAMM2 memory module.

Before you start, read [Generic Safety and Compliance Notices](#) and print the following instructions.

**Attention:**


- Do not touch the pin area of the connector.
- Do not touch the contact area of the system board.



For access, do the following:

1. Disable Fast Start up and the built-in battery. See [Before you replace any CRU](#) on page 39.
2. Turn off the computer and disconnect the computer from ac power and all connected cables.
3. Close the computer display and turn over the computer.
4. Remove the base cover assembly. See [Base cover assembly](#) on page 40.
5. Remove the CAMM2 top cover. See [CAMM2 top cover](#) on page 46.
6. Remove the CAMM2 memory module. See [CAMM2 memory module](#) on page 50.


1. Remove the connector as shown below.



2. Install the connector as shown below.

**Note:**

- Before installing, ensure the memory module compartment is free of dust or contaminants.
- The connector has direction. Ensure that the cut-off corner is aligned with the marking on the system board.



### Troubleshooting

- Memory module replacement might cause memory retraining. For details, see [Detect memory retraining \(for Intel models only\)](#) on page 34.
- If the computer does not start up after replacement, check whether the three captive screws of the top cover are tightened firmly. If not, tighten screws firmly. Boot failure might not occur immediately after the replacement if screws are not tightened correctly.

## Keyboard

Before you start, read [Generic Safety and Compliance Notices](#).

For access, do the following:

1. Disable Fast Startup and the built-in battery. See [Before you replace any CRU](#) on page 39.
2. Turn off the computer and disconnect the computer from ac power and all connected cables.

### **i** Note:

You might be instructed to slide the keyboard frame forward or backward in some of the following steps. In this case, ensure that you do not press or hold the keys while sliding the keyboard frame. Otherwise, the keyboard frame cannot be moved.


**Tools needed:** Phillips head screwdriver

### Remove the keyboard


Follow the instructions to remove the keyboard.

1. Loosen the screws that secure the keyboard.


**ThinkPad P14s Gen 7**




### ThinkPad P16s Gen 5




2. Turn over the computer. Then, push the keyboard in the direction as shown by arrows to release the latches from the keyboard bezel.



3. Pivot the keyboard slightly upward **3** and then turn over the keyboard **4**.



4. Put the keyboard on the palm rest as shown and detach the connectors. Then, remove the keyboard.




### Install the keyboard

Follow the instructions to install the keyboard.

1. Fold or move the keyboard cable as shown below and ensure it is properly aligned.


### ThinkPad P14s Gen 7

Fold the cable along the **A(fold)** mark, then align the folded cable with the **A(align)** mark as shown.




### ThinkPad P16s Gen 5


Move the cable to the left and align it with the **B(align)** mark.




2. Attach the connectors and then turn over the keyboard.



3. Insert the keyboard into the keyboard bezel as shown. Ensure that the top edge of the keyboard (the edge that is close to the display) is under the keyboard bezel.




4. Slide the keyboard in the direction as shown. Ensure that the latches are secured under the keyboard frame.




5. Turn over the computer. Then, tighten the screws to secure the keyboard.

**ThinkPad P14s Gen 7**





### ThinkPad P16s Gen 5



## M.2 solid-state drive and its bracket

Follow the instructions to replace the M.2 solid-state drive and its bracket.

Before you start, read [Generic Safety and Compliance Notices](#).

**Attention:**

- If you replace an M.2 solid-state drive, you might need to install a new operating system. For details on how to install a new operating system, take the following steps:
  1. Go to <https://support.lenovo.com/documentation/sg10001>.
  2. Type **OS problems** in the search box at the top of the content list on the left panel and then press Enter.
  3. Click **OS problems** and then follow the on-screen instruction to install the Windows operating system.
- If your computer is installed with the color profiles, you need to reinstall the color profiles after installing a new operating system. For details, go to <https://support.lenovo.com/documentation/FS10170>.
- If your computer is installed with a hybrid solid-state drive (with Intel Optane memory), go to [https://support.lenovo.com/docs/tg\\_ssd](https://support.lenovo.com/docs/tg_ssd) to know the details on how to replace it.

The M.2 solid-state drive is sensitive. Inappropriate handling might cause damage and permanent loss of data.

When handling the M.2 solid-state drive, observe the following guidelines:

- Replace the M.2 solid-state drive only for repair. The M.2 solid-state drive is not designed for frequent changes or replacement.
- Before replacing the M.2 solid-state drive, make a backup copy of all the data that you want to keep.
- Do not apply pressure to the M.2 solid-state drive.
- Do not touch the contact edge or circuit board of the M.2 solid-state drive. Otherwise, the M.2 solid-state drive might get damaged.
- Do not subject the M.2 solid-state drive to physical shocks or vibration. Put the M.2 solid-state drive on a soft material, such as cloth, to absorb physical shocks.

**Tool needed:** Phillips head screwdriver


For access, do the following:

1. Disable Fast Startup and the built-in battery. See [Before you replace any CRU](#) on page 39.
2. Turn off the computer and disconnect the computer from ac power and all connected cables.
3. Close the computer display and turn over the computer.
4. Remove the base cover assembly. See [Base cover assembly](#) on page 40.


**Tool needed:** Phillips head screwdriver

1. Remove the M.2 solid-state drive and its bracket as shown below.

**Type 1:**



**Type 2:**



2. Install the M.2 solid-state drive and its bracket in reverse order.

**Note:**

If a single-sided adhesive thermal pad is used, ensure the adhesive side is attached to the system board.

## Wireless WAN module and its bracket (for selected models)

Follow the instructions to replace the Wireless WAN module and its bracket.

The following information is only for the computer with user-installable modules. Ensure that you use only a Lenovo-authorized wireless module specifically tested for this computer model. Otherwise, the computer will generate an error-code beep sequence when you turn on the computer.

Before you start, read [Generic Safety and Compliance Notices](#).

**Note:**

- Wireless WAN ready model identifies that product has preinstalled wireless WAN antennas and allows a user-installable wireless WAN module.
- Only wireless WAN model or wireless WAN ready model is allowed to install the optional Lenovo wireless WAN module.

**Attention:**


Do not touch the contact edge of the wireless WAN module. Otherwise, the wireless WAN module might get damaged.

For access, do the following:

1. Disable Fast Startup and the built-in battery. See [Before you replace any CRU](#) on page 39.
2. Turn off the computer and disconnect the computer from ac power and all connected cables.
3. Close the computer display and turn over the computer.
4. Remove the base cover assembly. See [Base cover assembly](#) on page 40.

**Tool needed:** Phillips head screwdriver

1. Remove the wireless WAN module and its bracket as shown below.




**Note:**

A plastic shield might cover the wireless WAN module. To access the wireless WAN module, peel off the plastic shield first.

2. Install the wireless WAN module and its bracket in reverse order.

**When installing:**

- Connect each cable to the connector indicated by the corresponding color marking on the wireless WAN module.
- Ensure that the blue cable is secured in the WAN module bracket.
- Ensure that the cable is routed properly and does not block the battery screw holes.



## Replaceable USB-C module and replaceable USB-C module bracket

Follow the instructions to replace the replaceable USB-C module and replaceable USB-C module bracket.


Before you start, read [Generic Safety and Compliance Notices](#) and print the following instructions.

For access, do the following:


1. Disable Fast Start up and the built-in battery. See [Before you replace any CRU](#) on page 39.
2. Turn off the computer and disconnect the computer from ac power and all connected cables.
3. Close the computer display and turn over the computer.
4. Remove the base cover assembly. See [Base cover assembly](#) on page 40.

**Tool needed:** Phillips head screwdriver

1. Remove the replaceable USB-C module and its bracket as shown below.
  - a. Remove the screws and the replaceable USB-C bracket.




- b. Push the replaceable USB-C module inward until it tilts up, and then remove it. When removing the replaceable USB-C module, remove the one marked 2 first, then the one marked 1.




**2. Install the replaceable USB-C module and its bracket as shown below.**

- a. Firstly, insert the replaceable USB-C module to the connector. Secondly, press down the replaceable USB-C module and then slide it outward until it aligns with the screw hole. When installing the modules, install the one marked 1 first, then the one marked 2.



- b. Place the replaceable USB-C module bracket in place and then tighten the screws to fix the replaceable USB-C module.



## Thermal fan kit

For access, do the following:


1. Disable Fast Start up and the built-in battery. See [Before you replace any CRU](#) on page 39.
2. Turn off the computer and disconnect the computer from ac power and all connected cables.
3. Close the computer display and turn over the computer.
4. Remove the base cover assembly. See [Base cover assembly](#) on page 40.


### **Note:**

For systems equipped with two thermal fans, replace both fans together to ensure they are supplied by the same vendor.

**Tool needed:** Phillips head screwdriver

1. Remove the thermal fan kit as shown below.





2. Install the thermal fan kit in reverse order.

**When installing:**

- Ensure that the connectors are attached firmly.
- Do not press the top of the fan cover and the fan hub.


**Dummy fan (for selected models)**

For access, remove [Base cover assembly](#) on page 40.

**Tool needed:** Phillips head screwdriver

1. Remove the dummy fan as shown below.





2. Install the dummy fan in reverse order.

## Appendix A Compliance information

This chapter provides the compliance information of your computer.

For compliance information, refer to *Regulatory Notice* at <https://pcsupport.lenovo.com> and *Generic Safety and Compliance Notices* at [https://pcsupport.lenovo.com/docs/generic\\_notices](https://pcsupport.lenovo.com/docs/generic_notices).

### Certification-related information

This section provides certification-related information, such as product name and machine type.

| Product name                           | Compliance ID                                                                                                                                                                    | Machine type(s) |
|----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| ThinkPad P14s Gen 7                    | <ul style="list-style-type: none"><li>TP00175A</li><li>TP00175A0<sup>1</sup></li><li>TP00175A1<sup>1</sup></li><li>TP00175A2<sup>1</sup></li></ul>                               | 21XJ and 21XK   |
| ThinkPad P16s Gen 5 (for Intel models) | <ul style="list-style-type: none"><li>TP00174A</li><li>TP00174A0<sup>1</sup></li><li>TP00174A1<sup>1</sup></li><li>TP00174A2<sup>1</sup></li><li>TP00174A3<sup>1</sup></li></ul> | 21XE and 21XF   |
| ThinkPad P16s Gen 5 (for AMD models)   | <ul style="list-style-type: none"><li>TP00174B</li><li>TP00174B0<sup>1</sup></li><li>TP00174B1<sup>1</sup></li><li>TP00174B2<sup>1</sup></li><li>TP00174B4<sup>1</sup></li></ul> | 21XG and 21XH   |

<sup>1</sup> for India only

Further compliance information related to your product is available at <https://www.lenovo.com/compliance>.

**Table 1: Korean Minimum Energy Performance Standard (MEPS) value (for ThinkPad P14s Gen 7)**

| Energy efficiency labeling          | Energy efficiency information |
|-------------------------------------|-------------------------------|
| Computer type                       | C                             |
| Annual power consumption (kWh)      | 5.3                           |
| Power consumption in sleep mode (W) | 0.69                          |

| Energy efficiency labeling        | Energy efficiency information |
|-----------------------------------|-------------------------------|
| Power consumption in off mode (W) | 0.27                          |

**Table 2: Korean Minimum Energy Performance Standard (MEPS) value (for ThinkPad P16s Gen 5 Intel)**

| Energy efficiency labeling          | Energy efficiency information |
|-------------------------------------|-------------------------------|
| Computer type                       | C                             |
| Annual power consumption (kWh)      | 6.2                           |
| Power consumption in sleep mode (W) | 0.91                          |
| Power consumption in off mode (W)   | 0.34                          |

**Table 3: Korean Minimum Energy Performance Standard (MEPS) value (for ThinkPad P16s Gen 5 AMD)**

| Energy efficiency labeling          | Energy efficiency information |
|-------------------------------------|-------------------------------|
| Computer type                       | C                             |
| Annual power consumption (kWh)      | 8.9                           |
| Power consumption in sleep mode (W) | 0.99                          |
| Power consumption in off mode (W)   | 0.35                          |

## Locate the UltraConnect wireless antennas


Your computer has an UltraConnect™ wireless antenna system. You can enable wireless communication wherever you are.

The following illustration shows the antenna locations on your computer:

## ThinkPad P14s Gen 7



## ThinkPad P16s Gen 5



- 1** Wireless LAN combo antenna (main and auxiliary)
- 2** Wireless WAN antenna (main)\*
- 3** Wireless WAN antenna (auxiliary)\*

\* for selected models

## Operating environment

This section provides information about the operating environment of your computer.

### Maximum altitude (without pressurization)

3048 m (10 000 ft)

### Temperature

- Operating: 5°C to 35°C (41°F to 95°F)
- Storage and transportation in original shipping packaging: -20°C to 60°C (-4°F to 140°F)
- Storage without packaging: 5°C to 43°C (41°F to 109°F)

#### **Note:**

When you charge the battery, its temperature must be no lower than 10°C (50°F).

### Relative humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage and transportation: 5% to 95% at wet-bulb temperature 27°C (81°F)

## Appendix B Important notice for Quebec consumers

In regard to section 79.18 of Quebec's Regulation respecting the application of the Consumer Protection Act, Lenovo in no way guarantees the availability of (a) replacement parts; (b) repair services; and (c) information necessary to maintain or repair the goods. For up-to-date information on the technical support and parts available for your purchase, please consult <https://support.lenovo.com/ca/en>.

En ce qui concerne l'article 79.18 du Règlement d'application de la Loi sur la protection du consommateur du Québec, Lenovo ne garantit en aucune façon la disponibilité des éléments suivants: (a) les pièces de rechange; (b) les services de réparation; et (c) les renseignements nécessaires à l'entretien à la réparation du bien. Pour obtenir des renseignements à jour sur le soutien technique et les pièces disponibles pour votre achat, veuillez consulter <https://support.lenovo.com/ca/fr>.

## Appendix C Accessibility features

Lenovo is committed to making information technology accessible to everyone, including individuals with hearing, vision, mobility, cognitive, or speech disabilities. To get the most up-to-date and detailed accessibility features information for the product, go to [https://support.lenovo.com/docs/product\\_accessibility\\_features](https://support.lenovo.com/docs/product_accessibility_features).

## Appendix D Notice for USB connector name update

The USB Implementers Forum published a revision of the guideline for USB connector names in September, 2022. Lenovo follows the revised guideline and updates USB connector names accordingly. You can refer to the table below for naming update details.

| Current name                                | Previous name                       |
|---------------------------------------------|-------------------------------------|
| USB-A connector (Hi-Speed USB)              | USB-A 2.0 connector                 |
| USB-A connector (USB 5Gbps)                 | USB-A 3.2 Gen 1 connector           |
| USB-A connector (USB 10Gbps)                | USB-A 3.2 Gen 2 connector           |
| USB-A connector (USB 5Gbps, Always On USB)  | Always on USB-A 3.2 Gen 1 connector |
| USB-A connector (USB 10Gbps, Always On USB) | Always on USB-A 3.2 Gen 2 connector |
| USB-C connector (USB 5Gbps)                 | USB-C (3.2 Gen 1) connector         |
| USB-C connector (USB 10Gbps)                | USB-C (3.2 Gen 2) connector         |
| USB-C connector (USB 20Gbps)                | USB 3.2 Gen 2x2                     |
| USB-C connector (USB4 20Gbps)               | USB 4 Gen 2x2                       |
| USB-C connector (USB4 40Gbps)               | USB-C (USB 4) connector             |
| USB-C connector (Thunderbolt 3)             | USB-C (Thunderbolt 3) connector     |
| USB-C connector (Thunderbolt 4)             | USB-C (Thunderbolt 4) connector     |



# Appendix E Notices and trademarks

## Notices

Lenovo may not offer the products, services, or features discussed in this document in all countries. Consult your local Lenovo representative for information on the products and services currently available in your area. Any reference to a Lenovo product, program, or service is not intended to state or imply that only that Lenovo product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Lenovo intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any other product, program, or service.

Lenovo may have patents or pending patent programs covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

*Lenovo (United States), Inc.*

*8001 Development Drive*

*Morrisville, NC 27560*

*U.S.A.*

*Attention: Lenovo Director of Licensing*

LENOVO PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

Changes are made periodically to the information herein; these changes will be incorporated in new editions of the publication. To provide better service, Lenovo reserves the right to improve and/or modify the products and software programs described in the manuals included with your computer, and the content of the manual, at any time without additional notice.

The software interface and function and hardware configuration described in the manuals included with your computer might not match exactly the actual configuration of the computer that you purchase. For the configuration of the product, refer to the related contract (if any) or product packing list, or consult the distributor for the product sales. Lenovo may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Lenovo product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Lenovo or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary.

Lenovo may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Lenovo Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Lenovo product, and use of those Web sites is at your own risk.

Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been

estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

This document is copyrighted by Lenovo and is not covered by any open source license, including any Linux® agreement(s) which may accompany software included with this product. Lenovo may update this document at any time without notice.

For the latest information or any questions or comments, contact or visit the Lenovo Web site:

<https://pcsupport.lenovo.com>

## **Trademarks**

Lenovo, Lenovo logo, ThinkPad, ThinkPad logo, and TrackPoint are trademarks of Lenovo. Intel and Thunderbolt are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. Linux is the registered trademark of Linus Torvalds in the U.S. and other countries. Microsoft, Windows, Windows Hello, BitLocker, and  are trademarks of the Microsoft group of companies. Dolby, Dolby Voice and Dolby Atmos are trademarks of Dolby Laboratories Licensing Corporation. The terms HDMI and HDMI High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries. USB4® and USB-C® are registered trademarks of USB Implementers Forum. Wi-Fi and Miracast are registered trademarks of Wi-Fi Alliance. All other trademarks are the property of their respective owners.