Pre-sales leaflet for United Kingdom (2016, May 29)



Philips 5.1 Home theatre

• DVD

HTD3500/12

Powerful Surround Sound

Home theatre system

Bring the power of the cinema into your home! The Philips HTD3500/12 Home theatre with exposed speaker drivers offers powerful surround sound and DVD video upscaling to 1080p via HDMI for near-HD images.

Benefits

Great listening experience

- 300 W RMS power delivers great sound for movies and music
- Dolby Digital for ultimate movie experience
- Exposed speaker drivers for powerful surround sound

Simply enjoy all your entertainment

- Audio-in to enjoy music from iPod/iPhone/MP3 player
- EasyLink to control all HDMI CEC devices via a single remote
- HDMI for high definition movies and picture quality
- Plays DVD, VCD, CD and USB devices

Designed to enhance your cinema at home

• Modern design to complement your home environment



Features

300 W RMS power



Dolby Digital



Because Dolby Digital standards, the world's leading digital multi-channel audio standards, make use of the way the human ear naturally processes sound, you experience superb quality surround sound audio with realistic spatial cues.

Audio in



Audio-in allows you to easily play your music directly from your iPod/iPhone/ iPad, MP3 player or laptop via a simple connection to your home cinema. Simply connect your audio device to the Audio-in jack to enjoy your music with the superior sound quality of the Philips home cinema system.

EasyLink



EasyLink lets you control multiple devices like DVD players, Blu-ray players, soundbar speakers, Home theatre systems and TVs etc. with one remote. It

Specifications

Please note that this is a pre-sales leaflet. The contents of this leaflet reflect the best of our knowledge per date and country mentioned above. The contents of this leaflet are subject to change without notice. Philips does not accept any liability as to the contents of this leaflet.

Sound

Equalizer settings	Gaming Movie Music News Original
Sound Enhancement Sound System	Night Mode Dolby Digital 5.1
Cube speaker output power	5 x 50 W
Subwoofer output power	50 W
Total Power RMS @ 30% THD	300 W

Loudspeakers Loudspeaker types

Loudspeaker types	JXCu
Drivers per Cube	1 x 2.5
speaker	
Cube speaker freq	150–20
range	
Cube speaker impe-	4 ohm
dance	
Subwoofer type	Passive
Subwoofer driver	1 x 5.2
Subwoofer freq range	20–150
Subwoofer impe-	4 ohm
dance	

5 x Cube speakers 1 x 2.5" woofer 150–20k Hz

Passive 1 x 5.25" woofer 20–150 Hz 4 ohm

Connectivity

Front Connections

Music iLINK

uses HDMI CEC industry-standard protocol to share functionality between devices through the HDMI cable. With one touch of a button, you can operate all your connected HDMI CEC-enabled equipment simultaneously. Functions like standby and play can now be carried out with absolute ease.

HDMI for HD movies



HDMI is a direct digital connection that can carry digital HD video as well as digital multichannel audio. By eliminating the conversion to analogue signals it delivers perfect picture and sound quality, completely free from noise. Movies in standard definition can now be enjoyed in true high definition resolution—ensuring more details and more true-to-life pictures.

Plays it all



Play virtually any disc and any media devices you want - whether they are DVDs, VCDs, CDs or USB devices. Experience the unbeatable convenience of great playability, and the luxury of sharing media files on your TV or home theatre system.

Modern design

Exposed speaker drivers



data subject to change 2016, May 29

Rear Connections	USB AUX in Click-fit Speaker Connectors Composite video (CVBS) output Digital optical in HDMI 1.4 output (ARC)	Centre Speaker Weight Centre Speaker cable length Front Speaker (W x H x D)	0.28 kg 2 m 84.5 x 89 x 89 mm
	Fixed FM Antenna	Front Speaker Weight	0.28 kg
Convenience		Front Speaker cable	3 m
EasyLink (HDMI- CEC)	Audio Return Channel Automatic audio input mapping	length Rear Speaker (W × H × D)	84.5 x 89 x 89 mm
	One touch play One touch standby Remote Control-Passthrough	Rear Speaker Weight Rear Speaker cable length	0.28 kg 7 m
	System standby	Subwoofer (W x H x D)	160 x 267.5 x 265 mm
Tuner/Reception/Transm		Subwoofer cable	2 m
Tuner Bands Number of Pre-set Channels	FM 40	length Subwoofer Weight Packaging (W x H x D)	2.5 kg 520 x 310 x 377 mm
Optical Playback Media		Weight incl. Pack-	9 kg
Playable Discs	CD CDDA	aging	
	CD-R/CD-RW	Accessories	
	DVD DVD +R/+RW	Compatible accesso- ries	STS3001 Speaker stand
	DVD -R/-RW SVCD VCD	Included accessories	2 x AAA Batteries Power cord Quick start guide Remote Control
File Format			Safety and Legal Leaflet
Audio	mp3 wma		Trademarks Sheet User manual on CD-ROM World Wide Warranty leaflet
Picture Video	JPEG avi	Product dimensions	
	DivX mpeg	Height	21.8 cm
	mpg	Width	36 cm
Audio Playback		Depth Weight	32.5 cm 2.8 kg
Compression format	MP3	Outer Carton	
MP3 bit rates	WMA 32 - 320 kbps	Number of consumer	1
		packages	
Video Playback	D: Y.L.	Length Width	38.3 cm 32.4 cm
Compression formats	DivX Ultra MPEG1	Height	52.4 cm
	MPEG2	Gross weight	7.67 kg
	MPEG4	Net weight Tare weight	6.56 kg 1.11 kg
Still Picture Playback		EAN	87 12581 64831 2
Compression format	IPEG	Packaging dimensions	
Picture Enhancement	Rotate	Height	52.40 cm
	Slideshow with music playback	Width	38.30 cm
	Zoom	Depth	32.40 cm
Picture/Display		Net weight	6.56 kg
Picture enhancement	HD (720p, 1080i, 1080p)	Gross weight EAN	7.67 kg 08712581648312
	Progressive scan Video upscaling	Number of products included	1
Power		Country of origin Harmonised Systems	NL 852190
Power consumption	55 W	Code	
Power supply	220-240 V	Loading Unit	
Standby power	50 Hz < 0.5 W	Number of consumer	16
consumption		packages Length	104.00 cm
Dimensions		Width	75.60 cm
Main Unit (W x H x	360 x 58 x 325 mm	Height Gross weight	124.00 cm 118.40 kg
D) Main I Init) (/ init	2.40.1	Net weight	104.96 kg
Main Unit Weight Centre Speaker (W x H x D)	2.40 kg 84.5 x 89 x 89 mm	GTIN/EĂN Type	68712581648314 8845

Number of CTIs per 4 stack layer Number of stack 4 layers per unit

Number of outer cartons per layer 4



data subject to change 2016, May 29

Version: 6.2.8 EAN: 08712581648312 $\ensuremath{\mathbb{C}}$ 2016 Koninklijke Philips Electronics N.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com