

Current version : 2.3.1, issued: 27.10.2022

Replaced version: 2.3.0, issued: 22.10.2015

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

Trade name

Boardmarker refill ink 119504 (green) contained in: TZ 100

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Refill ink Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

Legamaster International B.V. Kwinkweerd 62 Postbus 111 7240 AC Lochem The Netherlands

Telephone no. +31 (0) 573-713000

Information provided by / telephone +31 (0) 573-713000

Advice on Safety Data Sheet sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)30 30686 790 (Giftnotruf Berlin)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Flam. Liq. 2; H225 STOT SE 3; H336

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Danger

Hazardous component(s) to be indicated on label: propan-1-ol



Current version : 2.3.1, issued: 27.10.2022

Replaced version: 2.3.0, issued: 22.10.2015

Region: GB

Hazard statement(s) H225 H318 H336	Highly flammable liquid and vapour. Causes serious eye damage. May cause drowsiness or dizziness.
Precautionary statement	(s)
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P370+P378	In case of fire: Use water spray, extinguishing powder, foam or CO2 to extinguish.
P405	Store locked up.
P501	Dispose of contents/container to a facility in accordance with local and national regulations.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Chemical characterization Mixture (preparation)

Hazardous ingredients

No	Substance name		Addit	ional informatio	n	
	CAS / EC / Index /	S / EC / Index / Classification (EC) 1272/2008 (CLP)	Concentration			%
	REACH no					
1	propan-1-ol					
	71-23-8	Eye Dam. 1; H318	>=	50.00 - <	100.00	wt%
	200-746-9	Flam. Liq. 2; H225				
	603-003-00-0	STOT SE 3; H336				
	-					
2	propan-2-ol					
	67-63-0	Eye Irrit. 2; H319	>=	2.50 - <=	10.00	wt%
	200-661-7	Flam. Liq. 2; H225				
	603-117-00-0	STOT SE 3; H336				
	-					
3	1-methoxy-2-propa	nol				
	107-98-2	Flam. Liq. 3; H226	>=	2.50 - <=	10.00	wt%
	203-539-1	STOT SE 3; H336				
	603-064-00-3					
	-					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

3.3 Other information

The data subject of this Material Safety Data sheet refer to the ink contained in this product (marker).

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. Poisonous symptoms can first be observed after several hours, therefore medical observation for at least 48 hours is necessary.



Current version : 2.3.1, issued: 27.10.2022

Replaced version: 2.3.0, issued: 22.10.2015

Region: GB

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Do not induce vomiting. Call a doctor immediately. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed No data available.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam; Extinguishing powder; Carbon dioxide; Water spray jet

Unsuitable extinguishing media High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO)

5.3 Advice for firefighters

Cool endangered containers with water spray jet. Use self-contained breathing apparatus. Suppress gases/vapours/mists with water spray jet. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Keep away from ignition sources.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn. Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures



Current version : 2.3.1, issued: 27.10.2022

Replaced version: 2.3.0, issued: 22.10.2015

Region: GB

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Do not inhale vapours. Clean skin thoroughly after work; apply skin cream.

Advice on protection against fire and explosion

Vapours can form an explosive mixture with air. Take precautionary measures against static charges. Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products None known

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.					
1	propan-1-ol	71-23-8		200-746-9					
	List of approved workplace exposure limits (WELs) / EH40								
	Propan-1-ol								
	WEL short-term (15 min reference period)	625	mg/m³	250	ppm				
	WEL long-term (8-hr TWA reference period)	500	mg/m³	200	ppm				
	Comments	Sk							
2	propan-2-ol	67-63-0		200-661-7					
	List of approved workplace exposure limits (WELs) /	EH40							
	Propan-2-ol								
	WEL short-term (15 min reference period)	1250	mg/m³	500	ppm				
	WEL long-term (8-hr TWA reference period)	999	mg/m³	400	ppm				
3	1-methoxy-2-propanol 107-98-2 203-539-1								
	2000/39/EC								
	1-Methoxypropanol-2								
	WEL short-term (15 min reference period)	568	mg/m³	150	ppm				
	WEL long-term (8-hr TWA reference period)	375	mg/m³	100	ppm				
	Skin resorption / sensibilisation	Skin							
	List of approved workplace exposure limits (WELs) / EH40								
	1-Methoxypropan-2-ol								
	WEL short-term (15 min reference period)	560	mg/m³	150	ppm				
	WEL long-term (8-hr TWA reference period)	375	mg/m³	100	ppm				
	Comments	Sk							

8.2 Exposure controls

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)



Current version : 2.3.1, issued: 27.10.2022

Replaced version: 2.3.0, issued: 22.10.2015

Region: GB

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Normal chemical work clothing.

Environmental exposure controls No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation	· ·		
liquid			
Form			
liquid			
Colour			
green			
Odour			
characteristic			
pH value			
No data available			
Boiling point / boiling range			
Value		82	3°
Melting point/freezing point No data available			
Decomposition temperature			
No data available			
Flash point			
Value		13	°C
Ignition temperature			
Value		287	3 °
Auto-ignition temperature			
Comments	Product is not selfic	niting.	
Explosive properties			
The product is not explosive. Formation of explo	sive/highly flammable	e air-vap	our mixtures is possible during/after use.
Flammability			
No data available			
Lower explosion limit Value		2.4	% vol
		2.1	70 VUI
Upper explosion limit Value		13.5	% vol
		13.3	70 VUI
Vapour pressure Value		19	hPa
Reference temperature		20	°C
Relative vapour density			



Region: GB

Trade name: Boardmarker refill ink 119504 (green) contained in: TZ 100

Current version : 2.3.1, issued: 27.10.2022

Replaced version: 2.3.0, issued: 22.10.2015

No data available			
Relative density			
No data available			
Density			
no data available			
Solubility in water			
Comments	partially miscible		
Solubility			
No data available			
	- \		
Partition coefficient n-octanol/water (log value No data available	9)		
Kinematic viscosity			
Value		11.5	mPa*s
Reference temperature		20	C
Туре	dynamic		
Solvent content			
Value		81.3	%
Solids content			
Value		6.5	%
Particle characteristics			
No data available			
2 Other information			
Other information			
No data available.			
ECTION 10: Stability and reactivity			

10.1 Reactivity

9.2

SE

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions No data available.

- 10.4 Conditions to avoid No data available.
- 10.5 Incompatible materials No data available.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	te oral toxicity		
No	Substance name	CAS no.	EC no.
1	propan-1-ol	71-23-8	200-746-9
LD5	0	800	0 mg/kg bodyweight
Spe	cies	rat	
Sou	rce	Manufacturer	
2	propan-2-ol	67-63-0	200-661-7



Region: GB

Trade name: Boardmarker refill ink 119504 (green) contained in: TZ 100

Current version : 2.3.1, issued: 27.10.2022

Replaced version: 2.3.0, issued: 22.10.2015

LD50)			5280		mg/kg bodyweight
Spec	cies	rat		0200		
Sour		Manufacturer			000 5	00 4
3 LD50	1-methoxy-2-propanol	1	107-98-2	5660	203-5	39-1 mg/kg bodyweight
Spec		rat		3000		ing/kg bodyweight
Sour		Manufacturer				
Acut	te dermal toxicity					
No	Substance name		CAS no.		EC no).
1	propan-1-ol		71-23-8		200-7	46-9
LD50				4000		mg/kg bodyweight
Spec Sour		rabbit Manufacturer				
2	propan-2-ol	Inanulaciulei	67-63-0		200-6	61-7
LD50			0.000	12800		mg/kg bodyweight
Spec		rabbit				
Sour		Manufacturer			000 5	00 4
3 LD50	1-methoxy-2-propanol		107-98-2	9999.99	203-5	39-1 mg/kg bodyweight
Spec		rabbit		3333.33		ing/kg bodyweigilt
Sour		Manufacturer				
Δου	te inhalational toxicity					
No	Substance name		CAS no.		EC no).
1	propan-1-ol		71-23-8		200-7	
LC50		>		33.8		mg/l
	ition of exposure	Vanaur		4		h
State	e of aggregation	Vapour rat				
Meth		OECD 403				
Sour		ECHA				
2	propan-2-ol	Г	67-63-0		200-6	
LC50) Ition of exposure			72.6 4		mg/l h
	e of aggregation	Vapour		4		
Spec		rat				
Sour	ce	Manufacturer				
Skin	corrosion/irritation					
	ata available					
Serie	ous eye damage/irritation					
	ata available					
Rosi	piratory or skin sensitisation					
	ata available					
	n cell mutagenicity ata available					
	roduction toxicity ata available					
	cinogenicity					
NO d	ata available					
	T - single exposure					
No d	ata available					
STO	T - repeated exposure					
	ata available					
	iration hazard					
Asp						
	ata available					



Current version : 2.3.1, issued: 27.10.2022

Replaced version: 2.3.0, issued: 22.10.2015

Region: GB

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Inhalation of solvent vapours in higher concentration may lead to nausea, headache, drowsiness and dizziness. Repeated and prolonged skin contact may cause removal of natural fat from the skin and irritation of the skin. Eye contact with the product may lead to irritation.

11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information No data available.

SECTION 12: Ecological information

12.1 Toxicity

No	Substance name	CAS no.		EC no.		
1	propan-2-ol	67-63-0		200-661-7		
LC5	0		9640	mg/l		
Dura	ation of exposure		96	h		
Spe	cies	Pimephales promelas				
Sou	rce	Manufacturer				
Toxi	icity to fish (chronic)					
No c	lata available					
Гохі	icity to Daphnia (acute)					
No	Substance name	CAS no.		EC no.		
1	propan-2-ol	67-63-0		200-661-7		
EC5	0		13299	mg/l		
	ation of exposure		48	h		
Spe	cies	Daphnia magna				
Sou	rce	Manufacturer				
Toxi	icity to Daphnia (chronic)					
	lata available					
	city to algae (acute)					
No	Substance name	CAS no.		EC no.		
1	propan-2-ol	67-63-0		200-661-7		
EC5		>	1000	mg/l		
	ation of exposure		72	h		
Spe		Desmodesmus subspicatus	5			
Sou	rce	Manufacturer				
Toxi	city to algae (chronic)					
No data available						
No c						
Bac	teria toxicity data available					

12.2 Persistence and degradability

Bioc	legradability				
No	Substance name	CAS no.	EC no.		
1	propan-2-ol	67-63-0	200-661-7		
Valu	e		95 %		
Dura	ation		21 day(s)		
Meth	nod	OECD 301 E			
Source Manufacturer					
Eval	Evaluation readily biodegradable				

12.3 Bioaccumulative potential

No data available.



Current version : 2.3.1, issued: 27.10.2022

Replaced version: 2.3.0, issued: 22.10.2015

Region: GB

Mobility in soil 12.4

No data available.

- Results of PBT and vPvB assessment 12.5 No data available.
- 12.6 Endocrine disrupting properties No data available.
- 12.7 Other adverse effects No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN Class 3 Classification code F1 Packing group Ш Hazard identification no. 33 **UN** number UN1263 Proper shipping name PAINT RELATED MATERIAL **Special Provision 640** 640D Tunnel restriction code D/E

14.2 Transport IMDG

I abel

Class	3
Packing group	II.
UN number	UN1263
Proper shipping name	PAINT RELATED MATERIAL
EmS	F-E, S-E
Label	3

14.3 Transport ICAO-TI / IATA

Class	3
Packing group	II
UN number	UN1263
Proper shipping name	Paint related material
Label	3

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

3

14.6 Special precautions for user No data available.



Current version : 2.3.1, issued: 27.10.2022

Replaced version: 2.3.0, issued: 22.10.2015

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

 The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.
 No
 3, 40

 The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.
 No
 3, 40

No	Substance name	CAS no.	EC no.	No
1	propan-1-ol	71-23-8	200-746-9	75
2	propan-2-ol	67-63-0	200-661-7	75

 Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

 This product is subject to Part I of Annex I, risk category:
 P5b

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.

Creation of the safety data sheet

UMCO GmbH Georg-Wilhelm-Str. 187, D-21107 Hamburg Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience. The safety data sheet describes products with a view to safety requirements. It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 643856



Current version : 2.3.1, issued: 27.10.2022

Replaced version: 2.3.0, issued: 22.10.2015

Region: GB