HP LaserJet Pro 500 color MFP M570

HP's best value for colour laser productivity

Finish jobs faster, produce high-impact colour, and get set up and connected quickly^{1,2}. Print from your smartphone or tablet with HP ePrint³. Easily conserve resources and recycle used cartridges⁴.





Expand your performance potential.

- Increase productivity and finish scanning jobs faster with single-pass, dual-head scanning.
- Print documents at up to 30 pages per minute⁵. Rely on a robust recommended monthly page volume of 1500 to 4000 pages.
- Convert hard copies to digital files for easy distribution and storage, and make flawless copies.
- Easily handle jobs to stay productive, using the 50-sheet document feeder and automatic two-sided printing.

Show off with powerful colour.

- Simplify workflows: access, store and print business content quickly with an 8.89 cm (3.5-inch) colour touchscreen⁶.
- Make maximum impact optimise colour settings and get vivid results with incredible resolution.
- Produce top-notch marketing materials in the office on a broad range of media and in a variety of sizes.
- Start working fast with preinstalled cartridges. Get better value with optional high-capacity cartridges⁷.

Enjoy fast, easy set-up and stay connected.

- Use HP Auto Wireless Connect to configure networking without wires.¹
- Print from your smartphone or tablet with HP ePrint³. Easily send prints from devices without a network^{2,8}.
- Use resources more efficiently with wireless and 10/100/1000T Gigabit Ethernet networking access, print, and share⁹.
- Proactively manage this MFP, using HP Web Jetadmin to monitor office printing and device status remotely.

Help reduce your environmental impact.

- Help save energy with HP Auto-On/Auto-Off Technology, Instant-on Copy, and Instant-on Technology¹⁰.
- Conserve resources and save paper use automatic two-sided printing.
- Get centralised, easy access to custom energy-saving options and printer settings with HP EcoSMART Console.
- Reduce your impact easily recycle Original HP LaserJet toner cartridges through HP Planet Partners⁴.

Product walkaround

HP LaserJet Pro 500 color MFP M570dw shown

- Flatbed scanner
 250-sheet output bin
- 3. One-door access to the preinstalled print cartridges
- 4. 250-sheet input tray 2
- 5. 50-sheet automatic document feeder
- 6. 8.89 cm (3.5 in) color touchscreen control panel with HP Business Apps
- 7. Easy-access USB port
- 8. Wireless networking
- 9. 100-sheet multipurpose tray
- 10. Convenient front on/off button
- 11. Built-in 10/100 Ethernet networking
- 12. Hi-speed USB 2.0 printing port
- 13. Phone extension port
- 14. Fax port
- 15. Power connection





Series at a glance





Model	HP LaserJet Pro 500 color MFP M570dn	HP LaserJet Pro 500 color MFP M570dw
Product number	CZ271A	CZ272A
Print and copy speed A4/letter (colour and black)	Up to 30/31 ppm	
8.89 cm (3.5 in) color touchscreen and business app access	Yes	
100-sheet multipurpose tray; 250-sheet input tray 2; 250-sheet output bin	Yes	
Automatic two-sided printing, copying, and scanning	Yes	
Built-in 10/100 Ethernet networking	Yes	
Easy-access USB port	Yes	
HP ePrint enabled	Yes	
Wireless networking	N/A	Yes
Memory (not expandable)	256 MB	

Accessories, Supplies and Support

Supplies	CE400A HP 507A Black Original LaserJet Toner Cartridge (5,500 pages)				
	CE400X HP 507X High Yield Black Original LaserJet Toner Cartridge (11,000 pages) CE401A HP 507A Cyan Original LaserJet Toner Cartridge (6,000 pages) CE402A HP 507A Yellow Original LaserJet Toner Cartridge (6,000 pages) CE403A HP 507A Magenta Original LaserJet Toner Cartridge (6,000 pages)				
				CE254A HP Color LaserJet CE254A Toner Collection Unit (Approximately 36,000 pages) CE484A HP Color LaserJet CE484A 110V Fuser Kit (150,000 pages)	
				Accessories	CF084A HP Color LaserJet 500-sheet Paper and Heavy Media Tray
		CF085A HP LaserJet 500 color Series Printer Cabinet			
	Service and Support	U6Y78E - HP 3 year Next Business Day Color LaserJet M570 Multifunction Printer Hardware Support U6Y82E - HP 3 year 4 hour 13x5 Color LaserJet M570 Multifunction Printer Hardware Support U6Y90PE - HP 1 year Post Warranty Next Business Day Color LaserJet M570 Multifunction Printer Hardware Support U6Y93PE - HP 1 year Post Warranty 4 hour 13x5 Color LaserJet M570 Multifunction Printer Hardware Support U6Y91PE - HP 2 year Post Warranty A hour 13x5 Color LaserJet M570 Multifunction Printer Hardware Support U6Y91PE - HP 2 year Post Warranty Next Business Day Color LaserJet M570 Multifunction Printer Hardware Support U6Y91PE - HP 2 year Post Warranty Next Business Day Color LaserJet M570 Multifunction Printer Hardware Support (U6Y82E/U6Y93PE: Please check availability at country level)			

Technical specifications

Model	HP LaserJet Pro 500 color MFP M570dn	HP LaserJet Pro 500 color MFP M570dw		
Product number	CZ271A	CZ272A		
Functions	Print, copy, scan, fax			
Control panel	8.89 cm intuitive touchscreen control panel with colour graphic display; Buttons (Home, Cancel, Help, Right/Left Arrows, Back); LED indicator lights (Ready, Error, Wireless)			
Print				
Print technology	Laser			
Print speed ¹	Black (A4, normal) Up to 30 ppm; Colour (A4, normal): Up to 30 ppm; Black (A4, duplex): Up to 27 ipm;			
First page out ²	Black (A4, ready): As fast as 10.5 sec; Colour (A4, ready): As fast as 10.5 sec;	Black (A4, ready): As fast as 10.5 sec; Colour (A4, ready): As fast as 10.5 sec;		
Print resolution	Black (best): Up to 600 x 600 dpi; Colour (best): Up to 600 x 600 dpi; Technology: HP ImageREt 3600;			
Monthly duty cycle	Up to 75,000 pages A4; Recommended monthly page volume: 1500 to 4000	Up to 75,000 pages A4; Recommended monthly page volume: 1500 to 4000		
Printer smart software features	HP ePrint; Apple AirPrint™; Mopria-certified; HP Auto-On/Auto-Off Technology Simplified control panel; Compact design	; HP ePrint; Apple AirPrint™; Wireless Direct Printing; Mopria-certified; HP Auto- On/Auto-Off Technology; Simplified control panel; Compact design		
Standard print languages	HP PCL 6, HP PCL 5c, HP Postscript Level 3 emulation, PDF (v 1.7), AirPrint™ compatible			
Fonts and typefaces	84 scalable TrueType fonts	84 scalable TrueType fonts		
Print area	Print margins Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm; Maximum	Print margins Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm; Maximum print area: 210.9 x 350.6 mm		
Duplex printing	Automatic (standard)	Automatic (standard)		
Сору				
Copy speed	Black (A4): Up to 30 cpm; Colour (A4): Up to 30 cpm			
Copier specifications	Number of copies; Reduce/Enlarge; Ligher/Darker; Optimise; Paper; Multi-page copy; Collation; Tray select; Two-sided; Draft mode; Image adjustment; Set as new defaults; Restore defaults; Maximum number of copies: Up to 99 copies; Copy resolution: Up to 300 x 300 dpi; Reduce/Enlarge: 25 to 400%;			
Scan	· · · · · · · · · · · · · · · · · · ·			
Scan speed ³	Normal (A4): Up to 19.5 ppm (black & white), up to 14 ppm (colour): Duplex (A	Normal (A4): Up to 19.5 ppm (black & white), up to 14 ppm (colour); Duplex (A4): Up to 35.5 ipm (black & white), up to 13.5 ipm (colour)		

Model	HP LaserJet Pro 500 color MFP M570dn	HP LaserJet Pro 500 color MFP M570dw		
Product number	CZ271A	CZ272A		
Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Scan inp Stage (Windows® 7); TWAIN-compliant or WIA-compliant software; Twain version: maximum (flatbed): 216 x 297 mm; Optical scan resolution: Up to 300 x 300 dpi (c	vit modes: From PC: Solution Center Lite (Windows Vista®, Windows® XP) or Device Version 1.9; Duplex ADF scanning : Yes, dual head duplexing, colour scan; Scan size colour and black & white, ADF); Up to 1200 x 1200 dpi (black & white, flatbed)		
Scanner advanced features	Scan to e-mail; Scan to network folder (stand alone solution); Scan to Cloud; Scan to USB			
Scannable area	Minimum media size (flatbed): Any size smaller than A4 Maximum media size (flatbed): 216 x 297 mm; Minimum media size (ADF): 127 x 177 mm Maximum media size (ADF): 216 x 356 mm			
Bit depth/ Grey scale levels	24-bit (8-bit for colour duplex scan) / 256	24-bit (8-bit for colour duplex scan) / 256		
Digital sending	Standard: Scan to e-mail with LDAP e-mail address lookup			
Fax				
Fax ⁴	Yes, 33.6 kbps			
Fax specifications	Fax memory: Up to 250 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x	Fax memory: Up to 250 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Superfine: 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers		
Fax smart software features	Permanent fax memory backup, auto fax reduction, auto redialing, delayed sending, fax forwarding, TAM interface, polling, junk barrier, distinctive ring detection, cov page wizard, block fax, billing codes, save and load, poll receive, fax activity reports, dial prefix setting, print fax log			
Processor speed	800 MHZ			
Connectivity	· · · ·			
Standard	1 Hi-Speed USB 2.0; 1 Host USB; 1 Gigabit 10/100/1000T Ethernet; 1 RJ -11 (Fax), 1 RJ-11 (Phone only)	; 1 Hi-Speed USB 2.0; 1 Host USB; 1 Gigabit 10/100/1000T Ethernet; 1 WiFi 802.11 b/g/n; 1 RJ -11 (Fax); 1 RJ-11 (Phone only)		
Wireless	No	Yes, built-in Gigabit 10/100/1000T Ethernet, Wi-Fi 802.11b/g/n		
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified	HP ePrint; Apple AirPrint™; Mopria™-certified; Wireless Direct Printing		
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP Print, FTP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless); Security: SSL Security and certificate management, 802.1x	as CZ271A plus Wireless: 802.11 b/g/n, WPA2-PSK, WPA2-Enterprise, WPS, Apple AirPrint™, HP Wireless Direct Print;		
Network capabilities	Yes, via built-in Gigabit 10/100/1000T Ethernet	Yes, via built-in Gigabit 10/100/1000T Ethernet; Wireless 802.11 b/g/n		
Memory	Standard: 256 MB; Maximum: 256 MB			
Media handling	· · ·			
Number of paper trays	Standard: 2 ; Maximum: 3			
Media types	Paper (bond, brochure, coloured, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, transparencies, labels, envelopes			
Media size	Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 148 x 210 to 216 x 297 mm; Optional 500-sheet Tray 3: 148 x 210 to 216 x 356 mm; Automatic two- sided printing unit: 148 x 210 to 216 x 356 mm; Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); B6 (JIS); 10 x 15 cm; postcards (JIS single, JIS double); envelopes (ISC DL, ISO C5, ISO B5); Tray 2, optional Tray 3: A4; A5; B5 (JIS); Automatic two-sided printing unit: A4; A5; B5 (JIS)			

Model	HP LaserJet Pro 500 color MFP M570dn	HP LaserJet Pro 500 color MFP M570dw	
Product number	CZ271A	CZ272A	
Media handling	Standard input: 100-sheet multipurpose tray, 250-sheet input tray 2, 50-sheet Automatic Document Feeder (ADF) Standard output: 250-sheet face-down output bin Optional input: Optional 500-sheet paper tray 3 ADF: Standard, 50 sheets		
Media weight	Tray 1: 60 to 216 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); Tray 2: 60 to 163 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); Optional Tray 3: 60 to 176 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); Automatic two-sided printing unit: 60 to 163 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); ADF: 60 to 90 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); ADF: 60 to 90 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); ADF: 60 to 90 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); ADF: 60 to 90 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); ADF: 60 to 90 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); ADF: 60 to 90 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); ADF: 60 to 90 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); ADF: 60 to 90 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); ADF: 60 to 90 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); ADF: 60 to 90 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); ADF: 60 to 90 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); ADF: 60 to 90 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); ADF: 60 to 90 g/m ² (plain paper), 105 to 220 g/m ² (glossy paper); ADF: 60 to 90 g/m ² (glos		
Input capacity	Tray 1: sheets (75 g/m ²): 100; labels, transparencies, cardstock (163 g/m ²): 50; cardstock (216 g/m ²): 30; envelopes: 10 Tray 2: sheets (75 g/m ²): 250; cardstock (163 g/m ²), labels, transparencies: 100 Tray 3: sheets (75 g/m ²): 500; cardstock (163 g/m ²), labels, transparencies: 200 (optional tray) Maximum: Up to 850 sheets ADF: Standard, 50 sheets		
Output capacity	Standard: Up to 250 sheets Envelopes: Up to 10 envelopes Transparencies: Up to 100 sheets Maximum: Up to 250 sheets		
Compatible operating systems	Full software installs supported on: Windows 8 (32-bit and 64-bit), Windows 7 (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), Windows XP (32-bit) (SP2 or higher), and Windows Server 2012; Driver only installs supported on: Windows Server 2008 (32-bit), Mindows Server 2008 R2, Windows Server 2008 (32-bit), Modows Server 2008 R2, Windows Server 2008, Lingo 10, 10, 80 SX Mountain Lion (10.8); Lingos Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre- built package), SuSE Linux (10.1, 10.11, 11.11, 11.2); Fedora (9, 9.0, 10, 10.0, 11.0, 11.11, 12.11, 21.6), 10.0, 10.0, 11.0, 11.11, 11.12); Fedora (9, 9.0, 10, 10.0, 11.0, 11.1, 11.12); Fedora (9, 9.0, 10, 10.0, 11.0, 11.1, 11.12); Fedora (9, 9.0, 10, 10.0, 15.0, 5.0, 15.0, 25.0, 30); Supported by the automatic installer); HPUX 11 and Solaris 8/9	Full software installs supported on: Windows 10 (32-bit/64-bit), Windows 8 (32- bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows Server 2012; Driver only installs supported on: Windows Server 2008 (32-bit/64- bit), Windows Server 2008 R2, Windows Server 2003 (32-bit) (SP3 or higher); Mac OS X v10.6, v10.7 Lion, v10.8 Mountain Lion; Linpus Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre-built package), SuSE Linux (10.3, 11.0, 11.1, 11.2), Fedora (9, 9.0, 10, 10.0, 11.0, 11.1, 21.2.0), Ubuntu (8.04, 8.04.1, 8.042, 8.10, 9.04, 9.10, 10.04), Lobian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer); HPUX 11 and Solaris 8/9	
Minimum system requirements	Windows: Windows 10, Windows 8, Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit): 1 GHz 32-bit (x86) or 64-bit (x64) processor, 1 GB RAM (32-bit) or 2 GE RAM (64-bit), 400 MB available hard disk space, CD/DVD-ROM or Internet, USB or network port; Mac: Mac OS X Mountain Lion (v 10.8), OS X Lion (v10.7x), v10.6x; 1 GB free hard disk space, CD-ROM/DVD-ROM or Internet, USB		
Software included	Windows®: HP Installer/Uninstaller, HP PCL 6 print driver, HP WIA Scan Driver, HP TV Status Alerts, HP Update, DXP; Mac: HP Installer/Uninstaller, HP Postscript driver, HF	VAIN Scan Driver, HP Scan, HP Fax Setup Wizard, HP Send Fax, HP Fax Print Driver, 2 Scan, HP Setup Assistant, HP Fax Print Driver, HP Utility, HP Firmware Updater	
Security management	Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 community password change, SNMPv3, 802.1x, Firewall, Access Control List; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication	Wireless: WEP (128 bit), WPA/WPA2 - Personal (AES, TKIP), WPA/WPA2 - Enterprise (EAP-TLS, PEAP, LEAP); Embedded Web Server: password-protection, secure browsing via SSL/TLS; Network: enable/disable network ports and features, SNMPv1 community password change, SNMPv3, 802.1x, Firewall, Access Control List; HP ePrint: HTTP5 with certificate validation, HTTP Basic Access Authentication, SASL authentication	
Printer management	Windows®: HP Device Toolbox, Status Alerts (default install), SNP Alerts (minimum		
Dimensions and weight			
Printer dimensions (W x D x H)	Minimum 515 x 500 x 538 mm; Maximum: 825 x 915 x 948 mm;		
Package dimensions (W x D x H)	733 x 644 x 730 mm		
Printer weight	40.8 kg		
Package weight	45.9 kg		
Operating environment	Temperature: 10 to 30°C; Humidity: 20 to 60% RH		
Storage conditions	Temperature: 0 to 35°C; Humidity: 10 to 90% RH		
Acoustics	Acoustic power emissions: 6.6 B(A); Acoustic pressure emissions: 52 dB(A)		
Power	Requirements: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 2 Hz), 12 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6A. Not dual voltage, power supply varies by part number with # Option code identifier; Consumption: 605 watts (printing), 440 watts (copying), 52 watts (ready), 8.1 watts (sleep), 0.3 watts (off). Typical Electricity Consumption (TEC): 3.259 kWh/Week; Typical Electricity Consumption (TEC): 3.259 kWh/Week; Power supply type: Built-in power supply:	Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 A; Consumption: 605 watts (printing), 440 watts (copying), 52 watts (ready), 8.1 watts (sleep), 0.3 watts (off). Typical Electricity Consumption (TEC): 3.259 KWh/Week; Typical Electricity Consumption (TEC): 3.259 kWh/Week; Power supply type: Built-in power supply;	
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology; Instant-on Copy		
Certifications	CISPR 22: 2008/EN 55022: 2010 Class A, EN 61000-3-2: 2006+A1:2009+A2:2009, EN 61000-3-3:2008, EN 55024: 1998+A1+A2, FCC Title 47 CFR, GB9254-2008, GB17625-1-2003, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries CECP; EPEAT [®] Silver Telecom compliance: Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); FCC Part 68; other Telecom approvals as required by individual countries	CISPR 22: 2008/EN 55022: 2010 Class A, EN 61000-3-2: 2006+A1:2009+A2:2009, EN 61000-3-3:2008, EN 55024: 1998+A1+A2, FCC Title 47 CFR, GB9254-2008, GB17625.1-2003, EMC Directive 2004/108/EC with (E Marking (Europe), other EMC approvals as required by individual countries CECP Telecom compliance: Wireless telecommunications: EU (R&TTE Directive 1999/S/EC, EN 301 489-1 V1.8.1:2008-04, EN 301 489-17 V2.1.1:2009-05, EN 300 328 V1.7.1:2006-10, Fax Telecom: ES 203 021; R&TTE Directive 1999/S/EC (Annex II) with CE Marking (Europe); FCC Part 68; other Telecom approvals as required by individual countries	
Blue Angel compliant	No; Please refer to the ECI document	Yes, Blue Angel DE-UZ 205—only ensured when using Original HP supplies	
Country of origin	Made in China		
What's in the box	HP Laser Jet Pro 500 color MFP M570dn; includes built-in automatic two-sided printing; built-in 10/100/1000T Gigabit Ethernet; HP Black Laser Jet Toner Cartridge (~5500 pages), Cyan, Magenta, and Yellow Toner Cartridges (~6000 pages), Printer documentation and software on CD-R0M; Installation guide, Support flyer, Warranty card; Power cord; Fax cable	HP Laser Jet Pro color MFP M570dw; includes built-in automatic two-sided printing; built-in 10/100/1000T Gigabit Ethernet; Wireless 802.11 b/g/n; HP Black Laser Jet Toner Cartridge (~5500 pages), Cyan, Magenta and Yellow Toner Cartridges (~6000 pages); Printer Documentation and software on CD-R0M; Installation Guide, Support flyer, Warranty card; Power cord; Fax cable; USB cable	
Warranty ³ HP Auto Wireless Connect may not be available for all system configurations. Wireless performance is dependent upon physical environment and distance from access point.	One-year warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.		

Footnotes

¹ HP Auto Wireless Connect may not be available for all system configurations. Wireless performance is dependent upon physical environment and distance from access point. For information on compatibility, visit www.hp.com/go/autowirelessconnect.

² HP wireless direct printing, built-in wireless connectivity, and HP Auto Wireless Connect are only available on the HP LaserJet Pro 500 color MFP M570dw.

³ Requires an Internet connection to HP web-enabled printer and HP ePrint account registration (for a list of eligible printers, supported documents and image types and other HP ePrint details, see www.hp.com/go/eprintcenter). Mobile devices require Internet connection and email capability. May require wireless access point. Separately purchased data plans or usage fees may apply. Print times and connection speeds may vary. Some HP Laser Jet printers may require firmware upgrades

⁴ Programme availability varies. Original HP cartridge return and recycling is currently available in more than 50 countries, territories and regions in Asia, Europe, and North and South America through the HP Planet Partners programme. For more information, visit: www.hp.com/recycle.

⁵ Printing speed measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. First page out exact speed varies depending on the system configuration, software programme, document complexity, network, media width, media weight, environment, and job size.

⁶ Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see www.hp.com/go/eprintcenter.

⁷ HP Laser Jet 507X Black Toner Cartridge not included; please purchase separately.

⁸ Mobile device must be wireless-enabled. Printer must be HP ePrint-enabled. Feature may require drivers or apps, available for download at www.hp.com/go/eprintcenter.
⁹ Wireless performance is dependent upon physical environment and distance from access point, and may be limited during active VPN connections.

¹⁰ HP Auto-On and Auto-Off Technology are subject to printer and settings. Instant-on Technology claim based on comparison with products that use traditional fusing. Instant-on Copy claim based on comparison with fluorescent tubes.

Technical specifications disclaimers

¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

² Exact speed varies depending on the system configuration, software application, driver and document complexity.

³ Scan speed measured from ADF with default settings (save to PDF). Exact speed varies depending on the system configuration and document complexity.

⁴ Based on standard ITU-T test image at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

⁵ HP Scan software included in the box - file formats supported through software running on a PC.

⁶ Declared yield value in accordance with ISO/IEC 19798 in continuous printing. Actual yields vary considerably based on images printed and other factors. For more information visit: http://www.hp.com/go/learnaboutsupplies. ⁷ Printer ships with preinstalled standard toner cartridges (yield 5,500 black and 6,000 cyan, magenta, and yellow pages)





Mac

© Copyright 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein



Published in EMEA 4AA4-3033, April 2021