



Philips
Analogue Baby Monitor

- 1 parent unit

SCD485/00

The essential connection to your baby

Baby monitor for day and night

Our new range of AVENT Analogue baby monitors give you ultra clear sound with volume control, sound activated lights and link and low battery indicators, so you can be sure that when your baby needs you, you will know.

Benefits

Ultra clear sound

- Adjustable channel settings to help eliminate interference
- Variable volume control to hear every giggle or murmur

Stay reassured whilst on the move

- Stylish, handheld unit with a range of up to 150m

- Sound activated lights to keep you aware of baby's sounds
- Simple lights and sounds to let you know you are connected
- Easy link extra parent units for ultimate mobility

PHILIPS

Features

Adjustable channel settings



40Mhz analogue technology offers adjustable channel settings to help to eliminate interference for a clearer connection to your baby

Volume control with mute




Adjust the volume of your parent unit so you can hear every tiny giggle, gurgle or hic up. You can also monitor without sound by using the mute function. The sound activated lights will let you know when your baby needs you.

Operating range




Stay connected with your baby, even when you are far from the nursery with this stylish, hand held battery operated parent unit with a range up to 150m

Sound activated lights



Lights are activated when your baby makes a sound, so even with the volume turned down low or on mute, you will know when your baby needs you

Link & low battery indicators



A necessity for your reassurance, light and sound indicators will let you know when you are linked and in range, and will remind you when the battery of your parent unit is low, so you won't lose power unexpectedly.

Easy link extra parent units



Link more parent units in 2 easy steps, to give you extra mobility in and around your home. Extra parent units sold separately (SCD484)

Specifications

[field not found 'disclaimer_text']

Power

Operating time on battery	6 hour(s)
Power supply	110 - 240 V

Tuner/Reception/Transmission

Frequency band	40Mhz Analogue
Number of channels	2

Accessories

AC/DC adaptor	Yes
DFU/ user manual	Yes

Convenience

Battery low indication	Yes
Volume control	Yes
Auto out of range warning	Yes
Sound-level lights	Yes

Technical specifications

Operating temperature range	10 - 40 °C
Storage temperature range	10 - 40 °C

Logistic data

F-box dimensions (W x H x D)	200 x 100 x 300 mm
------------------------------	--------------------

Development stages

Stages	0 - 6 months
--------	--------------

Packaging dimensions

Height	30.00 cm
Width	20.00 cm
Depth	10.00 cm
Nett weight	0.50 kg
Gross weight	0.85 kg
EAN	08710103550280
Number of products included	1
Country of origin	CN
Harmonised Systems Code	851769

Outer Carton

Length	31.30 cm
Width	21.00 cm
Height	31.50 cm
Gross weight	3.02 kg
EAN	18710103550287
Number of consumer packagings	3



data subject to change
2014, August 31

Version: 2.5.1
EAN: 08710103550280

© 2014 Koninklijke Philips Electronics N.V.
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

www.philips.com