

Product datasheet

Specifications



Performance, Vertical Cable Manager for 2 & 4 Post Racks, 84\"/>

AR8615

EAN Code: 0731304291565

Overview

| | |
|---------------------|--|
| Presentation | This 6" wide, high capacity vertical cable manager for 2 and 4 Post open frame racks features a single-sided cable channel with multiple internal cable tie-off locations and smooth plastic fingers at 1U increments for organized patching applications. |
|---------------------|--|

Main

| | |
|----------------------------------|--|
| Product or component type | Cable organizer |
| Provided equipment | Doors Installation guide Mounting hardware |

Physical

| | |
|----------------------------|--------------------|
| Colour | Black |
| Height | 2134 mm |
| Width | 152 mm |
| Depth | 360 mm |
| Product weight | 27.2 kg |
| Mounting preference | No preference |
| Mounting mode | Not rack-mountable |

Conformance

| | |
|-------------------------------|-----------|
| Product certifications | UL listed |
|-------------------------------|-----------|

Packing Units

| | |
|-------------------------------------|---------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 24.9 cm |
| Package 1 Width | 228 cm |
| Package 1 Length | 54 cm |
| Package 1 Weight | 33.1 kg |

Logistical informations

| | |
|--------------------------|----|
| Country of origin | US |
|--------------------------|----|

Contractual warranty

| | |
|-----------------------------|----|
| Warranty (in months) | 24 |
|-----------------------------|----|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

| | |
|--|---|
| Total lifecycle Carbon footprint | 116 kg CO2 eq. |
| Carbon footprint of the manufacturing phase [A1 to A3] | 111 kg CO2 eq. |
| Carbon footprint of the distribution phase [A4] | 3 kg CO2 eq. |
| Carbon footprint of the installation phase [A5] | 0 kg CO2 eq. |
| Carbon footprint of the use phase [B2, B3, B4, B6] | 0 kg CO2 eq. |
| Carbon footprint of the end-of-life phase [C1 to C4] | 2 kg CO2 eq. |
| Environmental Disclosure | Product Environmental Profile |

Use Better



Materials and Substances

| | |
|--|---|
| Packaging made with recycled cardboard | No |
| Packaging without single use plastic | No |
| EU RoHS Directive | Compliant |
| REACH Regulation | Free of Substances of Very High Concern above the threshold |

Use Longer



Lifetime extension

| | |
|--------|----|
| Repair | No |
|--------|----|

Use Again



Repack and remanufacture

| | |
|---------------------------------|---|
| Recyclability potential, in % | 95 |
| End of life manual availability | No need of specific recycling operations |
| Take-back | No |
| WEEE Label |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |

Image of product / Alternate images

Alternative





